


Juniper.JN0-349.v2023-04-20.q81

□□□□:	JN0-349
□□□□:	Enterprise Routing and Switching, Specialist (JNCIS-ENT)
□□□:	Juniper
□□ □□ □□□:	81
□□:	v2023-04-20
# □□ □:	663
# □□ □□□:	810
https://www.krdump.com/Juniper.JN0-349.v2023-04-20.q81.html	

NEW QUESTION: 1

□□□□.



□□□□ □□□ □□□ 2 □□□□□ □□□□ □□□□. Swicth-1 □ Switch-2 □□ ge-0/0/0 □□ □□ □□□ □□□□□□.

□□□□ □□□ □□ □□□□ □□ □□?

A. Switch-2 □ □□□ RSTP □□□□□ □□ □□ □□□□ □□□.

- B. IP □□ □□
- C. MAC □□
- D. □□ ARP □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

- MAC □□ □□□ □□ □□□□ □□ □□?
- A. □□ MAC □□□□ 802.1X □□□ □□□□□.
 - B. □□ □□□ □□□□ □□ MAC □□□ □□□ □ □□□□.
 - C. □□□ □□ □□□□□□□ □□ MAC □□□ □□□ □ □□□□.
 - D. □□ MAC □□□ □□□ □ □□□□ □□□ MAC □□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

- EX4300 □□□□□ □□ ARP □□□ □□□□□ □□□□.
- □□□□□□□ □□ □□□□ □□□□□ □□□□□ □□□□?
- A. IP □□ □□
 - B. □□□□ MAC □□
 - C. MAC □□
 - D. DHCP □□□

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 10

- MTU □□□ □□□□ □□□ □□□□ GRE□ □□□□□□□. □□□ □□□ □□□□ □□
- □□□□□ □□□□□ □□□□.
- □□□□□□□. GRE □□□ □□□□ □□ □□ □□□ □□□□□?
- A. 1524
 - B. 1400
 - C. 1476
 - D. 1500

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

□□□□.



Which two statements are true? (2 correct answers.)

- A. Router A advertises routes to Router D through Router B and Router C.
- B. Router A advertises routes to Router B through Router C and Router D.
- C. Router A advertises routes to Router B, Router C, and Router D.
- D. Router A advertises routes to Router B, Router C, and Router D.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 12

Which VLAN configuration is correct? (3 correct answers.)

- A. ...
- B. ... CoS ...
- C. LLDP-MED ... VLAN ID ... IP ...
- D. ...
- E. ... VLAN ID ...

Answer: A,B,C (LEAVE A REPLY)

A(D 00): EX 0000 0000 00 VLAN 0000 0000 0000 0 00 0000 00
0 0 0000.

000(00 00) 0 00(00 00) 0000 0000 00 0000 00 00 VLAN00 0
0000.

B: 00 0000 0000 00 0000 000000 0000 00(CoS)0
00 VLAN 0000 000000 00 000000. 000000 00 00000 0 00
0000 000 000000 00 0000 00000. CoS0 00 00000 00 00 00 0000,
0000 00000 00 00 00 0000 0000 000000.

C: 00 VLAN0 00 Link Layer Discovery Protocol Media Endpoint0 0000 0 00000.
00 VLAN ID 0 802.1p 00 0000 IP0 00000 00 00(LLDP-MED)
00. 0 00 0000 0 IP 0000 0000 00 VLAN0 00000
CoS00 00000 00 802.1p 00 00000 00 0000 0000
00000 00 0000.

NEW QUESTION: 13

0000 000000 00000 0 00000 0000 00000 0000 00 00000 00000.
0 0000 0000 00 00000 00 00000 00000.
0 0000 00 00000 000000 0000000 00 0 00 0000 0000000 0000? (2000
000000.)

- A. 00 ARP 00
- B. 802.1X
- C. DHCP 000
- D. MAC 00

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 14


0 0000 00 IP 00 0000 0000000 00 0000 2 00000 0000000 0000. 0 0000
0000000 00 00 0000 0000000?

- A. 000000 ip-00/0/0.0 0000 valn-bridge 00
- B. 000000 gr-0/0/0.0 0000 vlan-bridge 00
- C. 000000 ip-0/0/0.0 0000 0000 00
- D. 000000 gr-0/0/0.0 0000 0000 00

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

00000.



- □□□□ □ IP □□□□ □□□ VLAN ID□ □□□□□.
- C□ □□□ A □ □□□ B□ □□□□□ □□ □□□ □□□□□?
- A. □ VLAN□ □□ IRB □□□□□□ □□□□ □□ VLAN□ □□□□□.
- B. □□□ □□□ □□□□ □□ □□□ □□□ □□ VLAN□ □□□ □□□ □□□□□.
- C. □□□ □□□ □□□□ □□ □□□ □□□ □□ VLAN□ □□□ □□□ □□□□□.
- D. □□□ □□ VLAN□ □□ VLAN □ □□□□ □□□□ □□ □□ ACL□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

□□ □□□ □□□□□.

```
{master:0}
user@switch> show spanning-tree interface

Spanning tree interface parameters for instance 0
```

Interface	Port ID	Designated port ID	Designated bridge ID	Port Cost	State	Role
ge-0/0/8.0	128:521	128:521	8192.50c58daedb41	200	FWD	DESG
ge-0/0/9.0	64:522	64:522	8192.50c58daedb41	2000	FWD	DESG
ge-0/0/14.0	240:527	240:527	8192.50c58daedb41	20000	FWD	DESG
ge-0/0/15.0	128:528	128:528	8192.50c58daedb41	200000	FWD	DESG

- □□□ □□□ □□□□ □□ □□?
- A. ge-0/0/9 □□□□□□ □□ □□ □□ □□ □□□□ □□□□.
- B. □ □□□□ □□□ □□ □□□ 32k□□□.
- C. □ □□□□ □□ □□□□ □□□□□□□.
- D. ge-0/0/15 □□□□□□ □□ □□ □□□ □□□□ □□□□.


Answer: A,C ([LEAVE A REPLY](#))

□□

<https://www.oreilly.com/library/view/juniper-mx-series/9781449358143/ch09s03.html> GR□ □□ □□□ □□□□ □□ □ □□ □□□□ □□□ □□, □□□□ □□□□ □□□□□ □□□□□ □□□□. □□□ GR□ □□□□ □□□ □□□□□□ □□ □□□ □□□□ GR□ □□□□ □ □□□□□□□ □□□ □□□□□. □□ □□ □□□□ □□□□ GR □□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□□.

NEW QUESTION: 20

□□ □□□ □□□□□.



□□□□ □□□□ R1□□ AS 65501□ □□□□ BGP □□□□ □□ □ □□ □□□□ □□ □ □?

(2□□ □□□□□.)

- A. R1□ AS 65501□ □□□ □□□□ □□ □ □□□ □□□□□.
- B. R1□ AS 65501□ □□□ □□□□ AS □□ □□□ □□□□□.
- C. R1□ AS 65501□ □□□ □□□□ □□□□ □□ □□□ □□□□□.
- D. R1□ AS 65501□ □□□ □□□□ □□□ ID □□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□□□ □□□□ □□ □□□ IBGP □□□ □□□ □□□□□?

- A. □□□-4
- B. □□-1
- C. □□□-2
- D. static.c-2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□□ □□□ □□□□□□ □ □□□ □□ □□□ □□□□.
□□ □□□ □□□□ □ □□ □ □□□□ □□□□□ □□□□. □□□ □ □□□ □□ □□□ □□
□ □□□□□□□ □ □□□ □□ □□□□.
□□ □□□ □□ □□□□□ IP □□□ □□□□□ □□ □□□□. □ □□□□ □□□□□ □□
□ □□□□ □□□?

- A. □□ □□ VLAN
- B. □□□ 2 □□□
- C. □□ VLAN
- D. VLAN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□ □□□□ □□(*)□ □□□ □□□□□?

Exhibit

```
user@router> show ospf database

      OSPF database, Area 0.0.0.0
Type      ID                Adv Rtr          Seq             Age
Opt Cksum Len
Router *172.16.248.14  172.16.248.14  0x8000000c      10
      0x22 0x4a3d  36
Router  172.16.248.213  172.16.248.213 0x80000002      331
      0x22 0xd32f  36
Network *172.16.248.214 172.16.248.14  0x80000001      10
      0x22 0x4459  32
```

JUNIPER NETWORKS

- A. □□□□ □□□ □□□□□□.
- B. □□□ □□□□□.
- C. □□□ □□□□□.
- D. □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

OSPF □□□□ □□□□□□□ □□□□ □□□□ □□ OSPF □□ □□□ □□□□□?

- A. □□□□□□ □□
- B. □□□□□
- C. □□ □□ □□
- D. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

FBF(□□ □□ □□)□ □□□□ □□□ 10.0.0.0/24□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□.

□ □□□ □□□ □ □□ □ □□ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□ □ □□□
- B. □□ □□□
- C. □□□
- D. □□ □□□

Answer: B,C ([LEAVE A REPLY](#))

□□

https://www.juniper.net/documentation/en_US/junos/topics/example/firewall-filter-option-filter-based-forwardin

NEW QUESTION: 26

□□ ge-0/0/1□ □□□ □ ESXi □□□□ □□□□□. VLAN 10□□ □□□ VM □ □□□ □□□ □ □□ □□□□ □□□ □ □□□□. □□□ □□□□□ VM□ MAC □□□ VLAN 10□□ □□ □ □□□□□□ □□□□□ □□□□□.

□ □□□□□□ □□ □□□ □□□□□□□□□?

- A. VLAN 10 □□
- B. □□□ □□□□□ ge-0/01
- C. □□□ □□□ □□□ vlan-id 10 □□
- D. □□□□□ ge-0/01 □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□□ □□□ □□□ □ EX □□□ □□□□□ □□□□□□ □□□□□ □□□□□ □□□ □ □□□□?

- A. VLAN □□ □□□ □□□□□ □□□□□□ □□□□□ □□□□□.
- B. □□□□□□ □□□□□ VLAN□ □□□□ □□□□ □ □□□□□.
- C. □□ □□ □□□ □□□ □□□□□ □□□□□□ □□□□□ □□□□□.
- D. □□□□□□ □□□□□ □□□ □□□□ □□□□ □ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□□□ □□□ □□□ □□□□ □ □□□ □□□□ □ □□ □□□□ □□□□□?
(2□□ □□□□□.)

```
[edit]
user@router# run show route protocol aggregate

inet.0: 9 destinations, 10 routes (9 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

172.12.16.0/20          *[Aggregate/130] 00:00:32
                        Discard
```

- A. 172.12.33.0/24
- B. 172.12.32.0/24
- C. 172.12.30.0/24
- D. 172.12.31.0/24

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□□□□□ □□□ □□ □□□□ □□□□□ □□ □ OSPF □□ □□□ □□□□ □□□□? (2
□□ □□□□□.)

- A. □□
- B. □□□□□ □□
- C. □□
- D. □□□ □□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 30

OSPF □□□ □□ □□□ □□□ □□□□□□?

- A. □□ 0.0.0.0
- B. □□ 1.1.1.1
- C. □□ 2.2.2.2
- D. □□ .3.3.3.3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□ □□□□□ □□□ □□□□□□ Junos □□□ □□□□□ □□□.

- □□□□ □□□□□.
- □□□ □□□□ □□□?
- A. □□□ □□
 - B. □□ □□
 - C. vt □□□□□
 - D. □□□□□

Answer: B ([LEAVE A REPLY](#))

JN0-349 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-349 □□!
DumpTop □ □□ **JN0-349** □□ □□□ □□□□□□, DumpTop JN0-349 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-349 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-349-dump.html> (112 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□.



```

user@router> show route 11.0.0/24
inet.0: 128 destinations, 173 routes (128 active, 0 holddown,
0 hidden)
+ = Active Route, - = Last Active, * = Both
    
```

```

11.0.0.102/32      *[IS-IS/18] 3w0d 01:23:29, metric 15
                   to 11.101.102.2 via ge-0/0/5.0
                   > to 11.111.112.2 via ge-0/0/6.0
11.0.0.108/32      *[IS-IS/18] 3w0d 01:23:29, metric 65
                   > to 11.101.102.2 via ge-0/0/5.0
                   to 11.111.112.2 via ge-0/0/6.0
11.0.0.109/32      *[IS-IS/18] 3w0d 01:23:19, metric 75
                   > to 11.101.102.2 via ge-0/0/5.0
                   to 11.111.112.2 via ge-0/0/6.0
11.0.0.199/32      *[IS-IS/18] 3w0d 01:23:16, metric 65545
                   > to 11.101.102.2 via ge-0/1/1.0
    
```

```

user@router> show route forwarding-table
    
```

```

Routing table: default.inet
Internet:
Destination      Type RtRef Next hop          Type Index
NhRef Netif
11.0.0.102/32    user   1
1048588         16
                   11.111.112.2          ucst
                   699      6 ge-0/0/6.0
11.0.0.108/32    user   0
1048588         16
                   11.101.102.2          ucst
                   698      6 ge-0/0/5.0
                   11.111.112.2          ucst
                   699      6 ge-0/0/6.0
11.0.0.109/32    user   0
1048588         16
                   11.101.102.2          ucst
                   698      6 ge-0/0/5.0
    
```



□□□ □□□ □□□□ □□ □□□□ □□ □□?
 A. 11.0.0.108.32□ □□□□ □□□ □□□□□.


```

user@router> show route 11.0.0/24
inet.0: 128 destinations, 173 routes (128 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

11.0.0.102/32      *{IS-IS/18} 3w0d 01:23:29, metric 15
                   to 11.101.102.2 via ge-0/0/5.0
                   > to 11.111.112.2 via ge-0/0/6.0
11.0.0.108/32      *{IS-IS/18} 3w0d 01:23:29, metric 65
                   to 11.101.102.2 via ge-0/0/5.0
                   to 11.111.112.2 via ge-0/0/6.0
11.0.0.109/32      *{IS-IS/18} 3w0d 01:23:19, metric 75
                   to 11.101.102.2 via ge-0/0/5.0
                   to 11.111.112.2 via ge-0/0/6.0
11.0.0.199/32      *{IS-IS/18} 3w0d 01:23:16, metric 65545
                   > to 11.101.105.2 via ge-0/1/1.0

user@router> show route forwarding-table
Routing table: default.inet
Internet:

Destination      Type RtRef Next hop          Type Index      NhRef Netif
11.0.0.102/32    user   1          11.111.112.2      ucst   699          6 ge-
0/0/6.0
11.0.0.108/32    user   0          11.101.102.2      ucst   698          6 ge-
0/0/5.0
                  11.111.112.2      ucst   699          6 ge-
0/0/6.0
11.0.0.109/32    user   0          11.101.102.2      ucst   698          6 ge-
0/0/5.0

```

Which of the following is the active route for 11.0.0.108/32?

- A. 11.0.0.102/32 via 11.111.112.2
- B. 11.0.0.108/32 via 11.101.102.2
- C. 11.0.0.102/32 via 11.111.112.2
- D. 11.0.0.108/32 via 11.101.102.2

Answer: B (LEAVE A REPLY)

NEW QUESTION: 36

RSTP is used in a network with three switches. Which of the following are true? (Choose three.)

- A. RSTP is used in a network with three switches.
- B. RSTP is used in a network with three switches.
- C. RSTP is used in a network with three switches.
- D. RSTP is used in a network with three switches.
- E. RSTP is used in a network with three switches.

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 37

802.3ad □□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□□ □□□ □□□□□□.
- B. □□ □□ □□□□ □□□□□.
- C. □□ □□□ □□□□□.
- D. □□□□ □□□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□□□ □□□ traceoptions □□□ □□□ □□□□ □□□ □□□□□?

```
Nov 3 15:39:56.388955 SPF post spf cleanup finished
Nov 3 15:39:56.388959 Cleanup elapsed time 0.000064s
Nov 3 15:39:56.388965 Total elapsed time 0.003092s
Nov 3 15:39:56.388967 Finished full SPF refresh for topology default
Nov 3 15:39:56.388969 task_job_delete: delete background job Route recal
timer for task OSPF
Nov 3 15:39:56.388971 background dispatch completed job Route recal timer
for task OSPF
Nov 3 15:40:02.900115 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:02.900227 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:02.900242 task_timer_uset: timer OSPF
I/O./var/run/ppmd_control_PPM Hold <Touched> set to offset 2:00 at 15:42:02
Nov 3 15:40:02.900244 OSPF packet ignored: area mismatch (0.0.0.1) from
192.168.150.254 on intf ge-0/0/1.0 area 1.0.0.0
Nov 3 15:40:02.900246 OSPF rcvd Hello 192.168.150.254 -> 224.0.0.5 (ge-
0/0/1.0 IFL 72 area 1.0.0.0)
Nov 3 15:40:02.900344 Version 2, length 44, ID 10.254.254.254, area 0.0.0.1
Nov 3 15:40:02.900346 checksum 0x8a7a, authtype 0
Nov 3 15:40:02.900348 mask 255.255.255.0, hello_ivl 10, opts 0x12, prio 128
Nov 3 15:40:02.900350 dead_ivl 40, DR 192.168.150.254, BDR 0.0.0.0
Nov 3 15:40:02.900374 task_timer_uset: timer OSPF_internal timer <Touched>
set to offset 5 at 15:40:07
Nov 3 15:40:04.225141 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:04.225293 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:04.225350 task_timer_uset: timer OSPF
I/O./var/run/ppmd_control_PPM Hold <Touched> set to offset 2:00 at 15:42:04
Nov 3 15:40:04.225352 OSPF periodic xmit from 192.168.150.253 to 224.0.0.5
(IFL 72 area 1.0.0.0)
Nov 3 15:40:06.025582 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:06.025685 task_process_events: rcv ready for OSPF
I/O./var/run/ppmd_control
Nov 3 15:40:06.025713 task_timer_uset: timer OSPF
I/O./var/run/ppmd_control_PPM Hold <Touched> set to offset 2:00 at 15:42:06
Nov 3 15:40:06.025715 OSPF periodic xmit from 172.16.128.253 to 224.0.0.5
(IFL 71 area 1.0.0.0)
```

- A. □□ □□□
- B. □□
- C. MTU □□□
- D. □□ □□□

- A. ge-0/0/10 □□□□□ RSTP □□□□□ □□□□□ BPDU□ □□□□□.
- B. □ □□□ □□ □□□□ □□□□ □□□.
- C. ge-0/0/10 □□□□□□ RSTP □□□□□ □□□□□ □□□□□.
- D. ge-0/0/13 □□□□□□ □□ □□□□□□ □□□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

- □□□□ □ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□.
- .
- □□□ □□□ □□ □□□□ □□ □□□□ □□□□.
- □□□ □□ □□□□ □□□□□ □□□□□ □□ □ □□ □□□ □□□□□ □□□? (2□□ □□□□□.)
- A. 802.1X
 - B. MAC □□
 - C. □□ ARP □□
 - D. DHCP □□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

□□□ □□□□ 10.5.5.5□ □□ □□□ □ □□□ □□□□?

```

user@host> show route hidden detail
inet.0: 25 destinations, 26 routes (24 active, 0 holddown, 1 hidden)
Restart Complete
127.0.0.1/32 (1 entry, 0 announced)
  Direct Preference: 0
    Next hop type: Interface
    Next-hop reference count: 1
    Next hop: via lo0.0, selected
    State: <Hidden Martian Int>
    Local AS:      1
    Age: 4:27:37
    Task: IF
    AS path: I

privatel__inet.0: 2 destinations, 3 routes (2 active, 0 holddown, 0 hidden)

red.inet.0: 6 destinations, 8 routes (4 active, 0 holddown, 3 hidden)
Restart Complete

10.5.5.5/32 (1 entry, 0 announced)
  BGP Preference: 170/-101
    Route Distinguisher: 10.4.4.4:4
    Next hop type: Unusable
    Next-hop reference count: 6
    State: <Secondary Hidden Int Ext>
    Local AS:      1 Peer AS:      1
    Age: 3:45:09
    Task: BGP_1.10.4.4.4+2493
    AS path: 100 I
    Communities: target:1:999
    VPN Label: 100064
    Localpref: 100
    Router ID: 10.4.4.4
    Primary Routing Table bgp.l3vpn.0

```

- A. L3VPN □□□□□.
- B. □□□ □□□□□ □□□□.
- C. □□ □□ □□□ □ □□□□.
- D. □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

OSPF □□□ □□ □□□ □□□ □□□□□?

- A. □□ 2.2.2.2
- B. □□ 1.1.1.1
- C. □□ 0.0.0.0
- D. □□ 3.3.3.3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

□□ □□□ □□□□□.

```
edit protocols isis]
ser@router-1# show
evel 2 disable;
evel 1 wide-metrics-only
nterface all;

edit protocols isis]
ser@router-2# show
evel 1 disable;
nterface all;
```

□□□ □□□□ □□□ □□ IS-IS □□□ □□□ □□□ □□□?


- A. IS-IS □□ □□□ □□□□ □□□□.
- B. □□ 2 IS-IS □□□ □□□□□.
- C. □□ 1 IS-IS □□□ □□□□□.
- D. 1□□□ 2□□ IS-IS □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□ □□□ □□□□□.

```
[edit protocols bgp]
user@Router-1# show
preference 150;
keep all;
mtu-discovery;
export statics;
remove-private;
local-as 5;
tcp-mss 4096;
group EXT {
  peer-as 2;
  neighbor 10.1.0.1;
}
group INT {
  type internal;
  local-address 192.168.1.11;
  local-as 1;
  neighbor 192.168.1.12;
}
```



```
[edit protocols bgp]
```

```
user@Router-1# run show bgp summary
```

```
Groups: 2 Peers: 2 Down peers: 1
```

Table	Tot Paths	Act Paths	Suppressed	History	Damp	State	Pending		
inet.0	5	4	0	0		0	0		
Peer	AS	InPkt	OutPkt	OutQ	Flaps	Lasr	Up/Dwn	State	#Active/Received/Accepted/Damped
10.1.0.1	2	1	2	0	0	3:37	Active		
192.168.1.12	1	14	15	0	0	4:05	4/5/4/0		0/0/0/0

Router-1 Router-2 EBGP Router-1 Router-2 BGP

Router-1 Router-2

?

- A. EBGP AS
- B. keep all
- C. EXT BGP
- D. TCP-MSS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 46

OSPF ABR (2)

- A. ABR
- B. ABR
- C. ABR OSPF
- D. ABR OSPF

Answer: A,D (LEAVE A REPLY)

(ABR): OSPF ABR OSPF

JN0-349 DumpTop JN0-349!
 DumpTop **JN0-349**, DumpTop JN0-349
 DumpTop JN0-349

NEW QUESTION: 47

Router-1 □ Router-2 □ □□□ □□□ □□□□ □□□□ □□ □□□□ □□□.
Router-1 □ Router-2 □ □□□ □□□□ □□ 1500□□□□ □□□□ □□□□□.
□□ □□□□ □□□□ □□ □□□□ □□□ 1520□□□□□□□.
□□ □□□ □□□ □□□ □□□ □□□□ □□□□ □□□?

- A. GRE □□
- B. IPsec VPN □□ □□
- C. IPsec VPN □□ □□
- D. IP-IP □□

Answer: D (LEAVE A REPLY)

GRE □ IP-IP □□□ □□□. □□ □□□ □□□(GRE) □ IP-in-IP
(IPIP) □ □□ □□□□ □ □□ □□□ □□□ □□□□□□□. □□□ □□□
□□□□, GRE □□□ 24□□□□□□ IP □□□ 20□□□□□□□.

NEW QUESTION: 48

IS-IS □□□□□ □□□ 2048□ □□□□ □□□□□□□.
□□□ □ □□□□ □□□□□□□□ IS-IS □□□□□ □□□ 63□ □□□□□□.
□ □ □□□ □□ □□□□□□□ □□□ □□ □□□□?

- A. □□ □□□□□□ □□□□□□□□.
- B. IS-IS □□□□□□ □□ □□□□□□.
- C. □□ 1 IS-IS □□□□□ □□□□□□□□.
- D. □□ □□□□□□ □□□□□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 49

□□ □□□ □□□□□□□.


R1 & R2 are in the same BGP AS 65530. R1 is the source of the X prefix. R2 is the destination of the X prefix?

- A. R1 is the source of the X prefix.
- B. AS 65530 is the source of the X prefix.
- C. AS 65530 is the destination of the X prefix.
- D. R2 is the source of the X prefix.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 51

R3 and R4 are in the same OSPF area. R3 is the source of the 2Way prefix. R4 is the destination of the 2Way prefix?



- A. DR is the source of the 2Way prefix.
- B. R3 is the source of the 2Way prefix.
- C. R4 is the source of the 2Way prefix.
- D. BDR is the source of the 2Way prefix.

Answer: A (LEAVE A REPLY)

<https://kb.juniper.net/InfoCenter/index?page=content&id=KB14881>

NEW QUESTION: 52

DHCP server is in VLAN 10. What is the source IP of the DHCP offer? (2 correct answers.)

- A. DHCP server IP, MAC address, VLAN ID.


```
}  
}  
}  
}
```

```
B. □□□ {  
  □□ □□ {  
    □□ fbf-filter1 {  
      □□ □□-192-□□□ {  
        □□ {  
          □□ □□ {  
            192.168.1.0/24;  
          }  
        }  
      }  
      □ □□□ {  
        □□□ □□□□ vr1;  
      }  
    }  
    □□ □□ 10-□□□ {  
      □□ {  
        □□ □□ {  
          10.210.0.128/26;  
        }  
      }  
    }  
    □ □□□ {  
      □□□ □□□□ vr2;  
    }  
  }  
}
```

```
C. □□□ {  
  □□ □□ {  
    □□ fbf-filter1 {  
      □□ □□-192-□□□ {  
        □□ {  
          □□ □□ {  
            192.168.2.0/26;  
          }  
        }  
      }  
      □ □□□ {  
        □□□ □□□□ vr2;  
      }  
    }  
  }  
}
```


```
}
}
□□ □□ 10-□□□□ {
□□ {
□□ □□ {
10.210.1.128/26;
}
}
□ □□□ {
□□□ □□□□ vr1;
}
}
}
}
}
```

```
D. □□□ {
□□ □□ {
□□ fbf-filter1 {
□□ □□-192-□□□□ {
□□ {
□□ □□ {
192.168.1.0/26;
}
}
□ □□□ {
□□□ □□□□ vr2;
}
}
□□ □□ 10-□□□□ {
□□ {
□□ □□ {
10.210.0.128/26;
}
}
□ □□□ {
□□□ □□□□ vr1;
}
}
}
}
}
```

Answer: B (LEAVE A REPLY)

NEW QUESTION: 55

□□□□.



□□□ □□ □□□□ □□ □□?


- A. □ □□□□ □□□ □□ □□□ 8k□□□.
- B. ge-0/0/15 □□□□□□ □□ □□ □□□ □□□□ □□□□.
- C. ge-0/0/9 □□□□□□ □□ □□□□□ □□ □□ □□ □□□□ □□□□.
- D. □ □□□□ □□ □□ □□□□ □□□□ □□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 56

IP-IP □□□ □□ □□□□ □□ □□?

- A. □□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□.
- B. □□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□.
- □□.
- C. □□ □□□□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□□□.
- □□ □□□ □□□□□□.



□□□ □□□□ □□□ VLAN□ □□□ □□ □□□□ □□ □□□ □ □□□□ □ □□□□□ □□
 VLAN□ □□ □□□□□ □□□ □ □□□□.

VLAN □□ □□□ □□□□□□ □□□ □□□□ □□□?

- A. □□ □□□ IRB □□□□□□ □□□□ □ VLAN □□□ □□□□ □□□.
- B. □□□ VLAN □□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□.
- C. □□□ IRB □□□□□□ □□□□ □ VLAN□ □□□□ □□□.
- D. □□□□ □□□□ □□□ □□□ □□□ □□□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

IS-IS □□□□□□ DIS□ □□□ □ □□ □□ □□□ □□ □ □□□□ □□ □□□□□?

- A. □□ □□ □□□ ID
- B. □□□ MAC □□
- C. □□ □□ MAC □□
- D. □□ □□ □□□ ID

Answer: ([SHOW ANSWER](#))

https://www.juniper.net/documentation/en_US/junos/topics/concept/routing-protocol-is-is-security-□□ □□□ □□.html

NEW QUESTION: 60

NSR□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. NSR□ □□ □□□ □□□□ □□□□□.
- B. NSR□ □□ □□□ □□□ □□ □□□□□ □□□□□.
- C. NSR□ □□□ □□ □□□ □□□□□.
- D. NSR□ □□□ □□□□□ GRES□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))


```
[edit]
user@router# show interfaces
...
lo0 {
    unit 0 {
        family inet {
            address 1.1.1.1/32;
        }
        family iso {
            address 49.0001.1921.6800.1001.00;
        }
    }
}
}
```



□□□□ □□□ ISO NET □□□ □□ □□□□ □□ □□?

- A. □□ □ □□ □□□(AFI)□ 00□□□.
- B. □□ □□□□ 0001□□□.
- C. □□□ □□□□ 6800.1001.00□□□.
- D. □□□ NET □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

□□□□ □□□□ □□□□□□ □□ □ □□ □□ □□□□ □□□□□ □□□? (2□□ □□□□□.)

- A. □□□□ □□□□□□ □□□ □□
- B. □□□□ □□□□ □□□□
- C. □□ □□□ 1□□ □□□ □□
- D. BFD□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

172.16.0.0/22 □□ □□□ □□□ □ □□□□ □□□□□? (2□□ □□□□□.)

- A. 172.16.5.0/24
- B. 172.16.0.0/24
- C. 172.16.3.0/24
- D. 172.16.4.0/24

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□□□□ □□□ □□ □□□□ □□□□□ □□ □ OSPF □□ □□□ □□□□ □□□?
(2□□ □□□□□.)

- A. □□□ □□ □□
- B. □□
- C. Hello □□
- D. □□

Answer: ([SHOW ANSWER](#))

<https://www.juniper.net/documentation/us/en/software/junos/ospf/topics/topic-map/ospf-Overview.html>

NEW QUESTION: 67

□□□□.

```
[edit protocols isis]
user@router# show
traceoptions {
  file isis-ts.log;
  flag all detail;
}
level 2 disable;
level 1 wide-metrics-only;
interface all;

[edit protocols isis]
user@router# top show interfaces lo0
unit 0 {
  family inet {
    address 10.10.100.1/32;
  }
  family iso {
    address 49.0001.0010.0100.0001.00;
  }
}

[edit protocols isis]
user@router# run show log isis-ts.log
Mar 5 18:05:43.986944 Received L1 LAN IIH, source id vr-
device-P-1 on ge-0/0/0.0
Mar 5 18:05:43.986963      intf index 332, snpa
52:54:0:8c:b1:1a
Mar 5 18:05:43.986967      max area 0, circuit type 11,
packet length 48
Mar 5 18:05:43.986971      hold time 27, priority 64, circuit
id vr-device-P-1.00
Mar 5 18:05:43.986975      speaks IP
Mar 5 18:05:43.986978      speaks IPV6
Mar 5 18:05:43.986987      IP address 172.16.1.1
Mar 5 18:05:43.986995      area address 49.0002 (3 bytes)
Mar 5 18:05:43.986998      restart flags []
Mar 5 18:05:43.987003 ERROR: IIH from vr-device-P-1 with no
matching areas, interface ge-0/0/0.0
Mar 5 18:05:43.987006      local area 49.0001
Mar 5 18:05:43.987009      area address 49.0002 (3 bytes)
Mar 5 18:05:51.618675      restart flags []
Mar 5 18:05:59.597983 ISIS L1 periodic xmit to
01:80:c2:00:00:14 interface ge-0/0/0.0
```

□□□ □□□□ □□ □□□□ □□ □□□□ IS-IS □□□□ □□□ □□□ □□□□ □□□ □□□ □□□□.

□□□ □□□□□ □□□ □□ □□□?

- A. □□□□□□ □□ □□ 2□ □□□□□□□□.
- B. □□□ □□□□ □□□□□□□□.
- C. □□□□□□ □□ □□ 1□ □□□□□□□□.
- D. □□ IS-IS □□ ID□ 49.0002□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□ EX4300 □□ □□□ □ EX4300 □□□ □□□□ □□□□□□. □□□ □ □□□□ □□ □□ □□ □□□ Junos □□□ □□□□ □□ □□□□.

□□□□□ □ □□□□□□ □□□□ □□□ □□□□□□?

- A. □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□.
- B. □ □□□□ □□□ ID□ □□□ □□ □□□ □□□ □□□.
- C. □ □□□□ □□□ ID□ □□□ □□ □□□ □□□ □□□.
- D. □□ □□□□ □ □□□□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

□□

https://www.juniper.net/documentation/en_US/junos/topics/concept/virtual-chassis-ex4200-software-automatic-u

NEW QUESTION: 69

802.3ad □□ □□□ □ □□ □□□ □□□□□□? (2□ □□)

- A. □□□□ □□□□□□.
- B. □□ □□□ □□□□□.
- C. □□□□□ □□□ □□□□□□.
- D. □□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □ □□□ □□ □□ □□ LAG. LAG□ □□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□□□. □□□□□ □□□□□ □□□ □□□□ □□□□□□. □□ □□□ □ □□ □□□ LAG□ □□ □□□ □□□ □□□□ □□□□ □□□□□□□□. □□ □ □□□ □□□ □□□□ LAG□ □□□ □□□ □□ □□□□ □□ □□□□□□.

<https://www.juniper.net/documentation/us/en/software/junos/interfaces-ethernet-switches/topics/topic-map/switches-interface-aggregated.html>

NEW QUESTION: 70

□ □□ □□□ IS-IS PDU□ □□□□□□? (2□□ □□□□□□.)

- A. PDU □□

- B. VRF PDU
- C. □□□□□ PDU
- D. □□ □□ PDU

Answer: C,D ([LEAVE A REPLY](#))

IS-IS hello(IIH) PDU□ □□ IS-IS □□□□ ID□ □□□□
 □□□ □□ 1 □□ □□ 2 □□ □□□□□ □□□□□. □□ □□ PDU
 □□ IS-IS □□□□ □□ □□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 71

Junos for OSPF□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□□□
- B. MD5 □□□
- C. MD5 □/□□□□ □□□□ □ □□
- D. □□ □□ □

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

STP□ □□□ □ □□ □□□ □□ □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□ □□ □□□ □□□□ □□□□.
- B. □□ □□□ □□ □□□ □□□□□.
- C. □□ □□□ MAC □□□ □□□□□.
- D. □□ □□□ MAC □□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 73

GRE □□□ □□□□ □□□ □ □□□□ □□□□□ □□□□□?

- A. 20
- B. 24
- C. 12
- D. 16

Answer: B ([LEAVE A REPLY](#))

□□
 IP-IP□ 20□□□□ □□□□□ □□□□□.
 GRE□ 24□□□□ □□□□□ □□□□□.

NEW QUESTION: 74

IS-IS□ DIS □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□□ □□□ □□□□ SNPA(Subnetwork Point of Attachment) □□ □□ □□□
 DIS□ □□□.
- B. □□□□ □□□ □□□□ SNPA(Subnetwork Point of Attachment) □□ □ □□ □□□
 DIS□ □□□.

JN0-349 ☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ JN0-349 ☐☐!
DumpTop ☐ ☐☐ **JN0-349** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop JN0-349 ☐☐ ☐☐☐ ☐☐☐
☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop JN0-349 ☐☐☐
☐☐☐☐☐. <https://www.dumptop.com/Juniper/JN0-349-dump.html> (112 Q&As Dumps,
30%OFF Special Discount: **KrDump**)