

Juniper.JN0-635.v2022-01-03.q54

□□□□:	JN0-635
□□□□:	Security, Professional (JNCIP-SEC)
□□□:	Juniper
□□ □□ □□□:	54
□□:	v2022-01-03
# □□ □:	1820
# □□ □□□:	540
https://www.krdump.com/Juniper.JN0-635.v2022-01-03.q54.html	

NEW QUESTION: 1

□□□ □□□□ □□□ □□□□ □□ □ □□ □□□ □□□□? (2□□ □□□□□.)

- A. □□□ □□□□ □□ □□□□□ □□□□ □□□□.
- B. □□□ □□□□ □□ □□□□□ □□□□ □□□□□.
- C. □□□ □□□□ □□□ □□□□□ □□□ □□□ □□□□.
- D. □□□ □□□□□ □□ □□□□□ □ □□ □□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

□□/□□: [https://www.juniper.net/documentation/en_US/junos/topics/topic-map/tenant-systems-overview.html#:~:text=Although%20similar%20to%20logical%20systems,administrative %20□□□□%20□□%20□□%20□□□□](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/tenant-systems-overview.html#:~:text=Although%20similar%20to%20logical%20systems,administrative%20□□□□%20□□%20□□%20□□□□)

NEW QUESTION: 2

ADVPN□ □□□ □ □□ □ □□ □□ □□ □□□□□ □□□□□? (3□□ □□□□□.)

- A. □□ □□ □□
- B. BGP
- C. OSPF
- D. IKEv1
- E. □□ □□ □□□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□□ □□□□□.

```

user@srx> show security flow session
Session ID: 11232, Policy name: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23;tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868;tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1

```

□□□□ □□ □□□ NAT□ □□□□□?

- A. NAT64
- B. NAT46
- C. □□ NAT
- D. DS-□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□□□.

```

(edit security nat)
user@host# show
source {
  pool servers {
    address {
      198.51.100.240/32 to 198.51.100.254/32;
    }
    address-persistent subscriber ipv6-prefix-length 64;
  }
}
rule-set RS1 {
  from zone trust;
  to zone untrust;
  rule R1 {
    match {
      source-address 2001:db8::/32;
      destination-address 198.51.100.198/32;
    }
    then {
      source-nat {
        pool {
          servers;
        }
      }
    }
  }
}

```

□□□ □□□□ □□ □ □□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□□ □□□ □□□ □ □□□□.
- B. □□□ □□□□ IPv6□□ IPv4□□ □□□ □□□□□.
- C. IPv6 □□□ □□□□□□□.
- D. □□□ □□□□ IPv4□□ IPv6□□ □□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□□□ □□□ IP □□□□ □□ □□ □□ □□□ □□□□□ SRX □□□ □□□ □□□□
□ □□□□ □□□□□.
□□ □□□ □□□ □ □□□ □□□□□?

A)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            hr-subnet;
        }
        destination-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

B)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

C)


```

user@host# show system security-profile
production-profile {
  zone {
    maximum 10;
    reserved 5;
  }
  logical-system [ ACME WILEY ];
}
development-profile {
  zone {
    maximum 7;
    reserved 0;
  }
  logical-system [ IT-design security ];
}
master-profile {
  zone {
    maximum 40;
    reserved 17;
  }
  root-logical-system;
}

```

□□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□ □□ □□ □□ □ □□□□?

- A. 34
- B. 17
- C. 40
- D. 74

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

□□ □□□ □□□□□.

□□:

<https://www.juniper.net/us/en/products-services/security/advanced-threat-prevention/>

NEW QUESTION: 11

□□ □□□ □□□□□.

```
user@host> show ethernet-switching global-information
```

Global Configuration:

```

MAC aging interval           : 300
MAC learning                 : Enabled
MAC statistics               : Disabled
MAC limit Count              : 65535
MAC limit hit                : Disabled
MAC packet action drop      : Disabled
LE aging time                : 1200
LE VLAN aging time          : 1200
Global Mode                  : Switching

```

□□□ □□□□ □□ □ □□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □ □□□ □□ □□□□ VLAN □ □□□□ □□□ □ □□□□.
- B. □ □□□ □□ □□□□ VLAN □ □□□□ □□□ □ □□□□.
- C. □□□ Layer 2 □ Layer 3 □□□□ □□□ □□□ □ □□□□.
- D. □□□ Layer 2 □ Layer 3 □□□□ □□□ □□□ □ □□□□.

Answer: A,D (LEAVE A REPLY)

□□/□□: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/ethernet-port-switching-modes.html

NEW QUESTION: 12

□□□ Juniper ATP □□□□□□□□□□ SSH □□□□ □□□□ □ □□□□.

□ □□□ □□□ □□□□□?

- A. □□□□□ □□ 5□□ □□□□□□□ □□□ □□□.
- B. □□□□□ □□ 3□□ □□□□□□□ □□□ □□□.
- C. □□□□□ □□ 2□□ □□□□□□□ □□□ □□□.
- D. □□□□□ □□ 4□□ □□□□□□□ □□□ □□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 13

□□ □□□□ □□□ □□ □□ SSH □□ □□□□ SRX □□□ □□□ □□□□□ □□□□ □ □□ □□□ □□□ □□□□□.

□ □□□□□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□ □□□ □□□□□□□ □□ □□□ □□□□□ □□□.

- B. □□□ □□□□ □□□ □□□ □□ □□□□.
- C. □□□ □□□□ □□□ □□□ □□ □□□□.
- D. □□□ □□□□□□□□ □□□ □□ □□□ □□□□ □□□.


Answer: C,D ([LEAVE A REPLY](#))

□□:

https://www.juniper.net/documentation/en_US/junos/topics/concept/firewall-filter-ex-series-evaluation-understanding.html

NEW QUESTION: 14

□□ □□□ □□□□□.



□□□□ □□ □□□ □□□ SSH□ □□□ □ □□□ □□□□□. □□□□ NAT□ □□□□ □ □□□ □□□□ SRX □□□ □□□ □□□□□. □□□ □□□□ SRX □□□ □□□ □□ □□□ □□□ □ □ □□ □□□ □□□□□?

A)

```
[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
    source-prefix 192.168.1.1/32;
    destination-prefix 192.168.1.254/32;
}
packet-filter MATCH-TRAFFIC-IN {
    source-prefix 10.1.1.1/32;
    destination-prefix 10.1.1.254./32;
}
}
```

B)


```

user@srx> show log flow-trace
CID-0:RT: flow process pak fast ifl 71 in_ifp ge-0/0/5.0
CID-0:RT: ge-0/0/5.0:10.0.0.2/55892->192.168.1.2/80, tcp, flag 2 syn
CID-0:RT: find flow: table 0x5a386c90, hash 50728(0xffff), sa 10.0.0.2, da
192.168.1.2, sp 55892,
dp 80, proto 6, tok 7
CID-0:RT: no session found, start first path. in_tunnel - 0x0, from_cp_flag -
0
CID-0:RT: flow_first_create_session
CID-0:RT: flow_first_in_dst_nat: in <ge-0/0/5.0>, out <N/A> dst_adr
192.168.1.2, sp 55892, dp 80
CID-0:RT: chose interface ge-0/0/5.0 as incoming nat if.
CID-0:RT:flow_first_rule_dst_xlatE. DST no-xlatE. 0.0.0.0.(0) to
192.168.1.2(80)
CID-0:RT:flow_first_routing. vr_id 0, call flow-route_lookup(): src_ip
10.0.0.2, x_dst_ip
192.168.1.2, in_ifp ge-0/0/5.0, out_ifp N/A sp 55892, dp 80, ip_proto 6, tos
10
CID-0:RT:Doing DESTINATION addr route-lookup
CID-0:RT: routed (x_dst_ip 192.168.1.2) from LAN (ge-0/0/5.0 in 0) to ge-
0/0/1.0, Next-hop:
172.16.32.1
CID-0:RT:flow_first_policy_search.policy search from zone LAN-> zone WAN
(0x0,0xda540050,0x50)
CID-0:RT:Policy lkup: vsys 0 zone(7:LAN) -> zone(6:WAN) scope:0
CID-0:RT:10.0.0.2/55892 -> 192.168.1.2/80 proto 6
CID-0:RT:Policy lkup: vsys 0 zone(5:Unknown) -> zone(5:Unknown) scope:0
CID-0:RT: 10.0.0.2/55892 -> 192.168.1.2/80 proto 6
CID-0:RT: app 6, timeout 1800s, curr ageout 20s
CID-0:RT: packet dropped, denied by policy
CID-0:RT: denied by policy default-policy-00(2), dropping pkt
CID-0:RT: packet dropped, policy deny
CID-0:RT: flow find session returns error
CID-0:RT: ----- flow_process_pkt rc 0x7 (fp rc 1)
CID-0:RT:jsf sess close notify
CID-0:RT:flow ipv4 del flow: sess, in hash 32

```

□□□□ □ □□□ □□□ □ □□□□. □□□ □□ □□□□ □□ □□?

- A. □□□ □ □ □□□ □□ □□□□ □□□□ □□□□.
- B. □ □□□ □□ 80□□ □□□□ □□□□ □□□□.
- C. □□ □□□□ □□□□ □□□□□□.
- D. □ □□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□ □□□□ NCP □□□□□□ □□□□ □□ □□□ VPN□ □□□□. □□ □□□□ □□□□
□□ □□ □□ □□□□ □□□□ □ □□□□. □□□ □□ □□ □□□□ □□□□ □□□ □□□
□ □□ □□□ VPN□ □□□□□□. □□ □□ □□□□ □□□ □□□□ □□ □□□□ VPN□ □□
□□□□ □□□ □□□.

□ □□□ □□□□□□ □□ □ □□ □□□ □□□ □□□? (2□□ □□□□□□.)

- A. SRX □□□ □□□ VPN □□ □□□ □□ □□□ □□□ □□□□□□.
- B. SRX □□□ □□□ VPN □□ □□□ IKEv2 □□□
- C. SRX □□□ □□□ VPN □□ □□□ □□□ □□□ □□□□ □□□□□□.

D. □□ □□□□□□ NCP □□□□ □□ □□ □□□ □□

Answer: C,D ([LEAVE A REPLY](#))

□□/□□: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-remote-access-vpns-with-ncp-exclusive-remote-access-client.html

JN0-635 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-635 □□!
DumpTop □ □□ **JN0-635** □□ □□□ □□□□□□, DumpTop JN0-635 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-635 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 17

IPsec □□ □ □□ □□ □□□ □□□ □□□ □□□ □□□. □□□□□ SRX340 □
SRX5600□□ □□□□□.

□ □□□□□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. IPsec □□□ □□□□□ kmd □□ □□□ □□□□□.

B. IKE □□□ □□□□□ □□□ □□ □□□ □□□□□.

C. □□ □□ □□□ □□□□□ SRX340 □□□□ □□□ □□□ □□□ □□□□□ □□□.

D. □□ □□ □□□ □□□□□ SRX5600 □□□□ □□□ □□□ □□□ □□□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

□□ □□□ □□□□□.

```

user@srx> show security flow session destination-prefix 172.31.15.1
destination-port 22 extensive
Session ID: 19867, Status: Normal
Flags: 0x40/0x0/0x8003
Policy name: internet-trust/5
Source NAT pool: Null, Application: junos-ssh/22
Dynamic application: junos:UNKNOWN,
Encryption: Unknown
Application traffic control rule-set: INVALID, Rule: INVALID
Maximum timeout: 1800, Current timeout: 1766
Session State: Valid
Start time: 598746, Duration: 45
  In: 10.10.101.10/61179 --> 172.31.15.1/22;tcp,
Conn Tag: 0x0, Interface: ge-0/0/4.0,
  Session token: 0x7, Flag: 0x1021
  Route: 0x110010, Gateway: 10.10.101.10, Tunnel: 0
  Port sequence: 0, FIN sequence: 0,
  FIN state: 0,
  Pkts: 18, Bytes: 3261
  Out: 172.31.15.1/22 --> 10.10.101.10/61179;tcp,
Conn Tag: 0x0, Interface: ge-0/0/3.0,
  Session token: 0x9, Flag: 0x1020
  Route: 0x120010, Gateway: 172.18.1.2, Tunnel: 0
  Port sequence: 0, FIN sequence: 0,
  FIN state: 0,
  Pkts: 16, Bytes: 3773
Total sessions: 1

```



Which two statements are true? (2 correct answers)

- A. The session is established from the source NAT pool.
- B. The session is established from the interface ge-0/0/4.0.
- C. The session is established from the interface ge-0/0/3.0.
- D. The session is established from the interface ge-0/0/4.0.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which two statements are true? (2 correct answers)

- A. The session is established from the interface ge-0/0/4.0.
- B. IP address 10.10.101.10 is the source of the session.
- C. The session is established from the interface ge-0/0/3.0.
- D. C&C address cc_offic365 is the source of the session.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

port-overloading-factor 1 is configured on the interface.

- A. The session is established from the interface ge-0/0/4.0.


- B. 100 10000 10000
- C. 100 100000 100 1:1 1000 100 100
- D. 100 100 10000 1000 65,536 100 100

Answer: B (LEAVE A REPLY)

100/100: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/security-edit-port-overloading-interface-source-nat.html

NEW QUESTION: 21

100 1000 100000.



10000 100 1000 1000 SSH 1000 10000 100000. 10000 NAT 10000 10000 10000 SRX 1000 1000 100000. 1000 10000 SRX 1000 1000 10000 1000 1000 1000 100000?

A)

```
[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
  source-prefix 192.168.1.1/32;
  destination-prefix 192.168.1.254/32;
}
packet-filter MATCH-TRAFFIC-IN {
  source-prefix 10.1.1.1/32;
  destination-prefix 10.1.1.254./32;
}
```

B)

- C. □□ □□
- D. □□ NAT □□ □□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□ Juniper ATP □□□□□□□□□ SSH □□□□ □□□□ □ □□□□.
 □ □□□ □□□ □□□□□?

- A. □□□□□ □□ 2□□ □□□□□□ □□□ □□□.
- B. □□□□□ □□ 3□□ □□□□□□ □□□ □□□.
- C. □□□□□ □□ 5□□ □□□□□□ □□□ □□□.
- D. □□□□□ □□ 4□□ □□□□□□ □□□ □□□.

Answer: D ([LEAVE A REPLY](#))

□□:

https://www.juniper.net/documentation/en_US/release-independent/jatp/topics/task/configuration/jatp-traffic-collectorsetting-ssh-honeypot-detection.html

NEW QUESTION: 24

□□□ □□□ □□□□ □□□□ □□ Active Directory □□□□ □□□□. □□ □□□ □□□□
 □□□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□.
 □ □□□ □□□□ □□ SRX □□□ □□□ □□□□□ □□□ □□□□□□□□□?

- A. □□□ □□□□
- B. JSA
- C. □□
- D. JATP □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □□□ □□□□□.

```
Communicate with JATP server...
error: [Error] Failed to communicate with JATP server when retrieving
registration status.
Please make sure you are able to connect to JATP server. If this issue still
remains, please contact JTAC for help.
```

- SRX □□□ □□□ JATP□ □□□□□ □□ □□□□ □□□ □□□ □□□□□.
- □□□ □□□□□?
- A. fxp0 IP □□□ □□□□ □ □□□□.
- B. SRX □□□ □□ □□□□ JATP □□□□ □□□□ □□□□.
- C. SRX □□□ □□□ JATP□ □□□□□ □□□□□□ □□□ IP □□□ □□□□.
- D. □□□□ fxp0□□ HTTPS□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://kb.juniper.net/InfoCenter/index?>

page=content&id=KB33979&cat=JATP_SERIES&actp=LIST

NEW QUESTION: 26

□□ □□□ □□□□□.

```

[edit]
user@srx# show
...
interfaces (
  xe-0/0/1 {
    description "Connected to Finance";
    unit 0 {
      family inet {
        address 10.1.1.1/24;
      }
    }
  }
  xe-0/1/0 (
    description "Connected to Internet";
    unit 0 (
      family inet (
        address 192.168.2.2/30;
      )
    )
  }
  xe-0/2/1 {
    description "Connected to Sales";
    unit 0 {
      family inet {
        address 10.3.2.21/24;
      }
    }
  }
}
firewall {
  filter filter1 {
    term t1 {
      from {
        source-address {
          10.1.1.3/32;
        }
      }
      then {
        next-interface {
          xe-0/1/0.0;
          routing-instance evall;
        }
      }
    }
    term t2 {
      then {

```

JUNIPER
NETWORKS


```

user@srx> show services advanced-anti-malware status
Server connection status:
  Server hostname: 172.25.11.120
  Server port: 443
  Proxy hostname: None
  Proxy port: None
  Control Plane:
    Connection time: 2019-11-04 02:19:57 UTC
    Connection status: Connected
  Service Plane:
    fpc0
    Connection active number: 0
    Connection retry statistics: 0

```

```

user@srx> show services security-intelligence category summary

```

```

Category name      :CC
Status             :Enable
Description        :Command and Control data schema
Update interval    :1800s
TTL                :3456000s
Feed name          :cc_ip_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:49:32 PDT
  Update time      :2019-09-12 12:47:47 PDT
  Update status    :N/A
  Expired          :No
  Options          :N/A
Feed name          :cc_ipv6_data
  Version          :20180413.1
  Objects number   :1
  Create time      :2019-08-22 06:32:29 PDT
  Update time      :2019-09-12 12:48:27 PDT
  Update status    :Store succeeded
  Expired          :No
  Options          :N/A
Feed name          :cc_url_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:45:32 PDT
  Update time      :N/A
  Update status    :N/A
  Expired          :No
  Options          :N/A

```

Which of the following is the correct configuration for the SRX device to receive updates from the JATP service?

- A. SRX # set security-intelligence category cc-ip-data status enable
- B. SRX # set security-intelligence category cc-ip-data status enable
- C. SRX # set security-intelligence category cc-ip-data status enable
- D. JATP # set security-intelligence category cc-ip-data status enable

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□ □□□ □□□□□.

```
user@host# show system security-profile
production-profile {
  zone {
    maximum 10;
    reserved 5;
  }
  logical-system [ ACME WILEY ];
}
development-profile {
  zone {
    maximum 7;
    reserved 0;
  }
  logical-system [ IT-design security ];
}
master-profile {
  zone {
    maximum 40;
    reserved 17;
  }
  root-logical-system;
}
```

□□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□ □□ □□ □□ □□□□?

- A. 40
- B. 74
- C. 17
- D. 34

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□□ □□□ □□□ □□□□□ □□□□ □□ □□□□□ □□□□□ □□□□ □□□□□. □
□□□□ □□ □□□ □□ IPv4 □□ □□(172.25.126.0/24)□ □□□□□. SRX □□□ □□□
□ □□□□□ □□□□□ □□□ □□□.
□□ □□ □□□ □□□□ □□ □ □□□□□ □□□ □ □□ □□□□ □□□□□?

- A. □□ NAT
- B. NAT46
- C. □□ NAT
- D. □□ NAT

□ □□□□□□ □□□ □□□□□ □□ □□ □□□ □□□□□?

A. □□□□□ st0□ □□□□□□ □□□

B. IKE □□ □□□ □□□□□ □□

C. ge-0/0/2□ □□ □□ □□

D. □□□ □□ □□□ □□□ □□

Answer: ([SHOW ANSWER](#))

JN0-635 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-635 □□!
 DumpTop □ □□ **JN0-635** □□ □□□ □□□□□□□, DumpTop JN0-635 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-635 □□□
 □□□□□. <https://www.dumptop.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

□□ □□□ □□□□□.

```
[edit]
user@srx# show security policies
from-zone client to-zone Internet {
  policy Adv-Services {
    match {
      source-address any;
      destination-address any;
      dynamic-application any;
    }
    then {
      permit {
        application-services {
          ssl-proxy {
            profile-name SSL-pro;
          }
          security-intelligence-policy Sky-intel;
          advanced-anti-malware-policy Sky-pol;
        }
      }
    }
  }
}
```

```
[edit]
user@srx# show security flow
syn-flood-protection-mode syn-cookie;
tcp-session {
  maximum-window 1M;
}
```



SRX5800□ □□□□ □ □□□ □□□ □□ □□□□ □□□ □ IPsec VPN□ □□□□□□□.
 IPsec VPN□ □□□ □□□ □ IPsec □□ □□□ □□□□□ □□□ □□ □□ □ □□ □□□ □
 □□ □□□□ □□□□□□.
 □□□□ □□□□ □ □□□ □□□□ □□ □□□ □□ □ □□ □□□□ □□□□ □□□□ □□□?

(200 00000.)

A. [00 00 00]

user@srx# ipsec-performance-acceleration 00

B. [00 00 00]

user@srx# 00 00-ipsed00

C. [00 00 00]

user@srx# 00 00 00 0000 ipsec 00

D. [00 00 00]

user@srx# tcp-mss ipsec-vpn mss 65535 00

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 33

00 000 000000.

```

user@srx> show security flow session destination-prefix 172.31.15.1
destination-port 22 extensive
Session ID: 19867, Status: Normal
Flags: 0x40/0x0/0x8003
Policy name: internet-trust/5
Source NAT pool: Null, Application: junos-ssh/22
Dynamic application: junos:UNKNOWN,
Encryption: Unknown
Application traffic control rule-set: INVALID, Rule: INVALID
Maximum timeout: 1800, Current timeout: 1766
Session State: Valid
Start time: 598746, Duration: 45
  In: 10.10.101.10/61179 --> 172.31.15.1/22;tcp,
  Conn Tag: 0x0, Interface: ge-0/0/4.0,
  Session token: 0x7, Flag: 0x1021
  Route: 0x110010, Gateway: 10.10.101.10, Tunnel: 0
  Port sequence: 0, FIN sequence: 0,
  FIN state: 0,
  Pkts: 18, Bytes: 3261
  Out: 172.31.15.1/22 --> 10.10.101.10/61179;tcp,
  Conn Tag: 0x0, Interface: ge-0/0/3.0,
  Session token: 0x9, Flag: 0x1020
  Route: 0x120010, Gateway: 172.18.1.2, Tunnel: 0
  Port sequence: 0, FIN sequence: 0,
  FIN state: 0,
  Pkts: 16, Bytes: 3773
Total sessions: 1

```

0000 000 00 000 00000 0 00 0 00 0 00 000 000000? (200 00 000.)

A. 000 10.10.101.100 000000 ge-0/0/4.00 00 000000.

B. 000 172.31.15.10 000000 ge-0/0/3.00 00 000000.

C. 0 0000 00000 00 0000 000000000.

D. 000 000 00 0 0000 00000 000000000000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Policy Enforcer0 00 00000 Sky ATP0 000 000000?

- A.
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

.

```

user@srx> show security flow session
Session ID: 358216, Policy name: default-policy-logical-system-00/2, Timeout:
1788, Valid
  In: 10.10.10.1/63261 --> 203.0.113.10/443;tcp, Conn Tag: 0x0, If: ge-0/0/1.0,
Pkts: 632, Bytes: 49341,
  Out: 203.0.113.10/443 --> 172.25.11.4/21740;tcp, Conn Tag: 0x0, If: ge-
0/0/0.0, Pkts: 662, Bytes: 79325,

```

- ?
- A. PAT Source NAT
 - B. NAT .
 - C. PAT Static NAT
 - D. PAT NAT .

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

.

```

[edit]
user@srx# show system security-profile
SP-1 {
  policy {
    maximum 100;
    reserved 50;
  }
  zone {
    maximum 100;
    reserved 50;
  }
  nat-nopat-address {
    maximum 115;
    reserved 100;
  }
  nat-static-rule {
    maximum 125;
    reserved 100;
  }
}

[edit]
user@srx# show tenants
t-1 {
  security-profile {
    SP-1
  }
}

```

Which two statements are true? (Choose two.)

- A. c-1 TSYS has a maximum of 100 and reserved 50.
- B. c-1 TSYS has a maximum of 100 and reserved 50.
- C. c-1 TSYS has a maximum of 100 and reserved 50.
- D. c-1 TSYS has a maximum of 100 and reserved 50.

Answer: C,D (LEAVE A REPLY)

Source:

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-profile-logical-system.html

NEW QUESTION: 37

Which two statements are true?


```

Server connection status:
Server hostname: 172.25.11.120
Server port: 443
Proxy hostname: None
Proxy port: None
Control Plane:
  Connection time: 2019-11-04 02:19:57 UTC
  Connection status: Connected
Service Plane:
  fpc0
  Connection active number: 0
  Connection retry statistics: 0

```

```
user@srx> show services security-intelligence category summary
```

```

Category name      :CC
Status             :Enable
Description        :Command and Control data schema
Update interval    :1800s
TTL               :3456000s
Feed name         :cc_ip_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:49:32 PDT
  Update time      :2019-09-12 12:47:47 PDT
  Update status    :N/A
  Expired          :No
  Options          :N/A
Feed name         :cc_ipv6_data
  Version          :20180413.1
  Objects number   :1
  Create time      :2019-08-22 06:32:29 PDT
  Update time      :2019-09-12 12:48:27 PDT
  Update status    :Store succeeded
  Expired          :No
  Options          :N/A
Feed name         :cc_url_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:45:32 PDT
  Update time      :N/A
  Update status    :N/A
  Expired          :No

```



- □□□□ □□ □ □□ □□ □ □□□ □□□□□? (2□□ □□□□□.)
- A. SRX □□□ □□□ □□□□ □□□□ JATP □□□□□□□ □□□ □ □□□□.
 - B. JATP □□□□□□□ GSS □□□□ □□ □□□ □□□□□ □ □□□□.
 - C. SRX □□□ □□□ □□□□ JATP □□□□□□□ □□□□□.
 - D. SRX □□□ □□□ JATP □□□□□□□□ □□ □□□ □□□□□ □ □□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□ □□□□ □□□□□ □□ □□□ □□□□ □□□□□ □□□ □□□□ □□□ □□□□ □ □□□□ □□□□□.

□ □□□ □□□□ □ □□□ □□ □□ traceoption □□□□ □□□□□?

- A. □□
- B. □□
- C. □□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

SRX1500 JATP configuration. The configuration shows the following settings for the interfaces and security zones. What is the correct configuration for the DHCP server on the ge-0/0/2 interface?

- A. The DHCP server is configured on the st0 interface.
- B. The DHCP server is configured on the ge-0/0/2 interface.
- C. The DHCP server is configured on the ge-0/0/1 interface.
- D. The DHCP server is configured on the ge-0/0/0 interface.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Configuration snippet:

```
[edit interfaces]
user@new-site-gateway# show st0
unit 0 {
  family inet {
    address 10.0.0.2/30;
  }
}

[edit interfaces]
user@new-site-gateway# show ge-0/0/2
unit 0 {
  family inet {
    dhcp ;
  }
}

[edit security zones]
user@new-site-gateway# show security-zone untrust
interfaces {
  ge-0/0/2.0 {
    host-inbound-traffic {
      system-services {
        ike;
        dhcp;
      }
    }
  }
}

[edit security ike]
user@new-site-gateway# show
policy ike-pol-1 {
  mode main;
  proposal-set standard;
  pre-shared-key ascii - text " $9$6st6CpOhSeX7V1RwYZG69A"; ## SECRET-
DATA
}
gateway gate-1 {
  ike-policy ike-pol-1;
  address 203.0.113.5;
  local-identity hostname "srxl@srx.juniper.net";
  external-interface ge-0/0/2.0;
}
```

krdump.com



The configuration shows the DHCP server is configured on the ge-0/0/2 interface. The correct answer is B.


```

user@host# show system security-profile
production-profile {
  zone {
    maximum 10;
    reserved 5;
  }
  logical-system [ ACME WILEY ];
}
development-profile {
  zone {
    maximum 7;
    reserved 0;
  }
  logical-system [ IT-design security ];
}
master-profile {
  zone {
    maximum 40;
    reserved 17;
  }
  root-logical-system;
}

```

□□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□ □□ □□ □□ □□□□?

- A. 74
- B. 40
- C. 34
- D. 17

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□ □□□ □□□□□.

```

[edit]
user@srx# show
...
interfaces {
  xe-0/0/1 {
    description "Connected to Finance";
    unit 0 {
      family inet {
        address 10.1.1.1/24;
      }
    }
  }
  xe-0/1/0 {
    description "Connected to Internet";
    unit 0 {
      family inet {
        address 192.168.2.2/30;
      }
    }
  }
  xe-0/2/1 {
    description "Connected to Sales";
    unit 0 {
      family inet {
        address 10.3.2.21/24;
      }
    }
  }
}
firewall {
  filter filter1 {
    term t1 {
      from {
        source-address {
          10.1.1.3/32;
        }
      }
      then {
        next-interface {
          xe-0/1/0.0;
          routing-instance evall;
        }
      }
    }
    term t2 {
      then {
        routing-instance default;
      }
    }
  }
}
routing-instances {
  evall {
    instance-type virtual-router;
    interface xe-0/1/0.0;
  }
}

```

Which of the following is the correct configuration for the routing instance?

- A. `xe-0/1/0.0` is the correct configuration for the routing instance.

- B. xe-0/0/1.0 □□□□□□□□ □□□ □□ □□□ □□
- C. default□□ □□□ □□□□□ □□□□□.
- D. xe-0/2/1.0 □□□□□□□□ □□□ □□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

JN0-635 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-635 □□!
 DumpTop □ □□ **JN0-635** □□ □□□ □□□□□□, DumpTop JN0-635 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-635 □□□
 □□□□□. <https://www.dumpst.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 47

□□□ □□□ □□□ □□□□□ □□□□ □□ □□□□□ □□□□□ □□□□ □□□□□. □
 □□□□ □□ □□□ □□ IPv4 □□ □□(172.25.126.0/24)□ □□□□□. SRX □□□ □□□
 □ □□□□□ □□□□□□ □□□ □□□.
 □□ □□ □□□ □□□□ □□ □ □□□□□ □□□ □ □□ □□□□ □□□□□?

- A. □□ NAT
- B. NAT46
- C. □□ NAT
- D. □□ NAT

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

□□ □□□ □□□□□.

```

user@host> telnet 172.20.202.10
Connected to 172.20.202.10.
Escape character is '^]'.
remote-device (ttyp1) NETWORKS
login:

user@srx> show security flow session application telnet
Session ID: 68748, Policy name: FBF-Internet/11, Timeout: 1722, Valid
  In: 172.20.201.10/55530 --> 172.20.202.10/23;tcp, Conn Tag: 0x0, If: ge-
0/0/5.0,
Pkts: 28, Bytes: 1624,
  Out: 172.20.202.10/23 --> 172.20.201.10/55530;tcp, Conn Tag: 0x0, If:
ge-0/0/1.0, Pkts: 22, Bytes: 1418,
Total sessions: 1
  
```

□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□ □□
 □ □□□□□ □□□ □□□. □ □□□ □□□□ □□ □□ □□ □□□ □□□□□□. □□□□
 □□□ □□□ □□□□ □□□ □□□ □□□□□.

□ □□□□□□ □□ □ □□ □□□ □□□□□□? (2□□ □□□□□.)

- A. ge-0/0/5 □ ge-0/0/1 □□□□□□□ □□ □□ □□□ □□□ □□□.


```
user@host#
```

```
[edit]
```

```
user@host# run show ethernet-switching global-information  
Global Configuration:
```

```
MAC aging interval      : 300  
MAC learning           : Enabled  
MAC statistics         : Disabled  
MAC limit Count        : 65535  
MAC limit hit          : Disabled  
MAC packet action drop : Disabled  
LE aging time          : 1200  
LE VLAN aging time     : 1200  
Global Mode           : Transparent bridge
```

SRX340 configuration for ge-0/0/4 and ge-0/0/5. The configuration includes a VLAN interface and L2 configuration for both ports.

The configuration includes a VLAN interface and L2 configuration for both ports.

What is the correct configuration for the SRX340? (2 correct answers.)

A. ge-0/0/4 and ge-0/0/5 are configured as a single VLAN interface.

B. L2 configuration is applied to ge-0/0/4 and ge-0/0/5.

C. SRX340 configuration includes a VLAN interface.

D. VLAN interface is configured as IRB.

Answer: (SHOW ANSWER)

NEW QUESTION: 50

SRX340 configuration for DMZ and trust zones. The configuration includes a security match-policy and a security policy.

The configuration includes a security match-policy and a security policy.

A. user@srx> show security match-policies from-zone trust to-zone DMZ

B. user@srx> show security match-policies from-zone DMZ to-zone trust

C. user@srx> show security match-policies from-zone DMZ to-zone trust IP 192.168.10.100/32 destination-ip 10.10.10.80/32 protocol tcp source-port 5806 destination-port 443

D. user@srx> show security match-policies from-zone trust to-zone DMZ source-ip

192.168.10.100/32 destination-ip 10.10.10.80/32 protocol tcp source-port 5806 destination-port 443

Answer: B,C (LEAVE A REPLY)

C. ge-0/0/4 □ ge-0/0/5 □□□□□□ □□ □□ VLAN□ □□

D. VLAN□ IRB □□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Juniper Sky ATP□□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. □□ □□

B. □□ □□

C. □ □□

D. □□ □□□ □□

Answer: C,D ([LEAVE A REPLY](#))

□□/□□: https://www.juniper.net/documentation/en_US/release-independent/sky-atp/topics/concept/sky-atp-about.html

NEW QUESTION: 54

□□ □□□□ DMZ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □ □□ □ □□□ □□□□ SRX □□□ □□□ □□□□□ □□□□□□. □□□□ □ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□ □ □ □□□□.

□ □□□□□□ □□□ □□□□ □ □□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□ □.)

A. user@srx> □□ □□ □□ □□ □□ □□

B. user@srx> □□ □□□□ □□ DMZ□□ □□ □□ □□ □□

C. user@srx> show security match-policies from-zone trust to-zone DMZ source-ip 192.168.10.100/32 destination-ip 10.10.10.80/32 protocol tcp source-port 5806 destination-port 443

D. user@srx> □□ □□ □□□ □□ □□□□ □□□□ DMZ □□ IP 192.168.10.100/32 □□ IP 10.10.10.80/32 □□□□ tcp □□ □□ 5806 □□ □□ □□

Answer: B,D ([LEAVE A REPLY](#))

443 □□ □ 10

JN0-635 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-635 □□!
DumpTop □ □□ **JN0-635** □□ □□□ □□□□□□, DumpTop JN0-635 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-635 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps,
30%OFF Special Discount: KrDump)