

## Juniper.JN0-635.v2022-08-04.q75

□□□□:	JN0-635
□□□□:	Security, Professional (JNCIP-SEC)
□□□:	Juniper
□□ □□ □□□:	75
□□:	v2022-08-04
# □□ □:	1110
# □□ □□□:	750
<a href="https://www.krdump.com/Juniper.JN0-635.v2022-08-04.q75.html">https://www.krdump.com/Juniper.JN0-635.v2022-08-04.q75.html</a>	

### NEW QUESTION: 1

□□ □□□ □□□□□.

```
user@srx> show security flow session
Session ID: 11232, PolicyName: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23;tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868;tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1
```

□□□□ □□ □□□ NAT□ □□□□□?

- A. NAT64
- B. NAT46
- C. DS-□□□
- D. □□ NAT

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 2

JATP □□□□□□□□ □□□□ □ □□ □□ □□ □□□□□? (2□□ □□□□□.)

- A. YAML
- B. XML
- C. CSV
- D. □

Answer: ([SHOW ANSWER](#))

□□:

[https://www.juniper.net/documentation/en\\_US/release-independent/jatp/topics/topic-map/jatp-custom-log-ingestion.html](https://www.juniper.net/documentation/en_US/release-independent/jatp/topics/topic-map/jatp-custom-log-ingestion.html)

### NEW QUESTION: 3

□□ □□□ □□□□□.

```
user@SRX5800> show security idp status
-----
State of IDP: Default, Up since: 2019-11-02 09:58:29 EDT (1w5d 03:44 ago)

Packets/second: 1          Peak: 441 @ 2019-11-14 11:02:54 EST
KBits/second : 35881      Peak: 285133 @ 2019-11-14 12:43:05 EST
Latency (microseconds): [min: 0] [max: 0] [avg: 0]

Packet Statistics:
  [ICMP: 0] [TCP: 713498] [UDP: 0] [Other: 0]

Flow Statistics:
  ICMP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]
  TCP:[Current: 10] [Max: 23153 @ 2019-11-14 12:28:38 EST]
  UDP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]
  Other:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]

Session Statistics:
  [ICMP: 0] [TCP: 5] [UDP: 0] [Other: 0]

Number of SSL Sessions : 0

Policy Name : IPS-POLICY
Running Detector Version : 12.6.130190828

Forwarding process mode : regular
```

□□□ □□□□ SRX5800 □□□□ □□ IPS □□ □□□ □□□□ □□□□?

- A. □□□ □ □□
- B. □□□ □□
- C. □□ □□
- D. □□□ □□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

□□ □□□ □□□□□.

# Create remote custom feed



Name \*

Description \*

Feed Type \*

Type of server url \*  http  https

Server File URL \*

Username \*

Password \*

Update Interval \*

- □□□□ □□ □ □□ □□□ □□? (2□□ □□□□□.)
- A. □ □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□.
  - B. □ □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □□□□.
  - C. SRX □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□□.
  - D. SRX □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□.

Answer: A,C ([LEAVE A REPLY](#))

## NEW QUESTION: 5

□□ □□□ □□□□□.



**Answer: (SHOW ANSWER)**

□□/□□: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-cos-based-ipsec-vpns.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-cos-based-ipsec-vpns.html)

**NEW QUESTION: 8**

□□ □□□ □□□□□.

```
Communicate with JATP server...
error: [Error] Failed to communicate with JATP server when retrieving
registration status.
Please make sure you are able to connect to JATP server. If this issue still
remains, please contact JTAC for help.
```



SRX □□□ □□□ JATP□ □□□□□ □□ □□□□ □□□ □□□ □□□□□. □□□ □□□ □□□□□?

- A. fxp0 IP □□□ □□□□ □ □□□□.
- B. SRX □□□ □□ □□□□ JATP □□□□ □□□□ □□□□.
- C. SRX □□□ □□□□ JATP□ □□□□□ □□□□□□ □□□ IP □□□ □□□□.
- D. □□□□ fxp0□□ HTTPS□ □□□□ □□□□.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 9**

□□ □□□ □□□□□.

```
[edit]
user@srx# show security policies
from-zone Client to-zone Internet {
  policy Adv-Services {
    match {
      source-address any;
      destination-address any;
      dynamic-application any;
    }
    then {
      permit {
        application-services {
          ssl-proxy {
            profile-name SSL-pro;
          }
          security-intelligence-policy Sky-intel;
          advanced-anti-malware-policy Sky-pol;
        }
      }
    }
  }
}
}
```



```
[edit]
user@srx# show security flow
ipsec-performance-acceleration;
load-distribution session-affinity ipsec;
tcp-mss {
  ipsec-vpn {
    mss 65535;
  }
}
```

□□□□ □□□□ IPsec VPN □□□ □□□□ □□ IPsec □□ □□□ □□□□□□ □□□.  
 □□□ IPsec □□ □□□ □□□ □ □□□□.  
 □□□ □□□□□?

- A. IPsec □□ □□□ IPsec □□ □□□ □□ □□□ □ □□□□.
- B. IPsec □□ □□□ □□ □□□□ □□ □□□ □ □□□□.
- C. IPsec □□ □□□ □□ IPsec □□ □□□□ □□ □□ □□ □□□□ □ □□□□.
- D. IPsec □□ □□□ □□□□□ □□ □□ VPN□ □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 10**

□□ □□□ □□□□□.



- B. It-0/0/0 VPLS .
- C. SRX1500 2 .
- D. SRX1500 PIC .

**Answer: B (LEAVE A REPLY)**

□□/□□: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/logical-systems-overview.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/logical-systems-overview.html)

**NEW QUESTION: 13**

□□ □□□ □□□□□.

```

user@srx> show services advanced-anti-malware status
Server connection status:
  Server hostname: 172.25.11.120
  Server port: 443
  Proxy hostname: None
  Proxy port: None
  Control Plane:
    Connection time: 2019-11-04 02:19:57 UTC
    Connection status: Connected
  Service Plane:
    fpc0
    Connection active number: 0
    Connection retry statistics: 0

user@srx> show services security-intelligence category summary


Category name      :CC
Status             :Enable
Description        :Command and Control data schema
Update interval    :1800s
TTL                :3456000s
Feed name          :cc_ip_data
Version            :N/A
Objects number     :0
Create time        :2019-08-22 06:49:32 PDT
Update time        :2019-09-12 12:47:47 PDT
Update status      :N/A
Expired            :No
Options            :N/A
Feed name          :cc_ipv6_data
Version            :20180413.1
Objects number     :1
Create time        :2019-08-22 06:32:29 PDT
Update time        :2019-09-12 12:48:27 PDT
Update status      :Store succeeded
Expired            :No
Options            :N/A
Feed name          :cc_url_data
Version            :N/A
Objects number     :0
Create time        :2019-08-22 06:45:32 PDT
Update time        :N/A
Update status      :N/A
Expired            :No
Options            :N/A

```

□□□ □□□□ □□ □ □□ □ □□□ □□? (2□□ □□□□□.)

- A. SRX □□□ □□□ JATP □□□□□□□□ □□ □□□ □□□□□ □ □□□□.
- B. SRX □□□ □□□ □□□□ □□□□ JATP □□□□□□□□ □□□ □ □□□□.
- C. JATP □□□□□□□□ GSS □□□□ □□ □□□ □□□□□ □ □□□□.





Which topology is the best for a Policy Enforcer? (3 points)

- A. 4
- B. 2
- C. 1
- D. 3
- E. 5

Answer: (SHOW ANSWER)

**JN0-635** dump top for Juniper JN0-635! DumpTop for Juniper JN0-635, DumpTop JN0-635, DumpTop JN0-635. <https://www.dumptop.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

**NEW QUESTION: 17**

Which command is used to...

```
Communicate with JATP server...
error: [Error] Failed to communicate with JATP server when retrieving
registration status.
Please make sure you are able to connect to JATP server. If this issue still
remains, please contact JTAC for help.
```

- SRX configuration for JATP...
- A. fxp0 IP...

B. SRX □□□ □□ □□□□ JATP □□□□ □□□□ □□□□.

C. SRX □□□ □□□ JATP□ □□□□□ □□□□□□ □□□ IP □□□ □□□□.

D. □□□□ fxp0□□ HTTPS□ □□□□ □□□□.

**Answer: C ([LEAVE A REPLY](#))**

□□/□□: <https://kb.juniper.net/InfoCenter/index?>

page=content&id=KB33979&cat=JATP\_SERIES&actp=LIST

**NEW QUESTION: 18**

□□ □□□ □□□□□.

```

user@srx> show services advanced-anti-malware status
Server connection status:
  Server hostname: 172.25.11.120
  Server port: 443
  Proxy hostname: None
  Proxy port: None
  Control Plane:
    Connection time: 2019-11-04 02:19:57 UTC
    Connection status: Connected
  Service Plane:
    fpc0
    Connection active number: 0
    Connection retry statistics: 0

```

```

user@srx> show services security-intelligence category summary

```

```

Category name      :CC
Status             :Enable
Description        :Command and Control data schema
Update interval    :1800s
TTL                :3456000s
Feed name          :cc_ip_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:49:32 PDT
  Update time      :2019-09-12 12:47:47 PDT
  Update status    :N/A
  Expired          :No
  Options          :N/A
Feed name          :cc_ipv6_data
  Version          :20180413.1
  Objects number   :1
  Create time      :2019-08-22 06:32:29 PDT
  Update time      :2019-09-12 12:48:27 PDT
  Update status    :Store succeeded
  Expired          :No
  Options          :N/A
Feed name          :cc_url_data
  Version          :N/A
  Objects number   :0
  Create time      :2019-08-22 06:45:32 PDT
  Update time      :N/A
  Update status    :N/A
  Expired          :No
  Options          :N/A

```

□□□ □□□□ □□ □ □□ □ □□□ □□? (2□□ □□□□□.)

- A. SRX □□□ □□□ JATP □□□□□□□□ □□ □□□ □□□□□ □ □□□□.
- B. SRX □□□ □□□ □□□□ JATP □□□□□□□□ □□□□□.
- C. JATP □□□□□□□□ GSS □□□□ □□ □□□ □□□□□ □ □□□□.
- D. SRX □□□ □□□ □□□□ □□□□ JATP □□□□□□□□ □□□ □ □□□□.

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

□□ □□□ □□□□□.

```
user@srx> show security mka statistics
```

```
Interface name: fxpl
Received packets: 3
Transmitted packets: 3
Version mismatch packets: 0
CAK mismatch packets: 6
ICV mismatch packets: 0
Duplicate message identifier packets: 0
Duplicate message number packets: 0
Duplicate address packets: 0
Invalid destination address packets: 0
Formatting error packets: 0
Old Replayed message number packets 0
```

SRX345□ □□□□ □□ □□ □□ MACsec □□□ □□□□ □□□□ □□□ □□□□□□.

□□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□□□□?

A. □ □□□□ □□ □□ □□ □□ □□ □ □□□ □□□□□ □□□□□.

B. □ □□ □□ □□□□□□ □□ □□□ □□□ □□□□ □□□□ □□□□□.

C. □□ □□ □□ □□□ □□□□, □□□□□□ □□ □□ □□□□ □□□ □□□ □□□□□ □□□ □□.

D. □□ □□□ □□□ □□□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 20**

□□ □□□ □□□□□.

```
user@srx> show security flow session
Session ID: 11232, Policy name: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23/tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868/tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1
```

□□□□ □□ □□□ NAT□ □□□□□□?

A. DS-Lite

- B. NAT46
- C. NAT64
- D. □□ NAT

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

□□ □□□ □□□□□.

```

user@srx> show security macsec connections
Interface name: ge-0/0/0
  CA name: cal
  Cipher suite: GCM-AES-128           Encryption: on
  Key server offset: 0                Include SCI: no
  Replay protect: off                 Replay window: 0
    Outbound secure channels
      SC Id: 02:00:00:01:01:04/1
      Outgoing packet number: 1
      Secure associations
      AN: 3 Status: inuse Create time: 00:01:43
    Inbound secure channels
      SC Id: 02:00:00:02:01:04/1
      Secure associations
      AN: 3 Status: inuse Create time: 00:01:43

```

- □□□□ □□ □ □□ □ □□□ □□? (2□□ □□□□□.)
- A. □□□□ □□ □□□□ □□□ □□ □□□□□.
  - B. □□□ □□□ □□□□ □□□□□□ □□□□□.
  - C. □□□□ □□□ □□ □□□□□ □□□□□.
  - D. □□□ □□□ □□□□ □□□□□□ □□□□ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

□□ □□□ □□□□□.

```

[edit]
user@srx# show
...
interfaces (
  xe-0/0/1 {
    description "Connected to Finance";
    unit 0 {
      family inet {
        address 10.1.1.1/24;
      }
    }
  }
  xe-0/1/0 (
    description "Connected to Internet";
    unit 0 {
      family inet {
        address 192.168.2.2/30;
      }
    }
  }
  xe-0/2/1 {
    description "Connected to Sales";
    unit 0 {
      family inet {
        address 10.3.2.21/24;
      }
    }
  }
}
firewall {
  filter filter1 {
    term t1 {
      from {
        source-address {
          10.1.1.3/32;
        }
      }
      then {
        next-interface {
          xe-0/1/0.0;
          routing-instance evall;
        }
      }
    }
    term t2 {
      then {

```

JUNIPER  
NETWORKS

rdump.com





**NEW QUESTION: 27**

□□ □□□ □□□□□.

```

user@srx> show security flow session
Session ID: 11232, Policy name: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23;tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868;tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1

```

□□□□ □□ □□□ NAT□ □□□□□?

- A. NAT64
- B. DS-Lite
- C. NAT46
- D. □□ NAT

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 28**

□□□□.

```

[edit security nat]
user@host1# show
source {
  pool servers {
    address {
      198.51.100.240/32 to 198.51.100.254/32;
    }
    address-persistent subscriber ipv6-prefix-length 64;
  }
}
rule-set RS1 {
  from zone trust;
  to zone untrust;
  rule R1 {
    match {
      source-address 2001:db8::/32;
      destination-address 198.51.100.198/32;
    }
    then {
      source-nat {
        pool {
          servers;
        }
      }
    }
  }
}

```

□□□ □□□□ □□ □ □□ □ □□□ □□? (2□□ □□□□□.)

- A. □□ □□□□ □□□ □□□ □ □□□□.
- B. IPv6 □□□ □□□□□□□.
- C. □□□ □□□□ IPv4□□ IPv6□□ □□□ □□□□□.
- D. □□□ □□□□ IPv6□□ IPv4□□ □□□ □□□□□.

**Answer: B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

□□ □□□ □□□□□.

```

[edit]
user@srx# show security policies
from-zone Client to-zone Internet {
  policy Adv-Services {
    match {
      source-address any;
      destination-address any;
      dynamic-application any;
    }
    then {
      permit {
        application-services {
          ssl-proxy {
            profile-name SSL-pro;
          }
          security-intelligence-policy Sky-intel;
          advanced-anti-malware-policy Sky-pol;
        }
      }
    }
  }
}

[edit]
user@srx# show security flow
ipsec-performance-acceleration;
load-distribution session-affinity ipsec;
tcp-mss {
  ipsec-vpn {
    mss 65535;
  }
}

```

Which two statements are true? (Choose two.)

- A. IPsec performance acceleration is enabled for all IPsec VPNs.
- B. IPsec performance acceleration is enabled for all IPsec VPNs that are configured with session affinity.
- C. IPsec performance acceleration is enabled for all IPsec VPNs that are configured with session affinity and mss 65535.
- D. IPsec performance acceleration is enabled for all IPsec VPNs that are configured with mss 65535.

**Answer: C (LEAVE A REPLY)**

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/reference/configuration-statement/security-flow-power-mode-ipsec.html](https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/security-flow-power-mode-ipsec.html)

**NEW QUESTION: 30**

Which two statements are true? (Choose two.)



```

[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
  source-prefix 192.168.1.1/32;
  destination-prefix 192.168.1.254/32;
}
packet-filter MATCH-TRAFFIC-IN {
  source-prefix 10.1.1.1/32;
  destination-prefix 10.1.1.254./32;
}

```

C.

```

[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
  source-prefix 192.168.1.1/32;
  destination-prefix 192.168.1.254/32;
}


```

D.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

□□ □□□ □□□□□.



SRX □□□ □□□ □□□ □□□□□ □□□□□□.

□□□ □□□□ TSYS□ □□□□□□□□ □□□□ □□ □□ □□□ □ □ □□ □□□ □□□□

□? (2□□ □□□□□.)

A. Interconnect □□□□□ INET □□ □□□ □□ □□□□□□ □□□□ □ TSYS□

Interconnect □□□□ □□□□□.

B. □□□□□ □□□□□ □□□ VPLS □□ □□□ □□ □□□□□□ □□□□ □□□□□ □

□□□ □ TSYS□ □□□□□.



```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            hr-subnet;
        }
        destination-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

B)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

C)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
        destination-prefix-list {
            hr-subnet;
        }
    }
    then accept;
}
term 2 {
    then packet-mode;
}
}
```

D)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
    }
    then accept;
}
term 2 {
    then accept;
}
}
```

- A.   C
- B.   A
- C.   B





**NEW QUESTION: 38**

□□ □□□ □□□□□.

```
user@srx> show security mka statistics
NETWORKS
Interface name: fxpl
Received packets: 3
Transmitted packets: 3
Version mismatch packets: 0
CAK mismatch packets: 6
ICV mismatch packets: 0
Duplicate message identifier packets: 0
Duplicate message number packets: 0
Duplicate address packets: 0
Invalid destination address packets: 0
Formatting error packets: 0
Old Replayed message number packets 0
```

SRX345 □□□□ □□ □□ □□ MACsec □□□ □□□□ □□□□ □□□ □□□□□.

□□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□□□?

- A. □□ □□□ □□□ □□□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□
- B. □ □□□□ □□ □□ □□ □□ □□ □ □□□ □□□□□ □□□□□.
- C. □ □□ □□ □□□□□□□ □□ □□□ □□□ □□□□ □□□ □□□□□.
- D. □□ □□ □□ □□□ □□□□□, □□□□□□ □□ □□ □□□□ □□□ □□□□ □□□ □□□.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

□□□□□ □□□ IP □□□□ □□ □□ □□ □□□ □□□□□ SRX □□□ □□□ □□□□ □ □□□□ □□□□□.

□□ □□□ □□□ □ □□□ □□□□□?

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            hr-subnet;
        }
        destination-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

B)


```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
    }
    then packet-mode;
}
term 2 {
    then accept;
}
```

C)

```
user@srx# show firewall filter eng-filter
term 1 {
    from {
        source-prefix-list {
            eng-subnet;
        }
        destination-prefix-list {
            hr-subnet;
        }
    }
    then accept;
}
term 2 {
    then packet-mode;
}
```

D)





Two 10.10.10.0/24 networks are connected via a VPN tunnel. How many NAT rules are required to allow traffic to pass through the tunnel?

- A. 2 NAT rules
- B. 1 NAT rule
- C. 1 rule on each side of the tunnel
- D. 1 rule on each side of the tunnel

Answer: C (LEAVE A REPLY)

**NEW QUESTION: 42**

Two 10.10.10.0/24 networks are connected via a VPN tunnel. How many NAT rules are required to allow traffic to pass through the tunnel?

- A. 2 NAT rules
- B. 1 NAT rule
- C. 1 rule on each side of the tunnel
- D. 1 rule on each side of the tunnel

Answer: A (LEAVE A REPLY)

□□

<https://www.juniper.net/us/en/local/pdf/app-notes/3500202-en.pdf>

**NEW QUESTION: 43**

□□ □□ □□□□.

```
[edit]
user@host# show interfaces ge-0/0/4
unit 0 {
    family ethernet-switching {
        interface-mode access;
```

```
        vlan {
            members SV;
        }
    }
}
```

```
[edit]
user@host# show interfaces ge-0/0/5
unit 0 {
    family ethernet-switching {
        interface-mode access;
        vlan {
            members SV;
        }
    }
}
```

```
[edit]
user@host# show vlans
SV {
    vlan-id 101;
}
```

```
[edit]
user@host# show security zones security-zone L2
interfaces {
    ge-0/0/4.0;
    ge-0/0/5.0;
}
```

```
[edit]
user@host# show security policies
```

```
[edit]
user@host#
```

```
[edit]
user@host# run show ethernet-switching global-information
Global Configuration:
```

```
MAC aging interval           : 300
MAC learning                  : Enabled
MAC statistics                : Disabled
MAC limit Count              : 65535
MAC limit hit                 : Disabled
MAC packet action drop       : Disabled
LE aging time                 : 1200
LE VLAN aging time           : 1200
```

JUNIPER  
NETWORKS

Global Mode

: Transparent bridge

SRX340 is in Global Mode. The configuration is as follows:

ge-0/0/4 is connected to ge-0/0/5.

ge-0/0/4 is configured with IP address 10.10.10.1/24. ge-0/0/5 is configured with IP address 203.0.113.10/24. (203.0.113.0/24 is a public IP address.)

- A. SRX340 is in Transparent Bridge Mode.
- B. ge-0/0/4 is connected to ge-0/0/5 via a VLAN.
- C. L2 is configured on ge-0/0/4 and ge-0/0/5.
- D. VLAN is configured on ge-0/0/4 and ge-0/0/5.

Answer: (SHOW ANSWER)

#### NEW QUESTION: 44

SRX340 is in Global Mode. The configuration is as follows:

```
user@srx> show security flow session
Session ID: 358216, Policy name: default-policy-logical-system-00/2, Timeout:
1788, Valid
  In: 10.10.10.1/63261 --> 203.0.113.10/443;tcp, Conn Tag: 0x0, If: ge-0/0/1.0,
Pkts: 632, Bytes: 49341,
  Out: 203.0.113.10/443 --> 172.25.11.4/21740;tcp, Conn Tag: 0x0, If: ge-
0/0/0.0, Pkts: 662, Bytes: 79325,
```

- A. PAT is configured on ge-0/0/1.
- B. NAT is configured on ge-0/0/1.
- C. PAT is configured on ge-0/0/0.
- D. PAT is configured on ge-0/0/0 and ge-0/0/1.

Answer: D (LEAVE A REPLY)

#### NEW QUESTION: 45

SRX340 is in Global Mode. The configuration is as follows:

- A. LLDP
- B. VPLS
- C. LLDP
- D. VPLS

Answer: (SHOW ANSWER)

#### NEW QUESTION: 46

SRX340 is in Global Mode. The configuration is as follows:

```

user@host# show system security-profile
production-profile {
  zone {
    maximum 10;
    reserved 5;
  }
  logical-system [ ACME WILEY ];
}
development-profile {
  zone {
    maximum 7;
    reserved 0;
  }
  logical-system [ IT-design security ];
}
master-profile {
  zone {
    maximum 40;
    reserved 17;
  }
  root-logical-system;
}

```



□□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□ □□ □□ □□ □□□□?

- A. 74
- B. 34
- C. 40
- D. 17

Answer: C ([LEAVE A REPLY](#))

□□

<https://www.juniper.net/documentation/us/en/software/junos/logical-system-security/topics/topic-map/security-z> □□ □□□□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□□ □□□ □□□□. □□ □□ □□□□ □□□ □□ □□□ □□ □□□□. □□ □□ □□□□ □□□ □□ □□ □□□□ □□ □□ □□□□.





```

user@srx> show log flow-trace
CID-0:RT: flow process pak fast ifl 71 in_ifp ge-0/0/5.0
CID-0:RT: ge-0/0/5.0:10.0.0.2/55892->192.168.1.2/80, tcp, flag 2 syn
CID-0:RT: find flow: table 0x5a386c90, hash 50728(0xffff), sa 10.0.0.2, da
192.168.1.2, sp 55892,
dp 80, proto 6, tok 7
CID-0:RT: no session found, start first path. in_tunnel - 0x0, from_cp_flag -
0
CID-0:RT: flow_first_create_session
CID-0:RT: flow_first_in_dst_nat: in <ge-0/0/5.0>, out <N/A> dst_adr
192.168.1.2, sp 55892, dp 80
CID-0:RT: chose interface ge-0/0/5.0 as incoming nat if.
CID-0:RT:flow_first_rule_dst_xlatE. DST no-xlatE. 0.0.0.0.(0) to
192.168.1.2(80)
CID-0:RT:flow_first_routing. vr_id 0, call flow-route_lookup(): src_ip
10.0.0.2, x_dst_ip
192.168.1.2, in ifp ge-0/0/5.0, out ifp N/A sp 55892, dp 80, ip_proto 6, tos
10
CID-0:RT:Doing DESTINATION addr route-lookup
CID-0:RT: routed (x_dst_ip 192.168.1.2) from LAN (ge-0/0/5.0 in 0) to ge-
0/0/1.0, Next-hop:
172.16.32.1
CID-0:RT:flow_first_policy_search.policy search from zone LAN-> zone WAN
(0x0,0xda540050,0x50)
CID-0:RT:Policy lkup: vsys 0 zone(7:LAN) -> zone(6:WAN) scope:0
CID-0:RT:10.0.0.2/55892 -> 192.168.1.2/80 proto 6
CID-0:RT:Policy lkup: vsys 0 zone(5:Unknown) -> zone(5:Unknown) scope:0
CID-0:RT: 10.0.0.2/55892 -> 192.168.1.2/80 proto 6
CID-0:RT: app 6, timeout 1800s, curr ageout 20s
CID-0:RT: packet dropped, denied by policy
CID-0:RT: denied by policy default-policy-00(2), dropping pkt
CID-0:RT: packet dropped, policy deny
CID-0:RT: flow find session returns error
CID-0:RT: ----- flow_process_pkt rc 0x7 (fp rc 1)
CID-0:RT:jsf sess close notify
CID-0:RT:flow ipv4 del flow: sess, in hash 32

```

□□□□ □ □□□ □□□ □ □□□□. □□□ □□ □□□□ □□ □□?

- A. □ □□□ □□ 80□□ □□□□ □□□□ □□□□.
- B. □□ □□□□ □□□□ □□□□□□.
- C. □□□ □ □ □□□ □□ □□□□ □□□□ □□□□.
- D. □ □□□ □□ □□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 51

□□□□ □□□ □□□ □□□ IPsec □□□ □□□□ □□ □□□ □ □ □□□□.

□ □□□ □□□ □□□□□?

- A. □□□□ □□ □□□ ID
- B. □□□□ □□ □□ ID
- C. □□□□ □□ □□ □□ □
- D. □□□ □□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

[https://www.juniper.net/documentation/en\\_US/release-independent/nce/topics/example/policy-based-vpn-using-](https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/policy-based-vpn-using-)

**NEW QUESTION: 52**

□□□□□ □□□□□.

```
[edit]
user@srx# show
...
interfaces {
  xe-0/0/1 {
    description "Connected to Finance";
    unit 0 {
      family inet {
        address 10.1.1.1/24;
      }
    }
  }
  xe-0/1/0 {
    description "Connected to Internet";
    unit 0 {
      family inet {
        address 192.168.2.2/30;
      }
    }
  }
  xe-0/2/1 {
    description "Connected to Sales";
    unit 0 {
      family inet {
        address 10.3.2.21/24;
      }
    }
  }
}
firewall {
  filter filter1 {
    term t1 {
      from {
        source-address {
          10.1.1.3/32;
        }
      }
      then {
        next-interface {
          xe-0/1/0.0;
          routing-instance evall;
        }
      }
    }
  }
}
```





```
user@srx# show firewall filter eng-filter
term 1 {
  from {
    source-prefix-list {
      hr-subnet;
    }
    destination-prefix-list {
      eng-subnet;
    }
  }
  then packet-mode;
}
term 2 {
  then accept;
}
```

JUNIPER  
NETWORKS

B)

```
user@srx# show firewall filter eng-filter
term 1 {
  from {
    source-prefix-list {
      eng-subnet;
    }
  }
  then packet-mode;
}
term 2 {
  then accept;
}
```

C)



D. ADVPN □□□ IKEv1□ □□□ □ □□□□.

**Answer:** ([SHOW ANSWER](#))

□□/□□: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-auto-discovery-vpns.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discovery-vpns.html)

**NEW QUESTION: 55**

□□ □□□ □□□□□.

```

user@host# show security idp-policy my-policy rulebase-ips
rule 1 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            no-action;
        }
    }
}
rule 2 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            ignore-connection;
        }
    }
}
rule 3 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            drop-packet;
        }
    }
}
rule 4 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            close-client-and-server;
        }
    }
}

```

000 0000 000 IPS 000 000000. 0000 000 000 0 IPS 000 00 0  
 00 0000 000 000 0 0 0000.



```

user@host> show ethernet-switching global-information
Global Configuration:
MAC aging interval      : 300
MAC learning            : Enabled
MAC statistics          : Disabled
MAC limit Count        : 65535
MAC limit hit          : Disabled
MAC packet action drop : Disabled
LE aging time          : 1200
LE VLAN aging time     : 1200
Global Mode             : Switching

```

Which two statements are true? (Choose two.)

- A. MAC learning is enabled on all VLANs.
- B. MAC limit hit is disabled on all VLANs.
- C. MAC statistics are disabled on all VLANs.
- D. Layer 2 and Layer 3 MAC tables are cleared every 1200 seconds.

Answer: A,B (LEAVE A REPLY)

**NEW QUESTION: 58**

Which two statements are true regarding Junos SRX authentication? (Choose two.)

- A. JATP is supported.
- B. JSA is supported.
- C. JSA is supported.
- D. JATP is supported.

Answer: A (LEAVE A REPLY)

[https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-user-auth-configure-jims.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-configure-jims.html)

**NEW QUESTION: 59**

Which two statements are true? (Choose two.)



D. □□ □ □□ □□□ □□□□ NAT □□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

Policy Enforcer□ □□ □□□□ Sky ATP□ □□□ □□□□□?

A. □□□□□ □□□ □□□ □□

B. □□□ □□□ □□ □□ □□

C. □□ □□□□ □□

D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

**JN0-635** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-635 □□!  
DumpTop □ □□ **JN0-635** □□ □□□ □□□□□□, DumpTop JN0-635 □□ □□□ □□□  
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-635 □□□  
□□□□□. <https://www.dumptop.com/Juniper/JN0-635-dump.html> (173 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 62**

SRX □□□ □□□□ □□ □□□ □□□□□ □□□□ □□□□□. □□□ □□□ □ "□□□  
RE□ PFE <SPU-name(s)> □□ □□□□□ □□□□□."□□ □□□□ □□□□□. □□.  
□□□ □□□□ □□ □□ □□□ □□□□□?

A. □□ □□ □□□□ □□

B. □□□ □□ □□

C. □□ □□ □□ □□

D. □□ □□□□□ □□□

Answer: A ([LEAVE A REPLY](#))

□□:

[https://kb.juniper.net/InfoCenter/index?  
page=content&id=KB30443&cat=SRX\\_SERIES&actp=LIST](https://kb.juniper.net/InfoCenter/index?page=content&id=KB30443&cat=SRX_SERIES&actp=LIST)

**NEW QUESTION: 63**

□□ □□□ □□□□□.



```
user@host> show ethernet-switching global-information
Global Configuration:
```

```
MAC aging interval           : 300
MAC learning                 : Enabled
MAC statistics               : Disabled
MAC limit Count             : 65535
MAC limit hit               : Disabled
MAC packet action drop      : Disabled
LE aging time               : 1200
LE VLAN aging time         : 1200
Global Mode                 : Switching
```

Which two statements are true? (Choose two.)

- A. MAC learning is disabled on all VLANs.
- B. MAC learning is disabled on all VLANs.
- C. Layer 2 and Layer 3 flooding is disabled.
- D. Layer 2 and Layer 3 flooding is disabled.

**Answer: A,D (LEAVE A REPLY)**

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/ethernet-port-switching-modes.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/ethernet-port-switching-modes.html)

### NEW QUESTION: 65

SRX configuration block. IP flooding is disabled. BPDU flooding is disabled on all VLANs. Which two statements are true? (Choose two.)

A)

```

bridge
block-non-ip-all;
bypass-non-ip-unicast;
no-packet-flooding;
}

```

B)

```

bridge
block-non-ip-all;
bypass-non-ip-unicast;
bpdu-vlan-flooding;
}

```

C)

```

bridge {
bypass-non-ip-unicast;
bpdu-vlan-flooding;
} JUNIPER

```

D)

```

bridge { JUNIPER
block-non-ip-all;
bpdu-vlan-flooding;
}

```

- A.   D
- B.   C
- C.   B
- D.   A

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 66**

□□□ □□□□ □□□ □□□□ □□ □ □□ □□□ □□□□? (2□□ □□□□□.)

- A. □□□ □□□□ □□ □□□□□□ □□□□ □□□□□.
- B. □□□ □□□□ □□ □□□□□□ □□□□ □□□□.
- C. □□□ □□□□□ □□ □□□□□□ □ □□ □□□ □□□ □□□□.
- D. □□□ □□□□ □□ □□□□□□ □□□ □□□ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

□□ □□□ □□□□□.

```

[edit interfaces]
user@new-site-gateway# show st0
unit 0 {
  family inet {
    address 10.0.0.2/30;
  }
}

[edit interfaces]
user@new-site-gateway# show ge-0/0/2
unit 0 {
family inet {
dhcp ;
}

[edit security zones]
user@new-site-gateway# show security-zone untrust
interfaces {
  ge-0/0/2.0 {
    host-inbound-traffic {
      system-services {
        ike;
        dhcp;
      }
    }
  }
}
}

[edit security ike]
user@new-site-gateway# show
policy ike-pol-1 {
  mode main;
  proposal-set standard;
  pre-shared-key ascii-text "$9$6st6CpOhSeX7V1RwYZG69A"; ## SECRET-
DATA
}
gateway gate-1 {
  ike-policy ike-pol-1;
  address 203.0.113.5;
  local-identity hostname "srxl@srx.juniper.net";
  external-interface ge-0/0/2.0;
}

```



The configuration shows the following settings:

- Interface `st0` is configured with IP address `10.0.0.2/30`.
- Interface `ge-0/0/2` is configured with DHCP.
- Security zone `untrust` is configured with `host-inbound-traffic` for `system-services` including `ike` and `dhcp`.
- Security policy `ike-pol-1` is configured with `mode main`, `proposal-set standard`, and a pre-shared key.
- Gateway `gate-1` is configured with `ike-policy ike-pol-1`, `address 203.0.113.5`, `local-identity hostname "srxl@srx.juniper.net"`, and `external-interface ge-0/0/2.0`.

- A. `st0` is configured with IP address `10.0.0.2/30`.
- B. IKE is configured on `st0`.
- C. DHCP is configured on `st0`.
- D. `ge-0/0/2` is configured with DHCP.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 68**

□□ □□□ □□□ □□ □□□ □□□ □□□□?

- A. □□ □□ □□□□ VLAN □ □□□□ □□□□□□ IRB □□□□□□ □□□ □ □□□□.
- B. □□ □□ □□□□ □□ NATO □□□□ □□□ □□ □□
- C. □□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□□.
- D. □□ □□□ □□□□ □□ □□□ □□□□ VLAN □ □□□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 69**

□□ □□□ □□□□□.

user@SRX5800> show security idp status

```
-----  
State of IDP: Default, Up since: 2019-11-02 09:58:29 EDT (1w5d 03:44 ago)  
  
Packets/second: 1 Peak: 441 @ 2019-11-14 11:02:54 EST  
KBits/second : 35881 Peak: 285133 @ 2019-11-14 12:43:05 EST  
Latency (microseconds): [min: 0] [max: 0] [avg: 0]  
  
Packet Statistics:  
 [ICMP: 0] [TCP: 713498] [UDP: 0] [Other: 0]  
  
Flow Statistics:  
 ICMP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]  
 TCP:[Current: 10] [Max: 23153 @ 2019-11-14 12:28:38 EST]  
 UDP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]  
 Other:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]  
  
Session Statistics:  
 [ICMP: 0] [TCP: 5] [UDP: 0] [Other: 0]  
  
Number of SSL Sessions : 0  
  
Policy Name : IPS-POLICY  
Running Detector Version : 12.6.130190828  
  
Forwarding process mode : regular
```



□□□ □□□□ SRX5800 □□□□ □□ IPS □□ □□□ □□□□ □□□□?

- A. □□□ □ □□
- B. □□ □□
- C. □□□ □□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 70**

□□□□ □□□ □□ □□□ □□□ □□□□□ □□ □ □□ □□ □□ □□□ □□□□□? (2□ □ □□□□□.)



```
[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
    source-prefix 192.168.1.1/32;
    destination-prefix 192.168.1.254/32;
}
```

C)

```
[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC {
    source-prefix 192.168.1.1/32;
    destination-prefix 10.1.1.1/32;
}
```

D)

```
[edit security flow traceoptions]
file tracefile;
flag basic-datapath;
packet-filter MATCH-TRAFFIC-OUT {
    source-prefix 192.168.1.1/32;
    destination-prefix 10.1.1.1/32;
}
packet-filter MATCH-TRAFFIC-IN {
    source-prefix 10.1.1.1/32;
    destination-prefix 192.168.1.1./32;
}
```

A.   A

B.   C

C.   D

D.   B

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 73**

□□ □□□ □□□□□.

```

Communicate with JATP server...
error: [Error] Failed to communicate with JATP server when retrieving
registration status.
Please make sure you are able to connect to JATP server. If this issue still
remains, please contact JTAC for help.

```

SRX □□□ □□□ JATP□ □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□□ □□□ □□□□□?

- A. □□□□ fxp0□□ HTTPS□ □□□□ □□□□.
- B. SRX □□□ □□ □□□□ JATP □□□□ □□□□ □□□□.
- C. SRX □□□ □□□ JATP□ □□□□□ □□□□□□□ □□□ IP □□□ □□□□.
- D. fxp0 IP □□□ □□□□ □ □□□□.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 74**

□□ □□□ □□□□□.

```

user@srx> show security flow session
Session ID: 358216, Policy name: default-policy-logical-system-00/2, Timeout:
1788, Valid
  In: 10.10.10.1/63261 --> 203.0.113.10/443;tcp, Conn Tag: 0x0, If: ge-0/0/1.0,
Pkts: 632, Bytes: 49341,
  Out: 203.0.113.10/443 --> 172.25.11.4/21740;tcp, Conn Tag: 0x0, If: ge-
0/0/0.0, Pkts: 662, Bytes: 79325,

```

- □□ □□□□ □□ □□?
- A. PAT□ □□ □□ NAT□ □□ □□□□.
- B. □□ NAT□ □□ □□□□.
- C. PAT□ □□ Static NAT □□
- D. PAT□ □□ Source NAT □□ □

**Answer: A (LEAVE A REPLY)**

□□/□□:

**NEW QUESTION: 75**

□□ □□ □□□ □□□ □□ □□ TCP □□ □□□ □□□□□□□. □ □□□ □□□□□ SRX □ □□ □□□ IDP □□□ □□□□□ □□□□ □□□□□□. □ □□□ □□□□ □□ □□ □ IDP □□ □□□ □□□□□□□□□□? (2□□ □□□□□.)

- A. □□
- B. □□□□ □□
- C. □□□
- D. □□□□

**Answer: A,B (LEAVE A REPLY)**

