

Lpi.101-500.v2023-03-29.q164

□□□□:	101-500
□□□□:	LPIC-1 Exam 101, Part 1 of 2, version 5.0
□□□:	Lpi
□□ □□ □□□:	164
□□:	v2023-03-29
# □□ □:	3354
# □□ □□□:	1640
https://www.krdump.com/Lpi.101-500.v2023-03-29.q164.html	

NEW QUESTION: 1

Bash □□ □□□□ □□ □□ □ □ □□ □□□ □□ □□□□□□ □□□ □ root-can-do-this.txt
□□ □□□ □□□□ □□ □□□□□? (□□ 3□□ □□□□.)

- A. □□***{can,may}-do-this.[tT][xX][tT]
- B. root*can?do-this.{txt,odt}
- C. {root,user,admin}-can-??-this.txt
- D. root*can*do??this.txt
- E. r[oOoO]t-can-do*.txt

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 2

Bash □□ □□ □□□ □□□ □□□□ □□□□□ □□□□ □□□ □□□□□?

- A. BASHRC
- B. BASHEXEC
- C. EXECPATH
- D. □□
- E. PATHRC

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

yum□ □□□ □□ □□□□ □□ □□ □□? (2□□ □□□□□.)

- A. /etc/yum.repos.d/□ □□□ □□□ □□ /etc/yum.conf□ □□□□□.
- B. yum confupdate □□ □ □□□ □□□ □□ □□ □□□ □□□□□□.
- C. yumd □□□□ □□ □□□ □ yum □□□ □□ □□ □□□ □□□□□□.
- D. □□□ □□□□□□ □□□ □□ □□□ □□ □ □□□□.
- E. □□□ □□□□ \$basearch □□ \$releasever□ □□ □□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

dbmaint & □□□ □□□□□□□ dbmaintin□ □□□□ □ □□□□□□□. □□□ □□□□□ □□□□□ □ dbmaintis□ □□□□□□□. □□□□□ □□□□ □□□□ □□□□□ □□□□ dbmaint□ □□ □□□□□ □□ □□ dbmaintinvocation□ □□□□□?

- A. □□ -b □□
- B. dbmaint □□
- C. nohup dbmaint &
- D. bg dbmaint
- E. dbmaint &>/dev/pts/null

Answer: (SHOW ANSWER)

NEW QUESTION: 5

□□□□ □□□ □□□ □ □□□□□□ □□ □□□□ \dir□ □□□□□□. □□ □□ □ □□ □ □□□□ □□□□ □□□□ □□□ □□□□□?

- A. rmdir ~\dir
- B. rmdir "~\dir"
- C. rmdir ~/□□□□'
- D. rmdir ~/dir
- E. rmdir '~\dir'

Answer: D (LEAVE A REPLY)

□□/□□:

NEW QUESTION: 6

□□ □□ □ RPM □□ □□□ □□□ □□□ □ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□□□?

- A. dpkg □□
- B. dpkg □□ □□□□
- C. □ □□
- D. □ □□ □□□□
- E. yum □□ □□□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 7

□□ □□ □□□ □□□□ □□□□□□ □□□□□? (2□□ □□□□□.)

ttyS0

ttyS1

ttyS2

- A. ty[AZ][012]
- B. tty*2
- C. tty[□][02]

D. tty?[0-5]

E. ttyS[1-5]

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

vi □□□□□ □□ □□ □ □□ □□ vi □□□ □□□□ □□□ □□□□□?

A. 1□

B. 1c

C. □

D. □□

E. □

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□ □□ □ □□□ root□ □□□ /tmp □□□□ □□ □ □□ □□□□ □□ □□ □□□ □□□
□□ □□□□ □□□ □□□□□? (□□ 2□□ □□□□□.)

A. -path /tmp -user root -print □□

B. /tmp -user root -print □□

C. -path /tmp -uid □□ □□

D. /tmp -uid □□ □□ -print

E. /tmp -user □□ □□

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □□ □□□ □ □□□ □□□□ □□□□ □□ □□□□□?

A. %C

B. [AZ]

C. {AZ}

D. !az

E. :□□:

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□ systemd □□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□?
systemctl□ multi-user.target□ □□□□□.

A. systemctl set-runlevel multi-user.target

B. systemctl set-boot □□ □□□.□□

C. systemctl set-default multi-user.target

D.

E. systemctl boot -p □□ □□□.□□

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□□ □□□ □ □□□□□ \dir □□ □□□□□ □□□□□□. □□ □□ □ □□ □□□□□
□□□□ □□□ □□□□□?

- A. rmdir "~\dir"
- B. rmdir '~\dir'
- C. rmdir ~/'dir'
- D. rmdir ~\dir
- E. rmdir ~\dir

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

/proc □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□? (□□□ □
□□□ □□ □□□ □□□□□□.)

Answer:

□□□

NEW QUESTION: 14

mount -□□□ □□□ □□□?

- A. /etc/fstab□□ noauto □□□□ □□□ □□ □□ □□□□ □□□□□□□ □□□□□.
- B. □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□.
- C. /etc/fstab□ □□□ □□ □□ □□□□ □□□ □□□□ □□□□□□ □□□.
- D. /etc/fstab□□ auto □□□□ □□□ □□ □□ □□□□ □□□□□□□ □□□□□.
- E. □□ □□□□ □□□□ □□ □□□ □□ /etc/fstab□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□□ □□ □□ □□ BIOS□ □□□ □□□ □ □□□□ □□□□□ □□□□□?

- A. inetd □□□□
- B. □□□ □□□□
- C. □□□□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□ □□ □ RPM □□□ □□ foo.rpm□ □□□□ □□□□ □□ □□□□□?

rpm -qpR foo.rpm

- A. rpm -pD foo
- B.
- C. rpm -R foo.rpm
- D. rpm -dep foo

E. pgrep -f □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

□□ □□ □ □□ □□ □□□ □□ □□□□ □□□ □□□ □□□□□?

- A. tr -r ' '\n' < a.txt > b.txt
- B. tr -s ' ' < a.txt > b.txt
- C. tr -c ' ' < a.txt > b.txt
- D. tr '\s' ' ' < a.txt > b.txt
- E. tr -d ' ' < a.txt > b.txt

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□ □□ □□ □ □□ □□□□□□ □□ □□□□ □□□ □□□□□□ □□□□ □□ □□□ □□?

- A. LD_LIB_PATH
- B. LD_SHARE_PATH
- C. LD_RUN_PATH
- D. LD_LOAD_PATH
- E. LD_LIBRARY_PATH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□ □□ □ /bin/foo□ □□ □□□ □□□ □ □□□ □□□□ □ □ □□ □□□ □□ □□□□ □?

- A. chmod u=rwx,go=rx /bin/foo
- B. chmod 775 /bin/foo
- C. chmod o+rwx,a+rx /bin/foo
- D. chmod 577 /bin/foo

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 28

dpkg □□□ □□□ □□□□ □□□□□ □□□□ □□□ □ □□ □□□ □□□□□ □□ dpkg □□□ □□□□□?

- A. --□□
- B. --□□□
- C. --purge
- D. --□□
- E. --□□

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□ □□□□□ □□□□□□.

drwxrwxr-x 2 □□ □□ 4096 1□ 1□ 15:21 □□

□□ □ sales □□□□ □□□ □□□ □ □□□ sales □□□ □□□ □□□ □□ □□□ □□□ □□□

(2□□ □□□□□.)

- A. chgrp -p □□ □□
- B. chmod 2775 □□
- C. chown --persistent *.sales □□
- D. setpol -R newgroup=□□ □□
- E. chmod g+ssales

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

DD/MM/YYYY:hh:mm:ss □□□ □□□□□□ □□ □□ □□ loga.log□ □□□□ □□ □ □□ 8 □□□ □□ 8□ 59□ □□□ □□ □□ □□□ □□□□□ □□□ □□□□□?

- A. grep loga.log ':08:[0-9]:[0-9]'
- B. grep -E ':08:[09]+:[09]+' loga.log
- C. grep -E ':08:[00]+' loga.log
- D. grep -E loga.log ':08:[0-9]+:[0-9]+'
- E. grep -E ':08:[0-9]+:[0-9]+' loga.log

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 31

Bash □□□□□ □□□ □ □□□ □□□ □□□□ □□□ □□□□ Bash □□ □□□ □□□□ □□?

(□□ □□□ □□□□□□.)

Answer:

□□□□□

101-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101-500 □□!
 DumpTop □ □□ **101-500** □□ □□□ □□□□□□, DumpTop 101-500 □□ □□□ □□□ □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□ □□ □ ls□ □□□□ data□□ □□□ □□□□□ □□□□ □□□ □□□□□?
ls 3> □□□

- A. ls >& □□□
- B. ls >>> □□□
- C. ls >> □□□
- D. ls > □□□
- E.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□ □ □□□ □□□ □□ □□□□□□? (2□□ □□□□□.)

- A. □ □□□ dmesg --clear □□□ □□□□ □□□□□ □□□□□ □□
- B. □□ □□□□ □□ dmesg□ □□□□ □ □□□ □□ □
- C. □□□ □□□ □□□□ □□ □□□ □□□ □
- D. □□□ □□ □□ □□□ □
- E. □□ □□□ □□(□□□ 15□)□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

□□ □□ □ gzip □□ tar □□□□□ □□□ □□□□ □□ □□□□□?
gzip □□□□.tgz | □□ xvf -

- A. tar -fzt archive.tgz
- B. gzip -d archive.tgz | □□ tvf -
- C. tar ztf archive.tgz
- D.
- E. tar cf archive.tgz

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□ □□□
□□ □□ □□ □□□□□ □□ □□□ □□□□ □ □□□□ □□□ □□□□□? (□□□ □□□
□ □□ □□□ □□□□□□.)

Answer:

□□□

NEW QUESTION: 36

FHS□ □□ □□□ □□□□ □□ □□□□□ □□□□□?

- A. /var/pkg/man
- B. /usr/share/man/
- C. /usr/doc/
- D. /var/man/
- E. /opt/□□/

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□ □ udev□ □□□ □ /dev/□ □□ □□□□ □□ □□ □□□□□? (□□ 2□□ □□□□□.)

A. □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□ □ □□□□□.

B. /dev/ □□□□□ tmpfs □□□ □□ □□□□□ □□□ □□ □□ udev□ □□ □□□□□□.

C. /dev/□ □□□ /etc/udev/dev□ □□□□ □□□ □□ □ □□□□□.

D. udev□ □□ □□ □□□ /etc/udev/rules.d/□ □□□□ □□□ □ □□□□.

E. udev □□ □ mknod□ □□□□ /dev/□ □□ □□ □□ □□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

□□ □□ □ /bin/foo □□ □□□ □□ SetUID □□□ □□□□ □□□ □□□□□?

A. chmod 2755 /bin/foo

B. chmod 755+s /bin/foo

C. chmod us /bin/foo

D. chmod 4755 /bin/foo

E. chmod 1755 /bin/foo

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

□ ext4 □□ □□□□□ □□ □□□□ □□ □□ □□□ □□ □□□□ □□□□□?

A. 10%

B. 0%

C. 5%

D. 3%

E. 15%

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

ldd □□□ □□□ □□□□□?

A. □□□ □□ □□□□□□ □□ □ □□□□□□□.

B. □□ □□□□□ □□ □□□ □□□□□ □□□□□.

C. □□□□□ □□□□ □□ □□□□□ □□□ □□□□□.

D. □□□□□ □□□□ □□ □□ □□□□□□ □□□□□.

E. □□□□ □□□ □□□□□ □□ □□□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

□□□□ □□ /etc/fstab□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □ □□□ □
□□ □□ □□□ □□□□□? (2□□ □□□□□.)

A. □□□

- B. □□
- C. UUID
- D. □□□
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

□□□□ □□□ □ □□ □ □□ □□□ □□□□ □□□ □□□□□?

- A. \$
- <□>: ?
- B. ^^
- C. *
- D. +

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

□□ □□ □ □□□ FOO□ TEST□□ Bash □□□ □□□□ □□ □□□□□?

- A. var TEST="FOO"
- B. TEST="FOO" □□
- C. □□□ = "FOO"
- D. □□□="□"

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

□□ □ □□□□ □□ □□□□ □□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□ □□□
 □□□ □□ □□□ □□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:
 dpkg-□□□

NEW QUESTION: 45

vi□ □□ □□□□ □□□□ □ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- □□
- A. s
- B. ?
- C. □□
- D. /
- E.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□ □□□□□ □□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □□ □□□□□?

(□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

□□

101-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101-500 □□!
DumpTop □ □□ **101-500** □□ □□□ □□□□□□, DumpTop 101-500 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101-500 □□□
□□□□□. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 47

□□ □ Bash □□□ □□□ □□□ □□□□ □□□□ □□□□□? (2□□ □□□□□.)

- A. <
- B. #>
- C. %>
- D. >>>
- E. 2>&1

Answer: ([SHOW ANSWER](#))

□□/□□:

NEW QUESTION: 48

□□ □□ □ □□□ □□□ □ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□
□?

- A. iconv
- B. □□□
- C. □
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

i□ vi □□□□ □□□ □□□□ □□□□□?

- A. i(□□□□)□ □□□ □□ □□ □□□ □□□□□ □□□□ a(□□)□ □□□ □□□□□.
- B. i(□□□)□ □□□□ vi □□ □□□ □□□□□ □□□□ □□ □□ a(□□)□ □□□□ □□□
□□□□□.
- C. i(□□)□ □□ □□ □□ □□ □□□□ □□□□□ a(□□)□ □□ □□ □□□□ □□□□□.
- D. i(□□ □)□ □ □□ □□□□ □□ □ □□ □□□□ □□ a(□□ □)□ □□ □□ □□□□□
□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□ umask □□ □ □□□□□ □□ □□□□ □□ □□ □□□ □ □□ □□ □□□ □□ □□□
□ □□ □□ □□ □□□ □□ □□□□ □ □□□ □□□?

- A. 7640
- B. 0029
- C. 0036
- D. 0750
- E. 0027

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

□□ systemd □□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□?

- A. systemctl □ □□ □□□.□□□ □□□□□.
- B. systemctl set-boot multi-user.target
- C. systemctl set-runlevel multi-user.target
- D. systemctl set-default multi-user.target
- E. systemctl boot -p □□ □□□.□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□ □□ □ □□ □□ □□ □□□ □□ □□□ □□□ □□ □□□□□□ □□□ □□□□ □□
□□□ □□□□ □□ □□□□□?
□□

- A. □□
- B. □□
- C.
- D. □□□
- E. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

dpkg-____ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□.

Answer:
□□□

NEW QUESTION: 58

□□ □□ □ □□ □□□ □□□□ □□□ □□□□□?

chmod 4755 /bin/foo

- A. chmod 755+s /bin/foo
- B. chmod us /bin/foo
- C. chmod 1755 /bin/foo
- D. chmod 2755 /bin/foo

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□ □□□? □□ □□□ □□ □□□?

- A. □□ □□□□ □ □ □□ □□□□.
- B. □□ □□□□ 0□ □□ □□□□.
- C. □□ □□□□ 0□ □□ 1□ □□□□.
- D. □□□ ? □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

□□ □ Bash □□ □□□ □ □□ □□ □□□□□ □□□□ □□□ □□□□□? (2□□ □□□ □□.)

- A. "\${PWD}" □□
- B. "\${WD}" □□
- C. printwd
- D. □□
- E. echo "\${pwd}"

Answer: A,D ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 68

System V init□ □□□ □ □□ □ Linux □□□ □□□□ □ □□ □□□□□ □□□□□?

- A. /sbin/init
- B. /lib/init.so
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□□□ □ □□□□□ □□ □□ □□ □ Bash □□□ □□□ □□□ □□□□□?

- A. bash_histfile
- B. history_bash
- C. bashrc_history
- D. □□

E. bash_history

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 70

□□ □ □□□ □□□ inode □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (2□□ □□ □□□.)

A. □□

B. ls

C. □

D. □□□□

E. cp

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 71

vi □□□□□ □□□ □□ □□ □□ 16□(□ 17□)□□ □□ vi □□□ □□(□□□□□ □□)□ □□? □□ □□ □□□ vi □□□ □□□□□□.

Answer:

17□

NEW QUESTION: 72

□□ □□ □ □□□ □□□ □□ □□□□□ ID□ □□□□ □□ □□□□□? (2□□ □□□□ □.)

A. pgrep -f □□

B. pgrep -u □□

C. pgrep -U 0

D. pgrep -c 0

E. pgrep -c □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

□□ □ □□□□ □ □□ □□□ □□ □□ □□□ filename□□□ □□□ □□ □□ □□□□□?

A. >□□ □□ 2>&1

B. >>□□□

C. 1&2>□□□

D. 2>&1 >□□ □□

E. 1>&2>□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which command can be used to view the kernel messages in Linux? (2 marks)

- A. chroot
- B. cat /proc/kmsg
- C. cat /var/log/dmesg
- D. cat CD dmesg
- E. cat CD

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

Which command can be used to view the kernel messages in Linux? (2 marks)

- A. cat
- B. lspci
- C. cat
- D. cat
- E. cat

Answer: (SHOW ANSWER)

NEW QUESTION: 76

Which command can be used to view the kernel messages in Linux? (2 marks)

- A. BIOS
- B. BIOS
- C. BIOS
- D. BIOS
- E. Linux

Answer: (SHOW ANSWER)

101-500 Dumps! DumpTop 101-500!
DumpTop 101-500, DumpTop 101-500
DumpTop 101-500. DumpTop 101-500
DumpTop 101-500. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, 30%OFF

Special Discount: **KrDump**)

NEW QUESTION: 77

Which command can be used to view the kernel messages in Linux? (2 marks)

- A. /boot/grub/i386-pc/lvm.mod
- B. /boot/grub/stages/stage0

- C. /boot/grub/fstab
- D. /boot/grub/linux/vmlinuz
- E. /boot/grub/grub.cfg

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 78

□□ □□ □ /etc/passwd □□□□ □□□ □□(□ □□ □)□ □□ □□(□ □□ □) □□□ □□
 □□ □□ □□□□□?

fmt -f 1,4 /etc/passwd

- A. □□□□ -f 1,4 /etc/passwd
- B.
- C. □ -d : -f 1,4 /etc/passwd
- D. split -c 1,4 /etc/passwd
- E. □□ -t : -k 1,4 /etc/passwd

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

find□ □□□ xargs □□□□ □□□□□ □ □□ □□□ □□□ □□□ □□ □□ □□ □□□ □
 □□□□?

- A. -rep-□□
- B. -print0
- C. -□□ □□
- D. -□□ □□
- E. -printnul

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

□□ □ □□□□ □□□□ □□ □□□ □□ □□□ □□□ □ □□ □□□ □□□□□?
 □□

- A. □□
- B. □□
- C. pgrep
- D. reggrep
- E.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□ □□ □ □ □□ □□ □□□□ □□□ □□ □□□□ GRUB 2□ □□□□ □□□ □□□□
 □?

- A. grub2 □□ /dev/sdc
- B. grub-mkrescue /dev/sdc

NEW QUESTION: 86

ls -l /etc/inode | grep "\.inode\$"? (ls -l /etc/inode.) inode

- A. ls
- B.
- C. ls
- D. ls
- E. cp

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 87

dpkg --get-selections --remove=dpkg --purge dpkg | grep "\.dpkg\$"? (dpkg --get-selections --remove=dpkg --purge dpkg | grep "\.dpkg\$")

- A. --remove=dpkg --purge dpkg | grep "\.dpkg\$".
- B. --remove=dpkg --purge dpkg | grep "\.dpkg\$".
- C. --remove=dpkg --purge dpkg | grep "\.dpkg\$".
- D. --remove=dpkg --purge dpkg | grep "\.dpkg\$".

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 88

dpkg-query -f='\${Package} \${Version} \${Architecture}\n' -W -f='\${Package} \${Version} \${Architecture}\n' | grep "\.dpkg\$"? (dpkg-query -f='\${Package} \${Version} \${Architecture}\n' -W -f='\${Package} \${Version} \${Architecture}\n' | grep "\.dpkg\$")

- A. /etc/debian_version -dpkg | grep "\.dpkg\$"
- B. apt | grep "\.dpkg\$"
- C. apt-get | grep "\.dpkg\$"
- D. apt -r /etc/debian_version
- E. dpkg -S /etc/debian_version

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 89

ls -l | grep "\.dpkg\$"? (ls -l | grep "\.dpkg\$")

- A. ls >&2
- B. ls >-1
- C. ls | grep "\.dpkg\$"
- D. ls << | grep "\.dpkg\$"
- E. ls >>2

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 90

dpkg-query -f='\${Package} \${Version} \${Architecture}\n' -W -f='\${Package} \${Version} \${Architecture}\n' | grep "\.dpkg\$"? (dpkg-query -f='\${Package} \${Version} \${Architecture}\n' -W -f='\${Package} \${Version} \${Architecture}\n' | grep "\.dpkg\$")

- A. dpkg
- B. dist-upgrade

E. 0

Answer: (SHOW ANSWER)

NEW QUESTION: 94

Which SysV init script option is used to specify the number of seconds to wait for the system to boot? (2000)

- A. 0
- B. -r
- C. shutdown -k " " "
- D. -r " " "
- E. 6

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 95

Which of the following is a valid file system type?

- A. ext2
- B. ext3
- C. ext4
- D. ext5
- E. ext6

Answer: (SHOW ANSWER)

NEW QUESTION: 96

Which Linux file system uses a journal to store metadata changes? (2000)

- A. ext3
- B. procfs
- C. XFS
- D. ext2
- E. JFS

Answer: (SHOW ANSWER)

NEW QUESTION: 97

Which of the following is a valid file name?

- A. /dev/null
- B. /
- C. /
- D. initprocess

NEW QUESTION: 106

□□ □ vi □□□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□
- E. □□ □□

Answer: A,E ([LEAVE A REPLY](#))

101-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101-500 □□!
 DumpTop □ □□ **101-500** □□ □□□ □□□□□□, DumpTop 101-500 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□□ □□ DumpTop 101-500 □□□
 □□□□□. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF**

Special Discount: KrDump)

NEW QUESTION: 107

GNU GRUB□ □□ □□ □□ □□□ □□□□□? (□□ □□ □□□□ □□)

Answer:

menu.lst, grub.conf, grub.cfg

NEW QUESTION: 108

xargs □□□ □□□ □□□□□?

- A. □□□□□ □□□□ □□ □□ □□□□□.
- B. X □□□ □□□ □□□□□.
- C. □□ □□(STDIN)□ □□ □□□ □□□□ □□□□□.
- D. □□□□□□ □□ □□ □□□ □□□ □ □□□ □□□.
- E. □□□□□ □□ □□□ □□□□ □□□ □□ □ □□□ □□□ □ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 109

□□ □□ □ /bin/foo □□ □□□ □□ setuid(suid) □□□ □□□□□ □□□ □□□□□?

- A. chmod us /bin/foo
- B. chmod 1755 /bin/foo
- C. chmod 755+s /bin/foo
- D. chmod 4755 /bin/foo

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

□□□□ □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□?

NEW QUESTION: 115

□□ □□□ □□□ □□□□□ □□□ □□□□ □ □□□□ □ □□□ □□□□□?

- A. □□
- B. bg
- C. :&
- D. &
- E. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□ □□ □ foo □□□ □□□ □□□ □□□□ /tmp/foodata□□ □□□□ □□□□ □□□ □ □□□□?

- A. □ | □ /tmp/foodata
- B. □ | □ /tmp/foodata
- C. foo > /tmp/foodata
- D. foo > □□ □□ >> /tmp/foodata
- E. □ | cp /tmp/foodata

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 117

□□ □□ □ GRUB □□ □□□ □□ □□ □□ □□□□ □□□□ □□ □□□ □ □□ □□□□ □□ □□ □□□□□?

- A. grub-install /dev/sda0
- B. grub-install /dev/sda1
- C. grub-install □□ /dev/sda1
- D. grub-install □□ /dev/sda0
- E.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 118

□□□ fred□ □□ □□□ □□□ □ □□ □□□ □□□□□?
echo '□□□ \$USER'

- A. □□□ □□□
- B. '□□□ □□□'
- C. □□□ /□/□□□/
- D. '□□□ \$USER'
- E. □□□ \$USER

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

□□ □□ □ /dev/sdb1□ ext3 □□ □□□□ □□□□ □□ □□□□□? (□□ 2□□ □□□□ □.)

- A. /sbin/mkfs -t ext3 /dev/sdb1
- B. /sbin/mkfs -c ext3 /dev/sdb1
- C. /sbin/mke2fs -j /dev/sdb1
- D. /sbin/mke3fs -j /dev/sdb1

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 120

lspci command □ □□□ □□□□□ □□ □□ □□□ □□□ □ □□□□? (3□□ □□□□□.)

- A. □□ □□□□ □□
- B. □□ IRQ □□
- C. □□□ □□□ □□
- D. □□□ MAC □□
- E. PCI □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

□□ □□ □ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□□□□? □□

- A. □□
- B. □□□
- C.
- D. □□ □□
- E. □□

Answer: ([SHOW ANSWER](#))

101-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101-500 □□!
DumpTop □ □□ **101-500** □□ □□□ □□□□□□, DumpTop 101-500 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101-500 □□□
□□□□□. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 122

□□ □ □□□□ □□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (2□□ □□□□ □.)

- A. □□ --□
- B. □□ □□
- C. □□

D. □□

E. □□□ -u

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 123

Bash □□ □□□□ □□□ □□□ □□□□□?

A. □□□□□ □□ □□□□□ □□□□ □□ NFS □□□□ □□□□□.

B. □□ □□□ □□□□□ □□□ □ □□□ □□□.

C. □□□□ □□□□ □□□□ □ □□□□.

D. □□□□□□□ □□ □□ □□□ □□□□□.

E. □□□ □□□□□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 124

□□ □ □□ □□□□ □□□□ □□□□ □□□ □□□□□?

A. repquota

B. □□□ -e

C. □□□

D. □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 125

dpkg □□□ □□□ □□□□ □□□□□ □□□□ □□□ □ □□ □□□ □□□□□ □□ dpkg
□□□ □□□□□?

A. --clean

B. --purge

C. --□□

D. --□□

E. --□□

Answer: B ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 126

Bash□□ □□ □□□□ □□ 2>&1 □□:

A. □□ □□□ □□ □□ □□.

B. □□ □□□ □□ □□ □□.

C. □□ □□□□ □□ □□□.

D. □□ □□□ □□ □□ □□.

E. □□ □□□□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

□□ □ □□□ 100kB□ □ □□□ □□□ □ □□□ □ □□ □□□ □□□□□?

- A. □□
- B. dd
- C. mkfile
- D. □□

Answer: B ([LEAVE A REPLY](#))

101-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101-500 □□!
 DumpTop □ □□ **101-500** □□ □□□ □□□□□□, DumpTop 101-500 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101-500 □□□
 □□□□□. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF**
Special Discount: KrDump)

NEW QUESTION: 137

□□ □□ □ foocommand□ □□□ □□□ □□□□ /tmp/foodata□□ □□□□ □□□□ □□□
□□□□□?

- | □ /tmp/foodata
- A. foo > □□ □□ >> /tmp/foodata
- B. □ | cp /tmp/fooddata
- C. foo > /tmp/foodata
- D.
- E. □ | □ /tmp/foodata

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 138

□□ grep □□□□□ + □□□ □□□ □□□□□?
grep '^d[aei]\+d\$' /usr/share/dict/words

- A. □□ □□ □□([aei])□ □ □ □□ □□□□.
- B. □□ □□ □□([aei])□ 0□ □□ 1□ □□□□.
- C. □□□ + □□□ □□□□.
- D. □□ □□ □□([aei])□ 0□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 139

□□ □□ □ □□□ foo□ □□□ □□ □□□□ □□□□ □□□ □□□□□?

- A. □□ □□□□ "foo?"
- B. zipper get "*foo"
- C. □□ □□ "foo**"

D. `.*foo`

E. `zipper.*foo`

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 140

GRUB is installed on `/dev/sda1`. Which command is used to install the GRUB boot loader to the MBR of the hard drive?

A. `grub-install /dev/sda1`

B. `grub-install /dev/sda1`

C. `grub-install /dev/sda0`

D. `grub-install /dev/sda`

E. `grub-install /dev/sda0`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 141

64-bit Linux systems use the `ld64.so` library. Where is this library located by default?

A. `/lib64/`

B. `/var/lib64/`

C. `/opt/lib64/`

D. `~/lib64/`

E. `/usr/lib64/`

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 142

Which option is used to suppress the recursive search of subdirectories in the `find` command?

A. `-rep`

B. `c-printnul`

C. `-print`

D. `-print0`

E. `-print`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 143

GRUB is installed on `/dev/sda`. Which command is used to install the GRUB boot loader to the MBR of the hard drive?

`grub-install --root-directory=/custom-grub /dev/sda`

Which command is used to install the GRUB boot loader to the MBR of the hard drive? (Assume the GRUB boot loader is installed in `/custom-grub/boot/grub/`)

Answer:

`/custom-grub/boot/grub/`, `/custom-grub/boot/grub`

D. -10

E. 10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 148

□□ □ data.txt□□ □□□ □□□□ dave□ □□□□ □□□ staff□ □□□□ chown □□□ □
□□□□?

- A. chown dave+staff data.txt
- B. chown dave:staff data.txt
- C. chown -u dave -g □□ □□□.txt
- D. chown --user dave --group □□ data.txt
- E. chown dave/staff data.txt

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

SysV init□ □□□ □ □□ □□ □□□ □□ □□ □□□□ □□□□□ □ □□□? (□□ 2□□ □
□□□□.)

- A. 5
- B. 0
- C. 6
- D. 1
- E. 3

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 150

□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□?

- A. □□
- B. □□□
- C. □
- D. □□
- E. □□

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 151

□□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □□ □□ □ □□ □□ □□□□□?

- A. □□□□□ □□
- B. □□ □
- C. □□ □□
- D. □□
- E. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

□□□

NEW QUESTION: 156

□□ □□ □ /tmp □□□□□ □□ □□ □□□ □□□□ □□□ □□□□□? (□□ 2□□ □□□ □□.)

- A. chmod +s /tmp
- B. chmod 1775 /tmp
- C. chmod 4775 /tmp
- D. chmod +t /tmp
- E. chmod 2775 /tmp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 157

rpm --verify□ □□□□ RPM □□□ □□ □□ □□□ □□□ □□□ □ □□ □□ □ □□□□ □ □□ □□□□□? (□□ 3□□ □□□□□.)

- A. GnuPG □□
- B. MD5 □□□
- C. □□□□
- D. □□□□□
- E. □□ □□

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 158

□□□ □□□□ □□□□ □□ □□ □□ □□□□□ □□□□□ □□□ □□□□ □ □□□□ □ □□□□

find □□□ □□□ □□□□□?

- A. -□□ □□
- B. -dirmax
- C. -s
- D. -□□ □□
- E. -n

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 159

□□ □□ □ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□?

□□□□

- A. □□ □□
- B.
- C. □□□□
- D. □□ □□□
- E. □□ □□

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 160

□□ □ vi □□□□□ □□ □□□ □□□□ □□□□ □□□ □□□□□? (□□ 2□□ □□□□□.)

- A. Ctrl XX
- B. esc ZZ
- C. esc :wq!
- D. ctrl :w!
- E. esc zz

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 161

□□ □□ □ □□ □□□ RPM □□□ rpmname□ □□□□□□ □□□ □□□□□□?

- A. rpm --force rpmname
- B. rpm -q rpm □□
- C. rpm -u rpm □□
- D. rpm -U rpm □□
- E. rpm --rpm □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 162

/etc/passwd □□□□ □□ □□□ □□□□ □□□ □□□?

- A. -rw-----1 11531 6□ 5□ 22:45 /etc/passwd
- B. -rw-r--r--1 rootroot531 6□ 5□ 22:45 /etc/passwd
- C. -rw-r--r--1 11531 6□ 5□ 22:45 /etc/passwd
- D. -rw-----1 rootroot531 6□ 5□ 22:45 /etc/passwd

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 163

RPM □□□ □□□ apache-xml.rpm□ □□ □□□ □□ □□□ □□□ □□ □ □ □□□□?

- A. rpm -ql □□□-xml. rpm
- B. rpm -qpl □□□-xml. rpm
- C. rpm -qv □□□-xml. rpm
- D. rpm -qp □□□-xml. rpm

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 164

System V init□ □□□ □ □□ □ Linux □□□ □□□□ □ □□ □□□□□ □□□□□?

- A. /etc/rc.d/rcinit
- B. /boot/init
- C. /lib/init.so

D. /proc/sys/kernel/init

E. /sbin/init

Answer: E ([LEAVE A REPLY](#))

101-500 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ 101-500 ☐☐!
DumpTop ☐ ☐☐ **101-500** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop 101-500 ☐☐ ☐☐☐ ☐☐☐
☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop 101-500 ☐☐☐
☐☐☐☐☐. <https://www.dumptop.com/Lpi/101-500-dump.html> (299 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)