

E. inetd

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □ /etc/nsswitch.conf □□□□ □□□ □□□ □□□□□?

A. □□□□□□: □ □□□ □□□□

B. 192.168.168.4 DNS-□□

C. □□□: □□ dns

D. /etc/nsswitch.d/ □□

E. □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□ □ □□□□ □□□□ □□□ □□□□ NetworkManager□ □□□ □ □□ □□□ □
□□□□?

(2□□ □□□□□.)

A. □□

B. □□

C. □□□ □□

D. □□□

E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

IPv4 □□□ 192.168.2.128/28 □□□ □□ □□□□ □ □□ IP □□□ □□□ □ □□□
□? (□□ □□ □□ □□□ □□□□□□.)

Answer:

14

NEW QUESTION: 8

□□ □ Bash □□□ □□□ □□ □□ □□ □□□ □□□□□?

A. ~/.bash_profile

B. ~/.□□□

C. ~/.bash_login

D. /etc/profile

E. ~/.bashrc

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□□ □□□ □□□ □□□□□?

A. □□ □□□ □□□□□□□□ □□ □□□□ □□□□□.

- B. □□□ □□□□ □□□□□ □□ □□□ X11 □□□ □□□□□.
- C. □□□□ □□ □□□ □□□ □ □□□ □□ □□□ □□□□□.
- D. □□□□ □□□ □□□ □□ □ □□□□□.
- E. □□ □□□ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□□□.

Answer: E ([LEAVE A REPLY](#))

□□

NEW QUESTION: 10

□□ □□ □□ □ □□ □□□□ □□ □□□□□ □ □□□ □□□□□ □□□□ □□ □ □□□ □□□□□?

- A. /etc/.bashrc
- B. ~/.bash_profile
- C. /etc/bashrc
- D. /etc/shellenv
- E. /etc/profile

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 11

/etc/localtime □□□ □□ □□□□ □□ □□?

- A. Europe/Berlin □ □□ □□□□ □□□□ □□ □□□ □□□□□.
- B. □□□□ IP □□ □□□ □□□□ NTP □□□□ □□ □□ □ □□□□□.
- C. /sys/device/clock/ltime □ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□.
- D. /usr/share/zoneinfo/Europe/Berlin □ □□ □□□ □□ □□□ □□ □□□ □□ □□ □ □□□□□.
- E. □ □□□ □□□ □ □□ □□□ □□□□□ newtzconfig □ □□□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

KDE □□□□□ □□□□□ □□□□□ □□□□□□ /etc/kde4/kdm/Xreset □□□□□ □□ □ □□□ □□□□□?

- A. □□□□ X □□□□ □□□ □
- B. X □ □□ □□□ □
- C. X □□ □
- D. KDM □ □□□ □
- E. KDM □ □□□ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

HTTPS □□□□□ □□□□□ □□□□□ TCP □□□ □□□□□?

- A. 443
- B. 80

- C. 636
- D. 8080
- E. 25

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□ □□ □ □□ □□□ □□□□ □□□□ □□□ □□□□□?

- A. /etc/gshadow
- B. /etc/passwd
- C. /etc/pgroup
- D. /etc/shadow
- E. /etc/group

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

nsswitch.conf □□□ □□□ □□□□□?

- A. □□ □□□ □□ □ □□ □□□□ □□□□ □□□□ □ □□□□□.
- B. HTTP □□ SMTP□ □□ □□□□ □□□□ □□ □□□ □□□□ □ □□□□□.
- C. C □□□□□□□ □□□ □□, □□□□ □□ □□ □□□ □□□ □□ □□□□ □□□□ □ □□□□□.
- D. □□ □□□□ □□ LDAP □□ □□□□ □□□□ □□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

chrony □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□ NTP □□□ □□ □□ □ □□□ □□□□□?

- A. □□
- B. □□ □□
- C. □□
- D. fsync
- E. □□□□□

Answer: ([SHOW ANSWER](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□ **102-500** □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

CUPS □□ □□□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□?

- A. cupsd.conf
- B. printcap.conf
- C. snmp.conf
- D. printers.conf
- E. cups-devices.conf

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

□□ □□□
 □□ □□ ssh-agentinstance□ OpenSSH □□ □□ □□□□ □ □□□□ □□□ □□□
 □□? (□□ □□ □□□ □□□ □□□□□.)

Answer:
 sh □□

NEW QUESTION: 19

□□ □□□
 □ □□ □□□ □□□□□ □□□ □ □□□ □□□ □□□ □ □□ □□□ □□□□ □□
 □? (□□ □□ □□□ □□□□ □□ □□□□□ □□ □□□□□□.)

Answer:
 □ □□

NEW QUESTION: 20

□□□ □□□□□ □□□ □□ □□□ □□□ □□□ □□□□□?

- A. /etc/gshadow
- B. /etc/passwd
- C. /var/log/shadow
- D. /etc/pwdlog
- E. /etc/shadow

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□ □□□
 □□□ □□ □□ □□□ □□ TCP □□, □□□ □□□ □ □□□□ □□□□□ □□□ □
 □□ □ □□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:
 netstat

NEW QUESTION: 22

□□ □□ □ □□ □□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. lpr
- B. lp
- C. lpd
- D. lsq
- E. lpq

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□ □ □□□□ □□□ □ □□ □□□□ □□ □□□□ □ □□□ □ □□ □□□□ □□□□
 □?

- A. □□□ □□
- B. ulimit
- C. □□
- D. □□□□
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□ □□ □ □□□□ IP □□□ □□□□□□ □□ □□□□□□ □□□□ □□□ □□□□□
 □? (2□□ □□□□□.)

- A. ip □□ □ □□□
- B. sysctl ipv4.default_gw=0
- C. □□ □ □□□
- D. ifconfig □□□□ □□ □□□
- E. netstat -r □□□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □ syslog □□□ □□□□□? (□□ 2□□ □□□□□.)

- A. □□
- B. □□
- C. □□□□
- D. □□7
- E. □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

/etc□ □□ □□□□□ □ □□□□ □ □□□□□ □□□ □ □□□ □□□□□ □□ □□
 □ □□□□ □ □□□□□? (□□ □□□ □□□□□)

Answer:

/ etc / skel, / etc / skel /

NEW QUESTION: 27

□□□ X11 □□□ □□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□□? (□□ □□□□ □□ □□□ □□□□□□.)

Answer:

xdm

NEW QUESTION: 28

□□ crontab □□ □ □□□ □□ 30□□ myscript□ □□□□ □□□ □□□□□?

A. 0 0-23 * * 30 myscript

B. 0 * * * 30 myscript

C. 30 * * * 6 □□□□□□

D. 30 0 * * 0 □□□□□□

E. 30 0-23 * * 0 myscript

Answer: (SHOW ANSWER)

NEW QUESTION: 29

□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□□? (□□ □□ □□ □□□ □□)

Answer:

□□, □□ -p

NEW QUESTION: 30

□□ □□□□ □□□ □□□ □□□□ □ □□□□ □□□ □□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

□□□ □□

NEW QUESTION: 31

□□ □ /etc/nsswitch.conf □□□□ □□□ □□□ □□□□□?

A. □□□: □□ dns

B. 192.168.168.4 DNS-□□

C. □□ □□

D. /etc/nsswitch.d/ □□

Answer: (SHOW ANSWER)

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□!
DumpTop □ □□ 102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop

NEW QUESTION: 32

□□ □ syslog □□□ □□□□□? (2□□ □□□□□.)

- A. □□
- B. □□5
- C. □□
- D. □□□□
- E. □□

Answer: (SHOW ANSWER)

NEW QUESTION: 33

□□ □ □□□□ □□□□□ □□□ □□□ □□□□□(pt)□ □□□□ □□ □□□ □□
□□□ □ □□□□ □□ □□□ □□□□□?

- A. □□□□ LC_MESSAGES="pt"
- B. □□□□ UI_MESSAGES="pt"
- C. ALL_MESSAGES="pt" □□□□
- D. LANGUAGE="pt" □□□□
- E. MESSAGE="pt" □□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 34

/etc/syslog.conf □□ □□ □ □□ □□ □□ □□□□ /var/log/maillog □□□ □□□□
□□ □□□ □□□□ □□ □□ logger.example.com □□ □□□ □□ □□□□□?

- A. mail.* /var/log/maillogmail.crit@logger.example.org
- B. mail.* /var/log/maillogmail,crit@logger.example.org
- C. mail/var/log/maillogmail.crit@logger.example.org
- D. □□ * /var/log/maillogmail crit@logger.example.org
- E. mail.* /var/log/maillogmail.critsyslog://logger.example.org

Answer: A (LEAVE A REPLY)

NEW QUESTION: 35

ntpdate □□□ □□ □□□□ □□ □□?

- A. □□ □□□□ □□(□: □, □ □ □□)□ □□□□□□□ □□(□: □, □, □)□ □□□
□□□ □□□□.
- B. □□□□ □□ □□ □□□ □□□ □□ □□□ □□ NTP □□ □□□ □□□□.
- C. □□ □□□ NTP □□ □□□ □□□□ □□ □□ □□□ □□□□□.
- D. □□ □□□□ □□□ □□□ □□□□□ □□□ □□□ □□□□ □ □□□ □ □□□
□.

E. NTP □□ □□□ □□ □□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□ □ □□□ □□ □□ □□□ □□□ □□ SELECT SQL □□□□ □□□□ □□□□ □□□□ □ □□□□ □□□ □□□□□□?

- A. □□□
- B. □□□
- C. □□
- D. IF

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□□ □□□□ □□□□ □□□ □□ /etc/shadow□ □□□□ □□ □ □□ □□□ □□ □□□?

- A. □□□ □□□ □□□□ □□ □□ □□□ □□□□.
- B. □□□ □□ □□□ □□ □□□□□.
- C. □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□□.
- D. □□ □□□ □□□ □□ □□ □□□□ □□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

sudoconfiguration□ □□ □□ □□□ □□□□□.
□□ ANY=NOPASSWD: /bin/kill, /bin/id, PASSWD: /sbin/fdisk
□□ □□ □ □□ □□? (3□□ □□□□□.)

- A. Jane□ □□□□□ □□□ □ /bin/identonly□ □□□ □ □□□□.
- B. Jane□ □□□ □□□ □□□ □ /sbin/fdisk□ □□□ □ □□□□.
- C. Jane□ □□□ □□□□ □□ /bin/id□ □□□ □ □□□□.
- D. Jane□ □□□ □□□ □ /sbin/fdisk□ □□□ □ □□□□.
- E. Jane□ □□□ □□□□ □□ /bin/kill□ □□□ □ □□□□.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 39

□□ □ □□ □□ □□ □ □□ □□□□ □□ IANA□ □□□ IPv4 □□□□□ □□□□ □□□□ □□□□□□.

- A. 169.255.0.0/16
- B. 192.168.0.0/16
- C. 127.0.0.0/8
- D. 172.16.0.0/12
- E. 10.0.0.0/8

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □□□

cron □□□□ □□□□ □□□□□ □□□ □□ □□□□ □□□□ □□ □□(□□ □□)
□ □□□□□? (□□□□ □□□□ □□□ □□ □□□ □□□□□□.)

Answer:

□□□

NEW QUESTION: 41

□□ □ □□ □□□□ □□ □□□□ □□ □□□□ □ □□□□□ □□□□ □□ □□ □
□□ □□□□□? (□□ 3□□ □□□□□.)

- A. □□□□□ □□ □□ □□□□ □□ □□□□□ □□□□□□ □□□.
- B. □□□□ □□□ \$PATH□ □□□ □□□.
- C. □□□ □□□□ □□□□ □□ □□□□□ □□□ □□□.
- D. □□□□□ □□□ □□□□□□ □□□□ shebang-line(#!)□□ □□□□ □□□.
- E. □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□.

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 42

□□ □□ □ X Server□ □□ □ □□□ □□□□ □□ □□□□□?

- A. xcolordepth
- B. xc□□
- C. □□□ /etc/X11
- D. xcd
- E. xwininfo

Answer: E (LEAVE A REPLY)

NEW QUESTION: 43

□ □□□□□ □ □□ □□□□ □□□ □□□□ □□□□□?

_____ i in *.txt; □□

□□ \$i

□□

- A. while
- B. for
- C. until
- D. loop

Answer: B (LEAVE A REPLY)

NEW QUESTION: 44

□□ □□□□ XDM□ □□□□ □□□□ □□ □□□ □□□□□ □□□□□□.
□□□ □□□□ □□ □□ □□□ □□□□□□□□□?

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

□□ □□ □□□ □□ □□ TCP □□□ □□□□□? (□□□ □□□□□□.)

Answer:

1024

NEW QUESTION: 49

□□ □□□ □□ □□□ □□□□□?

□□□ 1 5 20

A. 1

6

1

1

1

6

B. 2

□

4

5

C. 1

5

10

15

D. 1

2

□

4

E. 5

10

15

20

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

seq 10 □□□ □□ □□□ □□□□□?

A. □ □□ □□□ □□□ □□ 1□□ 10□□□ □□□□□.

B. □□ □□□ □□ □□ 10□□□.

C. □□□ □□□ □□□ 10□ □□□□ □□□□ □□ □□□□□□.

D. □ □□ □□□□□ □□□□ □□□ □□□□ □□□□.

E. □ □□ □□□ □□□ □□ 0□□ 9□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

- □□□□ UID□ □□□ GID□ □□□ □□ □□ □□ □ □□ □□ □□?
- A. UID□ GID□ □□ □□□□□□ □□□□ □□□ □□ □□□□.
 - B. □□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□□.
 - C. ID □□□ □□ □□□□ □□□ □□ □□□□ □□□ □□ □□□ □ □□□□.
 - D. UID□ GID□□ □□□□□ □□□□ □□□ □ □□□ □□□ □□□ □ □□□□.
 - E. GID□ UID□□ □□□□□ □□□ □□□ □ □□□ □□□□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

- □□ □ OpenSSH□ TCP □□ 2222□□ □□ □□□□ □□ □□□ example.com□ □□□□ □□□ □□□□□? (□□ 2□□ □□□□□.)
- A. ssh example.com:2222
 - B. ssh -o □□=2222 example.com
 - C. ssh -o GatewayPort=2222 example.com
 - D. ssh --port 2222 example.com
 - E. ssh -p 2222 example.com

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 53

- □□□□ at□□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□?
- A. atd --deny [user]□ □□□□□.
 - B. /etc/at.deny □□□ □□ □□□□ □□□□□.
 - C. □□ □□□□ nojobs □□□ □□□□□.
 - D. /etc/atd.conf □□□ [deny] □□□ □□ □□□□ □□□□□.
 - E. /etc/at.allow □□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

- □□ □ □□ □□□□ □□□ □□□ □□□ □□□□□ □□□□ □□ □□ □□ □ □□□□□?
- A. /etc/nologin□ □□□ □□□ □□□□□.
 - B. □□□□ □□□□□ □□□□□.
 - C. □□□ □□□□ □□□□ □□□ □□□□.
 - D. /etc/passwd□□ □□□ □□□ □□□□□.
 - E. □□□ □□□□ □□□ □□□ □□□□□.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□ □ □□□ □□ □ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□
- B. □□ -a
- C. □□
- D. \$ENV □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

echo \$\$ □□□ □□ □□□ □□□□□?

- A. □□ □□□ □□ □□□□ ID□□□.
- B. □□ □□ □□□□ ID□□□.
- C. □□□□□ □□□ □□□ □□□□ ID□□□.
- D. echo □□□ □□□□ ID□□□.
- E. □□□□□□ □□□ □□□ □□□ □□□□ ID□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

sendmail □□□ □□ □□□□ □□ □□?

- A. Postfix □ Exim□ □□□ □□ MTA□ sendmail □□□ □□□□□.
- B. sendmail □□□ □□□ □□□□□ □□□ MTA □□□ □□□ □□□□□.
- C. □□ MTA□□ sendmail □□□ cron □□□ □□ □□□□□ □□□□□ □□□.
- D. sendmail MTA□ □□□ □□□□ □□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

XDM□□ □□□□ □□ □ □□ □□ □□□ □□□□ □□□ □□□□□?

- A. /etc/X11/xdm/Defaults
- B. /etc/X11/xdm.conf
- C. /etc/X11/defaults.conf
- D. /etc/X11/xdm/Xsetup

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

□□ □ chage □□□□ □□□ □ □□ □□ □□□□□?

- A. 1970□ 1□ 1□ □□ □□□□□ □□□ □ □□ □□.
- B. □□□□□ □□□□□ □□□ □□ 1970□ 1□ 1□ □□□ □ □.
- C. □□□ □□□ □ □□□ □□□ □□□ □□(□)□□□.
- D. □□□□□ □□□ □□ □□.
- E. 1970□ 1□ 1□ □□ □□□□ □□□ □ □□ □□□□ □ □□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

□□□□□ □□□ □□ syslog □□□□ □□ □□ 12□ □□□□□ □□□ syslog.conf □
□□ □□ □□□ □□□ □ □□□□□?

- A. | /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. □□□ □□ tty12
- D. *.* /dev/tty12
- E. □□.* /dev/tty12

Answer: D (LEAVE A REPLY)

NEW QUESTION: 61

□□ □ □□□ □□□ □□□ □□ □□□□ □□ □□ □□?

- A. □□□ □□□ □□□ □□ □□ □□□□ □□□ □ □□□□.
- B. □□□□ □□ □□□□ □□□ □□□ □□□ [Cmd] □□□ □□□□□.
- C. □□ □□□ □□□□ systemd-cron□ □□□ □□□ □□□ □□□□□.
- D. □□□ □□□ □□□ □□□□ □□□□ □□□□ □□□ □ □□□□.
- E. □ □□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□.

Answer: (SHOW ANSWER)

□□/□□:

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□!
 DumpTop □ □□ **102-500** □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□
 □□□□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop
 102-500 □□□ □□□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236
 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 62

□□ □ □□ □□ □□ □ □□ □□□□ □□ IANA□ □□□ IPv4 □□□□□ □□□□□
□? (□□ 3□□ □□□□□.)

- A. 10.0.0.0/8
- B. 169.255.0.0/16
- C. 192.168.0.0/16
- D. 127.0.0.0/8
- E. 172.16.0.0/12

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 63

□□ □ ip □□□ □□□ □□□ □□□ □ □□ □□ □□□ □□□□□? (3□□ □□□□
□.)

SSH X11 选项 选项 选项 选项 选项 X11 选项 选项 选项 选项
选项 选项 选项 选项 选项 选项 选项? (选项 选项 选项 选项
选项.)

Answer:

选项

NEW QUESTION: 68

X11 选项 选项 xorg.conf 选项 选项 选项. SectionName 选项 选项 选项
选项 选项 选项 选项?

- A. 选项 选项 选项 选项 "SectionName" 选项 选项 选项 选项 选项 选项 选项
- B. [SectionName] 选项 选项 选项.
- C. 选项 "SectionName" 选项 选项 选项 EndSection 选项 选项 选项 选项.
- D. <Section name="SectionName"> 选项 </Section> 选项 选项 选项.
- E. SectionName { ... } 选项 选项 选项 选项 选项.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 69

TCP 选项 23 选项 选项 选项 选项 选项?

- A. 选项 23 选项 选项 选项 选项 选项 选项 选项 选项 选项 选项 选项 选项
- B. 选项 23 选项 选项 选项 选项 SSH 选项 选项 选项 选项 选项.
- C. 选项 23 选项 选项 SSL 选项 选项 rlogin 选项 选项 选项 选项.
- D. 选项 23 选项 选项 选项 选项 starttls 选项 选项 选项 选项 选项 选项

Answer: A (LEAVE A REPLY)

NEW QUESTION: 70

选项 nmcli 选项 选项 选项 选项 选项? (2 选项 选项.)

- A. nmcli 选项
- B. nmcli 选项
- C. nmcli 选项
- D. nmcli 选项
- E. nmcli 选项

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 71

cron 选项 选项 选项 选项 选项 选项 选项 选项 选项 选项 选项 (选项 选项)
选项 选项? (选项 选项 选项 选项 选项 选项.)

Answer:

选项

NEW QUESTION: 72

□□□□ □□ □□ □□□ GID□ □□□□ □□□ □□□□□? (□□ □□□ □□□ □□ □□ □□□ □□)

Answer:

□□□, /usr/bin/id

NEW QUESTION: 73

CUPS □□□ HPLaserjet4□ □□ □□□□ □□ □□□□ □□ □□ □□ □□□ □□□ □□,

"□□□□□". □□ □□□ □ □□□ □□□□□?

- A. cupdisable -c -r hello HPLaserjet4
- B. cupreject -c -r hello HPLaserjet4
- C. cupreject -p -m hello HPLaserjet4
- D. cupdisable -p -m hello HPLaserjet4

Answer: A (LEAVE A REPLY)

NEW QUESTION: 74

□□□ □□ □□□ □□ □□ □□□□ □□□□□ _____ □ □□ □□□□□ □□□□ □ □□.

Answer:

□□

NEW QUESTION: 75

seq 10 □□□ □□ □□□ □□□□□?

- A. □□ □□□ □□ □□ 10□□□.
- B. □ □□ □□□ □□□ □□ 0□□ 9□□□ □□□□□.
- C. □□ □□□ 10□ □□□□ □□□□ □□ □□□.
- D. □ □□ □□□ □□□ □□ 1□□ 10□□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 76

□□□ □□□ □□□□□ □ □ □□ □□ □□□ □□□□□. □□ □ □ □□□ □□□□ □□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A. □□□
- B. □□ □□
- C. lsof
- D. strace
- E. □□□

Answer: C (LEAVE A REPLY)

- B. □□□
- C. □□ □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 86

CUPS □□ □□□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□?

- A. printcap.conf
- B. □□□.conf
- C. cups-devices.conf
- D. snmp.conf
- E. cupsd.conf

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□ □□ □ □□ □□ □ □ □□□ □□□□ □□□ □□□□□?

□□□

- A. lsshell
- B. lsend
- C. □□
- D. ls

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

crontab□ □□ □□□□ □□ □□?

- A. □□ □□□□ □□□ crontab□ □□ □ □□□□.
- B. □ □□ crontab□ □□ cron □□□ □□□□ □□□.
- C. crontab□ □□□□□ cron □□□ □□ □□/□□ □□□□ □□□.
- D. □□□□ "0 * * * *"□ □□□□.
- E. cron □□□ □□□ □ crontab □□□ □□□□ □□ □□□□□.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□ □□ □□ FOOBAR□ script./myscript □□□ □□□□ □□□□□ □□□ □□ □□

□?

- A. set -a FOOBAR="";./myscript
- B. unset -v FOOBAR;./myscript
- C. env -u FOOBAR./myscript
- D. env -i FOOBAR./myscript

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

□□ X □□□ □□□□ □□□□□ □□□□□ X11 □□□ □□ □□□□□ □□□ □□ □□□?

- A. X11 □□ □□□ □□□ □□ UUID□.
- B. /dev/X11/xservers/1□ □□ □□ □□□□.
- C. □□□ □□ □□ □□□□: 1.
- D. x11:bob□ □□ X □□□□ □□□□□ □□□□□ □□□□□.
- E. fe80::/64 □□□□ □□□□ IPv6 □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 91

□□ □□ □ □□ □□ □□□ □□□□□ □□□□ □□ □□□□□?

- A. timeq
- B. systemctl □□ □□□
- C. systemctl-timer □
- D. timectl □□
- E. systemctl -t

Answer: B (LEAVE A REPLY)

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□!
 DumpTop □ □□ **102-500** □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□
 □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236
 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 92

□□□□□ □□□ □ □□□□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□
 □ □□□□ □□□ □□□□□?

- A. □□□
- B. □□□
- C. ktrace
- D. □□
- E. ulimit

Answer: E (LEAVE A REPLY)

NEW QUESTION: 93

□□ □□□
 □□ □□ ssh-agent □□□□□ OpenSSH □□ □□ □□□□ □ □□□□ □□□ □□□
 □□? (□□ □□ □□□ □□□ □□□□□.)

Answer:

SSH □□

NEW QUESTION: 94

□□□ □□□□□ □□□□ □□□□□□ □□□□□□ □□ □□□□□ ifconfig□ □□ □□ □□□? (□□, □□ □□ □□ □□ □□ □□□□□ □□)

Answer:

□□

NEW QUESTION: 95

□□ □ /etc/resolv.conf □□□□ □□□ □ □□ □□□□ □□□□□? (□□ 2□□ □□□ □□.)

- A. □□
- B. □□
- C. □□□□
- D. □□
- E. □□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□ □ □□□□ □□□□ □□□ □□□□ NetworkManager□ □□□ □ □□ □□□ □ □□□□? (2□□ □□□□□.)

- A. □□
- B. □□□ □□
- C. □□□
- D. □□
- E. □□

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 97

□□ □ □□□ □□□ □□□ □□□□ □□□ □□□□□?

- A. [□□□]
- B. [□□□]
- C. [□□]
- D. [□□□]
- E. [□□□]

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 98

NetworkManager□ □□□ □□ □ □□□□□ NetworkManager□ □□ □□□□ □ □□ curses □□ □□□□□ □□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

nmtui

NEW QUESTION: 99

TCP □□□ □□□ □□□□□?

- A. TCP □□□□□ □□□□ □□□□ □□ □ □□□□□.
- B. □□□□ □□□□ □□ □□□ □□□□□.
- C. □□ □□□ TCP □□□□□ SSL □□□ □□□□□.
- D. TCP □□□□ IP □□□□ □□□□□□.
- E. □□□□ □□□□ TCP □□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 100

□□ □ XDM □□ KMD□ □□ □□□□□ □□□□ □□□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□ □□□□ □□□□□.
- B. □ □□□□ □□□□□ □□ □□ □□□ □□□ □ □□□□□.
- C. □□□□ □□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□.
- D. □□ □□□ □□ □ □□□□ □□ X11 □□ □□□ □□□□□.
- E. □□□□ □□ □□□□ □□□ □□□□□ □□□□□.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 101

□□□□ □□ □□ □□□ □□□ □□□□ □□ TCP □□ □□□ □□□ □ □□ □ □□ □□□ □□ □□□□□?

- A. □ □□□ □□ □□□□ □□ □□□□ □□□□□.
- B. □ □□□ □□ □ □□□ □□ □□ □□□□□.
- C. □□□□ □□ □□□□□ □□□ □□□ □□ □ □ □□□ □□□□□.
- D. tcpd □□□□ □□□□□ □□□ □□□ □□□□□.
- E. □ □□□ □□ □□□ □□□ □ □□□□□.

Answer: B ([LEAVE A REPLY](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□ **102-500** □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)