

Lpi.102-500.v2023-01-23.q116

□□□□:	102-500
□□□□:	LPIC-1 Exam 102, Part 2 of 2, version 5.0
□□□:	Lpi
□□ □□ □□□:	116
□□:	v2023-01-23
# □□ □:	2272
# □□ □□□:	1160
https://www.krdump.com/Lpi.102-500.v2023-01-23.q116.html	

NEW QUESTION: 1

□□ □□□ □□□□ □□□□:

Kernel IP routing table								
Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface	
0.0.0.0	192.168.178.1	0.0.0.0	UG	0	0	0	wlan0	
192.168.1.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0	
192.168.2.0	192.168.1.1	255.255.255.0	U	0	0	0	eth0	
192.168.178.0	0.0.0.0	255.255.255.0	U	0	0	0	wlan0	

□□□ 192.168.2.150□□ □□□ □□□ □□□□□□?

- A. □□ wlan0□□ □□ □□□□□.
- B. eth0□ □□□ 192.168.1.1□ □□□□□.
- C. wlan0□ □□ □□□ 192.168.178.1□ □□□□□.
- D. eth0□ □□ □□□ 255.255.255.0□□ □□□□□.
- E. □□ eth0□□ □□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

□□ crontab □□ □ □□□ □□ 30□□ myscript□ □□□□ □□□ □□□□□□?

- A. 0 0-23 * * 30 myscript
- B. 30 0 * * 0 □□□□□□
- C. 30 0-23 * * 0 myscript
- D. 0 * * * 30 □□□□□□
- E. 30 * * * 6 □□□□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 3

at □□ batch□ □□ □□□ □□□ □ □□ □□□ □□□ □□□□ □□□□□□? (□□ □□□ □□ □□ □□)

```
/etc/at.deny
```

sudoconfiguration□ □□ □□ □□□ □□□□□.

☐ ☐ ANY=NOPASSWD: /bin/kill, /bin/id, PASSWD: /sbin/fdisk

□□ □□ □ □□□ □□? (3□□ □□□□□.)

- A.** Jane ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ /bin/only ☐ ☐ ☐ ☐ ☐ ☐.
- B.** Jane ☐ ☐ ☐ ☐ ☐ ☐ ☐ /bin/kill ☐ ☐ ☐ ☐ ☐ ☐.
- C.** Jane ☐ ☐ ☐ ☐ ☐ ☐ ☐ /bin/id ☐ ☐ ☐ ☐ ☐ ☐.
- D.** Jane ☐ ☐ ☐ ☐ ☐ ☐ ☐ /sbin/fdisk ☐ ☐ ☐ ☐ ☐ ☐.
- E.** Jane ☐ ☐ ☐ ☐ ☐ ☐ ☐ /sbin/fdisk ☐ ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

□ □ □ □ □

cron □□□□ □□□□ □□□□□ □□□ □□ □□□□ □□□□ □□ □□(□□ □□)□ □□□□□? (□□□□
□□□□ □□□ □□ □□□□ □□□□□□.)

Answer:

33

```

□□□ □□□ □□□□ □□□□□□ □□□□□(pt)□ □□□□□ /etc/bash_profile□ □□ □□□ □□□□ □□
□? (□□ 2□ □□)

```

- A.** ALL_MESSAGES="pt" ☐☐☐☐
B. MESSAGE="pt" ☐☐☐☐
C. ☐☐☐☐ LC_MESSAGES="pt"
D. LANGUAGE="pt" ☐☐☐☐
E. LANG="pt" ☐☐☐☐

Answer: C,E (LEAVE A REPLY)

□□ □ □□ □□ □□ □ □□ □□□□ □□ IANA□□ □□□ IPv4 □□□□□ □□□□□? (□□ 3□□ □□□ □□.)

- A.** 127.0.0.0/8
B. 169.255.0.0/16
C. 192.168.0.0/16
D. 172.16.0.0/12
E. 10.0.0.0/8

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 8

iconv □□□ □□□ □□□□□?

- A. ext4 □□ □□□□□ inode□ □□□ □□□□.
- B. □□ □□□□ □□□ FHS(Filesystem Hierarchy Standard)□ □□ □□□ □□□□□ □□□□□.
- C. □□□ □ □□ □□□□□ □□ □□□□□ □□□□□.
- D. □□□ □□□□ □ □□□□ □□ □□(□: PNG□□ JPEG□)□□ □□□□□.
- E. .ico□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□ □□□

□□□ □□ □□ □□□ □□ TCP □□, □□□ □□□ □ □□□□ □□□□□ □□□ □□□ □ □□□□? (□□ □ □□□□ □□ □□□ □□□□□□.)

Answer:

netstat

NEW QUESTION: 10

sudo □□□ □□ □□ □□□ □□□□□.

□□ ANY=NOPASSWD: /bin/kill, /bin/id, PASSWD: /sbin/fdisk

□□ □□ □ □□□ □□? (3□□ □□□□□.)

- A. Jane□ □□□ □□□□ □□ /bin/kill□ □□□ □ □□□□.
- B. Jane□ □□□ □□□□ □ /sbin/fdisk□ □□□ □ □□□□.
- C. Jane□ □□□ □□□□ □□ /bin/id□ □□□ □ □□□□.
- D. Jane□ □□□ □□□□ □□□ /bin/id□ □□□ □ □□□□.
- E. Jane□ □□□ □□□ □□□ □ /sbin/fdisk□ □□□ □ □□□□.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

_____ □□□ □□□□ □□□ □□□□ □ □□□□□.

Answer:

□□ □□, /usr/sbin/□□ □□

NEW QUESTION: 12

□□ □□□□ □ □□□ □□□□ □□ □□□ □□□ □□□□ □ □□□ □ □□ □□?

- A. □□ □□
- B. □□□□
- C. □
- D. netstat
- E. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□□ □□ □□□□ □□□ □□□ □□□ □□□□□?

- A. □□ □□ LANG, LC_MESSAGES□ □□□□□ □□□□ □□ □□□□ □□□□□.
- B. NTP□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□□.
- C. □□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□ □ □□ □□□□□.
- D. Unix □□□□□□ □□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

echo \$\$ □□□ 12942□ □□□ □ 12942□ □□□ □□□□□?

- A. □□ □□ □□□□ ID□□□□.
- B. □□□□□□ □□□ □□□ □□□ □□□□ ID□□□□.
- C. □□□□□ □□□ □□□ □□□□ ID□□□□.
- D. echo □□□ □□□□ ID□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

□□ □□ □ □□ /etc/crontab □□□ □□□□ crontab □□□ □□ □□□□ □□□ □ □□ □□□ □□□□□?
(2□□ □□□□□.)

- A. □□□ □□
- B. □□
- C. □□ □□ ID
- D. □
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

□□ □□□

/etc/network/interfaces □□ /etc/sysconfig/network-scripts/ifcfg-eth0□ □□ □□□ □□□ □□ □□□□ □□□□
□□ □□□□□ □□□ □□□□□? (□□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

□□

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□
102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□.
□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□ □□ □ □□ □□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. lpq
- B. lp
- C. lsq
- D. lpr
- E. lpd

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

Linux □□□□ □□□ □□□ □ □□□□ □□□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□. □□□ □□□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

lpq, /usr/bin/lpq, lpstat, /usr/bin/lpstat

NEW QUESTION: 19

□□ □□ □ SSH□ □□□□ □□ □□□ □□□□□ □□ □□ □□□ □□□□ □□ SSH □□ □□ □□□□ □□□□ □□ □□□□□?

- A. ssh-keygen
- B. ssh-pki
- C. SSH □□□□
- D. SSHD
- E. SSH □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□ □□ □□ □ □□ □□□□ □□ □□□□□ □ □□□ □□□□□ □□□□ □□ □□ □□□ □□□□□?

- A. /etc/.bashrc
- B. /etc/shellenv
- C. /etc/profile
- D. /etc/bashrc
- E. ~/.bash_profile

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

SSH □□□□□□ □□ □□ □□□ □□□ □□ □□□ □□□□□?

- A. /etc/ssh/ssh_config
- B. /etc/ssh/sshd_config
- C. /etc/ssh/ssh_client
- D. /etc/ssh/client
- E. /etc/ssh/ssh

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which of the following is a valid IPv4 address? (Choose one.)

Answer:
192.168.1.1

NEW QUESTION: 23

Which of the following is a valid IPv4 address? (Choose one.)

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1
- E. 192.168.1.1.1.1.1.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following is a valid IPv4 address? (Choose one.)

Answer:
192.168.1.1

NEW QUESTION: 25

Which of the following is a valid IPv4 address? (Choose one.)

- A. /etc/profile
- B. /etc/services
- C. /etc/host.conf
- D. /etc/ports
- E. /etc/xinetd.conf

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which of the following is a valid IPv4 address? (Choose one.)

- A. /etc/.bashrc
- B. ~/.bash_profile
- C. /etc/bashrc
- D. /etc/profile

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□ □□□□ crontab □□□ □□□□□.

15 14 * * 1-5 /usr/local/bin/example.sh

/usr/local/bin/example.sh □□□□□ □□ □□□□□?

A. 2□□□ 6□□□ □□ □□ 14:15.

B. □□□~□□□ □□ □□ 14:15

C. □□ □□□□ 1□ ~ 5□ 15:14.

D. 1□□□ 5□□□ □□ □□ 14:15.

E. □□ □□ 14□ 15□, □□ 1□ ~ 5□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□ □ □□ □□ □□□□ □□□□ □□ journalctl□ □□□□ □□□□□ □□□□□? (2□□ □□□□□.)

A. --from

B. --□□

C. --~ □□

D. --□□

E. --□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□ □□ □ OpenSSH□ TCP □□ 2222□□ □□ □□□□ □□ □□□ example.com□ □□□□ □□□ □□□ □□□? (□□ 2□□ □□□□□.)

A. ssh --port 2222 example.com

B. ssh -p 2222 example.com

C. ssh -o GatewayPort=2222 example.com

D. ssh example.com:2222

E. ssh -o □□=2222 example.com

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□ □ SPICE□□ □□□□ □□□ □□□□□? (2□□ □□□□□.)

A. □□ □□□□□ □□□□ □□□□□ □□□□□ □□□□□.

B. □□ USB □□□ □□ □□□□□□□ □□□□□.

C. Xorg□ □□ X11 □□□ □□□□□.

D. □□ □□□□□ □□□□□□□ □□□□□□ □□□ □□□□□.

E. □□ □□□□□ □□□ □□ □□□□□ □□□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□ □□ □ □□ □□ □□ □□□□ □ □□□□?

```
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 40997
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1
;; OPT PSEUDOSECTION:
; ENDS: version, flags:; udp:1280
;; QUESTION SECTION:
; www.example.org.      IN      NS

;; AUTHORITY SECTION:
example.org.            3600 IN      SOA  sns.dns.icann.org noc.dns.icann.org.
2016110776 7200 3600 1209600 3600

;; Query time: 144 msec
;; SERVER: 127.0.1 1#53(127.0.1.1)
;; WHEN: Sat Apr 01 21:22:46 BST 2017
;; MSG SIZE rcvd: 114
```

- A. dig -t mx www.example.org
- B. dig -ta www.example.org
- C. dig www.example.org
- D. dig -t soa www.example.org
- E. dig -t ns www.example.org

Answer: ([SHOW ANSWER](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□
102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□.
□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□ □□□

NetworkManager□ □□□ □□ □ □□□□□ NetworkManager□ □□ □□□□ □ □□ curses □□ □□□□□□
□□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

nmui

NEW QUESTION: 33

□□ □□ 3□□□ 5□ □□□ chklog □□□□□ □ □ □□□□ □□ □□□ cronstab □□:

- A. * 15,16,17 1 * * chklog
- B. 3 3,4,5 1 * * chklog
- C. 0 15,16,17 1 * * chklog
- D. * 3,4,5 1 * * chklog

E. 3 15,16,17 * * * chklog

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□ □ □□□ □□ □ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□
- B. □□ -a
- C. \$ENV □□
- D. □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□ □ □□□ SSH □□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □ □□□ □□□□ □□ □□□ □□□□□ □ □□□ □ □□ □ □□ □□□ □□□ □□□□.
- B. □□ □□ □□ □□□□□ □□□□□□ □ □□□.
- C. □□□ □□ □□ □□ □□ □□ □□ □□ □□□ □ □□□□.
- D. □□ □□ □□□□ □□□□□ SSH □ □□ □□□□ □□□□ □□□.
- E. □□ □□□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

□□/□□:

NEW QUESTION: 36

□□ □□ □ □□ /etc/crontab □□□ □□□□ crontab □□□ □□ □□□□ □□□ □ □□ □□□ □□□□□?
(2□□ □□□□□.)

- A. □□
- B. □
- C. □□□ □□
- D. □□ □□ ID
- E. □□

Answer: B,D ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 37

seq 10 □□□ □□ □□□ □□□□□?

- A. □ □□ □□□ □□□ □□ 0□□ 9□□□ □□□□□.
- B. □ □□ □□□ □□□ □□ 1□□ 10□□□ □□□□□.
- C. □□ □□□ 10□ □□□□ □□□□ □□ □□□.
- D. □□ □□□ □□ □□ 10□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which of the following is not a valid SQL statement?
SELECT * FROM table1;

- A. SELECT * FROM table1;
- B. SELECT * FROM table1 WHERE 1=1;
- C. SELECT * FROM table1 WHERE 1=0;
- D. IF

Answer: A (LEAVE A REPLY)

NEW QUESTION: 39

Which of the following is not a valid command to send mail to a user?
(Assume the user's name is 'john' and the email address is 'john@example.com'.)

Answer:
mailq, /usr/bin/mailq, sendmail -bp, /usr/sbin/sendmail -bp, /usr/lib/sendmail -bp, sendmail, /usr/sbin/sendmail, /usr/lib/sendmail

NEW QUESTION: 40

Which of the following is not a valid option for the 'cat' command?
(2 correct answers.)

- A. -f
- B. -z
- C. -lt
- D. -eq
- E. -

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 41

Which of the following is not a valid command to start the xinetd service?
(Assume the service is 'xinetd'.)

Answer:
/etc/xinetd.d/, /etc/xinetd.d

NEW QUESTION: 42

Which of the following is not a valid command to configure the network?
(2 correct answers.)

- A. sysctl ipv4.default_gw=0
- B. netstat -r
- C. ip netns exec
- D. ifconfig eth0 192.168.1.1
- E. ip netns exec

Answer: (SHOW ANSWER)

NEW QUESTION: 43

Which of the following is not a valid command to configure the network?

CUPS□ □□ □□□ □□□ □□□ □□□□□ □□□□□? (□□□□□ □□ □□□ □□□□□□.)

Answer:

/etc/cups/cups-files.conf

NEW QUESTION: 44

□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□□□ □□ □□ □□□ □□□□ □□□? (□□ □□□ □□□□□.)

Answer:

TZ

NEW QUESTION: 45

□□ □ □□□ IPv6 □□□ □□□□□?

A. 2001:db8:3241::1

B. 2001:db8:0g41::1

C. 2001.db8.819f..1

D. 2001%db8%9990%%1

E. 2001::db8:4581::1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

VARIABLE□□□ □ □□□ □□□□□ □ □ □□ □□ □□□ □□□□□?

A. □□ □□□□

B. \$VARIABLE □□□□

C. □□ □□

D. □□ □□

E. \$VARIABLE □□

Answer: A ([LEAVE A REPLY](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□

102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□.

□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. [https://www.dumptop.com/Lpi/102-500-](https://www.dumptop.com/Lpi/102-500-dump.html)

[dump.html](https://www.dumptop.com/Lpi/102-500-dump.html) (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

□□ □□□□ at□□ □□□ □□□□ □□□□ □□□ □□□ □□ □□□?

A. /etc/atd.conf □□□ [deny] □□□ □□ □□□□ □□□□□.

B. /etc/at.deny □□□ □□ □□□□ □□□□□.

C. atd --deny [user] □□□ □□□□□.

D. □□ □□□□ /etc/at.allow □□□ □□□□□.

Answer: B (LEAVE A REPLY)

chage □□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□□□?

A. ☐☐☐☐☐ ☐☐ ☐☐

B. □□□□ □□□ □ □□ □□ □□

C. □ □ □ □ □ □ □ □ □

D. □ □ □ □ □ □ □ □ □ □

E. ☐☐ ☐☐☐

Answer: A ([LEAVE A REPLY](#))

[illegible]

A. KDE

B. X11

C. Xfce

D. ☐ ☐ ☐ ☐

E. XDMCP

Answer: ([SHOW ANSWER](#))

□□/□□:

□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□□? (□□ □□ □□ □□ □□)

Answer:

□□, □□ -p

□□ □□ □□□□ X□ □□ □□ □□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (□□□ □□□□ □□ □□□ □□□□□□.)

Answer:

```
/usr/bin/xwininfo, xwininfo
```

[illegible]

A. iconv

B. dd

C. ☐ ☐ ☐

D. utf2utf

E. □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 53

CUPS □□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□?

- A. printcap.conf
- B. snmp.conf
- C. cups-devices.conf
- D. cupsd.conf
- E. □□□.conf

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□ □ □□ □□ □□ □ □□ □□□□ □□ IANA□□ □□□ IPv4 □□□□□ □□□□□? (3□□ □□□□□.)

- A. 192.168.0.0/16
- B. 172.16.0.0/12
- C. 10.0.0.0/8
- D. 127.0.0.0/8
- E. 169.255.0.0/16

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 55

□□ □□□□ at□□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□?

- A. □□ □□□□ nojobs □□□ □□□□□.
- B. /etc/atd.conf □□□ [deny] □□□ □□ □□□□ □□□□□.
- C. /etc/at.allow □□□ □□ □□□□ □□□□□.
- D. atd --deny [user]□ □□□□□.
- E. /etc/at.deny □□□ □□ □□□□ □□□□□.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□ □□ □ □□ □□□ □□□ □ □□ mydate□ □□ □□□ □□□□□?

- A. mydate="□□ □□"
- B. mydate="\$((□□))"
- C. mydate="\$ (□□)"
- D. mydate="\${□□}"
- E. mydate="□□"

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

□□□□ □□ □□ □□□ GID□ □□□□ □□□ □□□□□? (□□ □□□ □□□ □□ □□ □□□ □□)

Answer:

□□□, /usr/bin/id

NEW QUESTION: 58

□□ □ IPv6□ □□ □□□□ □□ □□ □□?

- A.** IPv6 □ □ □ UDP □ TCP □ Rapid Transmission Protocol RTP □ □ □ □ □ □ □.
- B.** IPv6 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.
- C.** IPv6 □ □ □ □ □ □ □ □ □ □ TCP □ □ □ □ □ □ □ □ □ □.
- D.** IPv6 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.
- E.** IPv4 □ □ □ IPv6 □ □ □ □ □ □ □ □ □ □ □ □ □ □.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

□□ □□ □ □□ □□ □□□ □□□□ □□□□ □□ □□□□□?

- A.** systemctl □□ □□□
B. systemctl-timer □
C. timectl □□
D. timeq
E. systemctl -t

Answer: A (LEAVE A REPLY)

NEW QUESTION: 60

□□□ □□ □□□□□□ □□ □ □□□□□ □□□□ □□□□. □ □□ □□□ #! □□ □□ □□□ □□□□.
□□□ □□□ □□□□□□.

- A.** □□ □□□ □□□ □□□□□ □□□ □ □□□□□□□.
- B.** □□ □□□ □□□□□ □□□□□ □□□□ □ □□□□□.
- C.** □ □□□□□ □□ □□□ □□□ □□ □□ □□□□□.
- D.** □ □□□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 61

CUPS □□ □□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□□□. (□□□□□ □□ □□□ □□□ □□□.)

Answer:

```
/etc/cups, /etc/cups/
```

102-500 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ DumpTop ☐ ☐ ☐ ☐ ☐ ☐ 102-500 ☐ ☐! DumpTop ☐ ☐

102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□.

□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500->

[dump.html](#) (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□ □□□ /etc/hosts □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□ □□□□
□□□□ □□□?

Answer:

□□

NEW QUESTION: 68

□□ X □□□ □□□□ □□□□□ □□□□□ X11 □□□ □□ □□□□□ □□□ □□□□□?

A. /dev/X11/xservers/1□ □□ □□ □□□□.

B. fe80::/64 □□□□ □□□ IPv6 □□□.

C. x11:bob□□ X □□□ □□□□ □□□ □□□□.

D. □□□ □□ □□ □□□□: 1.

E. X11 □□ □□□ □□□ □□ UUID□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

mailq □□□ □□□ □□□□□?

A. POP3 □□ IMAP□ □□□□ □□ □□□□ □ □□□□ □□□□□.

B. □□□ MTA□□ □□□ □□ □□□□□.

C. □□□□ □□ □□ □□ □□ □□ □□□□□.

D. □□ □□□ □□□ □□□ □□□□□□.

E. □□ MTA□ □□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

□□ □ syslog □□□ □□□□□? (2□□ □□□□□.)

A. □□□□

B. □□

C. □□

D. □□

E. □□5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

□□ □□ □□□□ □□ □□□□ □□□ □□□□□?

□□ '1 2 3 4 5 6' | ABC□ □□ □□; □□

□□ □□ \$c \$b \$a;

□□

A. □□: 6 5 4

- B. □□: 1 2 3 4 5 6
- C. □□: 3 4 5 6 2 1
- D. □□: 6 5 4 3 2 1
- E. □□: 3 2 1

Answer: C ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 72

□□ □□ □□□□□□ □□□□ Linux□ □□ □□□ □□□ □□□ □□ □□ □□□□□. □□ □□ □ □□ □
□ □□□ □□□□□?

- A. □□ -d '+ 1□'
- B. □□ hwclock
- C. ntpdate pool.ntp.org
- D. hwclock --systohc --localtime

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□ getent □□ □ □□ □□ □□□□ □□□□ □□ □□□□□?

- A. getent UID
- B. getent □□□
- C. □□□ □
- D. getent □□□
- E. getent □□

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 74

/etc/profile □□□ □□□ □□□□□?

- A. □□□□□□□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□ □□□□ □□□□.
- B. □□□□ □□□□ □ □□□□ □□ □□□ □□□□□.
- C. □□□ □ □□□□ □□ □□□□ □□ □□□□.
- D. □□□□ □ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

□□□ □□ □□ □□□ □□ □□□□ □□, □□□ □□□ □ □□□□ □□□□□ □□□ □□□ □ □□□□?
(□□□ □□□□ □□ □□□ □□□□□□.)

Answer:
netstat, /bin/netstat, ss, /usr/bin/ss

NEW QUESTION: 76

□□ □□ □ /etc/group □□□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□ ACL□□□.
- B. □□□ □□□□□.
- C. □□□ □□ □□□□□.
- D. □□□ □ □□□□□□□.
- E. □□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□
102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□.
 □□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□ □ □□□ 203.0.113.64/28□ □□□ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A. 203.0.113.65
- B. 203.0.113.78
- C. 203.0.113.64
- D. 203.0.113.80
- E. 203.0.113.81

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 78

IPv6□□ □□□□□ □□□ □□□□□ □□□□ □ □□□ □□□□□□□? (□□□ □□□□ □□□ □□□□□ □□.)

Answer:

64

NEW QUESTION: 79

□□ □□□□□□□ □□□ □□□ □□□□□?

- A. □□□□ □□□□□□□ □□ □□□□ □□□ □□□ □□?
- B. LCD□ □□□ □□□ □□□□□ □□.
- C. □□ □□ □□□□ □□□ □□□□□ □□□ □□□□.
- D. XML□ □□□ □□□ □□□ □□ □□ □□ □□□□□.
- E. KDE □ GNOME□ □□□ Linux □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 80

□□ □ sendmail □□□ □□ □□□□ □□ □□ □□?

- A. □□ MTA□□ sendmail □□□ cron □□□ □□ □□□□□ □□□□□ □□□.


```
□□ '1 2 3 4 5 6' | ABC□ □□ □□; □□  
□□ □□ $c $b $a;  
□□
```

- A. □□: 6 5 4
- B. □□: 1 2 3 4 5 6
- C. □□: 3 4 5 6 2 1
- D. □□: 6 5 4 3 2
- E. □□: 3 2 1

Answer: ([SHOW ANSWER](#))

□□/□□:

NEW QUESTION: 86

```
□□ □□ □ □□□□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□?
```

- A. □□□□ UID□ 0□□ □□□□□.
- B. /etc/noaccess□ □□□□ □□□□□.
- C. □□□□ □ □□□□□ .nologin □□□ □□□□□.
- D. □□□ □□□□ chsh -s /bin/false □□□ □□□□□.
- E. □□ □□□□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

```
□□ □□ □□ FOOBAR□ script./myscript □□□ □□□□ □□□□□ □□□ □□ □□□?
```

- A. unset -v FOOBAR;./myscript
- B. env -i FOOBAR./myscript
- C. env -u FOOBAR./myscript
- D. set -a FOOBAR="";./myscript

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

```
cron □□□□ □□□□ □□□ □ □□ □□ □□□□ □□□□ □□ □□(□□ □□)□ □□□□□? (□□□□ □□  
□□ □□□ □□ □□□ □□□□□□.)
```

Answer:

/etc/cron.allow

NEW QUESTION: 89

```
□□□ □□□□□ □□□□ □□□□ □□□□□□ □□□□ Linux □□□□ NetworkManager□ □□ □□□□  
□□ □□? (2□□ □□□□□.)
```

- A. NetworkManager□ □□□ NetworkManager□□ □□□□ □□ □ DHCP□ □□□□□ □□ □□□□ □□□
□□□ □□□□□□.
- B. NetworkManager□ □□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □ □□□□.
- C. NetworkManager□ NetworkManager□ □□ □□□□ □□ □□ □□□□□□ □□□□□□□.

D. NetworkManager

E. ☐☐☐☐☐ NetworkManager ☐ ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐.

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 90

□□ □□□□ □□□□ □□ □□□ □□□ □□□□□ TCP □□ □□□ □□□ □ □□□ □□ □□□ □□ □□
□□□?

A. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

B. □□□□ □□ □□□□ □□□ □□□ □□ □ □□□ □□□□□.

C. □□□□ □□ □□□□ □□ □□□□ □□□□□.

D. tcpd □□□□ □□□□□ □□□ □□□ □□□□□.

E. □□□□□□□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

```
/etc/syslog.conf □ □ □ □ □ □ □ □ □ □ /var/log/maillog □ □ □ □ □ □ □ □ □ □ □  
□ □ □ loggger.example.com □ □ □ □ □ □ □ □ □ □ ?
```

```
□□.* /var/log/maillog
```

A. mail.crit @logger.example.org

```
□□.* /var/log/maillog
```

B. mail.crit syslog://logger.example.org

```
□□ /var/log/maillog
```

C. @logger.example.org

D. mail,crit @logger.example.org

```
□□.* /var/log/maillog
```

E. mail.crit @logger.example.org

```
□□ * /var/log/maillog
```

Answer: E (LEAVE A REPLY)

102-500 ☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐ 102-500 ☐☐! DumpTop ☐ ☐☐

102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□.






























NEW QUESTION: 92

□□ □ □□ □□ □□□□ □□□□ □□ journalctl□ □□□□ □□□□□ □□□□□? (□□ 2□□ □□□□□.)

A. --□□

B. --from

C. --□□

D. --~ □□

E. --□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□ □ □□ □□□□ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□□□? (2□□ □□□□□.)

A. -eq

B. -z

C. -lt

D. -f

E. -d

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

X□ □□□□□ □□□□ □□□ □□□ □ □□□ □□□□ □□ □□ □ □□□ □□□ □□□□. X□□ □□ □
□ □□ □□□ □□□□ □□ □□□ □□□□□?

A. xwininfo

B. xc□□

C. xcd

D. □□□ /etc/X11

E. xcolordepth

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□ □ □□□ □□□ □□□ □□□□ □□□ □□□□□?

A. [□□]

B. [□□□]

C. [□□□]

D. [□□□]

E. [□□□]

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

bash□ □□□ □□ □□□ □□□□□?

A. □□□ □□□□□ □□ □□□ □□ □ □□ □□□ □□□□□.

B. □□ □□□□□□ □□□ □□ □□□□ □□□□.

C. □□ □□ □□□ □□ □□□□ □□□□.

D. □□□ □□□ □ □□ □□□ □□□□ □□□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 97

□□□□ □□□□ □□□□ □□ □□ □□□□□ □□□□□□□□ □□□ □□□ □□ '\$' □□□ □□ □□□□
□. □ □□□ □□□□□ □□□ □□ □□□?

- A. /etc/currency□ □□□□□.
- B. □□□□ □□□□ □□□□□□.
- C. □□□□ □□□□□.
- D. □□□□ □□ □□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 103

□□□□□ SSH □□□ □□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□?

- A. /etc/ssh/ssh
- B. /etc/ssh/sshd_config
- C. /etc/ssh/ssh_config
- D. /etc/ssh/ssh_client
- E. /etc/ssh/client

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 104

seq 1 5 20 □□□ □□ □□□ □□□□□?

- 1
- A. 6
- 11
- 16
- 1
- B. 10
- 15
- 20
- C. 3
- 4
- 5
- 5
- D. 5
- 10
- 15
- 1
- E. 2
-
- 4
- 2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 105

□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □ □□□□?
(□□□ □□□□ □□□ □□ □□□ □□□□□□.)

Answer:

/etc/nologin

NEW QUESTION: 106

□□□□□ □□□ □ □□□□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □ □□□□ □□□ □□
□□□?

A. ulimit

B. □□□

C. ktrace

D. □□□

E. □□

Answer: A ([LEAVE A REPLY](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□

102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□.

□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

SSH □□□ □□ □□□ □□□□□?

A. □□□□ SSH □□□□□□ □□□ ID □□□ □□□□□.

B. □□□□□□ □□□□ □□□□ □□ □□□ □ □□ □□ SSH □□□□□□□ □□□ □□□.

C. □□ □□□ SSH □□ □□□□ □□ □□ □□□□.

D. cron, syslog □□ □□ □□□ □□ □□□ □□□□□ □□ □□□□ □□□□ □□□□ □ □□□□□.

E. □□ □□□□□ □□ □□□□ □□□□□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□□ □□□□ □□□ □□□ □□□□ □ □□□ □ □□ crontab □□□ □□□□□?

A. 1 0 * * * □□ □□ ntp1.digex.net

B. 1 0 * * * □□ ntp1.digex.net

C. 1 0 * * * □□ □□ \$d \$t \$24

D. 1 0 * * * □□ \$d \$t \$24

E. 1 0 * * * ntpdate ntp1.digex.net

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 109

□□□□ □□ □□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (□□ 3□□ □□□□□.)

- A. □□□ □□
- B. □□
- C. □□
- D. □□
- E. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

□□ □ □□□□ □□□ □ □□ □□□ □□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A. □□□□
- B. ulimit
- C. □□
- D. □□□ □□
- E. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

xhost □□□□□ □□□□□ □□□ □□□ □□□□ □□□ □□□□□?

- A. □□□ □□□□□□ □□ □□□ DNS □□□□□.
- B. □□ □□ □□□□ □□□□ □□□□ □□□□□ □□□.
- C. □□ □□□□ □□□ X □□□ □□ □□□□ □ □□□□.
- D. □□□ □□□ syslog□ □□□□□.
- E. □□□□ □□□ □□□□ □□□□ □□□□ □□□ □□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 112

Xorg X11 □□□ □□ □□□ □□ □□□ □□□□□? (□□ □□ □□□□ □□)

Answer:
xorg.conf

NEW QUESTION: 113

□□□□□ CRON □□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□□□. □□ □□□□ □□□□□ □
□ □□□ □□□□ □□□? (□□□□ □□ □□□ □□□□□□)

Answer:
/etc/cron.allow

NEW QUESTION: 114

□□□□ □□□□ /etc/localtime□ □□ □□□□□ □□□ □□□ □□□□ □□□ □ □□□□? (□□ □□ □□
□□□□□ □□ □□ □□)

Answer:

/usr/share/zoneinfo/

NEW QUESTION: 115

□□ □□ □ □□ □□ □ □ □□□ □□□□ □□□ □□□□□?
□□□□

- A. lsenv
- B. lsshell
- C. □□
- D. ls

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□□□ □□ □□□□ □□ □□□ □□□ □□□□□ □□ □□□ □□□□ □□□?

- A. lpq
- B. mlq
- C. mailq
- D. sendmail -l

Answer: C ([LEAVE A REPLY](#))

102-500 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 102-500 □□! DumpTop □ □□
102-500 □□ □□□ □□□□□□, DumpTop 102-500 □□ □□□ □□□□□□□□ □□□ □□□□□□□□.
□□□□ □□□ □□□□ □□ DumpTop 102-500 □□□ □□□□□. <https://www.dumptop.com/Lpi/102-500-dump.html> (236 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)