











**NEW QUESTION: 17**

□□ □□ □□□ □ □□ □□□ □□□ □ □□ □□ □□□□□?

tcpdump -i eth0 \_\_\_\_\_ 203.0.113.8

(3□□ □□□□□.)

- A. □□□
- B. ipv6
- C. dst
- D. □□
- E. □□□

**Answer: A,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 18**

□□ □□ RAID5 □□□□ □□□ □□ □□□ □□ □□□□□?

- A. 3
- B. 2
- C. 1
- D. 5

<□>: 4

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 19**

□□ □ □□ □□□ □□ kevin□ □□□□ ./fyf/ □□□□□ □□ □□□ deltaur□ /var/tmp/□ □ □□□ □□□□ □□□ □□□□□?

- A. rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/
- B. rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/
- C. rsync -a -u kevin -e ssh fyf/ deltaur:/var/tmp/
- D. rsync -a -u kevin -e ssh deltaur:/var/tmp/ fyf/

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 20**

□□ □□ □□□ □ □□ □□□ □□□ □ □□ □□ □□□□□?

tcpdump -i eth0 \_\_\_\_\_ 203.0.113.8

(3□□ □□□□□.)

- A. □□□
- B. □□□
- C. □□
- D. dst

<□>: ipv6

**Answer: A,C,D ([LEAVE A REPLY](#))**

□□/□□:



**NEW QUESTION: 25**

patch   -p3   ?

- A.  POSIX     .
- B.            .
- C.              .
- D.  3     .
- E.         /    .

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 26**

iSCSI    /etc/fstab     ?

- A. \_santarget
- B.
- C. iscsi
- D. \_netdev

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

RAID5      ?

- A. 1
  - B. 2
  - C. 3
  - D. 4
- <>: 5

Answer: ([SHOW ANSWER](#))

/:

**NEW QUESTION: 28**

.

. DNS     
   ? (   .)

Answer:

/:

**NEW QUESTION: 29**

GRUB      ?

- A.
- B. --mbr
- C. grub-mkconfig

- D. grub-mbr-□□
- E. grub-install-mbr

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 30**

□□ □□□□ □□□□□□ □□□□□□ □ □ □□□□ □□ □□□ □□□□ □□ □ □□ □ □□ □□□□ □□□□ □□ GNU make□□ □□ □□□ □□□ □□□□□? (□ □□□ □□□□ □.)

- A. Makefile.in
- B. □□□□□
- C. □□
- D. config.h.in
- E. □□□□□

Answer: B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

□□ □□ □□□ □□ □□□□□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□ □ □□ □□ □□□ □□□□□?

- A. LVM2
- B. lv□□
- C. lvcreate
- D. lvclone
- E. lv□□□

Answer: C ([LEAVE A REPLY](#))

**201-450** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201-450 □□!  
 DumpTop □ □□ **201-450** □□ □□□ □□□□□□, DumpTop 201-450 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201-450 □□□  
 □□□□□. <https://www.dumptop.com/Lpi/201-450-dump.html> (367 Q&As Dumps, **30%OFF**  
**Special Discount: KrDump**)

**NEW QUESTION: 32**

□□□□ □□□ □□□□ □□ Linux □□□□□ □□□ □□ □□ □□□ □□□□□. 5GB□ □ □□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□?

- A. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; mkswap /tmp/ □□ □□; □□ □ /tmp/swapfile
- B. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; □□□ /tmp/swapfile
- C. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; mkswap /tmp/ □□ □□; □□ □ /tmp/swapfile

- D. mkswap /tmp/swapfile 512000; `dd if=/dev/zero of=/tmp/swapfile`
- E. `-5G /tmp/swapfile` `dd if=/dev/zero of=/tmp/swapfile`

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

Which command can be used to view the Linux kernel's current CPU usage statistics? (Select two.)

- A. `vmstat`
- B. `cat /proc/stat`
- C. `cat /proc/meminfo`
- D. `ps`
- E. `cat /proc/cpusets`

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

Which command can be used to reduce the size of a volume group? (Select two.)

Answer:  
vgreduce

**NEW QUESTION: 35**

Which command can be used to view the system's uptime? (Select two.)

12:10:05 up 18 min, 19:00, 2 users, 0.47, 24.71, 35.31

- A. 15, 30, 60
- B. 1, 15, 30
- C. 15, 45, 90
- D. 1, 5, 15
- E. 5, 20, 25

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 36**

Which command can be used to view the system's memory usage statistics? (Select three.)

- A. `cat /proc/meminfo`
- B. `vmstat`
- C. `ps`
- D. `cat /proc/cpusets`
- E. `mpstat`

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 37**

How do you add IPv6 address 2001:db8::1337/64 to interface eth0?

- A. ip -6 addr add new 2001:db8::1337/64 dev eth0
- B. IP -6 2001:db8::1337/64 dev eth0
- C. ip add addr 2001:db8::1337/64 dev eth0
- D. ip -6 2001:db8::1337/64 dev eth0
- E. IP 2001:db8::1337/64 dev eth0

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

How do you check RAID status in Linux?

- A. /proc/raidstat
- B. /proc/raid/status
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/mdstat

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 39**

How do you enable UEFI boot in OpenRC?

- A. OpenRC
- B. rc
- C. rc.conf
- D. rc.conf.d
- E. SysVinit

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

How do you configure fsck to run at boot time in /etc/fstab?

- A. fsck -t fsck -t /dev/sda1
- B. fsck -t fsck -t /dev/sda1
- C. fsck -t fsck -t /dev/sda1
- D. fsck -t fsck -t /dev/sda1
- E. fsck -t fsck -t /dev/sda1

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

How do you configure tcpwrapper to allow access to a service?

- A. /etc/service.allow /etc/service.deny
- B. /etc/hosts.allow /etc/hosts.deny
- C. /etc/tcpwrapper.allow /etc/tcpwrapper.deny

D. /etc/tcpd.allow □ etc/tcpd.deny

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

□□□□ □□□ □□□□ □□ Linux □□□□□ □□□ □□ □□ □□□ □□□□□. 5GB□ □  
□ □□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□□?

- A. mkswap /tmp/swapfile 512000; □□□ /tmp/swapfile
- B. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; mkswap /tmp/swapfile; □  
/tmp/□□□□
- C. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; □□□ /tmp/swapfile
- D. dd if=/dev/zero of=/tmp/swapfile bs=1024 □□□=5120000; mkswap /tmp/swapfile; □□  
□ /tmp/swapfile
- E. -5G /tmp/swapfile□ □□□□□. □□□ /tmp/swapfile

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

□□□ □□□  
□□ □□ □□ □□ □□□□ □□□ □□ □□□ □□□ □□□□□□ □□□□□ □  
□□. □ □□□ □□□□ □□□ □□□□□□? (□□□□ □□□□ □□ □□□ □□□□□□.)

Answer:  
□□

**NEW QUESTION: 44**

- □□ □□□ □□□ □□ □□□□ □□□□ □ □□□ □□ □□□ □□□□□□? (□ □□□  
□□□□□.)
- A. □□□□□□□□
  - B. fsiostat
  - C. nfsiostat
  - D. pidstat □□ □□ □□□ □□□ □□ □□□□ □□□□ □ □□□ □□ □□□ □□□□□□?  
(□ □□□ □□□□□.)
  - E. □□□

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 45**

- Linux □□□ □□ □□ □□ □□□ □□ □□□□□ □□□□□ LILO □□ □□ □□□ □  
□□ □□□□□?
- A. □□□ □□ □□□□ □□□□.
  - B. □□ □□□□.
  - C. /boot □□□□□ □□□□.
  - D. □□ □□ □□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 46**

□□□ □□□

□□ /etc/fstab □□□ □□□□□□.

/dev/hda1 □□ □□ □□□ 0 0

/dev/hda2 / ext2 □□□ 1 1

/dev/hda3 /home ext2 □□□ 1 2

□□ /proc proc □□□ 0 0

/dev/sdb1 /media/usb0 vfat □□□, noauto 0 0

□□□ □□ □□ □□□□ /media/usb0 □□□ □□□ /dev/sdb1 □□□□ □□□□□ □ □□□

□ □□ □□ □ □□□ □□□□□? (□□ □□□ □□ □□ □□ □□ □□□□ □/□□ □□□

□□ □□□ □□□□□□.)

**Answer:**

□□□ /dev/sdb1, □□□ /media/usb0, /bin/mount /dev/sdb1, /bin/mount/media/usb0, □□

□ /media/usb0/, /bin/mount /media/usb0/

**201-450** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201-450 □□!

DumpTop □ □□ **201-450** □□ □□□ □□□□□□, DumpTop 201-450 □□ □□□ □□□

□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201-450 □□□

□□□□□. <https://www.dumptop.com/Lpi/201-450-dump.html> (367 Q&As Dumps, **30%OFF**

**Special Discount: KrDump)**

**NEW QUESTION: 47**

□□ □□□ □□□ □ □□ UEFI □□ □□□ □□ □□□□ □□ □□□□□?

A. □□□

B. SysVinit

C. □□ □□

D. OpenRC

E. □□

**Answer: A (LEAVE A REPLY)**

□□

**NEW QUESTION: 48**

□□□ □□□

□□ ext2 □□ □□□□ □□□□□□ ext3 □□ □□□□□ □□□ □□□ □□□□□? (□□□

□□□□ □□ □□□ □□□□□□.)

**Answer:**

/sbin/tune2fs, tune2fs

**NEW QUESTION: 49**

□□ □ □□□□ □□ □□□□□□ □ IP □□□ IPv4 □□ □ MAC □□□ □□□□ □ □□□ □ □□ □□□□□?

- A. iwlist
- B. □□□
- C. □□□□□
- D. ifconfig

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

□□□ □□□□.  
□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□□□. DNS □□□ □□□□ □ □□ □□□ □□□□ □□□ □□□□□? (□□ □□ □□□ □□□□□□.)

**Answer:**  
□□

**NEW QUESTION: 51**

□□□ □□□, □□□ □ □□ □□/□□□ □□ □□□ □□□□ □□□ □□□□□?

- A. vmstat
- B. □□
- C. □□
- D. □□
- E. □□

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 52**

module.dep □□□ □□ □□□ □□□□□?

- A. □□□□ □□ □□□ □□ □□□□ □□□□□.
- B. □□□ □□□ □□□□ □□□□ □□□ □ □□ □□ □□ □□□□□.
- C. □□□ □□□ □□□□ □□ □□□□□.
- D. □□ □ □□ □□ □□ □□□□□.
- E. □□□ □□□□ □□ □□ □□□□□.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 53**

□□ □ □□□ □□□ IP □□□ □□□□ □ □□□□ □□□ □□□□□? (□□ 2□□ □□□□ □.)

- A. /etc/dns.conf
- B. /□□/□□□
- C. /etc/hosts
- D. /etc/resolv.conf







How do you update the Linux boot loader configuration file for EFI boot?  
Which command is used to update the boot loader configuration file for EFI boot?

- A. efibootmgr
- B. efibootedit
- C. efibootmng
- D. efiboot
- E. efiboot

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 66

How do you create a RAM disk for the initramfs?

- A. Use the `initramfs` command to create a RAM disk.
- B. Use the `mkinitramfs` command to create a RAM disk in `/tmp`.
- C. Use the `mkinitramfs` command with the `LVM` option to create a RAM disk.
- D. Use the `mkinitramfs` command with the `RAM` option to create a RAM disk.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 67

How do you create a file system on `/dev/sda1` with the `ext2` file system?

- A. `mkfs -t ext2 /dev/sda1`
- B. `labelfs --device /dev/sda1`
- C. `mkfs -t 'ext2' > /proc/fs/sda1/label`
- D. `tune2fs -L /dev/sda1`

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 68

How do you add a new IPv6 address to the `eth0` interface?

- A. `ip add addr 2001:db8::1337/64 dev eth0`
- B. `ip -6 2001:db8::1337/64 dev eth0`
- C. `IP 2001:db8::1337/64 dev eth0`
- D. `ip -6 addr add new 2001:db8::1337/64 dev eth0`
- E. `IP -6 2001:db8::1337/64 dev eth0`

Answer: D ([LEAVE A REPLY](#))

Output:

### NEW QUESTION: 69

How do you compress the `initramfs` file?

- A. `gzip`
- B. `gzip`

C. bzip2

D. □□

<□>: RAR

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 70**

□□□ sar□ □□ □□□□ □□□□□ cron□□ □□□□□ □□□□ □□ □□□ □□□□□?

A. □□

B. □□

C. sa1

D. □□□

E. □□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 71**

□□□□□ □□□□ IP □□□□ □□□□ □□ □□ □□□ □□□□□ □□ □□ □□□□ □  
□ □□

192.168.0.1? (□ □□□ □□□□□.)

A. routeadd □□□□ 192.168.0.1 □□

B. bindadd □□□□ 192.168.0.1 □□

C. dnsservice□ /etc/nsswitch.conf □□□ hosts □□□ □□□□ □□□ □□□□□□.

D. ifconfig eth0 □□□□ 192.168.0.1 □□

E. □□□□ 192.168.0.1□ /etc/resolv.conf□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 72**

□□ □ volumein/mnt□□ Btrfs □□ □□□ □□□□ □□□ □□□□□?

A. btrfs-□□ □□ □□ /mnt/□□

B. btrfs □□ □□ □□ /mnt/volume

C. btrfs □□ □□ □□ -n □□ /mnt

D. btrfs □□ □□ □□ /mnt □□

E. btrfs □□ □□ □ □□ /mnt

Answer: B ([LEAVE A REPLY](#))

**201-450** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201-450 □□!  
DumpTop □ □□ **201-450** □□ □□□ □□□□□□, DumpTop 201-450 □□ □□□ □□□  
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201-450 □□□

□□□□□. <https://www.dumptop.com/Lpi/201-450-dump.html> (367 Q&As Dumps, 30%OFF

Special Discount: **KrDump**)