

Microsoft.AI-102-KR.v2025-03-27.q159

□□□□:	AI-102-KR
□□□□:	Designing and Implementing a Microsoft Azure AI Solution (AI-102 Korean Version)
□□□:	Microsoft
□□ □□ □□□:	159
□□:	v2025-03-27
# □□ □:	2663
# □□ □□□:	1590
https://www.krdump.com/Microsoft.AI-102-KR.v2025-03-27.q159.html	

NEW QUESTION: 1

Azure Cognitive Search □□□ □□ □□□ □□□□ □□□□.
□□□ □□ □□□ □□ □□ □□□ □□□ □□□□.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

□□ □ □□□ □□ □□□ □□ □□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.
□□□□: □□ □□□ 1□□□□.

Answer Area	Statements	Yes	No
	CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
	The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
	The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Statements	Yes	No
	CompanyDescription is available for indexing.	<input checked="" type="radio"/>	<input type="radio"/>
	The definition calls a web API as part of the enrichment process.	<input checked="" type="radio"/>	<input type="radio"/>
	The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

NEW QUESTION: 2

□□ □□ □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□. □□□□ □□□ □□ □□□
 □□□□ □□□.
 □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
 □□□□: □□ □□□ 1□□□□.

```

public static async Task<string> SuggestAltText(ComputerVisionClient client,
{
    List<VisualFeatureTypes?> features = new List<VisualFeatureTypes?>()
    {
        VisualFeatureTypes.Description
        VisualFeatureTypes.ImageType
        VisualFeatureTypes.Objects
        VisualFeatureTypes.Tags
    };
    ImageAnalysis results = await client.AnalyzeImageAsync(image, features);
    var c = results.Brands.DetectedBrands[0]
    var c = results.Description.Captions[0]
    var c = results.Metadata[0]
    var c = results.Objects[0]
    if(c.Confidence>0.5) return(c.Text);
}

```

Dictionary
stream
string

VisualFeatureTypes.Description
VisualFeatureTypes.ImageType
VisualFeatureTypes.Objects
VisualFeatureTypes.Tags

var c = results.Brands.DetectedBrands[0]
var c = results.Description.Captions[0]
var c = results.Metadata[0]
var c = results.Objects[0]

Microsoft

Answer:

```

public static async Task<string> SuggestAltText(ComputerVisionClient client,
{
    List<VisualFeatureTypes?> features = new List<VisualFeatureTypes?>()
    {
        VisualFeatureTypes.Description
        VisualFeatureTypes.ImageType
        VisualFeatureTypes.Objects
        VisualFeatureTypes.Tags
    };
    ImageAnalysis results = await client.AnalyzeImageAsync(image, features);
    var c = results.Brands.DetectedBrands[0]
    var c = results.Description.Captions[0]
    var c = results.Metadata[0]
    var c = results.Objects[0]
    if(c.Confidence>0.5) return(c.Text);
}

```

Dictionary
stream
string

VisualFeatureTypes.Description
VisualFeatureTypes.ImageType
VisualFeatureTypes.Objects
VisualFeatureTypes.Tags

var c = results.Brands.DetectedBrands[0]
var c = results.Description.Captions[0]
var c = results.Metadata[0]
var c = results.Objects[0]

Microsoft

Reference:

<https://github.com/Azure-Samples/cognitive-services-dotnet-sdk-samples/blob/master/documentation-samples/quickstarts/ComputerVision/Program.cs>

NEW QUESTION: 3

□□□□□ □□□ app1□□□□ □□ □□ □□□□□□□□ □□□ □□□□□□.

App1 lu1 □□□ □□ □□ □□□□ □□□□ □□□□□□□□.
 App1 □□□ □□ □□ □□□□ □□□□.

Version	Trained date	Published date
V1.2	None	None
V1.1	2020-10-01	None
V1.0	2020-09-01	2020-09-15

app1 □□ □□ □□ □□□ □□□□ □□□□□ □□□□ □□□.
 □□ □□ □□ □□□ □□□□ □□□□ □□□? □□□□ □□ □□□□ □□ □□□ □ □□□□ □□ □□
 □ □□□ □□□□□. (□ □□□ □□□□□.)

Actions

Answer Area

- Run a container that has version set as an environment variable.
- Export the model by using the Export as JSON option.
- Select v1.1 of app1.
- Run a container and mount the model file.
- Select v1.0 of app1.
- Export the model by using the Export for containers (GZIP) option.
- Select v1.2 of app1.

Answer:

Actions

Run a container that has version set as an environment variable.

Export the model by using the Export as JSON option.

Select v1.1 of app1.

Run a container and mount the model file.

Select v1.0 of app1.

Export the model by using the Export for containers (GZIP) option.

Select v1.2 of app1.

Answer Area

Export the model by using the Export for containers (GZIP) option.

Select v1.1 of app1.

Run a container and mount the model file.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-container-howto>

NEW QUESTION: 4

Anomaly Detector is a cloud service that runs on Azure. It is used to detect anomalies in data. Server 1 is a Docker container that runs Anomaly Detector. Server 1 is connected to the Internet. docker run is used to run a container. What is the correct command to run Anomaly Detector on Server 1?

- A. docker run -e version=1.1 app1
- B. docker run -e version=1.1 app1
- C. HTTP
- D. docker run -e version=1.1 app1

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

Server 1 is a Docker container that runs Anomaly Detector. Server 1 is connected to the Internet. docker run is used to run a container. What is the correct command to run Anomaly Detector on Server 1?

Answer Area

Statements	Yes	No
Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input type="radio"/>	<input type="radio"/>
Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input type="radio"/>
All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input checked="" type="radio"/>	<input type="radio"/>
Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 6

□□□ □□□□□ □□ □□ □□ □□□ □□□□□.

□□□□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□. □ □□ □□ □□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□.

□□□□: □□□ □□ □□□ 1□□□□□.

Workload Types

Batch

Streaming

Answer Area

Workload type	Description
Batch	Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
Batch	Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

Answer:

Workload Types

Batch

Streaming

Answer Area

Workload type	Description
Batch	Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
Batch	Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

NEW QUESTION: 7

CS1□□□□ □□□ Azure AI □□□ □□ □□□□ □□□ Azure □□□ □□□□.

□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□□ CS1□ □□□□ □□□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□ □□□ □□□□□□□□. □□: □ □□□ □ □□ 1□□ □□□ □□□□.

Answer Area

```
curl --location --request POST 'https://cs1.cognitiveservices.azure.com/
--header 'Ocp-Apim-Subscription-Key: <your_subscription_key>' \
--header 'Content-Type: application/json' \
--data-raw '{
  "text": "What is the weather forecast for Seattle",
  "categories": ["Hate"]
  "blocklistNames": [
    "string"
  ],
}
```

language/ completions/ contentsafety/ healthinsights/ language/ embeddings/ completions embeddings text/analyze text/blocklists

Answer:

C. GetContactDetails □□□□ □□ □□ □□□□□.

D. None □□□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

Active learning is a technique of machine learning in which the machine learned model is used to identify informative new examples to label. In LUIS, active learning refers to adding utterances from the endpoint traffic whose current predictions are unclear to improve your model.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-glossary>

NEW QUESTION: 12

Microsoft Bot Framework Composer □ □□□□ 5□□ □□ □□□□.

□□□□□ □□ □□□ □□ □□ □□□□ □□□. □□□□ □□□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.

A. □□□ □□ □□□□□ □□□□.

B. □□□ □□ □□□ JSON □□□ □□□□.

C. □□□□ □□□□□□.

D. Orchestrator □□□□ □□□□□.

E. Orchestrator □□□ □□□□□.

F. □□□/□□ □□□ □□□□□.

Answer: D,E,F (LEAVE A REPLY)

NEW QUESTION: 13

□□ □□□ □□ Azure □□□ □□□□.

* □□ ID: 8d3591aa-96b8-4737-ad09-00f9b1ed35ad


* □□□ ID: 3edfe572-cb54-3ced-ae12-c5c177f39a12

□□ □□ □ □□ □□ □□(OCR)□ □□□□ □□□□ □□ □□□□□.

□□□□ □□□□ □□□□□ HTTP □□□ □□□□ □□□. □□□□ □□ □□ □□□□□□ □□□□ □ □□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.



Answer:

- * □□□□ □□□□ □□□□ □□□□□.
- * □□□□ □□ □□□ □□□□□.
- □□ □□□ □□□□□ □□□.
- □□ □ □□□□ □□□□ □□□□? □ □□□ □□□□ □□□ □□□□□.
- : □□ □□□ 1□□□□.
- A. □□□ □□□□□ □□ □□
- B. □□□ □□□ □□□ □□
- C. □□□ □□□□□ □□□ □□
- D. □□□ □□□□□ □□□ □□ □□
- E. Custom Vision□□□ □□□ □□

Answer: (SHOW ANSWER)

According to the Microsoft documentation, Computer Vision is a cloud-based service that provides developers with access to advanced algorithms for processing images and returning information. By uploading an image or specifying an image URL, Computer Vision algorithms can analyze visual content in different ways based on inputs and user choices.

According to the Microsoft documentation, image type detection is one of the features of Computer Vision that can categorize an image as either a photograph or a drawing. You can use the image type detection feature by calling the Analyze Image API with the visualFeatures parameter set to ImageType. The API will return a JSON response with an imageType field that indicates whether the image is a photo or a clipart.

According to the Microsoft documentation, image descriptions is another feature of Computer Vision that can generate a caption for an image. You can use the image descriptions feature by calling the Analyze Image API with the visualFeatures parameter set to Description. The API will return a JSON response with a description field that contains a list of captions for the image, each with a confidence score.

Therefore, by using these two features of Computer Vision, you can achieve your app requirements with minimal development effort. You don't need to use any other services, such as object detection, content tags, or Custom Vision, which are designed for different purposes.

AI-102-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AI-102-KR □□! DumpTop □□ □□ **AI-102-KR** □□ □□□ □□□□□□, DumpTop AI-102-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AI-102-KR □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AI-102-KR-dump.html> (395 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

□□ □□ □□□□□ □□ □□ □□□□ □□□□ □□□□.

□□□ □□, □□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□□□□.

□□□□ □□□□ □□□ □□□.

□□ 5□□ □□□ □□□□ □□□□ □□□□? □□□□ □□ □□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□□ □□□□□.

□□: □ □ □□ □□ □□□□ □□□□. □□□ □□ □□□ □□ □□□□ □□ □□□.

Actions

- Create a Speaker Recognition model.
- Create a Conversational Language Understanding model.
- Create a Custom Speech project.
- Create a speech-to-text model.
- Upload training datasets.
- Train the model.
- Deploy the model.

Answer Area

Answer:

Answer Area

- Create a Custom Speech project.
- Create a speech-to-text model.
- Upload training datasets.
- Train the model.
- Deploy the model.

- 1 - Create a Custom Speech project.
- 2 - Create a speech-to-text model.
- 3 - Upload training datasets.
- 4 - Train the model.
- 5 - Deploy the model.

NEW QUESTION: 18

□□□ □□□ □□□ □□□□.

□□ □□□ □□ □□□ □□□□ □□□□□ □□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□□□ □□ Azure Cognitive Service for Language □□□□ □□□□ □□□?

- A. □□□ □□ □□□ □□□ □□(NER)
- B. □□□ □□
- C. □□□ □□ □□□ □□
- D. □□□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

□□□ □□□ □□□ □□□□.

□□ □□□ □□□ □□□□ □□□□□ □□□ □□□□□ □□□□ □□□□ □□□.

□□□ □□□ □□ □□□ □□□□ □□□ □□□□, □□□□ □□ □□□□□ □□□□□□? □□□□□ □

□ □□□□ □□□ □□□ □□□□□. □□: □ □□□ 1□□□□.

□□ □□, □□, □□, □□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□. □□ □□ □□ □□ □□□□ □□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□□?

- A. Azure Monitor □ □□□ □□
- B. □□□ □□ □□
- C. □□□ □□ □□
- D. Azure Monitor □ Application Insights

Answer: B (LEAVE A REPLY)

NEW QUESTION: 23

□□ □□□ □□□□ Azure AI □□□ □□□□ □□□□□□ □ □□□□.

```
static void provision_resource(CognitiveServicesManagementClient client, string name, string kind, string tier, string location)
{
    CognitiveServicesAccount parameters =
        new CognitiveServicesAccount(null, null, kind, location, name,
            new CognitiveServicesAccountProperties(), new Sku(tier));
    result = client.Accounts.Create(resource_group, name, tier, parameters);
}
```

Answer Area

Answer:

Answer Area

NEW QUESTION: 24

App1□□□ □□ □□□, □ □□ Azure AI Document Intelligence□ □□□□ □□ □□□□ □□□□□.

App1□□□ □□ □□□, □ □□ Azure AI Document Intelligence□ □□□□ □□ □□□□ □□□□□.

App1□ □□□ □□□ □□□ □□ □□□ □□□□.

```
{
  "status": "succeeded",
  "createdDateTime": "2023-09-14T21:01:02Z",
  "lastUpdatedDateTime": "2023-09-14T21:01:03Z",
  "analyzeResult": {
    "apiVersion": "2023-07-31",
    "modelId": "prebuilt-healthInsuranceCard.us",
    "stringIndexType": "utf16CodeUnit",
    "content": "Blood Pressure 118/72",
    "pages": [
      {
        ...
        "words": [
          {
            "content": "Blood",
            "polygon": [ ... ],
            "confidence": 0.766,
            "span": { ... }
          },
          {
            "content": "Pressure",
            "polygon": [ ... ],
            "confidence": 0.716,
            "span": { ... }
          },
          {
            "content": "118/72",
            "polygon": [ ... ],
            "confidence": 0.761,
            "span": { ... }
          }
        ]
      }
    ],
    ...
  }
}
```

```

"documents": [
  {
    "docType": "healthInsuranceCard.us",
    "boundingRegions": [ ... ]
  }
],
"fields": {},
"confidence": 1,
"spans": [ ... ]
}
]
}

```



□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>



Answer:

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input checked="" type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 25

□□□ □□ □□□ □□□ □□□□.

□□: □□□□□ Microsoft SQL Server □□□□□□

□□: Core(SQL) API□ □□□□ Azure Cosmos DB

□□: Azure Table □□□

HR: Azure SQL □□□□□□

Azure Cognitive Search REST API□ □□□□ □□ □□□□ □□□ □ □□□ □□□□ □□□. □□□ □

□ □□□?

E. `searchAnalyzer` `Lucene` `Analyzer` `en.Microsoft`.

F. `searchAnalyzer` `Lucene` `Analyzer` `en.Microsoft`.

G. `Lucene` `Analyzer` `en.Microsoft` `en.Microsoft`.

Answer: (SHOW ANSWER)

Scenario: Support autocomplete and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST `/indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30`

```
{  
  "search": "minecraf",  
  "suggesterName": "sg"  
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

NEW QUESTION: 29

Azure Cognitive Search `Lucene` `Analyzer` `en.Microsoft` `en.Microsoft`. `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

`Lucene` `Analyzer` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`. `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

`Lucene` `Analyzer` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`. `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`. `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`?

A. `Lucene` `Analyzer` `en.Microsoft`, `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`, `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

B. `Lucene` `Analyzer` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

C. `Lucene` `Analyzer` `en.Microsoft`, `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

D. `Lucene` `Analyzer` `en.Microsoft`, `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft` `en.Microsoft`.

Answer: (SHOW ANSWER)

NEW QUESTION: 30

`Lucene` `Analyzer` `en.Microsoft` `en.Microsoft`.

NEW QUESTION: 33

Which of the following are valid ways to connect to an Azure AI service? (Select two.)

Options: A. REST API, B. Azure CLI, C. Azure PowerShell, D. Azure Portal, E. Azure DevOps.

- A. REST API
- B. Azure CLI
- C. Azure PowerShell
- D. Azure Portal
- E. Azure DevOps

Answer: B,C (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/get-started-ai-fundamentals/8-understand-responsible-ai>

NEW QUESTION: 34

Which of the following are valid ways to connect to an Azure AI service? (Select two.)

Options: A. REST API, B. Azure CLI, C. Azure PowerShell, D. Azure Portal, E. Azure DevOps.

Actions	Answer Area
Create a custom Dockerfile.	
Pull the Anomaly Detector container image.	
Distribute a docker run script.	
Push the image to an Azure container registry.	
Build the image.	
Push the image to Docker Hub.	

Answer:

Actions	Answer Area
Create a custom Dockerfile.	Pull the Anomaly Detector container image.
Pull the Anomaly Detector container image.	Create a custom Dockerfile.
Distribute a docker run script.	Build the image.
Push the image to an Azure container registry.	Push the image to an Azure container registry.
Build the image.	
Push the image to Docker Hub.	

NEW QUESTION: 35

□□□□□□□□ □□ □□□ □□□ □□□□ □□□□.
□□□ □□□□ □□□ □□□□: □□□ □□□ □□ □ □□ □□□□ □□□ □□□□ □□□ □□□□□□
□.
□□□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Text	Category	ConfidenceScore
Tour guide	PersonType	0.45
Space Needle	Location	0.38
Trip	Event	0.7
Seattle	Location	0.76
Last week	DateTime	0.80

□□ □□ □□□ API□ □□□□ □□□□ □□□□□□?

- A. □□□ □□□ □□
- B. □□ □□
- C. □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

Azure □□□ □□□□.
□□□ □□□ □□□□ □□ □□□ □□□□□□□□ □□□□ □□□□ □□□ □□□□□□.
□□ □□□ □□□ □□ □□□ Azure AI □□□□ □□□□ □□□.
* □□ □□ □□ □□ □□
* □□□□ □□
□□□□ □□ □□□ □□□□□ □□□.
□ □□ □□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □□□ 1□□□□□.

Answer Area

Internal expenditure request authorization forms: An Azure AI Document Intelligence custom model

Supplier invoices: An Azure AI Document Intelligence custom model

Answer:

Answer Area

Provision the Language service resource in Azure.



Deploy a Docker container to an on-premises server.

Run the container and query the prediction endpoint.

- 1 - Provision the Language service resource in Azure.
- 2 - Deploy a Docker container to an on-premises server.
- 3 - Run the container and query the prediction endpoint.

NEW QUESTION: 39

□□ □ □□ API□ □□□□ □□ □□□□ □ □□□□□.
□□ □□ □□□□ □□□□□□□ □□□. □□□□ □ □□□□ □□ □□□□□□ □□ □□□ □□□□
□□□□□□ □□ □□□. □□ □□□ □□□□ □□□□ □□□?

- A. Azure AI □□
- B. Azure AI □□□
- C. Azure AI □□
- D. Azure AI □□□ □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 40

Azure Cognitive Search□ □□□□ □□ □□□ □□□□ □□□□.
□□□ □□ □□□ □□□□□ □□ □□□□ □□□□ □□□.
□□□□ □□□ □□□□ □□□?

- A. □□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ Azure Blob □□□□ □□□
- B. □□ □□ □□□ □□□□ □□ □□□ □□□ Azure Blob □□□□ □□□
- C. □□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ Azure Cosmos DB□ □□□
- D. □□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ Azure Cosmos DB□ □□□


Answer: C (LEAVE A REPLY)

The wiki contains text in English, French and Portuguese.
Scenario: All planned projects must support English, French, and Portuguese.
The Document Extraction skill extracts content from a file within the enrichment pipeline. This allows you to take advantage of the document extraction step that normally happens before the skillset execution with files that may be generated by other skills.
Note: The Translator Text API will be used to determine the from language. The Language detection skill is not required.


Reference:
<https://docs.microsoft.com/en-us/azure/search/cognitive-search-skill-document-extraction>
<https://docs.microsoft.com/en-us/azure/search/cognitive-search-skill-text-translation>

NEW QUESTION: 41

Which of the following is a valid custom neural voice?
A. Microsoft Bot Framework Composer
B. The Azure portal
C. The Language Understanding portal
D. The Speech Studio portal



Answer:



NEW QUESTION: 42

Which of the following is a valid custom neural voice?
A. Microsoft Bot Framework Composer
B. The Azure portal
C. The Language Understanding portal
D. The Speech Studio portal

- A. Microsoft Bot Framework Composer
- B. The Azure portal
- C. The Language Understanding portal
- D. The Speech Studio portal

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 43

Which of the following is a valid custom neural voice?
A. Microsoft Bot Framework Composer
B. The Azure portal
C. The Language Understanding portal
D. The Speech Studio portal

Values	Answer Area
detect	POST {Endpoint}/face/v1.0/
findsimilars	Request Body
group	{
identify	"faceId": "c5c24a82-6845-4031-9d5d-978df9175426",
matchFace	"largeFaceListId": "sample_list",
matchPerson	"largeFaceListId": "sample_list",
verify	"maxNumOfCandidatesReturned": 10,
	"mode": " "
	}

Answer:

Values	Answer Area
detect	POST {Endpoint}/face/v1.0/ findsimilars
findsimilars	Request Body
group	{
identify	"faceId": "c5c24a82-6845-4031-9d5d-978df9175426",
matchFace	"largeFaceListId": "sample_list",
matchPerson	"largeFaceListId": "sample_list",
verify	"maxNumOfCandidatesReturned": 10,
	"mode": " matchPerson "
	}

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/detectwithurl>

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION: 46

□□ □□ □□□ □□□□ □□□ □□□□ □□□.

Chit-Chat, □□ □□ □ □□□ □□□ □□□□□.

□□□ □□□□ □□ □□ □□□ □□□□□.

□□□□ □□□ □□ □□□ □□□□□.

□□□ □□□ □□□□ □□□?

A. QnA Maker, □□ □□, □□□□

B. □□, □□ □ □□

C. □□ □□, □□□ □□ □ QnA Maker

D. □□□ □□, □□ □ □□

Answer: C (LEAVE A REPLY)

Language Understanding: An AI service that allows users to interact with your applications, bots, and IoT devices by using natural language.

QnA Maker is a cloud-based Natural Language Processing (NLP) service that allows you to create a natural conversational layer over your data. It is used to find the most appropriate answer for any input from your custom knowledge base (KB) of information.

Text Analytics: Mine insights in unstructured text using natural language processing (NLP)-no machine

- 1 - Create a new project and load sample documents
- 2 - Label the sample documents
- 3 - Train a custom model.

Reference:

<https://docs.microsoft.com/en-us/azure/applied-ai-services/form-recognizer/label-tool>

NEW QUESTION: 48

□□ □□ □□□ □□□ □□□□□. □□ □□□ □□□□□. □ □□□□ 1□ □□□□ □□□□ □□ □□ 50□□ □□ □□□ □□□□. □ 5,000□□ □□□ □□□ □□□□. □□ □□□ □□□□□ □ □□□□□ □□□□□ □□ □□□□ □□□. □□ Azure Cognitive Services □□□□ □□□□ □□□?

- A. □□□ □□
- B. □□ □□□
- C. □□ □□
- D. □□ □□□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 49

Microsoft Bot Framework□ □□□□ □□□ □□□ □□□□. □□ □□□□□□ □□□□ □□□□□ □□ □. □□ □□□□ □□ □ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□. (□ □□ □□□□ □.) □□: □ □□□ 1□□□□.

- A. □□□□□□□
- B. Bot Framework Composer
- C. □ □□□□□ □□□□□
- D. □ □□□□□ CLI
- E. □□□
- F. nginx

Answer: [C,E \(LEAVE A REPLY\)](#)

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely.

ngrok is a cross-platform application that "allows you to expose a web server running on your local machine to the internet." Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

NEW QUESTION: 50

Face API□ □□ □□□ □□□□ □□□□. □□□ employeefaces□□ □□ □□□□ □□□ □□□ □□□

employeefaces 60,000

HTTP GET https://rest.azure-api.net/faceapi/face/findsimilar?faceId=18c51a87-3a69-47a8-aedc-a54745f708a1&largeFaceListId=employeefaces&maxNumOfCandidatesReturned=1&mode=matchFace

Response: 200 OK

Values	Answer Area
<input type="text" value="faceListId"/>	<pre>{ "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1", "largeFaceListId": "employeefaces", "maxNumOfCandidatesReturned": 1, "mode": "matchFace" }</pre>
<input type="text" value="LargeFaceListId"/>	
<input type="text" value="matchFace"/>	
<input type="text" value="matchPerson"/>	

Answer:

Values	Answer Area
<input type="text" value="faceListId"/>	<pre>{ "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1", "largeFaceListId": "employeefaces", "maxNumOfCandidatesReturned": 1, "mode": "matchFace" }</pre>
<input type="text" value="LargeFaceListId"/>	
<input type="text" value="matchFace"/>	
<input type="text" value="matchPerson"/>	

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION: 51

Azure Cognitive Service for Language

allows you to create custom text classification models.

You have a new Language service instance. You need to create a custom text classification model.

Which actions should you perform? Select all that apply.

Actions	Answer Area
<input type="checkbox"/> From the new Language service instance, import the project file.	<div style="display: flex; justify-content: space-between;"> < > </div>
<input type="checkbox"/> From the new Language service instance, enable custom text classification.	
<input type="checkbox"/> From the new Language service instance, train and publish the project.	
<input type="checkbox"/> From the original Language service instance, export the existing project.	
<input type="checkbox"/> From the new Language service instance, regenerate the keys.	
<input type="checkbox"/> From the original Language service instance, train and publish the model.	

Answer:

Microsoft Answer Area

From the original Language service instance, export the existing project.

From the new Language service instance, regenerate the keys.

From the original Language service instance, train and publish the model.

- 1 - From the original Language service instance, export the existing project.
- 2 - From the new Language service instance, regenerate the keys.
- 3 - From the original Language service instance, train and publish the model.

NEW QUESTION: 52

Microsoft Bot Framework SDK is a set of tools and libraries that help you build bots. It includes the Bot Framework Emulator, the Bot Framework Composer, and the Bot Framework SDK for various programming languages. The Bot Framework SDK for JavaScript is the most popular and is used to build bots for the Microsoft Bot Framework. The Bot Framework SDK for JavaScript is a set of tools and libraries that help you build bots. It includes the Bot Framework Emulator, the Bot Framework Composer, and the Bot Framework SDK for various programming languages. The Bot Framework SDK for JavaScript is the most popular and is used to build bots for the Microsoft Bot Framework.

Actions

- Register the bot with the Azure Bot Service.
- Open the Bot Framework Composer.
- Build and run the bot.
- Open the Bot Framework Emulator.
- Connect to the bot endpoint.

Answer Area

Answer:

Microsoft Answer Area

Build and run the bot.

Open the Bot Framework Emulator.

Connect to the bot endpoint.

- 1 - Build and run the bot.
- 2 - Open the Bot Framework Emulator.
- 3 - Connect to the bot endpoint.

NEW QUESTION: 53

Microsoft Bot Framework SDK is a set of tools and libraries that help you build bots. It includes the Bot Framework Emulator, the Bot Framework Composer, and the Bot Framework SDK for various programming languages. The Bot Framework SDK for JavaScript is the most popular and is used to build bots for the Microsoft Bot Framework. The Bot Framework SDK for JavaScript is a set of tools and libraries that help you build bots. It includes the Bot Framework Emulator, the Bot Framework Composer, and the Bot Framework SDK for various programming languages. The Bot Framework SDK for JavaScript is the most popular and is used to build bots for the Microsoft Bot Framework.

Home
Get started
Model catalog
Playgrounds
Chat
Assistants PREVIEW
Real-time audio PREVIEW
Images
Completions
Tools
Fine-tuning
Stored completions PREVIEW
Batch jobs
Shared resources
Deployments
Quota
Content filters
Data files
Vector stores PREVIEW

Chat playground

View code Deploy Import Export Prompt samples Send feedback

Setup Hide

Deployment * Create new deployment
gpt-4o (version:2024-05-13)

Give the model instructions and context ⓘ

You are an AI assistant that helps people find information.

Apply changes Generate prompt

+ Add section

▼ Add your data

Ask questions about your own data. The data remains stored in the data source you designate. Learn more about how your data is protected. ⓘ

+ Add a data source

Chat history

Start with a sample prompt

- Marketing Slogan**
Create a catchy marketing slogan for a new eco-friendly product.
- Creative Storytelling**
Write a short story about a time traveler who accidentally changes a major historical event.
- Historical Fiction**
Write a scene set in ancient Rome, focusing on the daily life of a common citizen.

Type user query here. (Shift + Enter for new line)

Answer:

Home
Get started
Model catalog
Playgrounds
Chat
Assistants PREVIEW
Real-time audio PREVIEW
Images
Completions
Tools
Fine-tuning
Stored completions PREVIEW
Batch jobs
Shared resources
Deployments
Quota
Content filters
Data files
Vector stores PREVIEW

Chat playground

View code Deploy Import Export Prompt samples Send feedback

Setup Hide

Deployment * Create new deployment
gpt-4o (version:2024-05-13)

Give the model instructions and context ⓘ

You are an AI assistant that helps people find information.

Apply changes Generate prompt

+ Add section

▼ Add your data

Ask questions about your own data. The data remains stored in the data source you designate. Learn more about how your data is protected. ⓘ

+ Add a data source

Chat history

Start with a sample prompt

- Marketing Slogan**
Create a catchy marketing slogan for a new eco-friendly product.
- Creative Storytelling**
Write a short story about a time traveler who accidentally changes a major historical event.
- Historical Fiction**
Write a scene set in ancient Rome, focusing on the daily life of a common citizen.

Type user query here. (Shift + Enter for new line)

NEW QUESTION: 61

□□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□□ □□□. □□ Azure Cognitive Services □□ □□ □□□□ □□□?

- A. □□□ □□
- B. □□□ □□□
- C. □□□ □□
- D. □□ □□□

Answer: A (LEAVE A REPLY)

Text Analytics Cognitive Service could be used to quickly determine the public perception for a specific topic, event or brand.

Example: A NodeJS app which pulls Tweets from Twitter using the Twitter API based on a specified search term. Then pass these onto Text Analytics for sentiment scoring before storing the data and building a visualisation in PowerBI. The Architecture looked something like this:



Reference:

<https://www.linkedin.com/pulse/measuring-public-perception-azure-cognitive-services-steve-dalai>

AI-102-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AI-102-KR □□! DumpTop □ □□ AI-102-KR □□ □□□ □□□□□□, DumpTop AI-102-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AI-102-KR □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AI-102-KR-dump.html> (395 Q&As Dumps, 30%OFF Special

Discount: **KrDump**)

Answer Area

```

...
api_key = "FF956C68883821B38691ABD200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
conn.request("POST",
response = conn.getresponse()
response_data = response.r
...

```

NEW QUESTION: 65

□□□ □□ □□□ □□□□.

Content Moderator□ Text Moderation API□ □□□□ □□□ □□□ □□□□□ □□□□. □□ □ □□ □□ □□□□ □□□□ □□□□? □ □□□ □□□□ □□□ □□□□□□. □□: □ □□□ 1□□□□.

- A. □□ □□ □□(OCR)
- B. □□ □□ □□
- C. □□ □□ □□
- D. □□□ □□
- E. □□□□

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 66

□□: □ □□□ □□□ □□□□□□ □□□□ □□□ □□ □ □□□□□□. □ □□□□ □ □□□□ □□□ □ □□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □ □□□ □□□ □□ □ □□, □□ □□□□ □□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□ □ □□□□. □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□.

Custom Vision □□□ □□□□ □ □□ □□□□ □□□□□□□□ □□□□□□. □□□□ □ □□ □□□□ □□ □□.

□□□□ □□□ □□□□ □□□□ □□□□. □□□□: □□□ □□□□ □□□ □□ □□□ □□□ □□□ □□□□□□. □□□ □□□ □□□□□□?

- A. □
- B. □□□

Answer: (SHOW ANSWER)

The model need to be extended and retrained. Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

NEW QUESTION: 67

D1□□□ Azure AI □□ □□□□□ □□□□ □□□ Azure □□□ □□□□.

□ □□□ □□□□ □□□□ test.pdf□□ PDF □□□ □□□□.

DI1□ □□□□ Test.pdf□ □□□□ □□□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.



Answer:



NEW QUESTION: 68

□□□ □□□□ □□ □□ □□□□ □□□□ □□□. □□□□ □□ □□ □□ □□□ □□ □□ □□□ □ □□□ □□□.

□□□ □□□□ From Recognizer API□ □□□□□ □□□□□, API□ □□□ □□ JSON□ □□□□□.

```

"documentResults": [
  {
    "docType": "prebuilt:receipt",
    "pageRange": [
      1,
      1
    ],
    "fields": {
      "ReceiptType": {
        "type": "string",
        "valueString": "Itemized",
        "confidence": 0.672
      },
      "MerchantName": {
        "type": "string",
        "valueString": "Tailwind",
        "text": "Tailwind",
        "boundingBox": [],
        "page": 1,
        "confidence": 0.913,
        "elements": [
          "#/readResults/0/lines/0/words/0"
        ]
      }
    }
  }
]
...

```

□□□□-□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□

- A. documentResults.docType == "□□ □□:□□□□"
- B. documentResults.fields.".□□□ < 0.7"
- C. □□□□.□□.□□□□□□.□□□□ > 0.7"
- D. documentResults.fields.MerchantName.confidence < 0.7"

Answer: D (LEAVE A REPLY)

Need to specify the field name, and then use < 0.7 to handle trigger if confidence score is less than 70%.

Reference:

<https://docs.microsoft.com/en-us/azure/applied-ai-services/form-recognizer/api-v2-0/reference-sdk-api-v2-0>

NEW QUESTION: 69

Microsoft Bot Framework Composer □ □□□□ □□□□ □□□ □□□ □ □□ □□□ □□□□□□.
 □□□□ □□ □□ □□□ □□□ □ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.
 □□ □□□ □□□□ □□□□?

- A. □□ □□
- B. □□ □□□
- C. □□□ □□ □□□
- D. □□ □□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 70

Which of the following Azure AI services can be used to detect whether a learner is present in a video feed?

- A. Azure OpenAI GPT-4
- B. Azure AI Vision Face
- C. Azure AI Text Analytics (NER)
- D. Azure OpenAI GPT-3.5

Answer: B (LEAVE A REPLY)

NEW QUESTION: 71

Which of the following Azure Cognitive Services can be used to detect whether a learner is present in a video feed?

Which of the following Azure Cognitive Services can be used to detect whether a learner is paying attention in a video feed?

Which of the following Azure Cognitive Services can be used to detect whether a learner is talking in an audio feed?

From a learner's video feed, verify whether the learner is present:

▼
Face
Speech
Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

▼
Face
Speech
Text Analytics

From a learner's audio feed, detect whether the learner is talking:

▼
Face
Speech
Text Analytics



Answer:

2. With your knowledge base open, select the SETTINGS tab. Record the value shown for service name. This value is useful for finding your knowledge base of interest when using the QnA Maker portal interface. It's not used to connect your bot app to this knowledge base.

3. Scroll down to find Deployment details and record the following values from the Postman sample HTTP request:

4. POST /knowledgebases/<knowledge-base-id>/generateAnswer

5. Host: <your-host-url>

6. Authorization: EndpointKey <your-endpoint-key>

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-qna>

NEW QUESTION: 80

□□ □□□ □□□□ □□ □□□ □□ Azure AI Document Intelligence □□□ □□□□ App1□□□ □□ □□□. □□□ □□ □□ □□□ □□□□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□. □□□□ □□ □□□?

- A. □□□ □□□ □□ □□□ □□□ □□□□□□.
- B. App1□ □□□ □□□□ □□□□.
- C. □□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□ □□□ □□□□□.
- D. App1□ □□□ □□ □□□□ □□□□.
- E. □□ □□ □□□ □□ □□ □□□ □□□□□. □□□ □□ □□□□□.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 81

□ □□ □□ □□□□□ □□□□□□ □□□ □□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□. □□□□□ □□□□□ □□ □□□ □□ □□□□ □□□□ □□□□□ □□□□□. "□□□□□□, □□□□ □□□□." □□□□□□ □□□ □□□□ □□□ □□□□□ □□□□. □□ □ □□ □□□ □□□□ □□□□ □□□□? □□□□ □□ □□□□ □□ □□□ □ □□□□ □□ □□ □□□□ □□□□□. (□ □□□ □□□□□.)

ACTIONS



Answer Area

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

Answer:

Actions

Answer Area

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

Enable active learning.

Validate the utterances logged for review and modify the model.

Train and republish the Language Understanding model.



NEW QUESTION: 82

□□□□ □□□□ □□□□ □□ □□□ □□ □□□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □□□□ □□□.

- * □□ 400□□□ □□□□ □□□□□.
- * □□□□□ □□□ □□ □□□ □□□□□.
- * □□ □□□.

Azure Cognitive Services □□□□ □□□□.

□□ Speech API □□□□□□ □□□□□ □□ □□□ □□ □□□ □□□□□?

A. <https://uksouth.voice.speech.microsoft.com/cognitiveservices/v1?deploymentId = {□□□>>

Answer Area

From Vision Studio, open the project.
Upload sample images of the new products.
Label the sample images.
Retrain the model.
Publish the model.

- 1 - From Vision Studio, open the project.
- 2 - Upload sample images of the new products.
- 3 - Label the sample images.
- 4 - Retrain the model.
- 5 - Publish the model.

NEW QUESTION: 85

A1 GPT 3.5 [redacted] [redacted] [redacted] [redacted] [redacted] AH [redacted] Azure OpenA1 [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted].

3 [redacted] [redacted] [redacted] [redacted]. [redacted] REST API [redacted] AM [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted].

[redacted] AH [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]. [redacted] [redacted] AM [redacted] [redacted] [redacted] [redacted] [redacted].

AM [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted].

[redacted]: [redacted] [redacted] 1 [redacted].

Answer Area

Provide access to AI1 by using:

- An API key
- A bearer token
- A shared access signature (SAS) token

Connect to the deployment by using:

- An API key
- A deployment endpoint
- A deployment name
- A deployment type

Answer:
Answer Area

Provide access to AI1 by using:

- An API key
- A bearer token
- A shared access signature (SAS) token

Connect to the deployment by using:

- An API key
- A deployment endpoint
- A deployment name
- A deployment type

NEW QUESTION: 86

Azure SQL Database is a PaaS (Platform as a Service) offering for relational databases. It is a fully managed, scalable, and secure database service. It is available in multiple regions and is highly available. It is a fully managed, scalable, and secure database service. It is available in multiple regions and is highly available.

- A. Azure SQL Database is a PaaS offering for relational databases.
- B. Azure SQL Database is a SaaS offering for relational databases.
- C. Azure SQL Database is a IaaS offering for relational databases.
- D. Azure SQL Database is a FaaS offering for relational databases.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 87

Which Azure AI service is used for text classification? Azure AI Text Analytics is a cloud-based service that uses machine learning to analyze text and extract insights. It can identify sentiment, detect entities, and analyze key phrases. It is available in multiple regions and is highly available.

- A. Azure AI Text Analytics
- B. Azure AI Document Intelligence
- C. Azure AI Speech
- D. Azure AI Computer Vision

Answer: A (LEAVE A REPLY)

NEW QUESTION: 88

Which method is used to read a stream asynchronously? readInputStreamAsync is a method that reads a stream of bytes asynchronously. It returns a Task<Stream> object that represents the asynchronous operation. It is available in the System.IO namespace.

- A. readInputStreamAsync
- B. analyzeImageByDomainInStreamAsync
- C. toggleImageInStreamAsync
- D. describeImageInStreamAsync

Answer: (SHOW ANSWER)

NEW QUESTION: 89

Microsoft Bot Framework SDK provides a way to create a bot. The UserProfile class is used to store user information. The ConversationData class is used to store conversation state. The following code snippet shows how to create a bot. var userStateAccessors = _userState.CreateProperty<UserProfile>(nameof(UserProfile)); var conversationStateAccessors = _conversationState.CreateProperty<ConversationData>(nameof(ConversationData));

Statements

YES

NO

The code will create and maintain the UserProfile object in the underlying storage layer.

The code will create and maintain the ConversationData object in the underlying storage layer.

The UserProfile and ConversationData objects will persist when the Bot Framework runtime terminates.

Answer:

Statements

Yes

No

The code will create and maintain the UserProfile object in the underlying storage layer.

The code will create and maintain the ConversationData object in the underlying storage layer.

The UserProfile and ConversationData objects will persist when the Bot Framework runtime terminates.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-v4-state>

NEW QUESTION: 90

Computer Vision □□□□□ □□□□□□ □□□□ □□□□□□□ □□□□ □□□□. □□□□□□□□□□
□□ □□□ □□□□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□□□: □□ □□□ 1□□□□□.

Answer Area

```
new ChatCompletionsOptions()  
{  
    Messages =  
    {  
        new ChatMessage(  
            ChatRole.User, @""),  
    },  
    Temperature = (float)1.0,  
    PresencePenalty,  
    TokenSelectionBiases  
    MaxTokens = 800,  
};
```

Answer:

```
new ChatCompletionsOptions()  
{  
    Messages =  
    {  
        new ChatMessage(  
            ChatRole.User, @""),  
    },  
    Temperature = (float)1.0,  
    PresencePenalty,  
    TokenSelectionBiases  
    MaxTokens = 800,  
};
```

AI-102-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AI-102-KR □□! DumpTop □
□□ AI-102-KR □□ □□□ □□□□□□, DumpTop AI-102-KR □□ □□□ □□□□□□□□□ □□□
□□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AI-102-KR □□□ □□□□□□.

NEW QUESTION: 92

□□ □□□□ □□□□ □□□ □□□ □□□□ Custom Vision □□□ □□□□□.
Android □□□□ □□ □□□ □□□ □□□ □□□□□.
□□□ □□ □□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□ □□□□ □
□□ □□□ □□□ □□□□□.

Actions

- Change the model domain.
- Retrain the model.
- Test the model.
- Export the model.

Answer Area Microsoft



Answer:

Answer Area

- Change model domain to compact model
- Retrain compact model
- Export model

- 1 - Change model domain to compact model
- 2 - Retrain compact model
- 3 - Export model

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/export-your-model>

NEW QUESTION: 93

Custom Vision □□□□ □□□□ □□□□ □□□□□.
□□□ □□□ □□□ □□□□ □□□□ □□□.
□□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□. (□ □□□ □□□□□.)

□□: □ □□□ 1□□□□.

- A. □□
- B. F-□□
- C. □□ □□□
- D. □□□
- E. □□ □□□ □□(AUC)

Answer: A,D (LEAVE A REPLY)

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP.

Reference:

<https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION: 94

- Azure Cognitive Search □ □□□□ □□□□.
- □□ □ □□□□ □□□□□ Azure □ □□□ □□ □□ □(CMK) □ □□□ □□□□□.
- □□□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.
- : □□ □□□ 1□□□□.
- A. □□□ □□□ □□□□□.
 - B. □□ □□□ □□□□□.
 - C. □□ □□□ X.509 □□□□ □□□□□.
 - D. □□□ □□□ □□□□□.
 - E. □□ □□□ □□□□□.
 - F. Azure Key Vault □ □□□□□.

Answer: A,B,F (LEAVE A REPLY)

"Customer-managed keys require an additional billable service, Azure Key Vault, which can be in a different region, but under the same subscription, as Azure Cognitive Search. Enabling CMK encryption will increase index size and degrade query performance." same document also lists Azure Key Vault as a requirement:

<https://docs.microsoft.com/en-us/azure/search/search-security-overview#data-protection>

NEW QUESTION: 95

- □□ □□□□□ □□□□ □□□□.
- □□□□ □□□□ □□□□ □ □□□ API □□□□□□ □□□□ □□□. □□□□ □□ □□ □□ □ □□ □□□□ □□□.
- □ API □□□□□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.
- : □□ □□□ 1□□□□.
- A. /vision/v3.2/read/analyzeResults
 - B. /formrecognizer/v2.0/□□ □□/□□□□/□□
 - C. /vision/v3.2/read/analyze
 - D. /vision/v3.2/describe
 - E. /formercognizer/v2.0/custom/models{modelId}/ □□


Answer: (SHOW ANSWER)

C: Analyze Receipt - Get Analyze Receipt Result.


Actions

- From Server1, run the docker push command.
- Query the prediction endpoint of the Azure AI Anomaly Detector in Azure.
- Install the Docker Engine on Server1.
- From Server1, run the docker pull command.
- From Server1, run the docker run command.
- Query the prediction endpoint on Server1.

Answer Area



Answer:

Answer Area 

- Install the Docker Engine on Server1.
- From Server1, runde the docker pull command.
- From Server1, run the docker run command.
- Query the prediction endpoint on Server1.

- 1 - Install the Docker Engine on Server1.
- 2 - From Server1, runde the docker pull command.
- 3 - From Server1, run the docker run command.
- 4 - Query the prediction endpoint on Server1.

NEW QUESTION: 101

□□ □□ API□ □□□□ □□□ □□□□ □□□□□□□□ □□□□ □□□□. □□ □□□□ URI □
 □□□□□□ □□□□ □ □□□□.

```
static async void AddFace(string subscription_key, string personGroupId, string personId, string imageURI)
{
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscription_key);
    var endpointURI = $"https://westus.api.cognitive.microsoft.com/face/v1.0/persongroups/{personGroupId}/persons/{personId}/persistedFaces";
    HttpResponseMessage response;
    var body = "{ \"url\": \"\" + imageURI + \"\"}";
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(endpointURI, content);
}
```

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

Statements  Yes No

- The code will add a face image to a person object in a person group. Yes No
- The code will work for a group of 10,000 people. Yes No
- AddFace can be called multiple times to add multiple face images to a person object. Yes No

Answer:

Statements  Yes No

- The code will add a face image to a person object in a person group. Yes No
- The code will work for a group of 10,000 people. Yes No
- AddFace can be called multiple times to add multiple face images to a person object. Yes No

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/use-persondirectory>

NEW QUESTION: 102

Azure .

Azure AI Document Intelligence .

Azure Resource Manager(ARM) ? .

: 1 .

Answer Area


```
{
  "$schema": "https://schema.management.azure.com/schemas/2019-04-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {},
  "variables": {},
  "resources": [
    {
      "type": "Microsoft.CognitiveServices /accounts",
      "apiVersion": "2023-05-01",
      "name": "DocumentIntelligenceDemo",
      "location": "westeurope",
      "sku": {
        "name": "F0"
      },
      "kind": "FormRecognizer",
    }
  ]
}
```



Answer:

Answer:

Answer Area



NEW QUESTION: 104

□□□ □□□ □□□ □□□□.

□□□□□□ □□ □□□ □□□□□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□□ □□□?

- A. □□□ □□ □□
- B. QnAMakerDialog
- C. SkillDialog
- D. □□□□ □□□□□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 105


□□ □□ □□□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□□ REST □□□□□□ □□□□ □□□.


URI□ □□□ □□□□ □□□? □□□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□□□: □□ □□□ 1□□□□□.

Answer Area



Answer:



Reference:

NEW QUESTION: 106

□□□ □□□□ □□□□ □□ □□□□□.



Answer:



AI-102-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AI-102-KR □□! DumpTop □
 □□ AI-102-KR □□ □□□ □□□□□□, DumpTop AI-102-KR □□ □□□ □□□□□□□□ □□□
 □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AI-102-KR □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AI-102-KR-dump.html> (395 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

Azure OpenAI □□□□ □□□ Azure □□□ □□□□. □□ □□□ □□ □□□ □□□□□.

- * □□ : 1
- * □□ □□ : 0.5
- * □□ □□ □□: 100

□□□ □□□ □□ □□□ □□ □□□ □□□□.

```

{
  "choices": [
    {
      "finish_reason": "stop",
      "index": 0,
      "message": {
        "content": "The founders of Microsoft are Bill Gates and Paul Allen. They co-founded the company in 1975.",
        "role": "assistant"
      }
    }
  ],
  "created": 1679014554,
  "id": "chatcmpl-6u5fn2yjkbe5e364jaQR6bD5c01",
  "model": "gpt-3.5-turbo-0301",
  "object": "chat.completion",
  "usage": {
    "completion_tokens": 86,
    "prompt_tokens": 37,
    "total_tokens": 123
  }
}

```

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.
 □□□□: □□□ □□□□□ □□□ □□□□□.

Answer Area		
Statements	Yes	No
The subscription will be charged 86 tokens for the execution of the session.	<input type="radio"/>	<input type="radio"/>
The text completion was truncated because the Max response tokens value was exceeded.	<input type="radio"/>	<input type="radio"/>
The <code>prompt_tokens</code> value will be included in the calculation of the Max response tokens value.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area		
Statements	Yes	No
The subscription will be charged 86 tokens for the execution of the session.	<input checked="" type="radio"/>	<input type="radio"/>
The text completion was truncated because the Max response tokens value was exceeded.	<input type="radio"/>	<input checked="" type="radio"/>
The <code>prompt_tokens</code> value will be included in the calculation of the Max response tokens value.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 108

□□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□. □□ □□ □□ □□□ □□□□ □□ □□.

- * □□□□ □□□□ □□□ □□□ □□□□□.
- * □□, □□□□, □□□□□ □□□□□.
- * □□ □□ □□□

□□ □□ □□□ □□□□ □□□ □□□□ □□□. □□ Azure □□□ □□□□□□ □□□□ □□□□?

- A. □□□ □□ □□□ □□
- B. □□□ □□□ □□□ □□
- C. Custom Vision □□□ □□
- D. □□□ □□ □□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 109

QnA Maker □□□□□□□ □□□□ □□□ □□□□.

QnA Maker □□□□□□□□ □□□□ □□ □□□ □□ □□ □□□ □□□□□□.

□□□ □□□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□□ □ □□□□ □ □□□□□.

Actions

Answer Area

- Add a task to the Azure resource.
- Approve and reject suggestions.
- Publish the knowledge base.
- Modify the automation task logic app to run an Azure Resource Manager template that creates the Azure Cognitive Services resource.
- For the knowledge base, select Show active learning suggestions.
- Save and train the knowledge base.
- Select the properties of the Azure Cognitive Services resource.



Answer:

Answer Area

or the knowledge base, select Show active learning suggestions.

Approve and reject suggestions.

Save and train the knowledge base.

Publish the knowledge base.

- 1 - or the knowledge base, select Show active learning suggestions.
- 2 - Approve and reject suggestions.
- 3 - Save and train the knowledge base.
- 4 - Publish the knowledge base.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/improve-knowledge-base>

NEW QUESTION: 110

□□ □ □□□ □□ □□□ tine□□ Yes□ □□□□□. □□□ □□□ No□ □□□□□. □□: □□□ 1□□

□□.

Answer Area

Microsoft

Statements

Stream processing has access to the most recent data received or data within a rolling time window.	<input type="radio"/>	<input type="radio"/>
Batch processing must occur immediately and have latency in the order of seconds or milliseconds.	<input type="radio"/>	<input type="radio"/>
Stream processing is used for simple response functions, aggregates, or calculations such as rolling averages.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Microsoft

Statements

Stream processing has access to the most recent data received or data within a rolling time window.	<input checked="" type="radio"/>	<input type="radio"/>
Batch processing must occur immediately and have latency in the order of seconds or milliseconds.	<input checked="" type="radio"/>	<input type="radio"/>
Stream processing is used for simple response functions, aggregates, or calculations such as rolling averages.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 111

□□ HTTP □□□ □□□□□ □□□□□□.

POST <https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/contosol/regenerateKey?api-version=2017-04-18> Body{"keyName": "Key2"} □□□ □□□ □□□□□□?

- A. Azure Key Vault □□ Azure Cognitive Services □ □□ □□ □□□□□□□□.
- B. □□□ □□ □□ □□□□□□□□.
- C. □□ □□ □□ □□ □□ □□ □□□□□□□□.
- D. □□ □□ □□ □□□□□□□□.

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/rest/api/searchmanagement/2021-04-01-preview/query-keys/create>

NEW QUESTION: 112

Azure Cognitive Search □□□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□. □□□□ □□□ □□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

- * □□ □□□ □□□□ □□□ □□□□□.
 - * □□□□ □□□□ □□□□ □□□ □□□ □ □□□ □□□□□.
 - * □□□□ □□□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□□□.
- □□□ □□ □□ □□□ □□□ □□□□ □□□?

- A. □□ □□, □□ □□, □□ □□
- B. □□, □□ □ □□ □□
- C. □□ □□, □□ □□ □ □
- D. □□ □□, □□□ □□, □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 113

Azure AI Content Safety □□□□ □□□ Azure □□□ □□□□. □□□□ □□□□ □□□ □ □□ □□ □□□ □□ □□□ □□□□.

□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□.
 □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
 □□□□: □□ □□□ 1□□□□□.

Answer Area

```

public static void Analyze(AnalyzeImageOptions request)
{
    var endpoint = Environment.GetEnvironmentVariable("ENDPOINT");
    var key = Environment.GetEnvironmentVariable("KEY");
    var client = new ContentSafetyClient (new Uri(endpoint), new AzureKeyCredential(key));
    return client.AnalyzeImage(request);
}

```

Answer:

Answer Area

```

public static void Analyze(AnalyzeImageOptions request)
{
    var endpoint = Environment.GetEnvironmentVariable("ENDPOINT");
    var key = Environment.GetEnvironmentVariable("KEY");
    var client = new ContentSafetyClient (new Uri(endpoint), new AzureKeyCredential(key));
    return client.AnalyzeImage(request);
}

```

NEW QUESTION: 114

□□ □□□□□ □□□ □□ □□ □□□ □□□□□ □□□□.

Answer Area

```
{
  "type": "Microsoft.CognitiveServices/accounts/deployments",
  "apiVersion": "2023-05-01",
  "name": "arm-aoai-sample-resource/arm-je-std-deployment",
  "dependsOn": [
    "[resourceId('Microsoft.CognitiveServices/accounts', 'arm-aoai-sample-resource')]"
  ],
  "sku": {
    "name": "Standard",
    "capacity": 600,
    "count": 1,
    "maxValue": 100,
    "size": 600
  },
  "properties": {
    "model": {
      "format": "OpenAI",
      ...
    }
  }
}
```




Kraump.com

Answer:

Answer Area

```
{
  "type": "Microsoft.CognitiveServices/accounts/deployments",
  "apiVersion": "2023-05-01",
  "name": "arm-aoai-sample-resource/arm-je-std-deployment",
  "dependsOn": [
    "[resourceId('Microsoft.CognitiveServices/accounts', 'arm-aoai-sample-resource')]"
  ],
  "sku": {
    "name": "Standard",
    "capacity": 600,
    "count": 1,
    "maxValue": 100,
    "size": 600
  },
  "properties": {
    "model": {
      "format": "OpenAI",
      ...
    }
  }
}
```



NEW QUESTION: 116

Form Recognizer is a cloud-based service that uses machine learning to extract text and data from scanned documents. It is part of the Azure Cognitive Search suite of services. Microsoft Power BI is a data visualization tool that can connect to various data sources, including Azure Cognitive Search. It can be used to create reports and dashboards that display search results and analytics. Which of the following is a valid use case for Form Recognizer?

- A. Extract text from scanned documents
- B. Visualize search results
- C. Connect to data sources
- D. Create reports and dashboards


Answer: D (LEAVE A REPLY)

NEW QUESTION: 117

AI1 is a cloud-based service that uses machine learning to detect and respond to security threats. It is part of the Azure Defender suite of services. AI1 can be used to protect various Azure resources, including virtual machines, storage accounts, and SQL databases. AI1 can also be used to protect on-premises servers and networks. Which of the following is a valid use case for AI1?

- A. Microsoft Defender for Cloud (Defender TI)
- B. Azure AI
- C. Azure AI for Text Analytics
- D. Azure AI for Computer Vision

Entity Types	Answer Area
Email	
List	Paris:
Regex	email@domain.com:
GeographyV2	2 audit business:
Machine learned	



Answer:

Entity Types	Answer Area
Email	
List	Paris: GeographyV2
Regex	email@domain.com: Email
GeographyV2	2 audit business: Machine learned
Machine learned	

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-reference-prebuilt-geographyv2>

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-reference-prebuilt-email>

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/reference-entity-machine-learned-entity>

NEW QUESTION: 123

□□□ □□ C# □□□ □□□□.

```

static void MyFunction(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($" {keyphrase}");
    }
}

```

□□ □□□ □□□□ □□□ □□□□□.

MyFunction(textAnalyticsClient, "the quick brown fox jumps over the lazy dog");

'□□ □□'□ □□□ □□ □□□ □□□□?

- A. □□
- B. □□ □□ □□ □□□ □
- C. □□□□□
- D. □□□ □□ □□□ □□□ □□ □□□□□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 124

□□□ □□□ □□□ Azure Cognitive Services □□□□ □□□□□□ □□□ □□□□□ □□□.
 https://contoso.cognitiveservices.azure.com□ □□□□ □□□□□ URI□ □□□□ □□ □□□ Text
 Analytics Sentiment Analysis □□□□□ □□□□□.
 Docker□ □□□□ Azure □□ □□□□ □□□□□ □□□□ □□□.
 □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
 □□□□: □□ □□□ 1□□□□□.

```

docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \
  http://contoso.blob.core.windows.net
  https://contoso.cognitiveservices.azure.com
  mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
  mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment
Eula=accept \
Billing=
  http://contoso.blob.core.windows.net
  https://contoso.cognitiveservices.azure.com
  mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
  mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment
ApiKey=xxxxxxxxxxxxxxxxxxxxxxxx

```

Answer:

```
docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \
  http://contoso.blob.core.windows.net
  https://contoso.cognitiveservices.azure.com
  mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
  mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment
Eula=accept \
Billing=
  http://contoso.blob.core.windows.net
  https://contoso.cognitiveservices.azure.com
  mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
  mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment
ApiKey=xxxxxxxxxxxxxxxxxxxxxx
```

Reference:


<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-install-containers?tabs=sentiment>

NEW QUESTION: 125

□□□□ □□□□□ □□□□ □□□□ App1□□□□ Azure □□□ □□□□ □□□□.
 □□□ □□□□□ Text Translation REST API□ □□□□ □□□□. □□□□ □□□□ □□□ □□□ □□□
 □□□ □□□□ □□□.
 URI□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
 □□□□: □□ □□□ 1□□□□□.



Answer:



NEW QUESTION: 126

App1□□□ Azure App Service □□ □□□ Azure □□□ □□□□□.
 CSAccount1□□□ □□ □□□ Azure Cognitive Services □□□□ □□□□□□□□□□.
 CSAccount1□ □□□□□□ App1□ □□□□ □□□□. □□□□ □□ □□□ □□□□□ □□□□.
 App1□ □□□□□ □□□ □□□□ □□□□?
 A. □□□□□ URI □ OAuth □□
 B. □□□□□ URI □ □□ □
 C. □□□□□ □□□ □□ ID □ X.509 □□□

Project Types: ▼

- Classification
- Object Detection

Classification Types: ▼

- Multiclass (Single tag per image)
- Multilabel (Multiple tags per image)

Domains: ▼

- Audit
- Food
- General
- General (compact)
- Landmarks
- Landmarks (compact)
- Retail
- Retail (compact)

Reference:

<https://cran.r-project.org/web/packages/AzureVision/vignettes/customvision.html>

NEW QUESTION: 129

□□ □□ □□□ □□□ □□□□.

□□□ □□□□□ □□ □□□□ □□□.

* □□ □□ □□□ □□ □□□

* □□□□ □□□ □□□ □□□

□□□□ □□ □□□ □□□□□ □□□.

□ □□ □□□ □□ □□ Azure Cognitive Service for Language □□□ □□□□ □□□? □□□□ □□□


□□□ □□□ □□ □□□□ □□□ □□□□□. □ □□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □

□□□. □ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □ □□ □□□□. □□: □ □□□

□□□ 1□□ □□□ □□□□.

Features	Answer Area
<input type="checkbox"/> Custom named entity recognition (NER)	Identify code names for internal product development: <input type="text"/>
<input type="checkbox"/> Key phrase extraction	Identify messages that include credit card numbers: <input type="text"/>
<input type="checkbox"/> Language detection	
<input type="checkbox"/> Named Entity Recognition (NER)	
<input type="checkbox"/> Personally Identifiable Information (PII) detection	
<input type="checkbox"/> Sentiment analysis	

Answer:



NEW QUESTION: 130

Speech Studio □□□□□ □□ □□□ □□□□□ □□□. □□□ □□□ □□□□□ □□□?

- A. □□ □□□ .wma □□□ □□ □□□ □□□ □□□□ □□□□□□□□.
- B. .wav □□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□ .zip □□□ □□□□□□□□.
- C. □□ □□□ □□□ FLAC □□□□□ □□□□□□ Microsoft Word □□□□□ □□ □□□ □□□□ □□□□ □□□□ □□.
- D. .wma □□□□□ □□ □□□ □□□ □□□□□□□□.

Answer: B (LEAVE A REPLY)

To upload your data, navigate to the Speech Studio . From the portal, click Upload data to launch the wizard and create your first dataset. You'll be asked to select a speech data type for your dataset, before allowing you to upload your data.

The default audio streaming format is WAV

Use this table to ensure that your audio files are formatted correctly for use with Custom Speech:

Property	Value
File format	RIFF (WAV)
Sample rate	8,000 Hz or 16,000 Hz
Channels	1 (mono)
Maximum length per audio	2 hours
Sample format	PCM, 16-bit
Archive format	.zip
Maximum archive size	2 GB

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-custom-speech-test-and->


train

NEW QUESTION: 131


□□ □□□ □□□□ Custom Vision □□□ □□□□□ □□□□. □ □□□□□ □□□ □□ General □□ □□ □□□□ □□ □□ □□□□□.

□□□□ □□□□ □□ □□□□□□ □□□□□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□, □□ □□□□ □□□ □□□ □□ □□□□ □ □□ □□□ □□□ □□□□□.



Answer:



- 1 - Create a new classification model.
- 2 - Change the classification type.
- 3 - Export the model.

NEW QUESTION: 132

□□□ □□ □□□□ □□□□ □□□□.

□□□ □□□ □□ □□□ □□□□□.

```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

□□ □□□ □□□□ □□□□ □□□□□.

GetKeyPhrases(textAnalyticsClient, "□□□□ □□ □□ □□□□□");

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.

□□□□ □□□ □□□□□ □□ □□□.

□□□ □□ □□□?

- A. □□ □□□□□ □□□ show-all-intents=true□ □□□□□.
- B. □□ □□□□□ □□□□□□□.
- C. □□ □□□□□ □□□ log=true□ □□□□□.
- D. □□ □□□ □□□□□□□.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-queries-to-enable-active-learning>

AI-102-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AI-102-KR □□! DumpTop □
 □□ AI-102-KR □□ □□□ □□□□□□□, DumpTop AI-102-KR □□ □□□ □□□□□□□□□ □□□
 □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AI-102-KR □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AI-102-KR-dump.html> (395 Q&As Dumps, 30%OFF Special

Discount: KrDump)

NEW QUESTION: 137

Microsoft Bot Framework□ □□□□ □□ □□□ □□□□.

□□ □□ □□□ □□□□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□□ □□ □□□?

- A. Bot Framework SDK□ □□□□ □□ Cortana□ □□□□□.
- B. Speech Service□ □□□□ □□ □□ □□□ □□□□ Azure □□□ □□□□.
- C. □□ Azure□ □□□□ Microsoft Teams □□□ □□ □□□□□.
- D. □□ Azure□ □□□□ Direct Une Speech □□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 138

Azure Cognitive Service for Language□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□□.

□□ □□□□□ □□ □□□ □□□ Docl.pdf□□ PDF□ □□□□. Docl.pdf□ □□□□□ □□□ □□□□□ □□.

□□□ □, □□□□□ □□□ <□□>□ □□□ □□□□□?□□ □□□ □□□□ □□□□□ □□□□□□.

□□□ □□ □□□ □□□□ □□□□. <□□*□ □□□□?>

□□□ □ □□ □□ □□□ □□□□□ □□□□□ □□□□ □□□.

□□□: Language Studio□□ □□□ □□ □□□□ □□ □□ □□□ □□ □□□□□ □□ □□□□□.

□□□ □□□ □□□□□?

- A. □□□
- B. □

Answer: (SHOW ANSWER)

NEW QUESTION: 139

□□ 24□□ □□□ □□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□□.
□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□□□.
□□ □□□ □□ □□□ □□□□ □□□□?

- A. □□
- B. □□□□
- C. □□□

Answer: A (LEAVE A REPLY)

Batch anomaly detection is a type of anomaly detection that scans the entire dataset at once for outliers and unusual patterns. Batch anomaly detection is suitable for offline analysis of historical data, such as sensor data from the previous 24 hours. Batch anomaly detection can use various techniques, such as statistical methods, machine learning methods, or hybrid methods, to identify anomalies in the data123.

NEW QUESTION: 140

□□ Azure Storage □□□□ □/□ □□□ □□□□□?

- A. Azure □□
- B. Azure □
- C. Azure □□
- D. Azure □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 141

Azure Portal□ □□□□ Azure Cognitive Search □□□□ □□ □□□□ □□ □□□□□. Cognitive Search □□□□ Azure SQL □□□□□□□ □□□□□. Azure SQL □□□□□□□□ UserMessages□□ □□□ □□□□□. User Messages□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□ MessageCopy□□ □□□ □□□□. □□□□ MessageCopy □□□ □□ □□ □□□ □□□ □□□□ □□ □□□□□ □□□□□. □□□□ □□□□□ MessageCopy □□□ □□ □□□ □□□ □□□□ □□ □.

- A. □□□ □ □□ □□
- B. □□ □□□ □□ □□ □□
- C. □□ □ □□ □□
- D. □□ □□□ □□ □□□□□

Answer: (SHOW ANSWER)

NEW QUESTION: 142

□□□ □□□ □□□ □□□□□.
□□□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□□.
□□ □□□ Text Analytics API□ □□□□ □□□□? □ □□□ □□□□ □□□ □□□□□. (□ □ □□) □

- A. □□□□□ □□□□□ □□□ □□□

* □□ □□ □□□□ □□□□ □□□□□.

* □□□ □□ □□□ □□□□ □□□□□.

□□ Azure Cognitive Services□ □□□□ □□□? □□□□ □□□ □□□ □□□□□□□. a. □□: □
□□□ 1□□□□.

Answer Area

To capture messages:
Speaker Recognition
Speech-to-text
Text-to-speech
Translator

To replay messages:
Speech-to-text only
Speech-to-text and Language
Speaker Recognition and Language
Text-to-speech and Language
Text-to-speech and Translator

Answer:

Answer Area

To capture messages:
Speaker Recognition
Speech-to-text
Text-to-speech
Translator

To replay messages:
Speech-to-text only
Speech-to-text and Language
Speaker Recognition and Language
Text-to-speech and Language
Text-to-speech and Translator

NEW QUESTION: 150

□□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□.

□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□□.

Objects Training Images Performance Predictions Train Quick Test

Iterations Publish Predictions Delete Export

Probability Threshold: 50%
Overlap Threshold: 30%

Iteration 1

Answer Area

The percentage of false positives is [answer choice].

The value for the number of true positives divided by the total number of true positives and false negatives is [answer choice]%.
0
25
30
50
100

Answer:

Answer Area

The percentage of false positives is [answer choice].

The value for the number of true positives divided by the total number of true positives and false negatives is [answer choice]%.



0
25
30
50
100

0
25
30
50
100

NEW QUESTION: 151

AH□□ Azure OpenAI □□□□ □□□ Azure □□□ □□□□.

□□□ □□□ □□□□ □□□□ □□□□ □□□.


Azure OpenAI Studio□□ □□□□ □□□□ □□ □ □□ □□□□□? □□□□□□ □□ □□□□ □

□□ □□□ □□ □□□□ □□□□ □□□ □□□□□.

Actions

- Open **Completions playground** and select the deployed model.
- Create a new deployment and select a DALL-E model.
- Open **Chat playground** and select the deployed model.
- In the System message field, enter **You are an AI assistant that describes images.**
- Create a new deployment, select a GPT-4 model, and set Model version to **vision-preview**.
- Create a new deployment, select a text-embedding-ada-002 model, and set Model version to **2.0**.
- In the Chat session pane, enter a text prompt of **Describe this image**, and upload an image by using the attachment button.

Answer Area



Answer:

- B. 2
- C. 3
- D. 4
- E. 5
- F. 6

Answer: A,B,F (LEAVE A REPLY)

Input requirements

Form Recognizer works on input documents that meet these requirements:

Format must be JPG, PNG, PDF (text or scanned), or TIFF. Text-embedded PDFs are best because there's no possibility of error in character extraction and location.

File size must be less than 50 MB.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer/overview>

NEW QUESTION: 153

- Which of the following are valid Azure Cognitive Search queries?
- Azure Cognitive Search supports the following query syntax:
- Queries are case-insensitive.
 - Queries are limited to 1000 characters.
- A. `search.in(g, 'group_id1, group_id2,...')`
 - B. `search.in(g, 'group_id1, group_id2,...')`
 - C. `search.in(g, 'group_id1, group_id2,...')`
 - D. `search.in(g, 'group_id1, group_id2,...')`
 - E. `search.in(g, 'group_id1, group_id2,...')`
 - F. `search.in(g, 'group_id1, group_id2,...')`

Answer: C,D,F (LEAVE A REPLY)

Your documents must include a field specifying which groups have access. This information becomes the filter criteria against which documents are selected or rejected from the result set returned to the issuer.

D: A query request targets the documents collection of a single index on a search service.

CF: In order to trim documents based on group_ids access, you should issue a search query with a `group_ids/any(g:search.in(g, 'group_id1, group_id2,...'))` filter, where 'group_id1, group_id2,...' are the groups to which the search request issuer belongs.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-trimming-for-azure-search>

NEW QUESTION: 154

- Which of the following are valid Azure Cognitive Search queries?
- Azure Cognitive Search supports the following query syntax:
- Queries are case-insensitive.
 - Queries are limited to 1000 characters.
- * `search.in(g, 'group_id1, group_id2,...')`
 - * `search.in(g, 'group_id1, group_id2,...')`
 - * `search.in(g, 'group_id1, group_id2,...')`


```
do
{
results = await client.GetReadResultAsync(Guid.Parse(operationId));
}
while ((results.Status == OperationStatusCodes.Running ||
results.Status == OperationStatusCodes.NotStarted));
```

Reference:

<https://github.com/Azure-Samples/cognitive-services-quickstart-code/blob/master/dotnet/ComputerVision/ComputerVisionQuickstart.cs>

NEW QUESTION: 157

□□□ □□□ □□□□ □□□□ □□□ □□□□. □□□ □□□ □□□ □□□□□□.

□□□□□ □ □□□ □□ 4□□ □□□□□ □□□.

□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□ Custom Vision □□□ □□□□ □□□. □ □□□

□ □□□ 4□□ □□□ □□ □□□ □□□□ □□□.

□□ □□□□ □□□ □□□□ □□□□ □□□? □□□□ □□□ □□□ □□□ □□□□□□□□. □

□□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□□. □□ □□□ □□ □□□ □□□□□□ □□□

□□ □□□□ □ □ □□□□. □□: □□□ □□□ □□ 1□□□□.

Answer:

NEW QUESTION: 158

□□□ □□□□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□□. □□□□ □□□ □□ □□ □

□□□ □□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□□□ □□□ □□□□ □□□?

- A. Azure Monitor □ □□□ □□
- B. □□□ □□□□□

C. `translate` command

D. Azure `translate` command

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 159

Microsoft Bot Framework `translate` command is used to translate the content of the bot independently. Which command is used to translate the content of the bot independently?

Bot Framework CLI `translate` command is used to translate the content of the bot independently. Which command is used to translate the content of the bot independently?

A. `translate` command

B. `translate` .lu command

C. `translate` command

D. `translate` command

Answer: ([SHOW ANSWER](#))

You might want to manage the translation and localization for the language understanding content for your bot independently.

Translate command in the `@microsoft/bf-lu` library takes advantage of the Microsoft text translation API to automatically machine translate .lu files to one or more than 60+ languages supported by the Microsoft text translation cognitive service.

What is translated?

An .lu file and optionally translate Comments in the lu file

LU reference link texts

List of .lu files under a specific path.

Reference:

<https://github.com/microsoft/botframework-cli/blob/main/packages/luis/docs/translate-command.md>

AI-102-KR `translate` command is used to translate the content of the bot independently. Which command is used to translate the content of the bot independently?
`translate` .lu command
`translate` command
`translate` command

<https://www.dumptop.com/Microsoft/AI-102-KR-dump.html> (395 Q&As Dumps, **30%OFF Special**

Discount: **KrDump**)