

Microsoft.AZ-104.v2022-08-10.q126

□□□□:	AZ-104
□□□□:	Microsoft Azure Administrator
□□□:	Microsoft
□□ □□ □□□:	126
□□:	v2022-08-10
# □□ □:	1714
# □□ □□□:	1260
https://www.krdump.com/Microsoft.AZ-104.v2022-08-10.q126.html	

NEW QUESTION: 1

Subscription1 □ Subscription2□□ □ □□ Azure □□□ □□□□□.

Subscription1□□ □□□ □□ □□ □□□□□ □□□□.

Name	Address space	Location
VNET1	10.10.10.0/24	West Europe
VNET2	172.16.0.0/16	West US

□□ □□□□□□ □□ □□□□ □□□□□.

Name	Address space	Location
Subnet11	10.10.10.0/24	VNET1
Subnet21	172.16.0.0/18	VNET2
Subnet22	172.16.128.0/18	VNET2

Subscription2□□ □□ □□ □□□□□ □□□□□.

* □□: VNETA

* □□ □□: 10.10.128.0/17

* □□: □□□ □□

VNETA□□ □□ □□□□ □□□□□.

Name	Address range
SubnetA1	10.10.130.0/24
SubnetA2	10.10.131.0/24

□□ □ □□ □□ □□ □□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Statements

Connection can be established between VNET1 and VNET2.

VNET2 can be peered.

VNET1 can be peered.

Answer:

```

"$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json",
"contentVersion": "1.0.0.0",
"parameters": {},
"resources": [
  {
    "type": "Microsoft.Compute/availabilitySets",
    "name": "ha",
    "apiVersion": "2017-12-01",
    "location": "eastus",
    "properties": {
      "platformFaultDomainCount": 20,
      "platformUpdateDomainCount": 20
    }
  }
]

```

max value
0
20

max value
0
20

11

Statements	Yes	No
-Site connection can be established between VNET1 and VNET2.	☐	☐
VNET1 and VNET2 can be peered.	☐	☐
VNET1 and VNETA can be peered.	☐	☐

□□ 1: □

VNet-to-VNet ☐ ☐☐☐☐ ☐☐ ☐☐☐ Azure ☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐.

□□ 2: □

Azure□ □□ □□□ □□□□ □□□□□.

□□ □□□□ □□□: □□□ Azure □□ □□□ □□ □□□□□ □□□□□.

□□□ □□ □□□□ □□□: Azure □□□□ □□ □□□□□ □□□□□.

□□ 3: □□□

□□□□□ □□ □□□□□□ □□□ □□ IP □□ □□□ □□□ □□□.

□□:

<https://azure.microsoft.com/en-us/blog/vnet-to-vnet-connecting-virtual-networks-in-azure-across-different-region>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-const>

NEW QUESTION: 2

User1□□□ □□□□ □□□ Azure □□□ □□□□.

User1□ □□ □□□ □□□□ □□ □□□□□ □□□ □ □□□ □□□□ □□□. □□□□ □ □□ □□□ □□□□ □□□.

User1□□ □□ RBAC(□□ □□ □□□ □□) □□□ □□□□ □□□?

A. □□□

B. □□ □□ □□□ □□□

C. □□□

D. □□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

□□

Virtual Machine Contributor: □□ □□□ □□□ □ □□□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION: 3

Subscription1□□□ Azure □□□ □□□□. □□ □□ □□□ □□□ □□□ □□□ □□□ □□ □□.

Name	Hypervisor	Run virtual machine
Server1	Hyper-V	VM1, VM2, VM3
Server2	VMWare	VMA, VMB, VMC

□□ □□□ □□ □□ □□ □□□□□.

Name	Generation	Memory	Operating System (OS) disk	Data disk	OS
VM1	1	4 GB	200 GB	800 GB	Windows Server 2012 R2
VM2	1	12 GB	12 GB	200 GB	Red Hat Enterprise Linux 7.2
VM3	2	32 GB	100 GB	1 TB	Windows Server 2016
VMA	Not applicable	8 GB	100 GB	2 TB	Windows Server 2012 R2
VMB	Not applicable	16 GB	150 GB	1 TB	Red Hat Enterprise Linux 7.2
VMC	Not applicable	24 GB	500 GB	6 TB	Windows Server 2016

VM1 is not protected by BitLocker. VM2 is protected by BitLocker. VM3 is not protected by BitLocker. Azure Site Recovery can protect VM1, VM2, and VM3. Azure Site Recovery can protect VMA, VMB, and VMC.

VM1, VM2, and VM3 can be migrated from Server1. VMA, VMB, and VMC can be migrated from Server2.

VM1, VM2, and VM3 can be migrated from Server1.

Virtual machines that can be migrated from Server1.

VM1 only
VM2 only
VM3 only
VM1 and VM2 only
VM1 and VM3 only
VM1, VM2, and VM3

Virtual machines that can be migrated from Server2.

VMA only
VMB only
VMC only
VMA and VMB only
VMA and VMC only
VMA, VMB, and VMC

Answer:

Virtual machines that can be migrated from Server1.

VM1 only
VM2 only
VM3 only
VM1 and VM2 only
VM1 and VM3 only
VM1, VM2, and VM3

Virtual machines that can be migrated from Server2.

VMA only
VMB only
VMC only
VMA and VMB only
VMA and VMC only
VMA, VMB, and VMC



☐☐:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-support-matrix#azure-vm-requirements>

NEW QUESTION: 4

Azure AD(Azure Active Directory) ☐☐☐☐ ☐☐☐☐.

☐☐ ☐☐☐☐ Azure Portal ☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐.

☐☐ ☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐? ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐.

Policy1

Assignments

Users and groups
0 users and groups selected

Cloud apps
0 cloud apps selected

Conditions
0 conditions selected

Access controls

Grant
0 controls selected

Session
0 controls selected

Enables policy

On

Off

Answer:

*** Name**

Policy1

Assignments



Users and groups
0 users and groups selected



Cloud apps
0 cloud apps selected



Conditions
0 conditions selected



Access controls

Grant
0 controls selected



Session
0 controls selected



Enables policy

On


Off

□□:

□□ 1: □□, □□□ □ □□

□□□ □□ □□□ □□□ □ □□□ □□□□ □□□.

Step 1: Select the users to which the policy will apply.



Step 2:

Select the controls to be enforced.



Step 3:

Select the controls to be enforced.

Select the controls to be enforced.



□□:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-user-risk-policy>

NEW QUESTION: 5

□□ □□ □□□□□ □□ □□□□□ □□□□□ □□□□ □□□?

A. □□□ □□

B. □□

C. □□□□

D. □□□□

Answer: (SHOW ANSWER)

□□

□□□□ Azure □□□□ □□□□□ □□ □□□□ □□□□ □□□ □ □□□□. □□ □□, □□□□ □□ Azure in Open□ □□ □□ □□□□ □ □□□ □□□□ □□ □ □□□□.

* □□ □□□□□ □□□ □□□□□□□. □□□ □ □□□ □□ □□□□□□□. □□□□□ □□□□ □□ □ □□□□ □□□□ □□□□ □□□□□.

* □□□□ □□□□ □□□ □□□□□□.

□□□□: □□□ □□□□ □□ □□□ □□□□ □□ □□ □□ Azure □□□ □□□ □ □□□ □□□.

□□: <https://docs.microsoft.com/en-us/azure/billing/billing-download-azure-invoice-daily-usage-date>

NEW QUESTION: 6

□□□□ □□□□ VM1□□□ Azure □□ □□□ □□□□. VM1□ Azure Backup□□ □□□□ □.

VM1□ □□□□□.

VM1□ □□ □□□ □□ □□□□ □□□□ □□□.

□□ □□□ □□ □□□?

A. □□ □□□ □□□□□.

B. Recovery Services □□□ □□□□□.

C. □□□ □□□□□.

D. □□□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

Azure Backup□ Recovery Services □□ □□ □□□□ □□□ □□ □□ □□□ □□□□ □□ □ □□ □□□ Azure Resource Manager □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□.

□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□□ □ □□□□. □□□ □□□ □□□□, □□□ □ □□ □□ □□□ □□□□, □□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□□.

□□:

Recovery Services □□ □□ □□□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □ □□ □□□. □□□ □□□□□ □□□ □□□ □ □□ □□ □□□ □□□ □□ □□□□ □□□□□

□□□□ □□□□.

□□:

<https://azure.microsoft.com/en-in/updates/azure-vm-backup-policy-management/>

NEW QUESTION: 7

RG1□□□ □□□ □□□ □□□ Subscription1□□□ Azure □□□ □□□□.

RG1□□. LB1□□□□ □□ □□ □□□□ 162□□ □□□ □□ □□□□ □□□□□.

Admin 1□□□ □□□□ LB1 □ LB2□ □□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □ □□ □□□ □□□.

□ □□□ □□ Admin1□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □ □□ □□□□□□.

□□: Caen □□□ □□□ 1□□ □□□ □□□□.

Answer Area

To add a backend pool to LB1:

- Contributor on LB1
- Network Contributor on LB1
- Network Contributor on RG1
- Owner on LB1

To add a health probe to LB2:

- Contributor on LB2
- Network Contributor on LB2
- Network Contributor on RG1
- Owner on LB2

These are the selections for To add a backend pool to LB1.

These are the selections for To add a health probe to LB2.



Answer:

Answer Area

To add a backend pool to LB1:

- Contributor on LB1
- Network Contributor on LB1
- Network Contributor on RG1
- Owner on LB1

To add a health probe to LB2:

- Contributor on LB2
- Network Contributor on LB2
- Network Contributor on RG1
- Owner on LB2

These are the selections for To add a backend pool to LB1.

These are the selections for To add a health probe to LB2.



□□

Answer Area

To add a backend pool to LB1: Network Contributor on LB1

To add a health probe to LB2: Network Contributor on LB2



NEW QUESTION: 8

Server2□ Azure □□□ □□□ □□□ □□□□□.

□□□ □□□□□□□□? □□□□□ □□ □□□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

From the Azure portal:

Create an Azure Migrate project.
Create a Recovery Services vault.
Upload a management certificate.
Create an Azure Import/Export job.

On Server2:

Enable Hyper-V Replica.
Install the Azure File Sync agent.
Create a collector virtual machine.
Configure Hyper-V storage migration.
Install the Azure Site Recovery Provider.

Answer:

From the Azure portal:
Create an Azure Migrate project.
Create a Recovery Services vault.
Upload a management certificate.
Create an Azure Import/Export job.
On Server2:
Enable Hyper-V Replica.
Install the Azure File Sync agent.
Create a collector virtual machine.
Configure Hyper-V storage migration.
Install the Azure Site Recovery Provider.

□□:

<https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-on-premises-azure>

NEW QUESTION: 9

□□ □□□ □□ Policy1□□□ Recovery Services □□ □□ □□ □□ □□□□ □□□□.

Policy1

Associated items Delete Save Discard

Backup schedule

* Frequency * Time * Timezone
Daily 11:00 PM (UTC) Coordinated Universal Time

Retention range

☒ Retention of daily backup point

At 11:00 PM For 30 Day(s)

☒ Retention of weekly backup point

* On * At * For
Sunday 11:00 PM 10 Week(s)

☒ Retention of monthly backup point

Week Based Day Based

* On * At * For
1 11:00 PM 36 Month(s)

☒ Retention of yearly backup point

Week Based Day Based

* In * On * At * For
March 1 11:00 PM 10 Year(s)

□□□□ □□□ □□□□ □□□□ □□ □□ □□□□ □ □□□ □□□□ □□□ □□□□
□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

The backup that occurs on Sunday, March 1, will be retained for [answer choice].

	▼
30 days	
10 weeks	
36 months	
10 years	

The backup that occurs on Sunday, November 1, will be retained for [answer choice].

	▼
30 days	
10 weeks	
36 months	
10 years	

Answer:

The backup that occurs on Sunday, March 1, will be retained for [answer choice].

	▼
30 days	
10 weeks	
36 months	
10 years	

The backup that occurs on Sunday, November 1, will be retained for [answer choice].

	▼
30 days	
10 weeks	
36 months	
10 years	

NEW QUESTION: 10

Bus1 is an Azure Service Bus queue. App1 and App2 are applications that connect to Bus1.

App1 and App2 are configured to use the same connection string to connect to Bus1. App1 and App2 are configured to use the same connection string to connect to Bus1.

* App1 is configured to use the same connection string to connect to Bus1.

* App2 is configured to use the same connection string to connect to Bus1.

App1 and App2 are configured to use the same connection string to connect to Bus1. App1 and App2 are configured to use the same connection string to connect to Bus1. App1 and App2 are configured to use the same connection string to connect to Bus1.

App1 and App2 are configured to use the same connection string to connect to Bus1.

Resource	Answer Area
A Service Bus queue	App1
A Service Bus topic	App2
An Azure Event Grid topic	
Azure Blob storage	

Answer:

Resource	Answer Area
A Service Bus queue	App1 A Service Bus queue
A Service Bus topic	App2 A Service Bus topic
An Azure Event Grid topic	
Azure Blob storage	

□□

Answer Area

App1	A Service Bus queue
App2	A Service Bus topic

□□:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-queues-topics-subscriptions>

NEW QUESTION: 11

□□ □□ □□ □□□□ □□□□ Subscription1□□□ Azure □□□ □□□□.

Name	Subnet
VNet1	Subnet11
VNet2	Subnet12
VNet3	Subnet13

Subscription1□□ □□ □□ □□ □□□□ □□□□.

Name	IP address	Availability set
VM1	Subnet11	AS1
VM2	Subnet11	AS1
VM3	Subnet11	Not applicable
VM4	Subnet11	Not applicable
VM5	Subnet12	Not applicable
VM6	Subnet12	Not applicable

Subscription1□□ □□ □□□ □□ □□□□ □□□□□.

* □□: LB1

* SKU: □□

```
* 00 0000: VNET1
```

□□ □ □□ □□ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Microsoft	Statements	Yes	No
	LB1 can balance the traffic between VM1 and VM2.	☐	☐
	LB1 can balance the traffic between VM3 and VM4.	☐	☐
	LB1 can balance the traffic between VM5 and VM6.	☐	☐

Answer:

Statements	Yes	No
LB1 can balance the traffic between VM1 and VM2.	☒	☐
LB1 can balance the traffic between VM3 and VM4.	☐	☒
LB1 can balance the traffic between VM5 and VM6.	☐	☒

ASP1□□□ Azure App Service □□□□ □□□□ WebApp1□□□ Azure □□□ □□□□.

ASP1 □ D1 □□ □□ □□□ □□□□ □□□.

□□□□□ □□□□□ □□□□□□ WebApp1□ □□□□ □ □□□ □□□□ □□□. □□□□
□□□ □□□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Pricing tier for ASP1:

B1
P1v2
S1

Settings for WebApp1:

Settings for WebApp1:

 Microsoft

Cross-origin resource sharing(CORS)
Networking
SSL

Answer:

Pricing tier for ASP1:

- B1
- P1v2
- S1

Settings for WebApp1:

- Cross-origin resource sharing(CORS)
- Networking
- SSL

□□:

<https://azure.microsoft.com/en-us/pricing/details/app-service/windows/>

<https://docs.microsoft.com/en-us/azure/cdn/cdn-cors>

NEW QUESTION: 13

Azure □□□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□□.

□□ □□ □□ □□ □□ □□ □□ □□□□. □□□ □□□ □□□□ □□□□□.

Statements



Yes

No

The virtual machines on Subnet1 will be able to connect to the virtual machines on Subnet3.

☐
☐

The virtual machines on ClientSubnet will be able to connect to the Internet.

☐
☐

The virtual machines on Subnet3 and Subnet4 will be able to connect to the Internet.

☐
☐

Answer:

Answer Area

If on September 2, 2018, you run Microsoft Azure Storage Explorer on a computer that has an IP address of 193.77.134.1, and you use SAS1 to connect to the storage account, you [answer choice].

☐

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

If on September 10, 2018, you run the `net use` command on a computer that has an IP address of 193.77.134.50, and you use SAS1 as the password to connect to share1, you [answer choice].

☐

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

□□

Statements

Yes

No

The virtual machines on Subnet1 will be able to connect to the virtual machines on Subnet3.

☐
☐

The virtual machines on ClientSubnet will be able to connect to the Internet.

☐
☐

The virtual machines on Subnet3 and Subnet4 will be able to connect to the Internet.

☐
☐

VNet1 is connected to VNet2. VNet2 is connected to VNet3. VNet3 is connected to VNet4.

Paris-VNet1 is connected to AllOffices-VNet1. Paris-VNet2 is connected to Paris-VNet1.

Subnet1 is connected to AllOffices-VNet1. Subnet3 is connected to AllOffices-VNet1.

VNet1 is connected to Azure. VNet2 is connected to Azure. VNet3 is connected to Azure. VNet4 is connected to Azure.

ClientResources-VNet1 is connected to ClientSubnet1. ClientResources-VNet2 is connected to ClientSubnet1.

AllOffices-VNet1 is connected to Subnet3. AllOffices-VNet2 is connected to Subnet4. AllOffices-VNet3 is connected to Subnet4.

Answer:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-peering-overview>

<https://docs.microsoft.com/en-us/azure/networking/networking-overview#internet-connectivity>

NEW QUESTION: 14

You have a virtual network named VNet1. VNet1 has three subnets: Subnet1, Subnet2, and Subnet3. Subnet1 and Subnet2 are connected to each other. Subnet3 is not connected to either Subnet1 or Subnet2. You want to enable connectivity between Subnet1 and Subnet3. Which of the following actions should you take?

Name	Type
Endpoint1	Cloud endpoint
Endpoint2	Server endpoint
Endpoint3	Server endpoint

Endpoint3 is connected to Subnet1. Endpoint2 is connected to Subnet2. Endpoint1 is connected to Subnet3.

File1 is connected to Endpoint1. File2 is connected to Endpoint2. File3 is connected to Endpoint3.

File1 is connected to Subnet1. File2 is connected to Subnet2. File3 is connected to Subnet3.

File1 is connected to Subnet1. File2 is connected to Subnet2. File3 is connected to Subnet3.

Answer: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z.

File1:

File2:


Endpoint1 only


Endpoint3 only

Endpoint2 and Endpoint3 only

Endpoint1, Endpoint2, and Endpoint3

Answer:

File1: 
Endpoint1only
Endpoint3 only
Endpoint2 and Endpoint3 only
Endpoint1, Endpoint2, and Endpoint3

File2: 
Endpoint1only
Endpoint3 only
Endpoint2 and Endpoint3 only
Endpoint1, Endpoint2, and Endpoint3

□□:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-cloud-tiering>


NEW QUESTION: 15

□ Azure Active Directory(Azure AD) □□□ □□ □□□□□.

□ □□□ Azure □□□ □□ □□□□ □□ Microsoft□ □□ □□□ □□□ □□□□ □□□□.


JSON □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

```
{
  "Name": "Role1"
  "IsCustom": true,
  "Description": "Subscription reader and support request and support request creator.",
  "Actions": [
    
  ],
  "NotActions": [
  ],
  "AssignableScopes": [
    "/subscriptions/11111111-1111-1111-1111-111111111111"
  ]
}
```

Answer:

□.



□□:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-delete-vault>

AZ-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-104 □□! DumpTop
□ □□ **AZ-104** □□ □□□ □□□□□□, DumpTop AZ-104 □□ □□□ □□□□□□□□
□□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-104 □□□ □□□□□.
<https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF** Special
Discount: **KrDump**)


NEW QUESTION: 17

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □□□ □
□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.

VM1 □ VM2□□ □ □□ Azure □□ □□□ □□□ App1□□□□ □□ □□□□.

App1□ □□ □□□ Azure Load Balancer□ □□□□ □□□□□.

VM2□ □□ □□□□ □□□□ □□ □□□ □□ □□□ □□ □□□□.



TCP 443 131.107.100.50 App1 .

TCP 443 131.107.100.50 App1 .

: Allow_131.107.100.50 .

?

A.

B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Subscription1 Azure .

Name	Account kind	Azure service that contains data
storage1	Storage	File
storage2	StorageV2 (general purpose v2)	File, Table
storage3	StorageV2 (general purpose v2)	Queue
storage4	BlobStorage	Blob

Azure Import/Export Subscription1 .

A. 1

B. 2

C. 3

D. 4

Answer: D ([LEAVE A REPLY](#))

Azure Import/Export .

* v2 ()

* Blob Storage

* v1 (Azure Resource Manager), Azure Import/Export

- * □□□□□ Azure Blob □□□□ □ Azure □□ □□□□□ □□□□□.
- * □□□□□ Azure Blob □□□□□ □□□□□.

11

<https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-requirements>

NEW QUESTION: 19

VM1□□□ Azure □□ □□□ □□□ Azure □□□ □□□□. VM1□ Windows Server 2016□ □ □□□ □□□ □□□ □□□□□.

VM1□□ □□ □□ □□ □□□ □□□□□ □□□□.

VM1□ □□□□□.

□□□□ VM1□ □□□□ □□□. VM1□ □□□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□
□□ □□□□ □□□ □□□ □□□□□□.

Actions

Answer Area

From the Restore configuration blade, set Restore Type to **Create virtual machine**.

From the VM1 blade, edit the disk settings of the OS disk.

From the Restore configuration blade, set Restore Type to **Restore disks**.

From the Recovery Services vault, deploy a template.

From the VM1 blade, add a disk.

From the Recovery Services vault, select a restore point for VM1.

Answer:

Answer Area

From the Recovery Services vault, select a restore point for VM1.

From the Restore configuration blade, set Restore Type to **Restore disks**.

From the Recovery Services vault, deploy a template.

NEW QUESTION: 20

□□: □ □□□ □□□ □□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □□□ □
□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□□ □□

□□□ □□□□ □□□□.

Adatum□□□ Azure Directory(Azure AD) □□□□ Subscription1□□□ Azure □□□ □□□□.
Adatum□□ Developers□□ □□□ □□□□. Subscription1□□ Dev□□ □□□ □□□ □□□
□ □□□□.

□□□ □□□ Dev □□□ □□□□ Azure □□ □□ □□ □ □□ □□□□ □□□.

□□□: Dev□□ □□□ □□□ □□□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A ([LEAVE A REPLY](#))

□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□□ □□□ □ □□□□.

NEW QUESTION: 21

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □□□ □
□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.

□□ □□ □□□ □□□□ □□□ Subscription1□□□ Azure □□□ □□□□.

Name	Type	Location	Resource group
RG1	Resource group	East US	<i>Not applicable</i>
RG2	Resource group	West Europe	<i>Not applicable</i>
RG3	Resource group	North Europe	<i>Not applicable</i>
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1□ NIC1□□□ □□□□ □□□□□□ □□□□ VNET2□□ □□ □□□□□ □□□□□.

VM1□ □□ NIC2□□ □ □□□□ □□□□□□ □□□□ □□□.

□□□: RG2□ □□ □□□□ NIC2□ □□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: ([SHOW ANSWER](#))

□□

□□□□ □□□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□□□ □□□ □□(□□□□
□ □□ □□(□□□□□□ □))□ □□□ □□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface>

NEW QUESTION: 22

□□□

Admin1, Admin2 □ Admin3□□□ □ □□ □□ □□□□ □□□ Azure AD(Azure Active

Directory) □□□□ □□□□.

□□□□ Azure □□□ □□□□□. □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□
□□□□□. (□□□ □□ □□ □□□□□.)

Manage access to Azure resources for users, groups, service principals and managed identities at this scope by creating role assignments. [Learn more](#)

Name ⓘ Type ⓘ
Scope ⓘ Group by ⓘ
Role ⓘ
☒ Select all
☒ Owner

1 items (1 Users)

☐ NAME TYPE ROLE SCOPE

OWNER

AD Admin3

Admin3@contltd...

User

Owner ⓘ

This resource

Azure Portal □ Admin1 □□ □□□□□ □□□ □□□ □□□ □□ □□□□ □□□□□. (□□□
□□ □□□□□.)

 Save

 Discard

Directory properties

*

Name

Cont190525outlook



Country or region

Slovenia

Location

EU Model Clause compliant datacenters

Notification language

English

Directory ID

a93d91a6-faca-4fa6-a749-f6c25469152e

Technical contact



Global privacy contact



Privacy statement URL



Access management for Azure resources

Admin1@Cont190525outlook.onmicrosoft.com (Admin1@Cont190525outlook.onmicrosoft.com) can manage access to all Azure subscriptions and management groups in this directory. [Learn more](#)

Yes

No

Answer Area

Statements

Yes

No

Admin1 can add Admin 2 as an owner of the subscription.

☐
☐

Admin3 can add Admin 2 as an owner of the subscription.

☐
☐

Admin2 can create a resource group in the subscription.

☐
☐

Answer:

Answer Area

Statements

Yes

No

Admin1 can add Admin 2 as an owner of the subscription.

☐
☒

Admin3 can add Admin 2 as an owner of the subscription.

☒
☐

Admin2 can create a resource group in the subscription.

☐
☒

□□: [□□]

□□:

□□ 1: □□□

□□□□ Admin3□ □□□□ □□□ □ □□□□.

□□ 2: □

□□ 3: □□□


□□:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/add-change-subscription-administrator>

NEW QUESTION: 23

Azure □□□ □□□□.

VM1□□□ □□□□□ □□ □□□ □□□□. VM1□ □□ □□□ □□□□□. (□□ □ □□□□□.)



VM1 is configured to use a VHD file for its hard drive.

What is the maximum size of a VHD file?

- A. 1 TB
- B. 2 TB
- C. 1,023 GB
- D. 2,047 GB
- E. 1,024 GB

Answer: C (LEAVE A REPLY)

The maximum size of a VHD file is 1,023 GB.

Microsoft Azure Windows VMs (Gen1) support VHD files up to 1,023 GB (VHD or VHDX). Azure VMs support VHD files up to 1,023 GB. VHDX files support VHD files up to 1,023 GB. VHDX files support VHD files up to 1,023 GB.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image>

Azure □□□ □□□ □□ □ □□ Testlet 2 □□ □□ □□ □□□□□. □□ □□□ □□□ □□ □ □□□□ □□□□. □ □□□ □□□□ □□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □□□ □□ □ □□□□. □□□ □□ □□ □ □□□ □□□ □□ □□ □ □□□ □ □□□ □□□ □□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□ □ □□ □□□□ □□□ □ □□ □□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□□. □□□ □□□ □□ □□ □ □ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□□□ □□ □ □, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□□□ □□□ □□□ □□□□□. □□□ □□ □□□ □□ □□ □□□ □□□ □ □□□□ □□□□□.

□□

Litware, Inc.□ □□□□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□ □□□ □□□□□. □□□□ □□□□□ 2,000□□ □□□ □□□□□. □□□ □□□□□ 1,000□□ □□□ □□□□□. □□ □□□□

□□ 200□.

Litware□□ □□□□ □□ □□□□ □□□□□□□ □□□□□□.

Litware□ □ Azure □□□ □□□□. Azure AD(Azure Active Directory) □□□□

litware.onmicrosoft.com□□□ □□□□ □□□□□□. □□□□ P1 □□ □□ □□□ □□□□□. □□ □□

□□□□□□ litware.com□□□ Active Directory □□□□□ □□□□ □□□□. □□ □□□ □ □□□□ DNS □□□ □□□□ litware.com DNS □□□ □□□□□□.

Litware□□ □□, □□, □□, □□ □ □□ □□ □□□ □□□□. □ □□□□ □□ □□□ □□ □□□ □□□□ OU(□□ □□ □□)□ □□□□. □□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□. □□□ □□□□ □□ □□□□□.

Litware.com□□ User1□□□ □□□□ □□□□.

□□ □□□□ □□ □□□ □□□□ □□□□□.

Litware□ □□□□□ □□□ □□□□ □□□ □□□ □□ □□□□. □ □□□□□ VPN □□□ □□□ □ □□ □□□□ □□□□.

□□ □□□ □□□ □□□□□□. □□□ □□□□ □□ □□ □□□ □□□□□.

Name	Role	Contains virtual machine
Server1	VMware vCenter server	VM1
Server2	Hyper-V host	VM2

Litware□ App1 □ App2□□ □ □□ □ □□ □□□□□ □□□□□. □ □ □□□□□□□ □ □ □□□□□ 1GB□ □□□□ □□□□□.

□□

□□ □□□□□ □□□ □□ □□ □ □□□□□ □□ □□□ □□ □ □□□□□.

□□ □□□□ VNet□ □□□ □ □□□ □□□ Active Directory □□□□ □□□ □□□ □□□ □.

VNet □ □□□ □□□□ □□ VNet□ □□ □□□ □ □□ □□ □□□□□□. VNet-to-VNet □□ □□(VNet2VNet)□ □□□□ □□ □□□□□ □□ □□ □□□□□ □□□□ □□ □□□□□ □□□ □□ □□□ □ IPsec □□□ □□□ □□ □□□□□□. □ □□ □□ □□ VPN □□□□□ □ □□□□ IPsec/IKE□ □□□□ □□ □□□ □□□□□, □ □ □□ □ □□□ □□□□ □□□ □□.

□ VNet□ □□ □□ □□□□ □□□□□□ □□ VNet□ □□ □□□□ □□□□□□. □□ □□ □□□□ □□□□□ □□ □□ □□□□ □□□□□□ □□ □□ □□ □□□ □□□ □ □□□ □.

□□: <https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-vnet-vnet-resource-manage>

NEW QUESTION: 25

Azure Blob Storage □ Azure File Storage□ □□□□ storage1□□□ Azure Storage □□□ □□ □□.

AzCopy□ □□□□ storage1□ Blob □□□ □ □□ □□□□ □□□□ □□□□ □□□.

□ □□□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Blob storage:

	▼
Azure Active Directory (Azure AD) only	
Shared access signatures (SAS) only	
Access keys and shared access signatures (SAS) only	
Azure Active Directory (Azure AD) and shared access signatures (SAS) only	
Azure Active Directory (Azure AD), access keys, and shared access signatures (SAS)	

File storage:

	▼
Azure Active Directory (Azure AD) only	
Shared access signatures (SAS) only	
Access keys and shared access signatures (SAS) only	
Azure Active Directory (Azure AD) and shared access signatures (SAS) only	
Azure Active Directory (Azure AD), access keys, and shared access signatures (SAS)	



Answer:

Azure Active Directory (Azure AD) only	
Shared access signatures (SAS) only	
Access keys and shared access signatures (SAS) only	
Azure Active Directory (Azure AD) and shared access signatures (SAS) only	
Azure Active Directory (Azure AD), access keys, and shared access signatures (SAS)	

Azure Active Directory (Azure AD) only
Shared access signatures (SAS) only
Access keys and shared access signatures (SAS) only
Azure Active Directory (Azure AD) and shared access signatures (SAS) only
Azure Active Directory (Azure AD), access keys, and shared access signatures (SAS)

Azure AD(Active Directory) □ □ □ □ □ SAS(□ □ □ □ □) □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □.

Azure AD(Active Directory) ☐ SAS(☐☐ ☐☐ ☐☐ ☐☐ ☐☐ Blob Storage☐ ☐☐ ☐☐☐
☐.

□□ □□□□□□ SAS(□□ □□□ □□) □□□ □□□□□.

<https://docs.microsoft.com/en-us/azure/storage/common/storage-use-azcopy-v10>

1. VPN Gateway 2. VNet1 3. Azure 4. Subnet1 5. NSG1 6. NSG() 7. Subnet1 8. ILB1 9. 3 10. Azure 11.

□□□ □□□□□□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Microsoft
Resource to create:

Resource on which to enable diagnostics:

An Azure Event Grid
An Azure Log Analytics workspace
An Azure Storage account

ILB1
NSG1
The Azure virtual machines

Answer:

Microsoft

Resource to create:

Resource on which to enable diagnostics:

An Azure Event Grid
An Azure Log Analytics workspace
An Azure Storage account

ILB1
NSG1
The Azure virtual machines

□□:

□□ 1: Azure Log Analytics □□ □□

Azure Portal□□ □□ □□□□ □□□□□□, □□□□ □□ □□□□□ □□ □□□□ Log Analytics □

□□ Log Analytics □□ □□□□ □□□□□. □□ 2: ILB1 □□:

<https://docs.microsoft.com/en-us/azure/log-analytics/log-analytics-quick-create-workspace>

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-diagnostics>

NEW QUESTION: 27

□□ □□ □□□ App Service □□□□ □□□□.

Name	Operating system	Location
ASP1	Windows	West US
ASP2	Windows	Central US
ASP3	Linux	West US

□□ □□ □□□ Azure □□□□ □□ □□□□□.

Name	Runtime stack	Location
WebApp1	.NET Core 3.0	West US
WebApp2	ASP.NET 4.7	West US

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□ □ :

Asp1, ASP3: ASP.NET Core ☐☒ Windows ☐☒ Linux ☐☐☐☐ ☐☐☐☐

□□ 2: ASP1

□ □ :

<https://docs.microsoft.com/en-us/azure/app-service/app-service-plan-manage#>

Azure .

APP1 is a container running on AKS (Azure Kubernetes Services) in a virtual network. The container is using a Pod IP address. App1 is not connected to the internet. AKS is configured to use the Azure CNI (Container Network Interface) plugin. How can you connect App1 to the internet?

- A. Azure Private Link
- B. Azure Private IP address
- C. Azure Firewall
- D. Azure CNI (Container Network Interface)

Answer: D (LEAVE A REPLY)

00

Azure CNI is a plugin that allows containers to use IP addresses from the virtual network. It is the default plugin for AKS. For more information, see <https://docs.microsoft.com/en-us/azure/aks/concepts-network#azure-virtual-networks>

NEW QUESTION: 29

A container is running on AKS in a virtual network. The container is using a Pod IP address. The container is not connected to the internet. How can you connect the container to the internet?

Answer Area



Save



Discard

Users may join devices to Azure AD ⓘ

All

Selected

None

Selected

No member selected



Additional local administrators on Azure AD joined devices ⓘ

Selected

None

Selected

No member selected

Users may register their devices with Azure AD ⓘ

All

None

Require Multi-Factor Auth to join devices ⓘ

Yes

No

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

All

Selected

None

Selected

No member selected

Answer:

Internet users [answer choice].

can connect to only the DNS server on VM1
can connect to only the web server on VM1
can connect to the web server and the DNS server on VM1
cannot connect to the web server and the DNS server on VM1

If you delete Rule2, Internet users [answer choice].



Microsoft

can connect to only the DNS server on VM1
can connect to only the web server on VM1
can connect to the web server and the DNS server on VM1
cannot connect to the web server and the DNS server on VM1

□□



Save



Discard



Microsoft

Users may join devices to Azure AD ⓘ

All

Selected

None

Selected

No member selected

Additional local administrators on Azure AD joined devices ⓘ

Selected

None

Selected

No member selected



Microsoft

Users may register their devices with Azure AD ⓘ

All

None

Require Multi-Factor Auth to join devices ⓘ

Yes

No

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

All

Selected

None

□□ 1: □□□

□□□ □□□□ □□□ □□□ □ □□□ □□□.

□□ 2: □

□□□ □□□□□ Multi-Factor Auth□ □□□□□.

□□□□□□:

* Pilot□□□ □□□ □□ □□□□ Azure AD□ □□□ □□□ □ □□□ □□□□□.

* □□□□ Azure AD(Azure Active Directory)□ □□□ □□□ □ □□□□ □□□□ □□□□ ID
□ □□□□□ □□□□□.

NEW QUESTION: 30

□□□□ □□□□ VM1□□□ Azure □□ □□□ □□□□. VM1□ Azure Backup□□ □□□□
□.

VM1□ □□□□□.

VM1□ □□ □□□ □□ □□□□ □□□□ □□□.

□□ □□□ □□ □□□?

A. □□ □□□ □□□□□.

B. Recovery Services □□□ □□□□□.

C. □□□ □□□□□.

D. □□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□□

Azure Backup□ Recovery Services □□ □□ □□□□ □□□ □□ □□ □□□ □□□□ □□
□ □□ □□□ Azure Resource Manager □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□
□□□.

□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□
□□ □□□□ □ □□□□. □□□ □□□ □□□□, □□□ □ □□ □□ □□□ □□□□, □□
□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□□.

NEW QUESTION: 31

□□ □□ □□□ Azure □□□□ □□ □□□□□.

Name	Runtime stack
WebApp1	.NET Core 3.0
WebApp2	ASP.NET V4.7
WebApp3	PHP 7.3
WebApp4	Ruby 2.6

□ □□ □□ □□□□ □□ App Service □□□□ □□ □□ □□□□□?

A. 1

B. 2

C. 3

D. 4

Answer: D ([LEAVE A REPLY](#))

□□ 1, Litware, Inc.

□□

Litware, Ltd.□ □□□□□□ □□, □□□□ □□□ 2□□ □□□ □□ □□ □□□ □□□□□.
□□□□ □□□□□ 2,000□□ □□□ □□□□□. □□□ □□□□□ 1,000□□ □□□ □□□□□.

□□ □□□□□ 200□□ □□□ □□□□.

Litware□□ □□□□ □□ □□□□ □□□□□□□ □□□□□□□.

Litware□ □ Azure □□□ □□□□. Azure AD(Azure Active Directory) □□□□

Litware.onmicrosoft.com□□□ □□□□ □□□□□□. □□□□ P1 □□ □□ □□□ □□□□□□.

□□ □□

□□□□□□ Litware.com□□□ Active Directory □□□□□ □□□□ □□□□. □□ □□□ □

□□□□ DNS □□□ □□□□ Litware.com DNS □□□ □□□□□□.

Litware□□ □□, □□, □□, □□ □ □□ □□ □□□ □□□□. □ □□□□ □□ □□□ □□

□□□ □□□□ OU(□□ □□ □□)□ □□□□. □□ □□□ □□□□ □□ □□□ □□□ □□

□□□ □□□□. □□□ □□□□ □□ □□□□□.

Litware.com□□ User1□□□ □□□□ □□□□.

□□ □□□□ □□ □□□ □□□□ □□□□□.

Litware□ □□□□□ □□□ □□□□ □□□ □□□ □□ □□□□. □ □□□ □□□□ VPN □

□□ □□□ □ □□ □□□□ □□□□.

□□ □□□ □□□ □□□□□□. □□□ □□□□ □□ □□ □□□ □□□□□.

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Litware□ App1 □ App2□□ □ □□ □ □□ □□□□□ □□□□□. □ □ □□□□□□□ □ □

□□□□□ 1GB□ □□□□ □□□□□.

Azure □□□□ □□ □□ □□□□ □□□□ □□□□.

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

□□□□ □□ □□ □□ NSG(□□□□ □□ □□)□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ □□□ □□□□□.

* Azure ExpressRoute□ □□□□ □□□□ □□□□□.

* Server1 □ Server2□□ □□□□□ □□ □□□ Azure□ □□□□□□□□□□.

* □-□□□□ Active Directory□ Azure Active Directory(Azure AD)□ □□□□□□.

* App1 □ App2□ webApp1 □ WebApp2□□ □ □□ Azure □ □□□ □□□□□□□□□□.

□□ □□ □□

Litware□ □□ □□ □□ □□□ □□□□ □□□.

* WebApp1□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□ □□ 5□□ □□□□□□ □□

□ □ □□□ □□□□□*.

* VM3□ TCP □□ 8080□ □□ □□□□ □□□□ □□□□□□ □□□ □□ □□□□□ □□□

□□□ □ □□□ □□□□□.

* Azure□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□□□.

* □□ □□□ □□□□ □□□□ Azure MFA(Multi-Factor Authentication)□ □□□□□ □□□□

□.

* app2.Litware.com□□□ □□□ □□□□ webapp2.azurewebsites.net□ □□□□ □ □□□ □

□□□□.

* □□□□ □□□ □□□□ □□□□ □□ New Your Office□ VNet1□ □□□□□.

* VM4□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□ □□□□.

* □□ □□□ □□□□ □□ Role1□□□ □□□ □□ Azure □□□ □□□□.

* □□□□ □□□ □□□□□□□.

AZ-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-104 □□! DumpTop □ □□ **AZ-104** □□ □□□ □□□□□□, DumpTop AZ-104 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-104 □□□ □□□□□. <https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□□ □□ □□□ □□□ □□□ □□□ Azure □□□ □□□□.

Name	Lock name	Lock type
RG1	None	None
RG2	Lock	Delete

RG1□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Name	Type	Lock name	Lock type
storage1	Storage account	Lock1	Delete
VNET1	Virtual network	Lock2	Read-only
IP1	Public IP address	None	None

RG2□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Name	Type	Lock name	Lock type
storage2	Storage account	Lock1	Delete
VNET2	Virtual network	Lock2	Read-only
IP2	Public IP address	None	None

RG1□□ RG2□ □□□ □ □□ □□□ RG2□□ RG1□□ □□□ □ □□ □□□ □□□□ □□ □.

□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

Resources that you can move from RG1 to RG2:

None
IP1 only
IP1 and storage1 only
IP1 and VNET1 only
IP1, VNET1, and storage1

Resources that you can move from RG2 to RG1:

None
IP2 only
IP2 and storage2 only
IP2 and VNET2 only
IP2, VNET2, and storage2

Answer:

Resources that you can move from RG1 to RG2:

None
IP1 only
IP1 and storage1 only
IP1 and VNET1 only
IP1, VNET1, and storage1

Resources that you can move from RG2 to RG1:

None
IP2 only
IP2 and storage2 only
IP2 and VNET2 only
IP2, VNET2, and storage2

□□:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 33

□□ □□ 3 - Contoso, Ltd

□□

Contoso, Ltd. □ □□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□

□.

□□□□ □□□□□ 2,000□□ □□□ □□□□. □□□ □□□□□ 1,000□□ □□□ □□□□.

□□ □□□□□ 200□□ □□□ □□□□.

Contoso□□ □□□□ □□ □□□□ □-□□□□□□ □□□□□□.

Contoso□ □ Azure □□□ □□□□. Azure AD(Azure Active Directory) □□□□

contoso.onmicrosoft.com□□□ □□□□ □□□□□□. □□□□ P1 □□ □□ □□□ □□□□□□.

□□ □□

contoso.com Active Directory . .
DNS contoso.com DNS .
Contoso, , , , . .
OU() . .
Contoso.com User1 .
 .
Contoso . VPN
 .
 .
 .

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Contoso App1 App2 . .
1GB .
Azure .

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

NSG() .
 .
Contoso .
- Azure ExpressRoute .
- Server1 Server2 . Azure .
- Active Directory Azure Active Directory .
().
- App1 App2 WebApp1 . Azure .
2.
 .
Contoso .
- WebApp1 .
 .
- VM3 TCP 8080 .
 .
- .
Azure .
- Azure MFA(Multi-Factor Authentication) .
 .
- webapp2.azurewebsites.net .
app2.contoso.com

- □□□□ □□ □□ □□□□ VNet1□ □□□□□.

□□□□ □□.

- VM4 □□ □ □□□ □□□□ □□□ □□□□ □□

□□□□□.

- Reader□ □□□□ □□ Role1□□□ □□□ □□ Azure □□□ □□□□.

□□.

- □□□ □ □□□ □□□□□□.

□□ □□ □□□□ □□ □□□ □□□□□ □□□□ □□□□ □□□. □□□□ □□ □□ □□

□ □□□□ □□□.

□□□□□ □□□ □□□□ □□□?

A. Azure AD B2C

B. Azure AD ID □□

C. Azure □□ □ □ MIM(Microsoft Identity Management) □□□□□

D. □□ □□ □ □□□ □□□ □□

Answer: D (LEAVE A REPLY)

□□□□: □□ □□□ □□□□ □□□□ Azure MFA(Multi-Factor Authentication)□ □□□□□.

□□□ □□, □□ □□ □□□□ □□ □□ □□□ □□□□ □ □ □□ □□□ □□□ □□□ □

□□□ □□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION: 34

Azure □□□ □□□ □□□□.

Queue1□□□ □□□□ □□□□. Queue1□ □□ □□□ □□ □□□□□.

* Name ⓘ
Queue1

Max queue size
1 GB

Message time to live ⓘ
Days: 0 Hours: 2 Minutes: 0 Seconds: 0

Lock duration ⓘ
Days: 0 Hours: 0 Minutes: 5 Seconds: 0

☐ Enable duplicate detection ⓘ

☒ Enable dead lettering on message expiration ⓘ

☐ Enable sessions ⓘ

☒ Enable partitioning ⓘ

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□□ □□□□

□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

If a message that has a TTL of four hours is written to Queue1 and is never read, the message will be

- deleted after two hours
- deleted after four hours
- deleted after two hours and five minutes
- retained until manually deleted

If a message that has a TTL of two hours is written to Queue1, and then read after one hour, the message will be

- deleted immediately
- deleted in five minutes
- deleted in one hour
- retained until manually deleted

Answer:

If a message that has a TTL of four hours is written to Queue1 and is never read, the message will be

- deleted after two hours
- deleted after four hours
- deleted after two hours and five minutes
- retained until manually deleted

If a message that has a TTL of two hours is written to Queue1, and then read after one hour, the message will be

- deleted immediately
- deleted in five minutes
- deleted in one hour
- retained until manually deleted

□□:

□□ 1: □□□□ □□□ □□□ □□

□□□□□ PeekLock□ Queue□□ □□□□□ □□□□□ 2□□ □□ DeadLetter□ □□□□ □□□ □□□ □□□ □□□ □□□□□□. □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□.

□□ 2: □□ □□□

□□□□ □□□□ □□ □□□□□. □□□□□ □□□□□ 5□ □ "□□" □□□ □□□□ □□ □□ □□ □□□□. □□□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□ □□□ □□/□□□□ □□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□□. □□ □□□□□□ API □□□□□ Complete□ □□□ □ □□□□ □□□□ □□□ □□□□ □□ □□□□□□. □□ □□□□ □□□□□ □□□□□ □□□□ □ □□ □□□□ □□□□□□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/message-expiration>

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/message-transfers-locks-settlement>

NEW QUESTION: 35

Azure AD(Active Directory) Privileged Identity Management□□ □□ □□□ □□ Azure □□□ □□□ □□□ □□ □□ □□□ □□□□□.

User1 will be able to use the Owner role

for eight hours

for one month

for three months

Indefinitely

After User1 activates the role for the first time, User1 will

need to activate the role in eight hours

need to activate the role in one month

need to activate the role in three months


never need to activate the role again

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-add-role-to-user?tabs=new>

NEW QUESTION: 36

□□□ □□□□□ □□ □□□□ □□ □□□□□□□□.



□□□□ □□ □□ □□ □□□□□□.

Allowed port name	Inbound (TCP)	Outbound (TCP)
FW1	993, 3389	80, 993
FM2	443, 995, 3389	80, 995

Prod1□□ vCenter □□□ □□□□ □□□□.

Test1□ Azure Migrate Collector□ □□□□□□.

□□ □□□ □□□□ □□□.

□ □□□□□ □□ TCP □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□□□ □□□ □□□□. □ □□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□. □□□□ □ □□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

TCP Ports

Answer Area

Inbound 80

Inbound 995

Outbound 3389

Outbound 443

FW1:

FW2:



Answer:

TCP Ports	Answer Area
Inbound 80	FW1: Outbound 443
Inbound 995	FW2: Outbound 443
Outbound 3389	
Outbound 443	

□□:

<https://docs.microsoft.com/en-us/azure/migrate/migrate-appliance>

NEW QUESTION: 37

Azure □□□ □□□□.

□□□□ □□□ □□ □□□□□ □□□ □□□□ □□□□□□. □□□ □□□□ Azure □□□

□ □□□□□ □□ □□ □ □□□ □ VPN□ □□□□ □□□. □□ □□□□ □□□□ □□□ □

Generate SAS and connection string

□□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

If on September 2, 2018, you run Microsoft Azure Storage Explorer on a computer that has an IP address of 193.77.134.1, and you use SAS1 to connect to the storage account, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

If on September 10, 2018, you run the net use command on a computer that has an IP address of 193.77.134.50, and you use SAS1 as the password to connect to share1, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

Answer:

Answer Area

If on September 2, 2018, you run Microsoft Azure Storage Explorer on a computer that has an IP address of 193.77.134.1, and you use SAS1 to connect to the storage account, you [answer choice].

If on September 10, 2018, you run the net use command on a computer that has an IP address of 193.77.134.50, and you use SAS1 as the password to connect to share1, you [answer choice].

will be prompted for credentials

will have no access

will have read, write, and list access

will have read-only access

□□:

<https://docs.microsoft.com/en-us/azure/vs-azure-tools-storage-manage-with-storage-explorer?tabs=windows>

<https://feedback.azure.com/forums/217298-storage/suggestions/14498352-allow-azure-files-shares-to-be-mounted-using-sas-s>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows>

<http://www.rebeladmin.com/2018/03/step-step-guide-create-azure-file-share-map-windows-10/>

NEW QUESTION: 39

Subscription1 □ Subscription2□□ □ □□ Azure □□□ □□□□□.

Subscription1□□ □□□ □□ □□ □□□□□ □□□□.

Name	Address space	Location
VNET1	10.10.10.0/24	West Europe
VNET2	172.16.0.0/16	West US

□□ □□□□□□ □□ □□□□ □□□□□.

VNet-to-VNet ☐ ☐ ☐ ☐ Azure ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ 2: ☐

Azure ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐: ☐ Azure ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐: Azure ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ 3: ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IP ☐ ☐ ☐ ☐ ☐.

☐:

<https://azure.microsoft.com/en-us/blog/vnet-to-vnet-connecting-virtual-networks-in-azure-across-different-regions/>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-constraints>

NEW QUESTION: 40

ASP1 ☐ ☐ Azure App Service ☐ ☐ WebApp1 ☐ ☐ Azure ☐ ☐ ☐.

ASP1 ☐ D1 ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐ WebApp1 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐? ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐: ☐ ☐ ☐ 1 ☐ ☐ ☐.

Pricing tier for ASP1:

Settings for WebApp1:

SSL ☐


Answer:

Pricing tier for ASP1:

Settings for WebApp1:

SSL ☐

☐ ☐



Q1:

Q1 1: B1

B1(Basic) P1v2(Premium V2) S1(Standard) are the pricing tiers for ASP.NET Core.

Q2: What is the default CORS setting for a new WebApp?

The default CORS setting for a new WebApp is 'All origins are allowed'. This means that any origin is allowed to access the WebApp's resources.

Q3: CORS (Cross Origin Resource Sharing) is a security feature that allows a web application to access resources from a different domain. It is enabled by default for all WebApps. However, you can configure CORS to restrict access to specific origins. This is done by adding CORS policies to the application's configuration. CORS is a security feature that allows a web application to access resources from a different domain. It is enabled by default for all WebApps. However, you can configure CORS to restrict access to specific origins. This is done by adding CORS policies to the application's configuration. CORS is a security feature that allows a web application to access resources from a different domain. It is enabled by default for all WebApps. However, you can configure CORS to restrict access to specific origins. This is done by adding CORS policies to the application's configuration.

Q4:

<https://azure.microsoft.com/en-us/pricing/details/app-service/windows/>

<https://docs.microsoft.com/en-us/azure/cdn/cdn-cors>

NEW QUESTION: 41

VM1 is a virtual machine in a resource group. NIC1 is a network interface card. NIC1 is connected to VNET1.

RG2 is a resource group. IP2 is a public IP address. IP2 is assigned to NIC1. IP2 is in the same region as VM1.

What happens if you move IP2 to RG1?

Q1: The location of IP2 will change.

Answer Area

Statements	Yes	No
You can move storage1 to RG2.	☐	☐
You can move NIC1 to RG2.	☐	☐
If you move IP2 to RG1, the location of IP2 will change.	☐	☐

Answer:

Answer Area



Microsoft

Statements

You can move storage1 to RG2.

You can move NIC1 to RG2.

If you move IP2 to RG1, the location of IP2 will change.

Yes

No



□□:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/move-support-resources>


<https://docs.microsoft.com/en-us/azure/virtual-network/move-across-regions-publicip-powershell>

NEW QUESTION: 42

storage1□□□ Azure Storage □□□ □□□□.

app1□□□ Azure App Service □□ Azure □□□□ □□□□□□ □□□□ App2□□ □□ □□ □□. □ □□ □□ ID□ □□□□□.

App1 □ App2□ □□ 30□ □□ storage1□□ blob□ □□ □ □□□ □□□□ □□□. □ □□ □□ storage1□□ □□□ □□□□ □□□□?



Answer:



□□:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

NEW QUESTION: 43

Scenario: Your company has a Microsoft Azure subscription. The subscription contains a storage account named Sync1. Sync1 contains a blob named File1.txt. The blob is 1 MB in size. The blob is replicated to a secondary storage location. The secondary storage location is a storage account named Share2. Share2 is located in a different region than Sync1. Share2 is a standard storage account. Share2 is configured to replicate data from Sync1. The replication is asynchronous. The replication is configured to replicate data from Sync1 to Share2. The replication is configured to replicate data from Sync1 to Share2. The replication is configured to replicate data from Sync1 to Share2.

Name	Share	Share contents
Server1	Share1	File1.txt, File2.txt
Server2	Share2	File2.txt, File3.txt

Share1 is a standard storage account. Share1 is configured to replicate data from Sync1. The replication is asynchronous. The replication is configured to replicate data from Sync1 to Share1. The replication is configured to replicate data from Sync1 to Share1. The replication is configured to replicate data from Sync1 to Share1.

Statements	Yes	No
On the cloud endpoint, File1.txt is overwritten by File1.txt from Share1.	☐	☐
On Server1, File1.txt is overwritten by File1.txt from the cloud endpoint.	☐	☐
File1.txt Share1 replicates to Share2.	☐	☐

Answer:

Statements	Yes	No
On the cloud endpoint, File1.txt is overwritten by File1.txt from Share1.	☒	☐
On Server1, File1.txt is overwritten by File1.txt from the cloud endpoint.	☐	☒
File1.txt Share1 replicates to Share2.	☒	☐

Answer:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-planning>

<http://techgenix.com/azure-file-sync-replicating-data/>

NEW QUESTION: 44

Scenario: Your company has a Microsoft Azure subscription. The subscription contains a storage account named Subscription1. Subscription1 is a standard storage account. Subscription1 is configured to replicate data from a source storage account to a destination storage account. The replication is asynchronous. The replication is configured to replicate data from the source storage account to the destination storage account. The replication is configured to replicate data from the source storage account to the destination storage account.

Name	Account kind	Azure service that contains data
storage1	Storage	File
storage2	StorageV2 (general purpose v2)	File, Table
storage3	StorageV2 (general purpose v2)	Queue
storage4	BlobStorage	Blob

Azure Import/Export ☐☐☐☐ Subscription1 ☐☐ ☐☐ ☐☐☐☐
☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
☐☐ ☐☐ ☐☐

- A. ☐☐☐☐
B. ☐☐☐☐
C. ☐☐☐☐
D. ☐☐☐☐

Answer: D (LEAVE A REPLY)

Azure Import/Export ☐☐☐ ☐ ☐☐☐ ☐☐ ☐☐
☐ ☐ v2 ☐☐☐ ☐ (☐☐☐ ☐☐☐ ☐☐) Blob Storage ☐☐ v1 ☐☐☐ ☐
☐ (☐☐ ☐ Azure Resource Manager ☐☐ ☐), Azure Import/Export ☐☐☐ ☐☐
☐ ☐☐ ☐☐☐
☐☐☐☐ Azure Blob ☐☐☐ ☐ Azure ☐☐ ☐☐☐☐ ☐☐
☐☐☐☐ Azure Blob ☐☐☐☐ ☐☐☐
☐

<https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-requirements>

NEW QUESTION: 45

Subscription1 ☐☐☐ Azure ☐☐ ☐☐☐. Subscription1 ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐
☐ ☐☐☐.

Name	Address space	Subnet name	Subnet address range
VNet1	10.1.0.0/16	Subnet1	10.1.1.0/24
VNet2	10.10.0.0/16	Subnet2	10.10.1.0/24
VNet3	172.16.0.0/16	Subnet3	172.16.1.0/24

Subscription1 ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

Name	Network	Subnet	IP address
VM1	VNet1	Subnet1	10.1.1.4
VM2	VNet2	Subnet2	10.10.1.4
VM3	VNet3	Subnet3	172.16.1.4

☐ ☐ ☐☐ ☐☐ ☐ ICMP ☐☐☐ ☐☐☐ ☐☐☐
☐ ☐ ☐☐☐ ☐☐☐.

Virtual network	Peering network
VNet1	VNet3
VNet2	VNet3
VNet3	VNet1

☐ ☐ ☐☐☐ ☐ ☐☐☐ ☐ ☐ ☐☐☐. ☐☐ ☐☐ ☐☐☐ ☐☐☐
☐: ☐ ☐☐ ☐☐ 1 ☐☐ ☐☐ ☐☐.

IdFix Azure Active Directory Azure Active Directory Active Directory ID Azure Active Directory IdFix Azure Active Directory Active Directory Azure Active Directory.

Active Directory

humongousinsurance.com Azure Active Directory UPN Azure Active Directory.

Azure AD Azure Active Directory Azure Active Directory.

: <https://www.microsoft.com/en-us/download/details.aspx?id=36832>

1, Azure

Huongous Insurance, Tokoyo Bankok 3 Azure Active Directory. Azure Active Directory

5000 Azure Active Directory.

Active Directory

Humongous Insurance humongousinsurance.com Azure Active Directory Azure Active Directory. Azure Active Directory Windows Server 2012 Azure Active Directory.

Azure AD(Azure Active Directory) Azure Active Directory.

Azure Active Directory

Azure Active Directory Azure Active Directory Azure Active Directory. Azure Active Directory Azure Active Directory.

Azure Active Directory Azure Active Directory Azure Active Directory.

Active Directory

humongousinsurance.com Azure Active Directory UPN Azure Active Directory.

Azure AD Azure Active Directory Azure Active Directory.

Azure Active Directory

Azure Azure Active Directory Azure Active Directory "Azure Active Directory. Azure Active Directory Azure Active Directory." Azure Active Directory Azure Active Directory. Azure Azure Active Directory Azure Active Directory.

Azure Active Directory

Azure Active Directory

Humongous Insurance Azure Active Directory Azure Active Directory. Azure Active Directory 12 Azure Active Directory 1,000 Azure Active Directory. Azure Active Directory Azure Active Directory Azure Active Directory.

Azure AD Azure Active Directory

Azure Active Directory Azure AD Azure Active Directory.

Azure Active Directory Azure AD Azure Active Directory.

Azure Azure Active Directory

All_Resources Azure Active Directory Azure Active Directory Azure Active Directory.

* Azure Azure Active Directory Azure Active Directory

* Subnet1 Subnet2 Azure Active Directory Paris-VNet Azure Active Directory

* ClientSubnet Azure Active Directory ClientResources-VNet Azure Active Directory

* Subnet3 □ Subnet4□□ □ □□ □□□□ □□□□ AllOffices-VNet□□□ □□ □□□□ Paris-VNet□ AllOffices-VNet □□ □□□□ □□□□ □□□□□. Paris-VNet □□□□ □□ □□ □□□□□ □□ □□□□ □□□□□.

humongousinsurance.local□□□ □□ DNS □□□ □□□ □□ □□□□□ ClientResources-VNet □□ □□□□□ □□□ □□□□□.

□□□ Azure □□□ □□□
 □ □□□□□ Windows Server 2012 R2, Windows Server 2016 □□ Red Hat Linux□ □□□ □ □□ □□□ □□□□□.

□□ □□ □□

Humongous Insurance□ □□ □□□ □□ □□ □□ □□□ □□□□□.

* □ □□□□ □□□ □□□ Azure □ □□ □□□□□. □ □ □□ □□□ □□□ □□□ □□□ □□. □ □□ □□ □□□ □□□□□. □ □□□□ □□□ □□□ □ □□ □□□ □ □□ □□□ □□□□.

* □□□ □□□□ □□ □□□ □□□□ □□ □□ □□ Azure □□□ □□□ □ □□□ □□□. □□ □□ □□

□□□□ □□□□ □□□□ Azure□ □□□□ □□□□ □ Azure Active Directory Seamless Single Sign-on(Azure AD Seamless SSO)□ □□□□ □□□.

AZ-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-104 □□! DumpTop □ □□ **AZ-104** □□ □□□ □□□□□□, DumpTop AZ-104 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-104 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

□□ □□□□ □□□□ Contoso.com□□□ Azure Active Directory □□□□ □□□□.

Name	Role
User1	Cloud device administrator
User2	User administrator

Contoso.com□□ □□ Windows 10 □□□ □□□□□.

Name	Join type
Device1	Azure AD registered
Device2	Azure AD joined

Contoso.com□□ □□ □□ □□□ □□□□.

Name	Join type	Owner
Group1	Assigned	User1
Group2	Dynamic Device	User2

□□ □ □□ □□ □□ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

Q1: Which statements are true?

Statements	Yes	No
User1 can add Device2 to Group1	☐	☐
User2 can add Device1 to Group1	☐	☐
User2 can add Device2 to Group2	☐	☐

Answer:

Statements	Yes	No
User1 can add Device2 to Group1	☒	☐
User2 can add Device1 to Group1	☐	☒
User2 can add Device2 to Group2	☒	☐

Q2:

Q2 1: Which statements are true?

User1 is a member of Group1.

Device2 is an Azure AD device.

Group1 is a security group. User1 is a member of Group1.

Q2: Which statements are true? (Select all that apply.)

Azure AD devices are managed by Azure AD. Azure AD devices are managed by Azure AD.

Q2 2: Which statements are true?

User2 is a member of Group1.

Device1 is an Azure AD device.

Group1 is a security group. User1 is a member of Group1.

Q2: Which statements are true? (Select all that apply.) Azure AD devices are managed by Azure AD, and Azure AD devices are managed by Azure AD.

Q2 3: Which statements are true?

Q2 3: Which statements are true?

User2 is a member of Group1.

Device2 is an Azure AD device.

Group2 is a security group. User2 is a member of Group2.

Q2:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/overview>

NEW QUESTION: 48

Azure Resource Manager ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ Windows Server 2019 ☐
☐☐ ☐☐ Azure ☐☐ ☐☐ ☐☐ ☐☐☐☐. NGINX ☐☐ ☐☐ ☐☐ ☐☐☐☐
☐☐ ☐☐ ☐☐ ☐☐. ☐☐ ☐☐☐☐☐☐?

- A. DSC(Desired State Configuration) ☐☐
- B. Publish-AzVMDscConfigurationCmdlet
- C. Microsoft Intune ☐☐ ☐☐ ☐☐
- D. Azure App Service ☐☐ ☐☐

Answer: A ([LEAVE A REPLY](#))

Azure DSC(Desired State Configuration) ☐☐ ☐☐ ☐☐ ☐☐ VM ☐ Azure Automation State Configuration(DSC) ☐☐☐ ☐☐☐☐☐ ☐☐☐. ☐☐ ☐☐ VM ☐☐ ☐☐ ☐☐
☐ Azure Monitoring ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐. ☐☐ ☐☐
☐ VM ☐☐ ☐☐ Azure ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐. ☐
☐☐ DSC ☐☐ ☐☐ ☐☐ DSC ☐☐ ☐☐ ☐☐.

☐☐:
<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/dsc-overview>

NEW QUESTION: 49

Active Directory ☐☐☐☐ contoso.com ☐☐ Azure Active Directory(Azure AD) ☐☐
☐ ☐☐☐. ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.



Name	Type	Source
User1	Member	Azure AD
User2	Member	Windows Server Active Directory
User3	Guest	Microsoft account
User4	Member	Windows Server Active Directory

☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

Name	Office phone	Mobile phone
User1	222-555-1234	222-555-2345
User2	null	null
User3	222-555-1234	222-555-2346
User4	222-555-1234	null

4 ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ Azure MFA(Multi-Factor Authentication) ☐☐☐ ☐☐ ☐☐ ☐☐
☐☐.

☐☐: User2 ☐☐ ☐☐ ☐☐ ☐☐.

☐☐ ☐☐ ☐☐☐?

- A. ☐
- B. ☐☐

Answer: ([SHOW ANSWER](#)**)**

☐☐

User3 ☐☐ Azure AD ☐☐ ☐☐ ☐☐ ☐☐.

☐☐: Azure AD ☐☐ ☐☐ ☐☐ ☐☐. ☐☐☐ ☐☐ ☐☐ ☐☐.

☐☐:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication->

methods

NEW QUESTION: 50

Contoso is a company that has a large number of users.

The company has a large number of users who are using the company's services.

The company has a large number of users who are using the company's services.

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	☐	☐
Contoso requires a storage account that supports Azure Table storage.	☐	☐
Contoso requires a storage account that supports Azure File Storage.	☐	☐

Answer:

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	☒	☐
Contoso requires a storage account that supports Azure Table storage.	☐	☒
Contoso requires a storage account that supports Azure File Storage.	☐	☒

Q1:

Q1 1: Q

Contoso is a company that has a large number of users. The company has a large number of users who are using the company's services.

The company has a large number of users who are using the company's services. The company has a large number of users who are using the company's services.

Q2: Q

Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database.

1. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database.

2. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database.

3. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database.

4. WCF Data Service .NET Libraries, OData, LINQ, and other technologies.

5. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database. Azure Table Storage is a NoSQL database.

□□□.

□□:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-data-to-azure-blob-using-azure-storage-explorer>

<https://docs.microsoft.com/en-us/azure/storage/tables/table-storage-overview>

NEW QUESTION: 51

VNet1□□□ □□ □□□□□ □□□ Azure □□□ □□□□. VNet 1□□ Subnet1 □ Subnet2□
□ □ □□ □□□□ □□□□. VNet1□ □□□ Azure □□□ □□□□.
□□□□ □□ □□ □□ □□□ □□□□□.

Name	Connected to
VM1	Subnet1
VM2	Subnet1
VM3	Subnet2

AppGW1□□□ □□□□□□ □□□□□□ VNet1□ □□□□ □□□.

□□ □□□ □□ □□□?

A. □□□ □□□□□□ □□□□□.

B. □□ □□□□□ □□□□□.

C. VM3□ □□□1□ □□□□□.

D. VM1 □ VM2□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□

□□ □□ □□□□□ □□ □□ □□□ □ □□□□ □□□□□ □□ □□ □□□□□ □□□□
□□ □□□□□□□□ □□□ □ □□□□ □□□□.

□□□□ □□□□ □□ □□□□ □□ □□□□□ □□□ □□□□□. □□□□ □□□□ □□ □
□□□ □□□□ □□□ □□□ □□□□□. □□□□□□ □□□□□□ □□□□□ □□ □□□
□ □□□□ □□□ □□□.

□□:

[https://social.msdn.microsoft.com/Forums/azure/en-US/b09367f9-5d01-4cda-9127-](https://social.msdn.microsoft.com/Forums/azure/en-US/b09367f9-5d01-4cda-9127-b7a506a0a151/cant-create-ap)

[b7a506a0a151/cant-create-ap](https://social.msdn.microsoft.com/Forums/azure/en-US/b09367f9-5d01-4cda-9127-b7a506a0a151/cant-create-ap)

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-create-gateway>

NEW QUESTION: 52

Azure □□□ □□□□.

□□ □□□□ □□ Enterprise Mobility + Security E5 □□□□□ □□□□□□.

□□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□ □□□□ □□□?

A. Azure AD(Azure Active Directory) □□□ □□□ □□

B. Azure Active Directory(Azure AD) □□ □□

C. Azure □□□ □□□ □□ Azure AD(Azure Active Directory) Privileged Identity Management

D. Azure AD □□□□ □□□ □□ Azure AD(Azure Active Directory) Privileged Identity

Management

Answer: C ([LEAVE A REPLY](#))

□□

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-resource-roles-assign-roles>

NEW QUESTION: 53

□□□ Admin1□□□ □□□□ □□□ □ Azure □□□ □□□□□□.

Admin1□ Azure Resource Manager □□□□ □□□□ Azure Marketplace □□□□ □□□□□
□□□. Admin1□ Azure PowerShell□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□
□. □□ □□□ □□□□□ Azure Portal(<http://go.microsoft.com/fwlink/?LinkId=534873>)□ □□□
□ Marketplace □□□ □□ □□□□□ □□ □□□ □□□□□ □□□□ □□□□□□." Admin1
□ Marketplace □□□□ □□□□□ □□□ □ □□□ □□□□□.
□□□ □□□□□□□□□?

A. Azure PowerShell□□ Set-AzApiManagementSubscription cmdlet□ □□□□□.

B. Azure Portal□□ Microsoft.Marketplace □□□ □□□□ □□□□□.

C. Azure PowerShell□□ Set-AzMarketplaceTerms cmdlet□ □□□□□.


D. Azure Portal□□ □□ □□□ □□□ Admin1□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

<https://docs.microsoft.com/en-us/powershell/module/az.marketplaceordering/set-azmarketplaceterms?view=azps-4.1.0>

NEW QUESTION: 54

□□ □□□□ □□ Azure Storage □□□ □□□□.



NAME	TYPE	KIND	RESOURCE	LOCATION	SUBSCRIPTI...	ACCESS T...	REPLICAT....
storageaccount1	Storage account	Storage	ContosoRG1	EastUS	Subscription 1	-	Read-access ge...
storageaccount2	Storage account	StorageV2	ContosoRG1	CentralUS	Subscription 1	Host	Geo-redundant...
storageaccount3	Storage account	BlobStorage	ContosoRG1	EastUS	Subscription 1	Host	Locally-redund....

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□□ □□□□
□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

You can use [answer choice] for Azure Table Storage.

▼
storageaccount1 only
storageaccount2 only
storageaccount3 only
storageaccount1 and storageaccount2 only
storageaccount2 and storageaccount3 only

You can use [answer choice] for Azure Blob storage.

▼
storageaccount3 only
storageaccount2 and storageaccount3 only
storageaccount1 and storageaccount3 only
all the storage accounts

Answer:

Answer Area
You can use [answer choice] for Azure Table Storage.
▼
storageaccount1 only
storageaccount2 only
storageaccount3 only
storageaccount1 and storageaccount2 only
storageaccount2 and storageaccount3 only
You can use [answer choice] for Azure Blob storage.
▼
storageaccount3 only
storageaccount2 and storageaccount3 only
storageaccount1 and storageaccount3 only
all the storage accounts

□□:

□□ 1: storageaccount1 □ storageaccount2□ □□

□□ 2: □□ □□□□ □□

□□: □ □□ □□□ □□ □□□ □□ v2(GPv2) □□, □□ v1(GPv1) □□ □ Blob □□□ □□□ □□.

GPv2(□□ v2) □□□ Blob, □□, □ □ □□□□ □□ □□ □□□ □□□□ □□□□ □□.

Blob Storage □□□ GPv2□ □□□ □□ □□ Blob □□□ □□□□□ □□ Blob□ □□□□□ □□□□□.

GPv1(□□ v1) □□□ □□ Azure Storage □□□□ □□ □□□□ □□□□□ □□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-options>

NEW QUESTION: 55

adatum.com□□□ Azure DNS □□□ □□□□. research.adatum.com□□□ □□ □□□□ Azure□ □□ DNS □□□ □□□□ □□□. □□□ □□□□□□□□□?

A. adatum.com □□□□ research□□ PTR □□□□ □□□□.

B. adatum.com □□□□ research□□ NS □□□□ □□□□□.

C. adatum.com SOA □□□□ □□□□□.

D. adatum.com □□□ ".research"□□ A □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□□ □□ □□ □□(NS) □□□□ □□□□ □□□.

□□:

<https://docs.microsoft.com/en-us/azure/dns/delegate-subdomain>

NEW QUESTION: 56

VNet1□□□ □□ □□□□□ □□□ Subscription1□□□ Azure □□□ □□□□.

□□ □□ □□□□ □□□□□.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

□□ 2? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Add a subnet to VNet1:

▼

User1 only

User3 only

User1 and User3 only

User2 and User3 only

User1, User2, and User3

Assign a user the Reader role to VNet1:

▼

User1 only

User2 only

User3 only

User1 and User2 only

User2 and User3 only

User1, User2, and User3

Answer:

Add a subnet to VNet1:

▼

User1 only
 User3 only
 User1 and User3 only
 User2 and User3 only
 User1, User2, and User3

Assign a user the Reader role to VNet1:

▼

User1 only
 User2 only
 User3 only
 User1 and User2 only
 User2 and User3 only
 User1, User2, and User3



□□:

□□ 1: User1 □ User3□.

□□□ □□□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □ □□□□.

□□□□ □□□ □□□ □□□□ □□□□□ □□□ □ □□□ □□□□ □□ □□□□.

□□ 2: User1 □ User2□

□□ □□□ □□: □□ □□□□□□: □□ □□□ □□, □□ □□□ □□, □□ □□□ □□□□,

□□ □ □□ □□□ □□, □□ □ □□ □□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION: 57

□□ □□ □□□ □□□□ □□□ Subscription1□□□ Azure □□□ □□□□.

Name	Type	Resource group
VNET1	Virtual network	RG1
VNET2	Virtual network	RG2
VM1	Virtual machine	RG2

VM1□ □□□ □□ □□□□.

□□□□ □□□ □□ Azure □□□ □□□□□. (□□ □□ □□□□□.)

Assign policy



SCOPE

- [Scope](#) (Learn more about setting the scope)

Azure Pass/RG2

Exclusions

BASICS

- Policy definition

Not allowed resource types

• Assignment name ①

Not allowed resource types

Description

Assigned by

First User

PARAMETERS

• Not allowed resource types⁹

3 selected

Assign

Cancel

[illegible]

Microsoft.ClassicNetwork/virtualNetworks

Microsoft.Network/virtualNetworks

□□ □ □□ □□ □□ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Statements

Yes

No

An administrator can move VNET1 to RG2.

☐
☐

The state of VM1 changed to deallocated.

☐
☐

An administrator can modify the address space of VNET2.

☐
☐

Answer:

Statements	Yes	No
An administrator can move VNET1 to RG2.	☐	☐
The state of VM1 changed to deallocated.	☐	☐
An administrator can modify the address space of VNET2.	☐	☐

□□:

□□□□ □□ □□□ □□(□□): □□□ □□ □□□ □□□□ □□□ □□□. □□ □ □□□ □
□ □□□ □□ □□□ □□□□ □□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□/
□□ □□ □□ □□ □□ □□ □□ □□□ □□□□ □□□□. □□□ □□□□ □□ □□□□ □
□ □□□□ □□□□□.

VM□ □□ □□□□ LAB□□ □ □□□□□ □□□□□ □□□ □□□ □□□□.

* VM□ □□ □□□□ □□

* VM□ □□□□□ □□□□ □□□ □ □□□□.

* □□□ □□ □□□□ □□ VM□ □□□ □ □□□□.

* VM □□□ □□□ □ □□□□.

* □□ □□□□□ □□ □□□ □□□ □ □□□□.

* □□ □□□ □□□□ □□ □□□□ □ VM□ □□□□□ □□□□□□.

□□ 1: □

□□ □□□ □□□□ □□□ VNET1□ □□□□ □□□□□ RG2□ □□□ □ □□□□. □□□
□ □□□ □□□□□.

□□ 2: □□□

□□ □□□ □□□□ □□□ VM□ □□□□ □□□□□ □□ □□□□ □□ □□ □□□□□. □
□□ □ □□□ □□□□□.

□□ 3: □□□

□□ □□□ □□□ VNET2□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□□□□.

Answer Area

Statements

Yes

No

An administrator can move VNET1 to RG2.


☒
☐

The state of VM1 changed to deallocated.

☐
☒

An administrator can modify the address space of VNET2.

☐
☒

□□:

<https://docs.microsoft.com/en-us/azure/governance/policy/assign-policy-portal>

NEW QUESTION: 58

□□ □□ □□□ □□□□ Azure Storage □□□ □□□□ □□□.

* □□ □□□

* □, □ □ □□□□ Blob □□ □□

* □□□ □□□ □□ Azure □□□ □□□ □□□ □□ □□□□□ □□□□□□. □□□ □□□ □

□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□:

□ □□□ □□□ 1□□ □□□ □□□□.

Answer Area



Microsoft

```
az storage account create -g RG1 -n storageaccount1
```

--kind

BlobStorage
Storage
StorageV2

--sku

Standard_GRS
Standard_LRS
Standard_RAGRS
Premium_LRS

Answer:

Answer Area

```
az storage account create -g RG1 -n storageaccount1
```

--kind

BlobStorage
Storage
StorageV2

--sku

Standard_GRS
Standard_LRS
Standard_RAGRS
Premium_LRS

□□

□□:

□□ 1: □□□ □□□ □□ □□ □□ □□ □□□□ □□□□□.

□□ □□□ □□ □□□□□□. □□ □□ □□□ □□ □□□ □□, □□ □□ □□ □□ □□ □ □□□□ □□□□□.

□□ 2: □□□ □□ □□□□□ □□

□□ □□□ □□ □□, □□□ □□ □ □□□□ □□□ □□□□ □□ □□ □□□□□ □□ □□ □□□□ □□ □□ □□□□.

□□:

<https://www.petri.com/comparing-basic-standard-azure-load-balancers>

NEW QUESTION: 60

Bus1□□□ Azure Service Bus□ □□□ Azure □□□ □□□□.

□□□ App1 □ App2□□ □ □□ Azure □□□ □□□ □□□□□. □ □□ □□ □□ □□□ □ □□□□ □□□□□.

App1□□ □□ □ □□□□ □□ □□□□ □□□□ □□□. App2□□ □□ □ □□□□ □□ □ □□□ □□□□□.

□ □ □□ □□ □□ □□□□ □□□□ □□□? □□□□□ □□□ □□□□ □□□ □ □□□ □□□□□□□. □ □□□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□. □□□□ □ □□ □ □□□ □□ □□□ □□□□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Resource

A Service Bus queue

A Service Bus topic

An Azure Event Grid topic

Azure Blob storage

Answer Area

App1

App2

Answer:

Resource

A Service Bus queue

A Service Bus topic

An Azure Event Grid topic

Azure Blob storage

Answer Area

App1

A Service Bus queue

App2

A Service Bus topic


□□:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-queues-topics-subscriptions>

NEW QUESTION: 61

Admin1, Admin2 □ Admin3□□□ □ □□ □□ □□□□ □□□ Azure AD(Azure Active Directory) □□□□ □□□□.

□□□□ Azure □□□ □□□□□. □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□□□. (□□ □□ □□□□□.)



Azure AD ID 00000000-0000-0000

ID 00000000-0000-0000, 0000 00 0 MFA 0000 0 00 00 0000 0000.

00 00000000 00(000000 IP 00) 00 0000 00000 0 00 0000 0000.

Azure AD Privileged Identity Management 00 0000 00 0000 - 0000 00 0 0000 0

0000 000000 00000 00000000 00000 0 0000 00 00000.

Azure AD ID 00 0000 00 00 - 0000 00

ID 00000 0000 00, 0000 00 0 MFA 0000 0 00 00 0000 0000.

00 00000000 00(000000 IP 00) 00 0000 00000 0 00 0000 0000.

00:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 63

Azure 0000 0000.

Azure Portal 00 00 0000 00000 storage1 0000 0000 0000 00 000000.

* 00: 00

* 00: 00 00 0000(ZRS)

* 0000 00(0000): 0

* 0000 00000000: 000000

storage1 00 00 00 0000 BlockBlobStorage 0000 0 0000 00000 0000.

00 0000 00 00000 0000?

A. 00

B. 00

C. 000 00(000)

D. 000 000000

Answer: A ([LEAVE A REPLY](#))

00: [00]

00/00:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-performance-tiers>

NEW QUESTION: 64

00 00 000 00 000 000 Azure 000 0000.

Name	Operating system	Connects to
VM1	Windows Server 2019	Subnet1
VM2	Windows Server 2019	Subnet2

VM1 0 VM20 00 IP 000 00000. VM1 0 VM20 Windows Server 201900 0000
00 0000 000 00000.

Subnet1 0 Subnet20 VNET1000 00 00000 0000.

0000 NSG1 0 NSG200 0 00 NSG(0000 00 00)0 0000 0000. NSG10
00 000 00000.

NSG20 00 0 00 000 00 00 000 00000.

* 0000: 100

* 00: 001

* 00: 3389

* 0000: TCP

* 00: 0000

* 000: 0000

* 00: 00

NSG10 Subnet10 00000. NSG20 VM20 0000 000000 00000.

00 0 00 00 00 00 000 00 00000. 000 000 0000 00000.

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	☐	☐
From the internet, you can connect to VM2 by using Remote Desktop.	☐	☐
From VM1, you can connect to VM2 by using Remote Desktop.	☐	☐



Answer:

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	☐	☒
From the internet, you can connect to VM2 by using Remote Desktop.	☒	☐
From VM1, you can connect to VM2 by using Remote Desktop.	☒	☐

□□:

□□ 1: □□□

RDP□ □□ □□□ TCP □□ 3389□□□. RDP □□□□ □□□□ □□□ VM□ □□□ □ □□ □□ □□□□ □□□.

□□ 2: □

NSG2□ □□□ □□□ □□□□.

□□ 3: □

NSG2□ □□□ □□□ □□□□.

NSG-Subnet1□ □□ □□ □□: Azure□ □□□□□ □□ □□□□□ □□ □□□ □□ □□□□ □□□□ □□□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection>

NEW QUESTION: 65

Azure □□□□ □□□□ □□□ □□ □ □□ □□□ □□ □□□ □□□□ □□□□.

□□ □ □□ □□ □□ □□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

Statements	Yes	No
The virtual machines on Subnet1 will be able to resolve the hosts in the humongousinsurance.local zone.	☐	☐
The virtual machines on ClientSubnet will be able to register the hostname records in the humongousinsurance.local zone.	☐	☐
The virtual machines on Subnet4 will be able to register the hostname records in the humongousinsurance.local zone.	☐	☐

Answer:

Statements

Yes

No

The virtual machines on Subnet1 will be able to resolve the hosts in the humongousinsurance.local zone.

☒
☐

The virtual machines on ClientSubnet will be able to register the hostname records in the humongousinsurance.local zone.

☒
☐

The virtual machines on Subnet4 will be able to register the hostname records in the humongousinsurance.local zone.

☐
☒

□□:

<https://docs.microsoft.com/en-us/azure/dns/private-dns-overview>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-instances>

□□ 2, Litware, Inc.

□□ □□

□□□□□□ Litware.com□□□ Active Directory □□□□□ □□□□ □□□□. □□ □□□ □□□□ DNS □□□ □□□□ Litware.com DNS □□□ □□□□□□.

Litware□□ □□, □□, □□, □□ □ □□ □□ □□□ □□□□. □ □□□□ □□ □□□ □□ □□□□ OU(□□ □□ □□)□ □□□□. □□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□. □□□ □□□□ □□ □□□□□.

Litware.com□□ User1□□□ □□□□ □□□□.

□□ □□□□ □□ □□□ □□□□ □□□□□.

Litware□ □□□□□ □□□ □□□□ □□□ □□□ □□ □□□□. □ □□□ □□□□ VPN □□ □□□ □ □□ □□□□ □□□□.

□□ □□□ □□□ □□□□□□. □□□ □□□□ □□ □□ □□□ □□□□□.

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Litware□ App1 □ App2□□ □ □□ □ □□ □□□□□ □□□□□. □ □ □□□□□□□ □ □□□□□ 1GB□ □□□□ □□□□□.

Azure □□□□ □□ □□ □□□□ □□□□ □□□□.

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

□□□□ □□ □□ □□ NSG(□□□□ □□ □□)□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ □□□ □□□□□.

* Azure ExpressRoute□ □□□□ □□□□ □□□□□.

* Server1 □ Server2□□ □□□□□ □□ □□□ Azure□ □□□□□□□□□.

* □-□□□□ Active Directory□ Azure Active Directory(Azure AD)□ □□□□□□.

* App1 □ App2□ webApp1 □ WebApp2□□ □ □□ Azure □ □□□ □□□□□□□□□.

□□ □□ □□

Litware□ □□ □□ □□□ □□□□ □□□.

* WebApp1□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□ □□ 5□□ □□□□□□ □□ □□ □□□ □□□□□*.

* VM3□ TCP □□ 8080□ □□ □□□□ □□□□ □□□□□□ □□□ □□ □□□□□ □□□ □□□ □□□□□.

* Azure□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□□□.

* □□ □□□ □□□□ □□□□ Azure MFA(Multi-Factor Authentication)□ □□□□□ □□□□ □.

* app2.Litware.com□□□ □□□ □□□□ webapp2.azurewebsites.net□ □□□□ □ □□□ □ □□□□.

* □□□□ □□□ □□□□ □□□□ □□ New Your Office□ VNet1□ □□□□□.

* VM4□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□ □□□□.

* □□ □□□ □□□□ □□ Role1□□□□ □□□ □□ Azure □□□ □□□□.

* □□□□ □□□ □□□□□□□.

NEW QUESTION: 66

Azure □□ □□□ □□□□ □ □□□□ Template1□□□ Azure Resource Manager □□□□ □ □□□.

Template1□□ □□ □□□□ □□□□ □□□□.

Template1□ □□ □□□□ □□ □□□□ □□□□ □□□□.

"□□": "□□□"

Template1□ □□□ □□□□ □□ □□□□ □□□□ □□□□.

Template1□ □□□□ □□ □□ □□□ □□ □□□ □□□□ □□□.

□□□ □□□□□□□□?

A. □□□ □□ towestus□□ □□ □□

B. □□ □□ □□ □□

C. □□ □□ towestus□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□ □□ 2 □□□ VNET1□□□ □□ □□□□□ □□□ Azure □□□ □□□□. Azure Resource Manager □□□□□ □□ □□□□ □□□□.





Microsoft

Yes No

VM1 and VM2 can connect to VNET1.

☐☐

If an Azure datacenter becomes unavailable, VM1 or VM2 will be available.

☐☐

If the East US 2 region becomes unavailable, VM1 or VM2 will be available.

☐☐

Answer:

	Yes	No
VM1 and VM2 can connect to VNET1.	☒	☐
If an Azure datacenter becomes unavailable, VM1 or VM2 will be available.	☒	☐
If the East US 2 region becomes unavailable, VM1 or VM2 will be available.	☐	☒

Statements

Yes

No

VM1 and VM2 can connect to VNET1

☐☐

If an Azure datacenter becomes unavailable, VM1 or VM2 will be available.

☐☐

If the East US 2 region becomes unavailable, VM1 or VM2 will be available.

☐☐

□□:

<https://docs.microsoft.com/en-us/azure/architecture/resiliency/recovery-loss-azure-region>

NEW QUESTION: 68

10□□ Azure □□ □□□ Azure Automation □□ □□□ □□□□□□.

□□ □□ □□□ □□□□ □□□□ □□□□□ Azure Automation □□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□

□□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□ □□ □□□ □□□□. □□□ □□□ □□□ □□ □□□□ □□ □□□.

VM1 Pool1 . Rule2 Pool1, Listener 2 site2.contoso.com .

NEW QUESTION: 70

Subscription1 Azure .

Subscription1 share1 Azure .

SAS1 (SAS) .

Allowed services ⓘ

☐ Blob ☒ File ☐ Queue ☐ Table



Allowed resource types ⓘ

☒ Service ☒ Container ☒ Object

Allowed permissions ⓘ

☒ Read ☒ Write ☐ Delete ☒ List ☐ Add ☐ Create ☐ Update ☐ Process

Start and expiry date/time ⓘ

Start

2018-09-01



2:00:00 PM

End

2018-09-14



2:00:00 PM

(UTC + 02:00) --- Current Timezone ---

Allowed IP addresses ⓘ

193.77.134.10-193.77.134.50

Allowed protocols ⓘ

☒ HTTPS only ☐ HTTPS and HTTP

Signing key ⓘ

key1



Generate SAS and connection string

SAS .

: 1 .

Answer Area

If on September 2, 2018, you run Microsoft Azure Storage Explorer on a computer that has an IP address of 193.77.134.1, and you use SAS1 to connect to the storage account, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

If on September 10, 2018, you run the `net use` command on a computer that has an IP address of 193.77.134.50, and you use SAS1 as the password to connect to share1, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

Answer:

Answer Area

If on September 2, 2018, you run Microsoft Azure Storage Explorer on a computer that has an IP address of 193.77.134.1, and you use SAS1 to connect to the storage account, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

If on September 10, 2018, you run the `net use` command on a computer that has an IP address of 193.77.134.50, and you use SAS1 as the password to connect to share1, you [answer choice].

- will be prompted for credentials
- will have no access
- will have read, write, and list access
- will have read-only access

□□:

□□ 1: □□ □□□ □□ □□□□ □□□□□.

Azure Storage Explorer □ Windows, macOS □ Linux □□ Azure Storage □□□□ □□ □□□

□ □□ □□ □□□□ □□□□. Azure □□□ □□□ □□□□ □□□□ □ □□□□□.

□□ 2: □□, □□ □ □□ □□□ □□□ □□□□.

`net use` □□□ □□ □□□ □□□□ □ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-dotnet-shared-access-signature-part-1>

<https://docs.microsoft.com/en-us/azure/vs-azure-tools-storage-manage-with-storage-explorer?tabs=windows>

NEW QUESTION: 71

Azure AD Privileged Identity Management □ □□□ Azure AD(Azure Active Directory) □□□□ □□□□.

□□□□ □□ □□ □□□ □□□ □□□ 10□□ □□□□ □□□□.

□□□□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□.

□□□ □□□□□□□□□?

A. Azure AD Identity Protection □□ □□□ □□ □□□ □□□□□.

B. Azure AD Privileged Identity Management □□ □□□ □□□ □□□□□.

C. Azure AD ID .

D. Azure AD Privileged Identity Management .

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-start-security-review>

NEW QUESTION: 72

Azure .

SCOPE

* Scope ([Learn more about setting the scope](#))

Exclusions

BASICS

* Policy definition

* Assignment name ⓘ

Assignment ID

Description

Assigned by:

PARAMETERS

* Not allowed resource types ⓘ
  Microsoft

?

?

A. ContosoRG1 Azure SQL .

B. 1 Azure SQL .

C. ContosoRG1 Azure SQL Server .

D. 1 Azure SQL .

Answer: A (LEAVE A REPLY)

□□

ContosoRG1□ □□□□ □□ 1□ □□ □□□□ Azure SQL □□□ □□ □ □□□□.

NEW QUESTION: 73

VM1□□□ Azure □□ □□□ □□□ Azure □□□ □□□□. VM1□ Windows Server 2016□ □ □□□ □□□ □□□ □□□□□.

VM1□□ □□ □□ □□ □□□ □□□□□ □□□□.

VM1□ □□□□□.

□□□□ VM1□ □□□□ □□□. VM1□ □□□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□ □□□ □□□□□□.

Actions

- From the Restore configuration blade, set Restore Type to **Create virtual machine**.
- From the VM1 blade, edit the disk settings of the OS disk.
- From the Restore configuration blade, set Restore Type to **Restore disks**.
- From the Recovery Services vault, deploy a template.
- From the VM1 blade, add a disk.
- From the Recovery Services vault, **select a restore point** for VM1.

Answer Area

Answer:

Answer Area

- From the Recovery Services vault, select a restore point for VM1
- From the Restore configuration blade, set Restore Type to Restore disks.
- From the Recovery Services vault, deploy a template

1 - Recovery Services □□ □□ □□□□ VM1□ □□ □□□ □□□□□.

2 - □□ □□ □□□□□□ □□ □□□ □□□ □□□□ □□□□□.

3 - Recovery Services □□ □□ □□□□ □□□ □□

NEW QUESTION: 74

Subscription1□□□ Azure □□□ □□□□.

Subscription1□□ Alert1□□□ □□ □□□ □□□□.

Alert1 □□ □□□ □□ □□□ □□ □□□□□.

The number of email messages that Alert1 will send in an hour is [answer choice].



0
4
6
12
60

The number of SMS messages that Alert1 will send in an hour is [answer choice].

0
4
6
12
60

□□:

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/monitoring-and-diagnostics/monitoring-overview-alerts.md>

NEW QUESTION: 75

Workspace1□□□ Azure Log Analytics □□ □□□ □□□ Subscription1□□□ Azure □□□ □□□□.

Event□□ □□□□□ □□□ □□□□ □□□.

Workspace1□□ □□ □□□ □□□□ □□□?

A. Get-Event □□□ | □□□ {\$_. □□□ □□ == "□□□"}

B. □□□ | "□□□"□ □□

C. (□□□)*□□ □□ | □□□ EventType -eq "□□□"

D. Get-Event □□□ | □□□ {\$_.EventTye -eq "□□□"}

Answer: B ([LEAVE A REPLY](#))

□□/□□:

<https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/search-queries>

<https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/get-started-portal>

NEW QUESTION: 76

VM1□□□ Azure □□ □□□ □□□ Azure □□□ □□□□. VM1□ Windows Server 2016□ □ □□□ □□□ □□□ □□□□□.

VM1□□ □□ □□ □□ □□□ □□□□□ □□□□.

VM1□ □□□□□.

□□□□ VM1□ □□□□ □□□. VM1□ □□□ □□□ □□□□ □□□.

□□ □ □□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□

□□ □□□□ □□□ □□□ □□□□□□□.

Actions

From the Restore configuration blade, set Restore Type to **Create virtual machine**.

From the VM1 blade, edit the disk settings of the OS disk.

From the Restore configuration blade, set Restore Type to **Restore disks**.

From the Recovery Services vault, deploy a template.

From the VM1 blade, add a disk.

From the Recovery Services vault, **select a restore point** for VM1.

Answer Area

Answer:

Answer Area

From the Recovery Services vault, select a restore point for VM1.

From the Restore configuration blade, set Restore Type to Restore disks.

From the Recovery Services vault, deploy a template

- 1 - Recovery Services □□ □□ □□□□ VM1□ □□ □□□ □□□□□.
- 2 - □□ □□ □□□□□□ □□ □□□ □□□ □□□□□ □□□□□.
- 3 - Recovery Services □□ □□ □□□□ □□□ □□

AZ-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-104 □□! DumpTop □ □□ **AZ-104** □□ □□□ □□□□□□, DumpTop AZ-104 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-104 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□ □□ □□□□ □□□ Azure □□□□ □□□□.

Name	Type
VM1	Virtual machine
VM2	Virtual machine
LB1	Load balancer (Basic SKU)

VM1 □ VM2□ □ □□ □□ □□(IIS)□ □□□ □□ VM1 □ VM2□ LB1□ □□□□□.
LB1□ LB1 □□□ □□ □□□□□. (LB1 □□ □□□□□.)

Microsoft

Rule1

* IP Version
☒ IPv4 ☐ IPv6

* Frontend IP address ⓘ
 104.40.178.194 (LoadBalancerFrontEnd)

Protocol
☒ TCP ☐ UDP

* Port
 80

* Backend port ⓘ
 80

Backend pool ⓘ
 Backend1 (Virtual Machines)

Health probe ⓘ
 Probe1 (HTTP:80/Probe1.html)

Session persistence ⓘ
 None

Idle timeout (minutes) ⓘ
 4

Floating IP (direct server return) ⓘ
 Disabled

Rule1□ Rule1 □□□ □□ □□□□□. (□□ □□ □□□□□.) □□ □ □□□ □□ □□□ □□
 □ □□ □□□□□. □□□ □□□ □□□□ □□□□□.
 □□: □ □□□ □□□ 1□□ □□□ □□□□□.

Answer Area

Statements	Yes	No
VM1 is in the same availability set as VM2.	☐	☐
If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.	☐	☐
If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.	☐	☐

Answer:

Answer Area

Statements	Yes	No
VM1 is in the same availability set as VM2.	☒	☐
If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.	☒	☐
If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.	☐	☒

□ □ :

<https://docs.microsoft.com/en-us/azure/load-balancer/skus>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-instances>

NEW QUESTION: 79

WEBPROD-AS-USE2 Azure availability set. What is the maximum number of virtual machines that can be in the availability set?

```
PS Azure:\> az vm availability-set list --resource-group RG1
[
  {
    "id": "/subscriptions/8372f433-2dcd-4361-b5ef-5b188fed87d0/resourceGroups/RG1/providers/Microsoft.Compute/availabilitySets/WEBPROD-AS-USE2",
    "location": "eastus2",
    "name": "WEBPROD-AS-USE2",
    "platformFaultDomainCount": 2,
    "platformUpdateDomainCount": 10,
    "proximityPlacementGroup": null,
    "resourceGroup": "RG1",
    "sku": {
      "capacity": null,
      "name": "Aligned",
      "tier": null
    },
    "statuses": null,
    "tags": {},
    "type": "Microsoft.Compute/availabilitySets",
    "virtualMachines": []
  }
]
```

WEBPROD-AS-USE2 has 14 virtual machines.

The availability set is configured with 2 fault domains and 10 update domains. What is the maximum number of virtual machines that can be in the availability set?

Options: 2, 7, 10, 14.

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

Options: 2, 7, 10, 14.

Answer:

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

2
7
10
14

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

2
7
10
14

□□:

□□ 1: 2

10□□ □□□□ □□□□ □□□□. 14□□ VM□ 10□□ □□□□ □□□□ □□□□ 4□ □□□□ □□□□ 2□□ VM□ □□ 6□□ □□□□ □□□□ 1□□ VM□ □□□□. □ □□ □□□ □□□□ □□□□ □□□□□□.

□□□ □□ 2□□ VM□ □□□□ □□□ □□□.

□□ 2: 7

2□□ □□ □□□□ □□□□. 14□□ VM□ 2□□ □□ □□□□ □□□□ □ □□ □□□ □ 7□□ VM□ □□□□.

□ □□□ □□□ □□ □□□□ □□□ □□□□ 7□□ VM□ □□□□ □□□ □□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION: 80

Subscription1 □ Subscription2□□ □ □□ □□□ □□□□. □ □□□ □□ Azure AD □□□□ □□□□□.

Subscription1□□ VNet1□□□□ □□ □□□□□ □□□□ □□□□. VNet1□□ VM1□□□□ Azure □□ □□□ □□□□ □□□ IP □□ □□□ 10.0.0.0/16□□□□.

Subscription2□□ VNet2□□ □□ □□□□□ □□□□ □□□□. VNet2□□ VM2□□ Azure □ □□□ □□□□ □□□ IP □□ □□□ 10.10.0.0/24□□□□.

VNet1□ VNet2□ □□□□ □□□.

□□ □□□ □□ □□□?

A. VNet1□ Subscription2□ □□□□□.

B. VNet2□ IP □□ □□□ □□□□□.

C. □□ □□□□ □□□□□□ □□□□□□□□.

D. VM1□ Subscription2□ □□□□□.

Answer: C (LEAVE A REPLY)

□□ □□□□□ □□□ □□ □□ □ □□□□□ □□ □□□ □□ □ □□□□. □□ □□□□ VNet□ □□□□ □ □□□ □□□ Active Directory □□□□ □□□ □□□ □□□□.

VNet □ □□□ □□□□ □□ VNet□ □□ □□□ □ □□ □□ □□□□□. VNet-to-VNet □□

□□(VNet2VNet)□ □□□□ □□ □□□□□ □□ □□ □□□□□ □□□□ □□ □□□□□ □□□□ □ IPsec □□□□ □□□ □□ □□□□□. □ □□ □□ □□ VPN □□□□□ □ □□□□ IPsec/IKE□ □□□□ □□ □□□ □□□□□, □ □ □□ □ □□□ □□□□ □□□ □□.

□ VNet□ □□ □□ □□□□ □□□□□□ □□ VNet□ □□ □□□□ □□□□□□. □□ □□ □□□□ □□□□□ □□ □□ □□□□ □□□□□□ □□ □□ □□ □□□ □□□ □ □□□ □.

NEW QUESTION: 81

□□ □□ □□□ □□ □□□ □□□ Azure □□□ □□□□.

Name	Operating system	Connects to
VM1	Windows Server 2019	Subnet1
VM2	Windows Server 2019	Subnet2

VM1 □ VM2□ □□ IP □□□ □□□□□. VM1 □ VM2□ Windows Server 2019□□ □□□□ □□ □□□□ □□□ □□□□□.

Subnet1 □ Subnet2□ VNET1□□□ □□ □□□□□ □□□□.

□□□□ NSG1 □ NSG2□□ □ □□ NSG(□□□□ □□ □□)□ □□□□ □□□□□. NSG1□ □□ □□□ □□□□□.

NSG2□ □□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

* □□□□: 100

* □□: □□1

* □□: 3389

* □□□□: TCP

* □□: □□□□

* □□□: □□□□

* □□: □□

NSG1□ Subnet1□ □□□□□. NSG2□ VM2□ □□□□ □□□□□□ □□□□□.

□□ □ □□ □□ □□ □□ □□□ □□ □□□□□. □□□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

.

Statements

Yes

No

From the Internet, you can connect to VM1 by using Remote Desktop.

☐☐

From the Internet, you can connect to VM2 by using Remote Desktop.

☐☐

From VM1, you can connect to VM2 by using Remote Desktop

☐☐

Answer:

Statements

Yes

No

From the Internet, you can connect to VM1 by using Remote Desktop.

☐☒

From the Internet, you can connect to VM2 by using Remote Desktop.

☒☐

From VM1, you can connect to VM2 by using Remote Desktop

☒☐

□□:

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection>

NEW QUESTION: 82

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □□□ □ □□□ □□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□. □ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□□ □□□□.

contoso.onmicrosoft.com□□□ Azure Active Directory □□□□ □□ □□□□ □□□ Azure □ □□ □□□□.

Name	Role	Scope
User1	Global administrator	Azure Active Directory
User2	Global administrator	Azure Active Directory
User3	User administrator	Azure Active Directory
User4	Owner	Azure Subscription

User1 external.contoso.onmicrosoft.com Azure Active Directory .
external.contoso.onmicrosoft.com .
: User4 .
 ?

A.

B.

Answer: ([SHOW ANSWER](#))

: []

:

.

:

<https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/add-users-to-azure-ad>

NEW QUESTION: 83

SQL1 Microsoft SQL Server .

App1 Azure Logic App .

App1 SQL1 .

? .

.

Actions

Answer Area

From the Azure portal, create an on-premises data gateway.

From an on-premises computer, install an on-premises data gateway.

Create an Azure virtual machine that runs Windows Server 2016.

From an Azure virtual machine, install an on-premises data gateway.

From the Logic Apps Designer in the Azure portal, add a connector.



Answer:

Answer Area

Create an Azure Logic App

Create an Azure Event Grid trigger

Create conditions and actions

□ □

From the Azure portal, create an on-premises data gateway

From the Logic Apps Designer in the Azure portal, add a connector.

□□ 1: □□□□□ □□□□□ □□□□□ □□□ □□□□□□□ □□□□□.

2: Azure Portal

□□ □□□□ □□□□□□ □□□ □ □□□□□□ □□ Azure □□□□ □□ □ □□□□.

* Azure Portal □□□□□□. □□□□□□ □□□□ □□□□ □□□□ Azure □□ □□ □
□□□□ □□□□ □□□□ □□□□.

* Azure 1000 1000 > 100 > 1000 1000 1000 1000.

* □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□□.

* Azure □□□□□ □□□□□ □□□□ □□□□□ □□□□□ □□□ □□□□□. □□□□ □
□□ □□□□□.

□□ 3: Azure Portal □ Logic Apps □□□□□□ □□□ □□ □□□□□ □□□□ □□□ Azure
□□□ □ □□□□ □□□ □□□ □□ □□□ □□□□ □□ □□ □-□□□□ □□□ □□ □□
□□□□ □□ □ □□□□. □□□□□.

* Azure Portal □□□□□□□□□□□□□□□.

* SQL Server □ □ □ - □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

* □ □ □ □ □ □ □ □ .

□ □ :

NEW QUESTION: 84

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□ □ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □□□ □□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□. □ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□□ □□□□.

□□ □□ □□□ □□□□ □□□ Subscription1□□□ Azure □□□ □□□□.

Name	Type	Location	Resource group
RG1	Resource group	East US	Not applicable
RG2	Resource group	West Europe	Not applicable
RG3	Resource group	North Europe	Not applicable
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1□ NIC1□□□ □□□□ □□□□□□ □□□□ VNET2□□ □□ □□□□□ □□□□□.

VM1□ □□ NIC2□□ □ □□□□ □□□□□□ □□□□ □□□.

□□□: RG1 □ □□ □□□□□ NIC2□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: ([SHOW ANSWER](#))

□□□□ □□□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□□ □□□ □□(□□□ □ □□ □□(□□□□□□ □))□ □□□ □□□.

□□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface>

NEW QUESTION: 85

□□ ID□ c276fc76-9cd4-44c9-99a7-4fd71546436e□ Subscription1□□□ Azure □□□ □□□ □.

□□ □□ □□□ □□□□ CR1□□□ □□□ □□ RBAC □□□ □□□□ □□□.

Subscription1□ □□□ □□□□ □□□ □ □□□□.

□□□ □□□ □□ □□□ □□ □□ □□ □□□ □□ □ □□□ □□, □□, □□ □ □□ □□

CR1 □□□ □□ □□□ □□ □ □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□ □ □□□ □□□ □□□□□□.

□□□: □ □□□ □□□ 1□□ □□□ □□□□.

Microsoft

```

"assignableScopes": [
  "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e"
  "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e/resourceGroups"
],
"permissions": [
  {
    "actions": [
      "*"
    ],
    "additionalProperties": {},
    "dataActions": [],
    "notActions": [
      "Microsoft.Authorization/*"
      "Microsoft.Resources/*"
      "Microsoft.Security/*"
    ],
    "notDataActions": []
  }
],
]

```

Answer:

```

"assignableScopes": [
  "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e"
  "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e/resourceGroups"
],
"permissions": [
  {
    "actions": [
      "*"
    ],
    "additionalProperties": {},
    "dataActions": [],
    "notActions": [
      "Microsoft.Authorization/*"
      "Microsoft.Resources/*"
      "Microsoft.Security/*"
    ],
    "notDataActions": []
  }
],
]

```

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider->

operations#microsoftauthorization

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider->

operations#microsoftresources

NEW QUESTION: 86

Azure Network Watcher□ □□□□ □□ □□□ □□□ □□□□□.

* □□ 1: □□□□ □□□ Azure □□ □□□ □□□□ □□□□ □□ □□ □□ □□

* □□2: Azure □□ □□□□ □□ □□□□□ □□□□□ □□ □□

[illegible]

□□: □ □□□ □□□ 1□□ □□□ □□□□.


Task1: ▼

IP flow verify
Next hop
Packet capture
Security group view
Traffic Analytics

Task2: ▼

Connection troubleshoot
IP flow verify
Next hop
NSG flow logs
Traffic Analytics

Answer:



□□:

□□ 1: IP □□ □□

IP □□ □□ □□□ □□□□ □□ □ □□ IPv4 □□, □□, □□□□(TCP □□ UDP), □□□ □ □(□□□□ □□ □□□□□)□ □□□ □ □□□□. □□ □□ IP □□ □□□ □□□ □□□□□ □□ □□ □□ □□ □□□ □□□□□. □□□ □□□□ IP □□ □□□□ □□□ □□□□□ □ □□ □□ □□ □□ □□□ □□□ □ □□□□.

□□ 2: □□ □□ □□

□□ □□ □□ □□□ □□□□ VM□ □□ VM, FQDN, URI □□ IPv4 □□ □□ □□□ □□□ □ □□□□. □□□□ □□ □□□ □□□ □□□ □ □□□ □□□ □□□□□ □□□ □□ □□□ □□□□□□ □□ □□ □□□□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview>

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-connectivity-overview>

NEW QUESTION: 87

□□□ Admin1□□□ □□□□ □□□ □ Azure □□□ □□□□□□.

Admin1□ Azure Resource Manager □□□□ □□□□ Azure Marketplace □□□□ □□□□□ □□□.

Admin1□ Azure PowerShell□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□. □□

□□□ □□□□□ Azure Portal(<http://go.microsoft.com/fwlink/?LinkId=534873>) □ Marketplace □□□ □□ □□□□□ □□ □□□ □□□□□ □□□□ □□□ □□." Admin1□ Marketplace □□□□ □□□□□ □□□ □ □□□ □□□□ □□□. □□□ □□□□□□□□□?

- A. Azure PowerShell□□ Set-AzApiManagementSubscriptioncmdlet□ □□□□□.
- B. Azure Portal□□ Microsoft.Marketplace □□□ □□□□ □□□□□.
- C. Azure PowerShell□□ Set-AzMarketplaceTermscmdlet□ □□□□□.
- D. Azure Portal□□ □□ □□□ □□□ Admin1□ □□□□□.

Answer: ([SHOW ANSWER](#)**)**

□□: [□□]

□□/□□:

<https://docs.microsoft.com/en-us/powershell/module/az.marketplaceordering/set-azmarketplaceterms?>

□□=azps-4.1.0

NEW QUESTION: 88

□□ □□□ □□ WEBPROD-AS-USE2□□ Azure □□□ □□□ □□□ Azure □□□ □□□□□.

```
PS Azure:\> az vm availability-set list -g RG1
[
  {
    "id": "/subscriptions/8372f433-2dcd-4361-b5ef-8b188fed87d0/resourceGroups/RG1/providers/Microsoft.Compute/availabilitySets/WEBPROD-AS-USE2",
    "location": "eastus2",
    "name": "WEBPROD-AS-USE2",
    "platformFaultDomainCount": 2,
    "platformUpdateDomainCount": 10,
    "proximityPlacementGroup": null,
    "resourceGroup": "RG1",
    "sku": {
      "capacity": null,
      "name": "Aligned",
      "tier": null
    },
    "statuses": null,
    "tags": {},
    "type": "Microsoft.Compute/availabilitySets",
    "virtualMachines": []
  }
]
```

WEBPROD-AS-USE2□ 14□□ □□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□□ □□□□ □□.

□□: □ □□□ □□□ 1□□ □□□ □□□□□.

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

Microsoft

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

Answer:

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

2
7
10
14

2
7
10
14

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION: 89

Subscription1□□□ Azure □□□ □□□□. Subscription1□□ □□ □□ □□□ □□□ □□□ □□□□□.

Name	Azure region	Policy
RG1	West Europe	Policy1
RG2	North Europe	Policy2
RG3	France Central	Policy3

RG1□□ WebApp1□□□ □ □□ □□□□. WebApp1□ □□□□ □□□□.

WebApp1□ RG2□ □□□□□.

□□□ □□□ □□□□□?

A. WebApp1□ □□ App Service □□□ □□□□□ □□□□□. Policy2□ WebApp1□ □□□□ □.

B. WebApp1□ □□ App Service □□□ □□□□□ □□□□□. Policy1□ WebApp1□ □□□□ □.

C. WebApp1□ □□ App Service □□□ □□□□ □□ □□□□. Policy2□ WebApp1□ □□□ □□.

NEW QUESTION: 93

□□□

container1 □ share1□ □□□□ □□□.

□ □□□□ □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□□.

container1:

storage2 only

storage2 and storage3 only

storage1, storage2, and storage3 only

storage2, storage3, and storage4 only

storage1, storage2, storage3, and storage4

share1:

storage2 only

storage4 only

storage2 and storage4 only

storage1, storage2, and storage4 only

storage1, storage2, storage3, and storage4

Answer:

container1: ▼

- storage2 only
- storage2 and storage3 only
- storage1, storage2, and storage3 only
- storage2, storage3, and storage4 only
- storage1, storage2, storage3, and storage4

share1: ▼

- storage2 only
- storage4 only
- storage2 and storage4 only
- storage1, storage2, and storage4 only
- storage1, storage2, storage3, and storage4

□□:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

NEW QUESTION: 94

VM1□□□ Azure □□ □□□ Vault1□□□ Recovery Services □□ □□ □□□ □□□□.

□□□□ □□□ □□ □□ □□1□ □□□□□. (Exhibit □□ □□□□□.) 1□ 1□ □□□□

Policy1□ □□□□□ VM1□ □□□ □□□□□.

VM1□ □□ □□□ □□ □□ □□ □□□□ □□□.

1□ 8□□ 1□ 15□□ □□□ □ □□ □□ □□□ □ □□□□? □□□□□ □□ □□□□ □□□ □□□□□□.

□□:□ □□□ □□□ 1□□ □□□ □□□□.

Answer:



□□

□□ 1: 6

□□ 4□ + □□ 1□ + □□

□□ 2: 8

□□ 4□ + □□ 2□ + □□ + □□

NEW QUESTION: 95

webapp1□□□ □□□ □□□ Azure □□□ □□□□. www.contoso.com□□□ □□□ □□ □
□□□ webapp1□ □□□□ □□□. □□ □□□ □□ □□□?

A. DNS □□□□ □□□□□.

B. □□□□ □□□□□□.

C. □□ □□□□ □□□□□.

D. webapp1□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

VM1□ VM4□ □□□ □ □□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□.
□□□ □□□□□□□□□?

A. VNET1□□ VNET3□□ 2□□ □□□ □□ □□□ □□□□□.

B. VM4□ 10.0.1.5/24□ IP □□□ □□□□□.

C. VNET1□ VNET3 □□ □□□□ □□□□□.

D. NSG□ □□□□ NSG□ VMI □ VM4□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/tutorial-site-to-site-portal> □□

□□ 1, Litware, Inc.

□□ □□

□□□□□□ Litware.com□□□ Active Directory □□□□□ □□□□ □□□□. □□ □□□ □
□□□□ DNS □□□ □□□□ Litware.com DNS □□□ □□□□□□.

Litware□□ □□, □□, □□, □□ □ □□ □□ □□□ □□□□. □ □□□□ □□ □□□ □□
□□□ □□□□ OU(□□ □□ □□)□ □□□□. □□ □□□ □□□□ □□ □□□ □□□ □□
□□□ □□□□. □□□ □□□□ □□ □□□□□.

Litware.com□□ User1□□□ □□□□ □□□□.

□□ □□□□ □□ □□□ □□□□ □□□□□.

Litware□ □□□□□ □□□ □□□□ □□□ □□□ □□ □□□□. □ □□□ □□□□ VPN □
□□ □□□ □ □□ □□□□ □□□□.

□□ □□□ □□□ □□□□□□. □□□ □□□□ □□ □□ □□□ □□□□□.

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Litware□ App1 □ App2□□ □ □□ □ □□ □□□□□ □□□□□. □ □ □□□□□□□ □ □
□□□□□ 1GB□ □□□□ □□□□□.

Azure □□□□ □□ □□ □□□□ □□□□ □□□□.

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

□□□□ □□ □□ □□ NSG(□□□□ □□ □□)□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ □□□ □□□□□□.

* Azure ExpressRoute□ □□□□ □□□□ □□□□□□.

* Server1 □ Server2□□ □□□□□ □□ □□□ Azure□ □□□□□□□□□□.

* □-□□□□ Active Directory□ Azure Active Directory(Azure AD)□ □□□□□□.

* App1 □ App2□ webApp1 □ WebApp2□□ □ □□ Azure □ □□□ □□□□□□□□□□.

□□ □□ □□

Litware□ □□ □□ □□ □□□ □□□□ □□□.

* WebApp1□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□ □□ 5□□ □□□□□□ □□ □ □□□ □□□□□*.

* VM3□ TCP □□ 8080□ □□ □□□□ □□□□ □□□□□□ □□□ □□ □□□□□ □□□ □□□ □ □□□ □□□□□.

* Azure□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□□□.

* □□ □□□ □□□□ □□□□ Azure MFA(Multi-Factor Authentication)□ □□□□□ □□□□ □□□ □.

* app2.Litware.com□□□ □□□ □□□□ webapp2.azurewebsites.net□ □□□□ □ □□□ □ □□□□.

* □□□□ □□□ □□□□ □□□□ □□ New Your Office□ VNet1□ □□□□□□.

* VM4□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□ □□□□□.

* □□ □□□ □□□□ □□ Role1□□□ □□□ □□ Azure □□□ □□□□□.


* □□□□ □□□ □□□□□□□□.

NEW QUESTION: 97

□□ □□ □□□ □□ □□□ □□□ □□□ Azure □□□ □□□□□.

Name	Resource group	Daily cost
VM1	RG1	20 euros
VM2	RG2	30 euros

□□ □□□□ □□□ □□□ □□□□□□.



AG1 ☐ ☐ ☐ ☐ ☐ admin@contoso.com ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐.

☐ ☐: ☐ ☐ ☐ ☐ 1 ☐ ☐ ☐ ☐.

When the maximum amount in Budget1 is reached,

☐ [answer choice].

VM1 and VM2 are turned off
VM1 and VM2 continue to run
VM1 is turned off, and VM2 continues to run

Based on the current usage costs of the virtual machines,

☐ [answer choice].

no email notifications will be sent each month
one email notification will be sent each month
two email notifications will be sent each month
three email notifications will be sent each month

Answer:

When the maximum amount in Budget1 is reached.



[answer choice].

- VM1 and VM2 are turned off
- VM1 and VM2 continue to run
- VM1 is turned off, and VM2 continues to run

Based on the current usage costs of the virtual machines. [answer choice].

- no email notifications will be sent each month
- one email notification will be sent each month
- two email notifications will be sent each month
- three email notifications will be sent each month

□□:

□□ 1: VM1□ □□□ VM2□ □□ □□□□□.

□□ □□□ VM1□ □□□□□ VM2□ □□□□ □□ □□□ □□ RG1□ □□ □□□□.

□□ 2: □□ □□□ □□□ □□□□□.

VM1□ □□□□□ VM2.VM1□ □□□□ □□ □□□ □□ RG1□ □□ □□ □□□ □□□ 20□ □□ □□□□□. 50%, 500□□ □□□ 25□ □□□ □□□□ □□□□□.

70% □ 100% □□ □□□ □ □ □□□ □□□□ □□□ □□□ □□□ □□□□□ □□ □□.

□□ □□: □□ □□□ Azure □□ □□□ 90% □ 100%□□ □□□□ □□□□□. □□□ □□ □ □□□ □□ □□□□□ □□□□ □□□□ □□□□□. 90%□ 100%□ □□□□ □□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/costs/cost-mgt-alerts-monitor-usage-spending>

NEW QUESTION: 98

□□ □□ □□□ □□□□ □□□□ contoso.com□□□ Azure AD(Azure Active Directory) □□ □□ □□□□.

Name	Type	Member of
User1	Member	Group1
User2	Guest	Group1
User3	Member	None
UserA	Member	Group2
UserB	Guest	Group2

User3□ Group1□ □□□□□□.

Group2□ Group1□ □□□□□□.

□□ □□□ □□ Review1□□□ □□□ □□□ □□□□□.

* Review name Review1

Review1

2018-11-22

One time 

Never End by Occurrence

2018-12-22

Users to review **Members of a group**

 Guest users only

☐ Everyone

Reviewers Group owners

Link to program
Default program

▼ Advanced settings

Q: Which statements are true?

Statements	Yes	No
User3 can perform an access review of User1	☐	☐
User3 can perform an access review of UserA	☐	☐
User3 can perform an access review of UserB	☐	☐

Answer:

Statements	Yes	No
User3 can perform an access review of User1	☐	☒
User3 can perform an access review of UserA	☐	☒
User3 can perform an access review of UserB	☒	☐

Q:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION: 99

VNET1 and VNET2 are in the same Azure subscription. User1 is the Owner of the subscription. User2 is a Network Contributor. User3 is a Global administrator. Which statements are true?

Name	Subscription role	Azure Active Directory (Azure AD) role
User1	Owner	None
User2	Network Contributor	None
User3	None	Global administrator

VNET1 and VNET2 are in the same Azure subscription. Which statements are true?

Which statements are true?

- A. User1 can create a new virtual network in VNET2.
- B. User3 can create a new virtual network in VNET2.
- C. User1 can create a new virtual network in VNET1.
- D. User1 can create a new virtual network in VNET3.
- E. User1, User2 and User3 can create a new virtual network in VNET1.

Q: Which statements are true?

Which statements are true?

Which statements are true?

Which statements are true?

* Resource Manager: Can create and delete resources.

* Classic Network Contributor: Can create and delete network resources.

Answer: (SHOW ANSWER)

□□:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/govern/resource-consistency/governance-multiple-teams>

NEW QUESTION: 100

□□ Azure AD(Azure Active Directory) □□□□ □□□ Azure □□□ □□□□. □□□□ □□ □□ □□□□□ □□□ □□□ □□□ □□□.

□□□ □□□□□□□□□?

- A. Azure AD Premium 92□ □□□□ Azure AD Privileged Identity Management□ □□□□□.
- B. Enterprise Mobility + Security E3□ □□□□ □□□ □□□ □□□□□□.
- C. Enterprise Mobility + Security E5□ □□□□ Azure Security Center□□ □□□ □□ □□ □□ □□□□.
- D. Azure AD Premium P1□ □□□□ Azure AD ID □□□ □□□□□□□.

Answer: (SHOW ANSWER)

Azure AD PIM(Privileged Identity Management)□□ □□ □□□□ □□□□ □□□ □□□ □□□□. □□ □□, PIM□ □□ □□□□ □□ □□□□ □□□□.

□□ □□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ □□□ □□□ □□□ □□

□□ □□ □□□ □□□□ □□

□□ □□ □□□ □□□ □□

Azure AD PIM□ □□□□ □□

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-email-notifications>

NEW QUESTION: 101

□□ □□□ □□□□ □□□ Azure □□□ □□□□.

Name	Type
container1	Blob container
share1	Azure files share
DB1	SQL database
Table1	Azure Table

Export1□□□ Azure □□□□/□□□□ □□□ □□□□ □□□□ □□□ □□□□□.

Export1□ □□□□ □□□ □ □□ □□□□ □□□□ □□□.

□□ □□□□ □□□□ □□□?

- A. □□□□1
- B. DB1
- C. □□1
- D. □1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 102

VM1000 Azure 00 000 Vault1000 Recovery Services 00 00 000 0000.
0000 000 00 00 0010 000000. (00 00 000000.)

Policy1

Associated items

Delete

Save

Discard

Backup schedule

* Frequency

Daily

* Time

2:00 AM

* Timezone

(UTC) Coordinated Universal Time

Retention range

☒ Retention of daily backup point.

* At

2:00 AM

For

5

Day(s)

☒ Retention of weekly backup point.

* On

Sunday

* At

2:00 AM

For

20

Week(s)

☒ Retention of monthly backup point.

Week BasedDay Based

* On

2

* At

2:00 AM

For

24

Month(s)

☒ Retention of yearly backup point.

Week BasedDay Based

* In

January

* On

9

* At

2:00 AM

For

5

Year(s)

```
10 10 0000 Policy10 00000 VM10 000 00000.  
1080010150000000000000? 00000 00 0000 000  
000 000000.  
00: 0 0000 0000 100 0000 0000.
```

January 8 at 14:00:		▼
	5	
	6	
	8	
	9	
January 15 at 14:00:		▼
	5	
	8	
	17	
	19	

Answer:

January 8 at 14:00:		▼
	5	
	6	
	8	
	9	
January 15 at 14:00:		▼
	5	
	8	
	17	
	19	

NEW QUESTION: 103

You are planning to create an Azure Resource Manager template. The template will create a virtual machine with 100 GB of storage. The virtual machine will be created in the West US region. The virtual machine will be created in the West US region. The virtual machine will be created in the West US region.

Answer:

NEW QUESTION: 107

Subscription1 is an Azure subscription. Subscription1 has a virtual machine VM1. VM1 is connected to the Internet.

VM1 is connected to the Internet via a public IP address.

VM1 is connected to the Internet via a public IP address.

 **Network Interface:** vm1900

Effective security rules

Topology

Virtual network/subnet: VMRG-vnet/default Public IP: 104.40.215.211 Private IP: 10.0.0.5 Accelerated networking: Disabled

INBOUND PORT RULES

Network security group VM1-nsg (attached to network interface: vm1900)
Impacts 0 subnets, 1 network interfaces

Add inbound port rule

PRIORITY	NAME	PORT	PROTOCOL	SOURCE	DESTINATION	ACTION
900	Rule2	50-60	Any	Any	Any	Deny
1000	default-allow-rdp	3389	TCP	Any	Any	Allow
1010	Rule1	50-500	TCP	Any	Any	Allow
65000	AllowVnetInBound	Any	Any	VirtualNet...	VirtualNet...	Allow
65001	AllowAzureLoadBalan...	Any	Any	AzureLoad...	Any	Allow
65500	DenyAllInBound	Any	Any	Any	Any	Deny

OUTBOUND PORT RULES

Network security group VM1-nsg (attached to network interface: vm1900)
Impacts 0 subnets, 1 network interfaces

Add outbound port

PRIORITY	NAME	PORT	PROTOCOL	SOURCE	DESTINATION	ACTION
1000	Rule3	80	Any	Any	Any	Deny
65000	AllowVnetOutBound	Any	Any	VirtualNet...	VirtualNet...	Allow
65001	AllowInternetOutBou...	Any	Any	Any	Internet	Allow
65500	DenyAllOutBound	Any	Any	Any	Any	Deny

Subscription1 is an Azure subscription. Subscription1 has a virtual machine VM1. VM1 is connected to the Internet.

Subscription1 is an Azure subscription. Subscription1 has a virtual machine VM1. VM1 is connected to the Internet.

Internet users [answer choice].

If you delete Rule2, Internet users [answer choice].

Answer:

az
docker
msiexec.exe
Install-Module

aks
/package
-name
pull

Install-cli

□□

Internet users [answer choice].

If you delete Rule2, Internet users [answer choice].

□□ 1:

Rule2□ DNS □□□ □□ 53□ □□□□ □□ 50-60□ □□□□□. □□□ □□□□ □□ 80□ □□□□ □□□ □ □□□ □□□ □ □□□□.

□□ 2:

Rule2□ □□□□ □□□ □□□□ DNS □□□ □□□ □ □□□□.

□□: □□□ □□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□ □ □□□□ □ □□□□□. □□□□ □□□ □□□□ □□□ □□□□□. □□□□□ □ □□ □ □□□ □□ □□□ □□□ □□□ □□ □ □□ □□ □□(□ □□ □□)□ □□ □□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/security-overview>

NEW QUESTION: 108


RG1□□□ □□□ □□□ □□□ Subscription1□□□ Azure □□□ □□□□.

RG1. LB1. 162. Admin 1. LB1. LB2.

 Admin1. ?


 : Caen 1.

Answer Area



Answer:

Answer Area



. .

Answer Area

To add a backend pool to LB1: Network Contributor on LB1

To add a health probe to LB2: Network Contributor on LB2

NEW QUESTION: 109

. . .

storage1. Azure Storage
 App1. Azure App Service App2.
 ID
 App1. App2. storage1. blob

 *
 * App2. 30 . . . storage1
 . . . storage1 ?

 : 1.
 :



App1:

	▼
Access keys	
Advanced security	
Access control (IAM)	
Shared access signatures (SAS)	

App2:

	▼
Access keys	
Advanced security	
Access control (IAM)	
Shared access signatures (SAS)	

Answer:

Answer Area

App1:

	▼
Access keys	
Advanced security	
Access control (IAM)	
Shared access signatures (SAS)	

App2:

	▼
Access keys	
Advanced security	
Access control (IAM)	
Shared access signatures (SAS)	

□□: [□□]

□□:

App1: □□□ □

App2: □□ □□□ □□(SAS)

SAS(□□ □□□ □□)□ □□□ □□□ □□□□□ □□ □□□□ □□□ □□□□ □□ □□ □ □□□□ □□□□□. SAS□ □□□□ □□□□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □ □□□□. □□ □□□□ □□□ □□□□□□ □□□□ □ □□ □□□, □□ □□□□ □□ □□ □ SAS□ □□□ □□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

NEW QUESTION: 110

Azure □□ □□□ □□□ Azure □□□□ □□□□.

Windows Server 2016□ □□□□ Server1□□□□ □□□□□ □□□ □□□□.

Server1□ Azure □□ □□ □□ Azure □□ □□□□ □□□ □□□□□.

□□□ Azure □□ □□□□ □□ □□□ □□□□ □□□.

Azure □□□□ □□□□ □□ □ □□ □□□ □□□□□? □□□□□ □□□ □□□ □□□ □ □□□ □□□□□□□□. □ □□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□. □□□□ □ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □ □□□□.

Actions

Create a Storage Sync Service

Create a sync group

Install the Azure File Sync agent

Run Server Registration

Answer Area

First action: Action

Second action: Action



Answer:

Actions

Create a Storage Sync Service

Create a sync group

Install the Azure File Sync agent

Run Server Registration

Answer Area

First action: Create a Storage Sync Service

Second action: Run Server Registration



□□:

□ □□ □□: □□□□ □□□ □□□ □□

Azure □□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□ □ □□□ □□□□□.

□ □□ □□: □□ □□ □□

□□□□ □□□ □□□□ Windows □□□□ □□□□ □□(□□ □□□□)□ □□□□ □□□ □

□□ □□ □□ □□□ □□□□□. □□□ □□□ Storage Sync Service□□ □□□ □ □□□ □
 □□ Storage Sync Service□ □□□ □□ □□ □ Azure □□ □□□ □□□□ □ □□□□.
 Azure □□ □□□ □□□□□ □□□ □ □□ □□ UI□ □□□□ □□□ □□□.

Microsoft Azure File Sync - Server Registration

Microsoft

Choose a Storage Sync Service

Azure Subscription

Subscription ID

Resource Group

Storage Sync Service

Register

□ □ :

Azure □□ □□□ □□□□□ □□□□ □□: Azure □□ □□□ □□□□□ Windows Server□
 Azure □□ □□□ □□□□□ □ □□□□ □□ □□□□ □□□ □□□□□□□□.

NEW QUESTION: 111

Azure ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

[illegible]

Statements	Yes	No
The virtual machines on Subnet1 will be able to connect to the virtual machines on Subnet3.	☐	☐
The virtual machines on ClientSubnet will be able to connect to the Internet.	☐	☐
The virtual machines on Subnet3 and Subnet4 will be able to connect to the Internet.	☐	☐

Answer:

Answer Area

File to create:

Answer.ini
Autounattend.conf
Cloud-init.txt
Unattend.xml

Tool to use to deploy the virtual machine:

The az vm create command
The Azure portal
The New-AzureRmVM cmdlet

□□



Statements

Yes

No

The virtual machines on Subnet1 will be able to connect to the virtual machines on Subnet3.

☐
☐

The virtual machines on ClientSubnet will be able to connect to the Internet.

☐
☐

The virtual machines on Subnet3 and Subnet4 will be able to connect to the Internet.

☐
☐

VNet1 is connected to VNet2. VNet1 is connected to VNet3. VNet2 is connected to VNet3.

Paris-VNet1 AllOffices-VNet1 is connected to Paris-VNet2. Paris-VNet2 is connected to Paris-VNet3.

Subnet1 VM1 AllOffices-VNet1 Subnet3 VM2 is connected to Subnet4 VM3.

VNet1 is connected to Azure Resource Manager. VNet2 is connected to Azure Resource Manager. VNet3 is connected to Azure Resource Manager.

ClientResources-VNet1 ClientSubnet VM1 is connected to ClientSubnet VM2.

AllOffices-VNet1 Subnet3 Subnet4 VM1 is connected to Subnet4 VM2.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-peering-overview>

<https://docs.microsoft.com/en-us/azure/networking/networking-overview#internet-connectivity>

NEW QUESTION: 112

□□ □□ □□□□ □□□ AZPT1□□□ Azure □□□ □□□□.

Name	Type
storage1	Azure Storage account
VNET1	Virtual network
VM1	Azure virtual machine
VM1Managed	Managed disk for VM1
RVault1	Recovery Services vault for the site recovery of VM1

AZPT2□□ □ Azure □□□ □□□□.

□□ □□□□ □□□□ □□□?

- Answer: C (LEAVE A REPLY)**

□ □ :

□□ Azure ASR(□□ □□□) □□ □□ □□□ □□ □□ □□ □ □□□ □□□□ □ □□□□
□□□ □ □□□□.

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/move-resource-group-and-subscription>

Windows Server 2019 □ □□□ VM1□□□ Azure VM□ □□□□.
VM1□ □□□□ □□□ □□ □□□□□. (□□ □□□ □□□□□.)



□ □ □ □ □ □ □ □ □ □ ?

- A.** VM1 ☐ ☐ ☐ DNS ☐ ☐ ☐ ☐ ☐ ☐.
- B.** VM1 ☐ ☐ ☐ ☐ ☐.
- C.** VM1 ☐ ☐ ☐ ☐ ☐.

D. VM1 ☐ ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

☐ ☐ ☐ (☐ ☐ ☐ ☐ ☐ ☐.

Windows ☐ DSC ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Azure ☐ ☐ ☐ ☐ ☐ ☐.

VM ☐ ☐ ☐ ☐.

☐:

<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/dsc-windows>

NEW QUESTION: 114

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ contoso.com ☐ ☐ ☐ Azure AD(Azure Active Directory) ☐ ☐ ☐ ☐.

Name	Type	Member of
User1	Member	Group1
User2	Guest	Group1
User3	Member	None
UserA	Member	Group2
UserB	Guest	Group2

User3 ☐ Group1 ☐ ☐ ☐ ☐ ☐.

Group2 ☐ Group1 ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ Review1 ☐ ☐ ☐ ☐ ☐ ☐.

* Number of times: 0
 * End date: 2018-12-22
 Users: Members of a group
 Scope: ☒ Guest users only
☐ Everyone

User3 can perform an access review of User1

User3 can perform an access review of UserA

Answer:

Statements	Yes	No
User3 can perform an access review of User1	☐	☒
User3 can perform an access review of UserA	☐	☒
User3 can perform an access review of UserB	☒	☐

□□

Statements	Yes	No
User3 can perform an access review of User1	☐	☒
User3 can perform an access review of UserA	☐	☒
User3 can perform an access review of UserB	☒	☐

□□□ □□□□ □□□ □□□ □□□□ □□□□□. □□□ □□□ □□□ □□□□□
 □□ □□□□□ □□□ □□□□ □□□□ □ □ □□□□. □□□□□□ □□□□□□□□ □□
 □□□ □□□ □□ □□ □□□□ □□□□ □□ □□□□(□□ □□□□□□□□ □□□) □□□
 □□□□ □□□□□ □□□ □□ □□□ □□□ □□□ □ □□□□□.

Users

Users to review

Members of a group

Scope

☐ Guest users only
☒ Everyone

* Group

Select a group

□□ □□ □□:

Group2□ Group1□ □□□□□ User3□ Group1□ □□□□□□ User3□ Group 1□ Group 2□
 □□ □□□ □ □□□□□.

□□□ □□□ □□ □□□□ □□□□ □□□□□□.

□□□:

User1□ □□□□ □□ □□□□□ □ □□ □□ ==> NO

UserA□ □□□□ □□ □□□□□□ □ □□ □ ==> □□□

UserB□ □□□□□ □ □□ □□ ==> □

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION: 115

VNet1□□□ □□ □□□□□ □□□ Subscription1□□□ Azure □□□ □□□□. □□ □□ □□□□ □□□□□.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

□□ 2? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Add a subnet to VNet1:

User1 only

User3 only

User1 and User3 only

User2 and User3 only

User1, User2, and User3

Assign a user the Reader role to VNet1:

User1 only

User2 only

User3 only

User1 and User2 only

User2 and User3 only

User1, User2, and User3

 Microsoft

Answer:

Add a subnet to VNet1:

- User1 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

Assign a user the Reader role to VNet1:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

□□

Add a subnet to VNet1:

- User1 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

Assign a user the Reader role to VNet1:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION: 116

□□□

Azure □□□ □□□□.

Azure Resource Manager □□□□ □□□□ Azure Bastion□ □□□ VNET1□□□ □□ □□□
□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

□□□ □□:

Answer Area

```
{
  "type": "Microsoft.Network/virtualNetworks",
  "name": "VNET1"
  "apiVersion": "2019-02-01",
  "location": "[resourceGroup().location]",
  "properties": {
    "addressSpace": {
      "addressPrefixes": ["10.10.10.0/24"]
    },
    "subnets": [
      {
        "name":
          "properties": {
            "addressPrefix":
              10.10.10.0/27
              10.10.10.0/29
              10.10.10.0/30
            }
          }
      {
        "name": "LAN02",
        "properties": {
          "addressPrefix": "10.10.10.128/25"
        }
      }
    ]
  }
}
```



krdump.com

Answer:

Answer Area

```
{
  "type": "Microsoft.Network/virtualNetworks",
  "name": "VNET1"
  "apiVersion": "2019-02-01",
  "location": "[resourceGroup().location]",
  "properties": {
    "addressSpace": {
      "addressPrefixes": ["10.10.10.0/24"]
    },
    "subnets": [
      {
        "name": 
        "properties": {
          "addressPrefix": 
        }
      },
      {
        "name": "LAN02",
        "properties": {
          "addressPrefix": "10.10.10.128/25"
        }
      }
    ]
  }
}
```



The screenshot shows two dropdown menus. The first menu, for the "name" property, has four options: "AzureBastionSubnet" (selected), "AzureFirewallSubnet", "LAN01", and "RemoteAccessSubnet". The second menu, for the "addressPrefix" property, has three options: "10.10.10.0/27" (selected), "10.10.10.0/29", and "10.10.10.0/30".

□□: [□□]

□□/□□:

<https://medium.com/charot/deploy-azure-bastion-preview-using-an-arm-template-15e3010767d6>

NEW QUESTION: 117

Bus1□□□ Azure Service Bus□ □□□ Azure □□□ □□□□.

□□□ App1 □ App2□□ □ □□ Azure □□□ □□□ □□□□□. □ □□ □□ □□ □□□ □

□ □□□□ □□□□□.

App1□□ □□ □ □□□□ □□ □□□□ □□□□ □□□. App2□□ □□ □ □□□□ □□ □ □□□ □□□□□.

□ □ □□ □□ □□ □□□□ □□□□ □□□? □□□□□ □□□ □□□□ □□□ □ □□□ □□□□□□□. □ □□□□ □ □, □ □ □□ □□ □□ □□□□ □□ □ □□□□. □□□□ □ □□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Resource

A Service Bus queue	A Service Bus topic
An Azure Event Grid topic	Azure Blob storage

Answer Area

App1	
App2	

Answer:

Resource

A Service Bus queue	A Service Bus topic
An Azure Event Grid topic	Azure Blob storage

Answer Area

App1	A Service Bus queue
App2	A Service Bus topic

□□:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-queues-topics-subscriptions>

NEW QUESTION: 118

□□ Azure □□ □□□ □□□ Azure □□□ □□□□.

Name	In storage account	Location
share1	storage1	West US
share2	storage1	West US

□□□ □□ □□□□□ □□□ □□□□.

Name	Folders
Server1	D:\Folder1, E:\Folder2
Server2	D:\Data

Sync1□□□ □□□ □□□ □□□□ Group1□□□ Azure □□ □□□ □□□ □□□□. Group1 □ share1□ □□□□ □□□□ □□□□□.

Sync1□ Server1□ Server2□ □□□□□. Server1□ D:\Folder1□ Group1□ □□ □□□□ □□ □□□.

□□ □ □□ □□ □□ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Statements	Yes	No
share2 can be added as a cloud endpoint for Group1	☐	☐
E:\Folder2 on Server1 can be added as a server endpoint for Group1	☐	☐
D:\Data on Server2 can be added as a server endpoint for Group1	☐	☐

Answer:

Statements	Yes	No
share2 can be added as a cloud endpoint for Group1	☐	☒
E:\Folder2 on Server1 can be added as a server endpoint for Group1	☒	☐
D:\Data on Server2 can be added as a server endpoint for Group1	☒	☐

□□:

□□ 1: □□□

Group1□□ □□ Share1□□□□ □□□□ □□□□ □□□□.

□□□□ □□□□ Azure □□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□ 2: □

□, □□ □□□ □□ □□□ □□□ □□□ □□□ □ □□□□.

□□ 3: □

□, □□ □□□ □□ □□□ □□□ □□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION: 119

□□ □□□ □□ WEBPROD-AS-USE2□□ Azure □□□ □□□ □□□ Azure □□□ □□□□.

```

PS Azure:\> az vm availability-set list --resource-group RG1
[
  {
    "id": "/subscriptions/8372f433-2dcd-4361-b5ef-5b188fed87d0/resourceGroups/RG1/providers/Microsoft.Compute/availabilitySets/WEBPROD-AS-USE2",
    "location": "eastus2",
    "name": "WEBPROD-AS-USE2",
    "platformFaultDomainCount": 2,
    "platformUpdateDomainCount": 10,
    "proximityPlacementGroup": null,
    "resourceGroup": "RG1",
    "sku": {
      "capacity": null,
      "name": "Aligned",
      "tier": null
    },
    "statuses": null,
    "tags": {},
    "type": "Microsoft.Compute/availabilitySets",
    "virtualMachines": []
  }
]
Azure: /

```

WEBPROD-AS-USE2 14 2 7 10 14.

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

Microsoft

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

2
7
10
14

2
7
10
14

Answer:

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

▼
2
7
10
14

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

▼
2
7
10
14



☐☐:

☐☐ 1: 2

10☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐. 14☐☐ VM☐ 10☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ 4☐ ☐☐☐☐☐ ☐☐☐☐☐ 2☐☐ VM☐ ☐☐ 6☐☐ ☐☐☐☐ ☐☐☐☐☐ 1☐☐ VM☐ ☐☐☐☐. ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐.

☐☐☐☐ ☐☐ 2☐☐ VM☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐.

☐☐ 2: 7

2☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐. 14☐☐ VM☐ 2☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ 7☐☐ VM☐ ☐☐☐☐.

☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐ 7☐☐ VM☐ ☐☐☐☐☐ ☐☐☐☐☐☐.

Answer Area



When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

▼
2
7
10
14

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

▼
2
7
10
14

☐☐:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION: 120

Microsoft 365 ☐☐☐☐ contoso.com☐☐☐ Azure Active Directory(Azure AD) ☐☐☐☐ ☐☐☐☐.

User1, User2 □ User3□□□ □ □□ □□□□□ Library1□□□ □□ Microsoft SharePoint □□ □□□□□□ □□ □□□ □□□ □□□ □□□□□.

□□□□ □□ □□□ □□□□ □□□. □□□□ □□□ 180□ □□ □□□□ □□□□□ □□ □□□.

□□ □ □□□ □□□□ □□□? □ □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. □□□ □□□ □□□ □□□□ Office 365 □□
- B. □□□ □□□ □□□ □□□□ □□ □□
- C. □□ □□□ □□□ □□□ □□□□ Office 365 □□
- D. □□ □□□ □□□ □□□ □□□□ □□ □□
- E. Dynamic Device □□□ □□□ □□□□ □□ □□

Answer: (SHOW ANSWER)

Azure AD(Azure Active Directory)□ Office 365 □□□ □□□□ □□ □□□ □□□ □ □□□□.

□□: Office 365 □□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□□.

□□ □□□ □□□□□ □□□ □□□ □□□□ □ □□□□ □□□ □ □□□□ □ □□□□ □ □□□□.

□□□ □□□□ □□□ □□ □□□(□□□, Planner, SharePoint □□□ □)□ □□□□□.

□□ □□ □□ Office 365 □□□ □□ □□ □□□ □□□ □□□ □ □□□□.

□□:

B, D, E: Azure AD(Azure Active Directory)□ Office 365 □□□ □□□□ □□ □□□ □□□ □ □□□□.

□□:

[https://docs.microsoft.com/en-us/office365/admin/create-groups/office-365-groups-expiration-policy?](https://docs.microsoft.com/en-us/office365/admin/create-groups/office-365-groups-expiration-policy?view=o365-)

view=o365-□ □□

NEW QUESTION: 121

webapp1□□□ □□□ □□□ Azure □□□ □□□□.

www.contoso.com□□□ □□□ □□ □□□□ webapp1□ □□□□ □□□.

□□ □□□ □□ □□□?

- A. DNS □□□ □□
- B. □□ □□□ □□
- C. □□□□ □□□□□□.
- D. webapp1□ □□□□□.

Answer: A (LEAVE A REPLY)

□□: [□□]

□□:

CNAME □□□ □□ A □□□□□ □□□□□ □□□ □□ DNS □□□ App Service□ □□□ □ □ □□□.

□□:

<https://docs.microsoft.com/en-us/Azure/app-service/app-service-web-tutorial-custom-domain>

AZ-104 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AZ-104 ☐☐! DumpTop ☐ ☐☐ **AZ-104** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AZ-104 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop AZ-104 ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 122

Subscription1☐☐☐ ☐ Azure ☐☐☐ ☐☐☐☐☐.

Subscription1☐☐ VM1☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐. VM1☐ Azure Backup☐☐ ☐☐☐☐ ☐☐☐ ☐.

Azure Backup☐ ☐☐☐☐ VM1☐ ☐☐☐☐ ☐☐☐. ☐☐☐ 01:00☐ ☐☐☐☐ 30☐ ☐☐ ☐☐☐☐ ☐ ☐☐☐.

☐☐☐ ☐☐☐☐☐☐☐☐? ☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐☐.

☐☐: ☐ ☐☐☐ ☐☐☐ 1☐☐ ☐☐☐ ☐☐☐☐.

Answer Area

Location in which to store the backups:

A blob container
A file share
A Recovery Services vault
A storage account

Object to use to configure the protection for VM1:

A backup policy
A batch job
A batch schedule
A recovery plan



Answer:

Answer Area

Location in which to store the backups:

- A blob container
- A file share
- A Recovery Services vault
- A storage account

Object to use to configure the protection for VM1:

- A backup policy
- A batch job
- A batch schedule
- A recovery plan

□□

Answer Area

Location in which to store the backups:

- A blob container
- A file share
- A Recovery Services vault
- A storage account

Object to use to configure the protection for VM1:

- A backup policy
- A batch job
- A batch schedule
- A recovery plan

□□ 1: Recovery Services □□ □□ □□

Recovery Services □□ □□ □□□ □□□ □□□ □□ □□□□ □□ □□ □ □□ □□□ □□ □□ □□□□□□.

□□ 2: □□ □□

□□ □□□ □□□□ □□□ □□□?

□ □□□ □□□□ □ □□□ □□□ □□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/backup/backup-configure-vault>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-backup-faq>

NEW QUESTION: 123

□□ □□ □□□ □□□ □□□ □□□ Azure □□□ □□□□.

Name	Location
RG1	West US
RG2	East US

RG1 is a resource group in the West US region. RG2 is a resource group in the East US region.

Name	Type	Location
storage1	Storage account	West US
VNET1	Virtual network	West US

Answer Area

Statements	Yes	No
You can move storage1 to RG2.	☐	☐
You can move NIC1 to RG2.	☐	☐
If you move IP2 to RG1, the location of IP2 will change.	☐	☐

Answer:

Answer Area

Statements	Yes	No
You can move storage1 to RG2.	☒	☐
You can move NIC1 to RG2.	☐	☒
If you move IP2 to RG1, the location of IP2 will change.	☐	☒

NEW QUESTION: 124

A company has an Azure subscription. The company wants to migrate its on-premises data to Azure.

Window Server 2016 is installed on Server1. Server1 has 2TB of data. The company wants to migrate the data to Azure.

Azure Import/Export is used to migrate the data to Azure. The company wants to know the cost of the migration.

What is the cost of the migration? The company wants to know the cost of the migration.

Answer: The cost of the migration is \$1,000. The company wants to know the cost of the migration.

Answer:



00

4. :

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-start-securi>

NEW QUESTION: 126

AKS1□□□ AKS(Azure Kubernetes Service) □□□□□ □□□□.

AKS1□ □□□□ □□ □□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

- A.** kubectl ☐☐
- B.** az aks ☐☐
- C.** Set-AzVmcmdlet
- D.** Azure ☐☐
- E.** Set-AzAkscmdlet

Answer: A,B (LEAVE A REPLY)

□□: [□□]

□ □ :

A: `kubectl autoscale --cpu-percent=50 --min=10 --max=30 azurevote-front`.
`kubectl get pods`. `kubectl top pod` CPU usage 50%.
`kubectl top pod` 10% usage. `kubectl top pod` 3% usage.

```
kubectl autoscale deployment azure-vote-front --cpu-percent=50 --min=3 --max=10 B: az aks
update □□□ □□□□ □□ □□□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□□
□□□□ □□□□□.
```

□ □ :

<https://docs.microsoft.com/en-us/azure/aks/tutorial-kubernetes-scale>

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

AZ-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-104 □□! DumpTop
 □ □□ **AZ-104** □□ □□□ □□□□□□, DumpTop AZ-104 □□ □□□ □□□□□□□□
 □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-104 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/AZ-104-dump.html> (428 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)