

# Microsoft.AZ-140.v2024-12-12.q118

□□□□:	AZ-140
□□□□:	Configuring and Operating Microsoft Azure Virtual Desktop
□□□:	Microsoft
□□ □□ □□□:	118
□□:	v2024-12-12
# □□ □:	725
# □□ □□□:	1180
<a href="https://www.krdump.com/Microsoft.AZ-140.v2024-12-12.q118.html">https://www.krdump.com/Microsoft.AZ-140.v2024-12-12.q118.html</a>	

## NEW QUESTION: 1

□□□ □□□ □□□□ □□□□□ □□□ 40□□□□.

Azure Virtual Desktop □□□ □□□□□□. □□ □□□ □□□□□ □□ □□ □□ □□□□.

Workload type	Number of users	Bandwidth per session
Light	20	1.5 Mbps
Medium	10	3 Mbps
Heavy	10	5 Mbps

□ □□□□ □□□ □□□ □ □□□ □□□□□ □□□. □□□□□ □□ □□ □□□□ □□□  
□ VPN □□□ □□□□ □□□□. □□□ □□□□□ □□□□ □□ □□□□ Azure □□□ □  
□□ □□□□ □□ □□□□□?

- A. 9.5Mbps
- B. 220Mbps
- C. 110Mbps
- D. 55Mbps

Answer: D ([LEAVE A REPLY](#))

## NEW QUESTION: 2

Windows 10 Enterprise □□ □□ □□□□ □□□□ Pool1□□□□ Windows Virtual Desktop □□  
□ □□ □□□□.

Pool1□ □□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□□□ □□  
□□ □□□.

□□□ □□ ID□ □□□□□ □□□ □□□□ □□□?

- A. □□□ □□ □□□□
- B. □□□
- C. □□
- D. □□ □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

□□:

https://docs.microsoft.com/en-us/azure/virtual-desktop/troubleshoot-vm-configuration

**NEW QUESTION: 3**

□□ □□ □□□ □□ □□□□.

Name	Operating system
Device1	Windows 10
Device2	Windows 8.1 Professional
Device3	Windows 10 IoT Enterprise

□□ □□□ □□ □□ □□□□□ □□□□ □□ Azure Virtual Desktop□ □□□□□ □□□.  
□□ □□□ □□ □□□□ □□□□□□ □□□□□□?

- A. Device1□ Device2□
- B. Device1□
- C. Device1□ Device3□
- D. Device1, Device2, Device3

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 4**

Azure Virtual Desktop □□□ □□□□ Azure □□□ □□□□. □□□□ 25□□ □□ □□□□  
□□□□ □□□□.  
□□ □□ □□□ □□□ □ □□ □□□ □□□ □□□□.

Name	Location	Azure file share
storage1	East US	share1
storage2	East US 2	share2

□□□ □□□□ Azure Virtual Desktop □□□ □□□ □□□□ □□□□□.  
Cloud Cache□ □□□ FSLogix □□□ □□□ □□□□□ □□□ □□□□□.  
□ □□ □□□□ □□ FSLogix □□□□□ □□□ □□□□ □□□.  
□□□□□ □□□ □□□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□□  
□.  
□□□□: □□ □□□ 1□□□□□.



Pool1:

Av2-series
Dsv4-series
NVv3-series



Pool2:

Av2-series
Dsv4-series
NVv3-series

Answer:

Pool1:

Av2-series
Dsv4-series
NVv3-series

Pool2:

Av2-series
Dsv4-series
NVv3-series

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes>

<https://docs.microsoft.com/en-us/azure/virtual-machines/nvv3-series>

<https://docs.microsoft.com/en-us/azure/virtual-machines/dv4-dsv4-series>

**NEW QUESTION: 6**

□□ □□ Azure □□□ Azure Virtual Desktop □□□ □□ □□□□.

□□□ □□ US West Azure □□□□ □□ □□(failover)□ □ □□□ □□□□ □□□.

□□ □□ □□□ □□ □□□?

A. □□ □□□ □□□ □□□□.

B. □ □□ □□□□ □□ □□ □□□□ □□□□.

C. □□ □□ □□□(GRS)□ □□□□ Azure Storage □□□ □□□□.

D. □□□ □□□ □□ □□□□.

Answer: (SHOW ANSWER)

□□:

<https://docs.microsoft.com/en-us/azure/site-recovery/azure-to-azure-tutorial-enable-replication>

**NEW QUESTION: 7**

□□ □□ □□□ Windows 10 □□□□ □□□ □□ □□□ □□□□ □□□□.

Name	Location	Operating system state
Image1	West US	Generalized
Image2	West US	Specialized
Image3	West Europe	Generalized
Image4	West Europe	Specialized

□□ □□□ □□□ Windows Virtual Desktop □□□ □□□□.

\* □□□ □ □□ : Pool1

\* □□: □□ □□

\* □□□ □ □□ : □□

□□ □□□□ □□ □□□□ □□□ □ □□□?

- A. Image1□
- B. Image1, Image2, Image3, Image4
- C. Image2□
- D. Image1□ Image2□
- E. Image1□ Image3□

Answer: E (LEAVE A REPLY)

□□/□□:

<https://azure.microsoft.com/en-in/blog/vm-image-blog-post/>


**NEW QUESTION: 8**

□□ □□ □□ □□ □□□□ □□□ contoso.com□□□ □□□□□ Azure Active Directory(Azure AD) □□□□ □□□□.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group3

Azure Virtual Desktop □□□ □□ □□□□. □□ □□ □□□□□ C\Folder1□□□□ □□□ □□ □□.

□□ □□□ □□ FSLogix □□□□□□ □□□ □□□ □□□□.



□□ □□ □□ □□ □□□□□□ □□□ □□□ □□ □□□□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□, □□□ □□□ □□□□'□ □□□□□□.

□□□□: □□ □□□ 1□□□□□.



Answer:



□□



NEW QUESTION: 9

□□ □□ □□ □□ □□□□ □□□ Azure □□□ □□□□□.

Name	Description
WVDVM-0	A virtual machine used in a pooled virtual machine set
share1	An Azure file share that stores FSLogix profile containers
Image1	A custom Windows 10 image in a shared image gallery
Image2	A custom Windows Server 2019 image stored in Azure Blob storage

Azure Backup ☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐☐?

- A. WVDVM-0 ☐ share1☐
- B. WVDVM-0☐
- C. WVDVM-0, Image1 ☐ Image2☐
- D. WVDVM-0, share1 ☐ Image1☐
- E. WVDVM-0, share1, Image1 ☐ Image2

**Answer: (SHOW ANSWER)**

☐☐:

<https://docs.microsoft.com/en-us/azure/backup/backup-afs>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-introduction>

**NEW QUESTION: 10**

Windows 10 Enterprise ☐☐ ☐☐☐ ☐☐☐☐ Windows Virtual Desktop ☐☐☐ ☐☐ ☐☐☐☐. ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐. ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ 30☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐?

- A. Azure Automation ☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐
- B. Azure Automation ☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐
- C. Azure ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐☐
- D. Azure ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐☐

**Answer: A (LEAVE A REPLY)**

☐☐:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/host-pool-load-balancing>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/configure-host-pool-load-balancing>


**NEW QUESTION: 11**

☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐ contoso.com☐☐☐☐☐☐☐ Azure Active Directory(Azure AD) ☐☐☐☐☐ ☐☐☐☐☐.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group3

Azure Virtual Desktop □□□ □□ □□□□. □□ □□ □□□□□ C:\Folder1□□□□ □□□ □□ □□.

□□ □□□ □□ FSLogix □□□□□□ □□□ □□□ □□□□□.



□□ □□ □□□ □□□ □□□□□□ □□□ □□□ □□ □□□ □□□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□, □□□ □□□□ '□□□□'□ □□□□□□.

□□□□: □□ □□□ 1□□□□□.

**Answer Area**

Statements	Yes	No
User1 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User2 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User3 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>

**Answer:**

For storage1:

- Configure network routing.
- Configure a private endpoint.
- Configure the storage account type.

For the session hosts:

- Enable Write Accelerator.
- Increase the Virtual machine size.
- Add additional network adapters.

□□



- Register the NetApp Resource Provider.
- Create an Azure NetApp Files account.
- Create an Azure File Sync Storage Sync Service.
- Register for Azure NetApp Files.
- Create a capacity pool.
- Create a file share.



Answer:

**Actions**

**Answer Area**

- Register the NetApp Resource Provider.
- Create an Azure NetApp Files account.
- Create an Azure File Sync Storage Sync Service.
- Register for Azure NetApp Files.
- Create a capacity pool.
- Create a file share.



- Register the NetApp Resource Provider.
- Register for Azure NetApp Files.
- Create an Azure NetApp Files account.
- Create a capacity pool.

□□:

Register the NetApp Resource Provider.

Register for Azure NetApp Files.

Create an Azure NetApp Files account.

Create a capacity pool.

□□□ □□ □□ □□□

□□:

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-quickstart-set-up-account-create-vo>

**NEW QUESTION: 14**

□□□ □□□□ □□ □□ □□ □□□□.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

□ □□□□ contoso.com□□□ Azure Active Directory(Azure AD) □□□□ □□□, □ □□□□ User1□□□ □□□□ □□□□.

□□□□ WVD1□□□ Windows Virtual Desktop □□□ □□□□□. WVD1□□ 52.166.253.0/24 □□□□ □□ IP □□□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□.

□□: □□1

□□:

□□□ □ □□: User1

□□□□ □ □□ □□: Windows Virtual Desktop

□□ □□:

□□: □□□ □□, □□ □□ □□ □□

□□ □□□: □□

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.  
□□□□: □□ □□□ 1□□□□.

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

**Answer:**

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**NEW QUESTION: 15**

Pool4 □ □□□ □□□□ □□□□.

Pool4 □ □□□ □ □□ □□ □□ □□ □□□□, 5□□ □□ □□□ □□□ □□□□□ □ □  
□ □□ □□□□ □□□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

**Answer:**





□□



**AZ-140** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-140 □□! DumpTop □ □□ **AZ-140** □□ □□□ □□□□□□, DumpTop AZ-140 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-140 □□□ □□□□□□. <https://www.dumptop.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 17**

□□□ □□□□ □□ □□ □□ □□□□.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

contoso.com Azure Active Directory(Azure AD) , User1 .

WVD1 Windows Virtual Desktop . WVD1 52.166.253.0/24 IP .

Contoso.com .

: 1

:

: User1

: Windows Virtual Desktop

:

: , ,

:

: 1 .

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>

:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**NEW QUESTION: 18**

-

Azure Virtual Desktop .

.

Name	Session host requirement
HostPool1	Compute optimized with a high CPU-to-memory ratio
HostPool2	Memory optimized with a high memory-to-CPU ratio
HostPool3	GPU optimized for graphic rendering and video editing

□□ □□□ □□ □□□□ □ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□.

**Virtual machine size**

**Answer Area**

- A-Series
- B-Series
- E-Series
- F-Series
- N-Series

HostPool1: Virtual machine size

HostPool2: Virtual machine size

HostPool3: Virtual machine size

**Answer:**

Virtual machine size

Answer Area

HostPool1: F-Series

HostPool2: E-Series

HostPool3: N-Series


□□

**Answer Area**

HostPool1: F-Series

HostPool2: E-Series

HostPool3: N-Series



□□□ □□ □□ □□□

**NEW QUESTION: 19**

□□□□□ Azure Active Directory(Azure AD) □□□□ □□□□.

Azure Virtual Desktop □□ □□□ □□ □□□ □□□□□. □□□ □□□ Windows 10 Enterprise□ □□□□ 15□□ □□ □□□ □□□□□. □□ □□□ □□□□□ Active Directory □□□□ □□□□ Department1□□□ □□□ □□□ □□□ □□□□□.

□ □□□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□□ □□□.

□□□ □□□□ □□□□?

- A. □□□ □□ □□ □□ □□
- B. □ □□ □□□ □□ □□ □□
- C. □□ □□ □□(GPO)□ □□ □□ □□
- D. Azure AD□ □□ □□

**Answer: C (LEAVE A REPLY)**

[https://microsoftlearning.github.io/AZ-140-Configuring-and-Operating-Microsoft-Azure-Virtual-Desktop/Instructions/Labs/LAB\\_04L01\\_Implement\\_and\\_manage\\_AVD\\_profiles\\_AADDS.html](https://microsoftlearning.github.io/AZ-140-Configuring-and-Operating-Microsoft-Azure-Virtual-Desktop/Instructions/Labs/LAB_04L01_Implement_and_manage_AVD_profiles_AADDS.html)

**NEW QUESTION: 20**

Azure Virtual Desktop□ □□□□ □□□□.

Azure Monitor□□ Azure Virtual Desktop Insights □□□□ □□□□ □□□ □□□□□□ □□ □.

□□□ □□ □□ □□ □□□□ □□□ □□□□ □□□□ □□□□?

- A. □□ □□
- B. □□□ □□
- C. Log Analytics □□ □□

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 21**

□□ □□ □□□ □□□□□ □□□ □□□ □□□ □□□□ □□□.  
□□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.  
□□ □□: □□□ □□□ □□□ 1□□□□□.




**Answer:**



**NEW QUESTION: 22**

-  
□□□□□ □□□□□□ Azure AD □□□□ □□□□□ Active Directory □□□□ □□□□ □  
□□□.  
□□□□ □□□ Windows 11 □□ □□□□ □□□ Azure Virtual Desktop □□□ □□ □□□□.  
□□□ □□□ □□□□□ □□□□□ Azure NetApp Files □ □□□□ □□□.  
□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □  
□□□ □□□ □□□ □□□ □□□□□.  
□□: □ □ □□□ □□ □□□□ □□□□□□. □□□□ □□ □□□ □□ □□□□ □□ □□□.



**Answer:**



Session hosts:

25
75
400
1200

vCPUs per session host:



2
4
8
16

Answer:

Session hosts:

25
75
400
1200

vCPUs per session host:

2
4
8
16

NEW QUESTION: 24

-

Azure Virtual Desktop □□ □□□ □□ □□□□. □□ □ □□ □□□□□ □□ □□ □□□□  
□□□ □□□□ □□□□.  
□□ □□□ □□□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □  
□□□ □□□ □□□ □□□ □□□□□.

Microsoft **Actions** **Answer Area**

- Create a backup policy and configure a backup.
- Grant permissions for the vault.
- Create a backup vault.
- Configure a managed identity.
- Create a Recovery Services vault.

Navigation icons: left arrow, right arrow, up arrow, down arrow.


Answer:

Microsoft **Actions** **Answer Area**

- Create a backup policy and configure a backup.
- Grant permissions for the vault.
- Create a backup vault.
- Configure a managed identity.
- Create a Recovery Services vault.

Navigation icons: left arrow, right arrow, up arrow, down arrow.

□□  
□□□, □□ □□ □□ □□



**NEW QUESTION: 25**

□□□□□ Azure Active Directory(Azure AD) □□□□ □ □□ □□□ □□ Azure □□ □□□ □ □□ Azure □□□ □□□□. □□ □□□ Windows Server 2019□ □□□□ □□ □□□□ □□ □□□.

Storage Spaces Direct Scale-Out □□ □□□ □□□□ □□□ □□□□ □□□□□ Azure Virtual Desktop □□□ □□ □□□□□ □□□.


□□ □□□ Storage Spaces Direct □□□ □□□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

\* □□ □□□ □□□□ □□ □□□ □□□□ □□□ □ □□□ □□□□□.

\* □□□ □□□ □□□□□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□. □□: □ □□□ 10 □□□.

Answer Area



**Answer:**

Answer Area



□□

□□□ □□□ □□□□□, □□□, □□ □□□□ □□ □□ □□

On each virtual machine, install:

- The Failover Clustering feature
- The File Server Resource Manager role service
- The Remote Desktop Services role

Create:

- An additional Azure virtual machine that runs Windows Server 2019
- An Azure NetApp Files share
- An Azure storage account
- Two shared disks



Microsoft

□□□□:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/deploy-storage-spaces-direct>

### NEW QUESTION: 26

□□□ □□□□ □□ □□ □□ □□□□.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

□ □□□□ contoso.com□□□□ Azure Active Directory(Azure AD) □□□□ □□□, □ □□□□ User1□□□□ □□□□ □□□□.

□□□□ WVD1□□□□ Windows Virtual Desktop □□□ □□□□□. WVD1□□ 52.166.253.0/24 □□□□ □□ IP □□□□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□: □□1

□□:

□□□ □ □□: User1

□□□□ □ □□ □□: Windows Virtual Desktop

□□ □□:

□□: □□□□ □□, □□ □□ □□ □□

□□ □□□: □□

□□ □ □□□ □□ □□□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.

□□□□: □□ □□□□ 1□□□□□.



Microsoft

#### Statements

Yes

No

□ If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).  Yes  No

□ If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).  Yes  No

□ If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).  Yes  No

**Answer:**

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>

□□:

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**NEW QUESTION: 27**

-

□□ □□ □□□ □□ □□□□ □□□ Azure Virtual Desktop □□□ □□□□.

Name	Configuration
Host1	RDP Shortpath for managed networks is enabled.
Host2	RDP Shortpath for managed networks is not configured.

□□ □□□ □□□ □□ □□ □□□□.

Name	Remote Desktop client type
User1	Windows desktop
User2	Web

□□□□ □□ □□ □□□ □□□□ Azure □ □□□□□.

Name	Connection type
Location1	Site-to-Site VPN
Location2	Internet

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□□□: □□ □□□ 1□□□□.



3 - Microsoft... ..

**NEW QUESTION: 29**

Windows 10 Enterprise ... VM1 Azure ... VM1 Windows Virtual Desktop ... VM1 ... ? ... 10000.



**Answer:**



...



...:

https://docs.microsoft.com/en-us/troubleshoot/windows-server/deployment/issues-appx-cleanup-maintenance-tas

https://docs.microsoft.com/en-us/powershell/module/scheduledtasks/disable-scheduledtask?view=windowsserve

**NEW QUESTION: 30**

- Azure Virtual Desktop ... CPU ... ?
- A. ...
- B. ...
- C. ...
- D. Azure ...

Answer: C ([LEAVE A REPLY](#))

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/azure-monitor>

**NEW QUESTION: 31**

Type	Name	Description
Azure storage account	storage1	Contains a share named Profiles
Host pool	HostPool1	Stores user profiles in the Profiles share

**Answer Area**

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	



Microsoft

Answer:



C. □□ □□ □□□ □□□

D. □□ □□

Answer: A ([LEAVE A REPLY](#))

□□

□□/□□:

<https://www.linkedin.com/pulse/windows-virtual-desktop-remoteapps-jason-byway>

**NEW QUESTION: 33**

□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

A. □□ □□ □□□□ Azure AD□ □□□□□□□.

B. Windows Virtual Desktop □□ □□□□ □□□ □ Azure □□□□ Azure Active Directory □□ □□□□(Azure AD DS) □□ □□□□ □□□□.

C. Azure □□ □□□ □□□□□ Active Directory □□□□ □□ □□□ □□□□□ □□□□□.

D. Azure □□ □□□ RODC(□□ □□ □□□ □□□□)□ □□□□□.

E. Windows Virtual Desktop □□ □□□□ □□□ □ Azure □□□□ Active Directory □□□□ □□□□.

Answer: A,C ([LEAVE A REPLY](#))

<https://www.compete366.com/blog-posts/how-to-implement-azure-windows-virtual-desktop-wvd/>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>

**NEW QUESTION: 34**

□□ □□ □□□ □□□□ □□□ Azure Virtual Desktop □□□ □□□□.


<e ip="9b59d5deb5f228704c381474b4afcd87.jpg">< /e>

□□ □□ □□□ □□□□ □□□□□.

Name	Type	Location
Recovery1	Recovery Services vault	West US
Recovery2	Recovery Services vault	Central US
Backup1	Azure Backup vault	West US
Backup2	Azure Backup vault	Central US

□□ □□ □□□ □□□□ □□□. \* HostPool1□□ □□□□ FSLogix □□□ □□□□□ □□□ □□. \* HostPool2□ □□□ □□□□ □□□□□. □□□ □□□□□ □□□ □□□□ □□ □□ □□ □□□ □ □□□□? □□□□ □□ □□□□ □□□ □□□ □□□□□. □□: □ □□□ 1 □□□□.





1 - Azure NetApp □□□ □□ □□□ □□□□□.

2 - □□□ □□□ □□□□.

3 - □□□ □□□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-manage-snapshots>

**NEW QUESTION: 36**


Windows Virtual Desktop□ □□□□ □□□□.

□□ □□□□ □□ □□□□ □□□ □□ □□□ iOS □□□ □□□□ □□□□.


□□□□ □□ URL□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□ URL□ □□□ □ □□ □□ □□□.

\_msradc DNS □□□□ □□□ □□□□ □□□□? □□□□□□ □□ □□□□ □□□ □□□ □□□□.

□□□□: □□ □□□ 1□□□□□.



**Answer:**



**NEW QUESTION: 37**

□□□□ □□□□□□ Azure AD □□□□□□ contoso.com □□□ Active Directory □□□□ □□□□ □□□□.

5□□ □□□□□□ □□ □□ □□□□ □□□ HostPool1 □□□ Azure Virtual Desktop □ □□□ □□ □□□□□□.

HostPool1 □ □□ □□□ □□□ □□ □□ □□□ □□□□□ □□□□ □□□□.


\* □□□□ □□ □□□ □□□□ □□□□ □□□□.

\* □□□□ □□ □□□□□ □□□□ □□□□.


□□□□ □□□ □□□ □□□□□ □□□□.

□ □□ □□□ □□□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□□□: □□ □□□ 1□□□□□.



**Answer:**



**NEW QUESTION: 38**

Azure    .

Windows 10      Azure Virtual Desktop             .

Requirement	Value
Total users	1,200
Shifts per day	3
Users per shift	400
User workload type	Medium
Concurrent users per session host	16

.

vCPU          .

100000.

.

Session hosts:

25
75
400
1200

vCPUs per session host:



2
4
8
16

Answer:

Session hosts:

25
75
400
1200



vCPUs per session host:

2
4
8
16

□□ 1, Litware, Inc

□□

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□ □□ □□□□. □ □□□ □□□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□□ □□ □□ □□□ □□□ □□ □□□□. □□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□ □□ □ □□ □□□□ □□□ □ □□ □□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□□□. □□□ □□□ □□□□ □□□□ □□ □□, □ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□ □□ □□□□□. □□□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□□.

□□

Litware, Inc. □ □□ □□□□ □□□ □□, □□ □□□□ □□ □□□□ □□ □□ □□□□□.

□□ □□. ID □□

□□□□□□ litware.com □□□ □□□□□ Active Directory □□□□ □□□□ □□□, □ □□

□□ litware.com □□□ Azure Active Directory(Azure AD) □□□□ □□□□□□.

Azure AD □□□□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

□□ □□□□ Azure Multi-Factor Authentication(MFA) □ □□□□ □□□□□.

□□ □□. □□□□ □□□

Litware □□ Azure AD □□□□ □□□ Microsoft 365 E5 □□□ □□□□□. □□ □□□□□

Microsoft 365 Enterprise E5 □□□□□ □□□□□.

Litware □□ Azure AD □□□□ □□□ Azure □□□ □□□□□. □□□□ □□ □□ □□□ □□

□□ □□□□ □□□□□.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware □ □□□ □□ □□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□□□ □□□□ Azure □□

□□□□ □□□□□□□ □□ □□□ □□□□□ Active Directory □□□□ □□□□□□□.

□□□□ □ DNS

□□□□ WAN □□□ □□□□ □□ □□□□□. □ □□□□ □□□□ □□ □□□□□.

□□□ □□□□ □□ □□ DNS □□□ □□□ □□□□□ DNS □□□ □□□□ □□□□□, □□ □  
□□□ □□ □□□ □□□□□. □□□ □□□□□ □□□ □□□□□ DNS □□□ □□□ □□□  
□ □□ □□ DNS □□□ □□□□□.

□□ □□. □□□ □□ □□

Litware□ □□□ □□ □□ □□ □□□ □□□□□.

□□□ □□□ □□□□ □□ □□ □□ Azure □□□ Windows Virtual Desktop □□□ □□□□□,  
□□□ □□□ □□□□ □□ □□ □□ Azure □□□ Windows Virtual Desktop □□□ □□□□□  
□.

FSLogix □□□ □□□□□ □□□□□.

Windows Virtual Desktop □□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□□□.

PowerShell□ □□□□ Windows Virtual Desktop □□□ □□ □□ □□□ □□□□ □□□ □□  
□□□□.

□□ □□. □□ □□ □□

Litware□ □□□ □□ □□ □□ □□□ □□□□□.

□□□□ □□□ □□□□□ Windows Virtual Desktop □□□ □□□□ □□□ □□□□□□.

□ Azure □□□□ Windows Virtual Desktop □□□ □□□ □□ □□□ □□□□□□.

Windows Virtual Desktop □□ □□□□ □□□□□ □ □□□ □□□ □□□□□□.

□□ □□. □□ □□ □□

Litware□ □□□ □□ □□ □□ □□□ □□□□□.

Windows Virtual Desktop □□ □□□□ □ Azure MFA□ □□□□□.

Windows Virtual Desktop □□□ 8□□ □□ □□□□ □□ □□□□□ □□□□ □□□ □□□□□  
□.

□□ □□. □□ □□ □□

Litware□ □□□ □□ □□ □□ □□□ □□□□□.

Windows Virtual Desktop □□ □□□□ Microsoft 365 □□ □□□□ □□□□□ □□□□□.

Windows Virtual Desktop □□ □□□□ Windows Virtual Desktop □□□ □□ □□□□ □□□□□  
□ □□□□□.

□□□□ □□ □□□ □□□ □□□□□.

□ □□□ □□□ □ □□□ □□□ □□□□ □□□ □□□□ □ □□ □□□ CloudAdmin1□ □  
□□□□.

Admin1□□ □ □□□ □□□ □□ □□□□ □□ □□□□ □□ □□□ □□□ □ □□ □□□  
□□□□□.

□□□□ □□□ □□□□ □□ □□ □□□ □□□□□□.

□□ □□□ □□□ □□□□□.

□□ □□. □□ □□ □□

Litware□ □□□ □□ □□ □□ □□□ □□□□□.

PowerShell□ □□□□ Windows Virtual Desktop □□□ □□ □□ □□□ □□ □□□□ □□□  
□ □ □□□□ □□□ □□□□□.

Windows Virtual Desktop can be used on a variety of devices, including tablets, smartphones, and laptops. This flexibility allows users to access their virtual desktops from anywhere and on any device, providing a seamless and productive work environment.

**NEW QUESTION: 39**

Windows Virtual Desktop can be used on a variety of devices, including tablets, smartphones, and laptops. This flexibility allows users to access their virtual desktops from anywhere and on any device, providing a seamless and productive work environment.

Type	Platform
Tablet	Windows 10 Pro
Phone	Android
Laptop	macOS

Windows Virtual Desktop can be used on a variety of devices, including tablets, smartphones, and laptops. This flexibility allows users to access their virtual desktops from anywhere and on any device, providing a seamless and productive work environment.



**Answer:**



□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-web>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-android>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-macos>

**NEW QUESTION: 40**

Pool1□□□ Azure Virtual Desktop □□□ □□ storage1□□□ Azure Storage □□□ □□□□.

Pool1□ storage1□ □□□ Azure □□□ □□□□.

□□ □□ □□□□ □□□□ □□□□ □□ □□ □□ 95%□□□.


Pool1□ □□□□ □□□□ □□ storage1□ □□□ FSLogix □□□ □□□□□ □□□ □□□□□ □.

□□□□ □□□□ □□□□□ □ □□□□ □□□ □□□□□□ □□ □□□□ □□□1□ □□ □□ □□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

For storage1:




For the session hosts:




**Answer:**

For storage1:




For the session hosts:



□□

□□□ □□□ □□□□□, □□□, □□□□□□, □□ □□ □□ □□□ □□□ □□□ □□□



□□:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>

**NEW QUESTION: 41**

□□□ □□□ □□ □□□ □□□□□ Admin1□ □□□ □□□ □□□□ □□□.

□□□ □□ □□□?

- A. FSLogix ODFC □□ □□ □□□ □□□□□.
- B. FSLogix □□□ □□ □□ □□□ □□□□□.
- C. HKLM\SOFTWARE\FSLogix\Profiles □□□□□ □□□ □□□□□.
- D. HKLM\SOFTWARE\FSLogix\ODFC □□□□□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

□□:

<https://docs.microsoft.com/en-us/fslogix/overview>

<https://docs.microsoft.com/en-us/fslogix/configure-profile-container-tutorial#set-up-include-and-exclude-usergroups>

**NEW QUESTION: 42**

15 Windows Virtual Desktop hosts. All hosts are in the same host pool. The host pool is configured with the following settings:

- Host pool type: Pooled
- Maximum sessions per host: 15
- Maximum sessions per user: 1

Name	Status	Drain mode	Assigned User	Active sessions	Resource group
WVD-0	Available	Off	-	11	rg-wvd
WVD-1	Available	Off	-	2	RG-WVD
WVD-2	Available	On	-	0	RG-WVD
WVD-3	Available	Off	-	15	RG-WVD
WVD-5	Available	On	-	0	RG-WVD
WVD-6	Available	Off	-	13	RG-WVD
WVD-4	Unavailable	Off	-	0	RG-WVD

The host pool is configured with the following settings:

- Host pool type: Pooled
- Maximum sessions per host: 15
- Maximum sessions per user: 1

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment

few sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

**Answer:**



□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/safe-url-list>

### NEW QUESTION: 44

-

User1□□□ □□□□ □□□ Azure □□□ □□□□.

□□ □□□ □□ □□ □□□ Azure Virtual Desktop □□□ □□ □□□□□.

Name	Type	Session host operating system	Number of hosts
Pool1	Pooled	Windows Server 2019 Datacenter	2
Pool2	Pooled	Windows 10 Enterprise multi-session	10
Pool3	Personal	Windows 11 Enterprise	10

User1□ □□□ □□□ □□□ □□ □ □□□ □□□□□□ □ □□□ RemoteApp □ □□□ □  
□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

\* □□ □□ □□ □□□□ □□□ □ □□□ □□□.

\* □□ □□□ □□□ □□□ □□□.

\* □□□ □□□ □□□□□ □□□.

User1□□ □□ □□□ □□□□ □□, User1□ □□□□ □□ □□ □ □□ □□ □□□□□? □  
□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.


**Answer Area**

Role:  ▼

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor

Number of app groups:  ▼

- 1
- 2
- 3
- 22



Answer:

Answer Area



Role:

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor

Number of app groups:

- 1
- 2
- 3
- 22

□□:

□□□□ □□□ □□

3

NEW QUESTION: 45

□□ □□ □□□ □□ □□□ □□□ Azure □□□ □□□□.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

SharedGallery1 □□□ □□□ □□ □□ □□□ □□□□ □□□□. (SharedGallery1 □□ □□ □□□.)

### Create shared image gallery



✓ Validation passed

Basics

Tags

Review + create

#### Basics

Subscription  
 Resource group  
 Region  
 Name  
 Description

Azure Pass - Sponsorship  
 RG1  
 West Europe  
 SharedGallery1  
 None



Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>

**Answer:**

**Actions**

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

**Answer Area**

- Move the page file to drive C.
- Change the drive letter of Temporary Storage (D:).
- Add the new disk and assign drive D.
- Move the page file to Temporary Storage.

□□

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input checked="" type="radio"/>

□□:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage-and-deploy-cust>

**NEW QUESTION: 46**

Azure Virtual Desktop □□□ □□ □□□ □□□□□ □□□□.

□□ □□□ □□□ Azure Resource Manager(ARM) □□□□ □□□□□.





Research:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

**NEW QUESTION: 48**

□□□ □□□□□□ Azure Active Directory(Azure AD) □□□□ □□□□□ □□□□□ Active Directory □□□□ □□□□ □□□□. □□□□□ □□ □□ □□□ □□□□ □□□□ □□□ □.

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

□□ □□ □□□ □□□□□□ □□□ □□□ Windows Virtual Desktop □□□ □□□□□.

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

□□ □□□ □□ □□□ □□ □□□□.

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

Answer Area



Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

□□

Answer Area

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>

NEW QUESTION: 49

Azure □□□ □□□□.

Azure Virtual Desktop □□□□ □□ □□ Azure □□□ □□□ □□□□□. □□□□□ □□ □ □□□ □□□□ □□□□□.

Type	Name	Description
Azure storage account	storage1	Contains a share named Profiles
Host pool	HostPool1	Stores user profiles in the Profiles share

□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□.

\* □□ □□ □□□ □□□ □□□ □□□ □□□□ □□ □□□□ HostPool1□ □□□ □ □□□ □□□.

\* □□□ □□□□□□ □□□.

□ □□□□ □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□.

□□□□: □□ □□□ 1□□□□.

## Answer Area Microsoft

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

Answer:

## Answer Area

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

□□

□□□ □□ □ ZRS □□□□.

### NEW QUESTION: 50

Windows Virtual Desktop □ □□□□ □□□□.

□□ □□□□ □□ □□□□ □□□ □□ □□□ iOS □□□ □□□□ □□□□.

□□□□ □□ URL□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□ URL□ □□□ □ □□ □□ □□□.

\_msradc DNS □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□.

□□□□: □□ □□□ 1□□□□□.


Record type:

Microsoft	▼
A	
CNAME	
SRV	
TXT	

Record value:

https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery	▼
https://rdweb.wvd.microsoft.com/api/feeddiscovery	
https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx	
webfeeddiscovery.aspx	

Answer:



□□

1. □□□

2. <https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery>

RDS □□ □□□ □□ □□□ □□□ □□□□□

<https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/rds-email-discovery>

<https://docs.microsoft.com/nl-nl/learn/modules/m365-deploy-wvd/2-deployment-overview>

**NEW QUESTION: 51**

□□ □□□□ Pool4□ □□□ □ □□, □□ □□□□ □□ □□□□ □□□□ □□□□ □ □□

□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□□□: □□ □□□ 1□□□□.

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

Answer:

**Actions**

- Create a file share and configure share permissions.
- Sign in to VM1 as Admin1.
- Run the `Join-AzStorageAccountForAuth` cmdlet.
- Sign in to VM1 as CloudAdmin1.
- Install the `AzFilesHybrid PowerShell` module.

**Answer Area**

- Sign in to VM1 as CloudAdmin1.
- Create a file share and configure share permissions.
- Install the `AzFilesHybrid PowerShell` module.
- Run the `Join-AzStorageAccountForAuth` cmdlet.

□□

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

**NEW QUESTION: 52**

\_\_\_\_\_ Windows Virtual Desktop \_\_\_\_\_ Microsoft Teams \_\_\_\_\_.

Microsoft Teams \_\_\_\_\_.

\_\_\_\_\_ Microsoft Teams \_\_\_\_\_.

- A. \_\_\_\_\_ WebRTC \_\_\_\_\_.
- B. RDP \_\_\_\_\_.
- C. Outlook \_\_\_\_\_ Teams \_\_\_\_\_.
- D. \_\_\_\_\_.

**Answer: A (LEAVE A REPLY)**

\_\_\_\_/\_\_\_\_:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/teams-on-wvd>

**NEW QUESTION: 53**

-

Azure Virtual Desktop \_\_\_\_\_.

\_\_\_\_\_.

Name	Session host requirement
HostPool1	Compute optimized with a high CPU-to-memory ratio
HostPool2	Memory optimized with a high memory-to-CPU ratio
HostPool3	GPU optimized for graphic rendering and video editing

\_\_\_\_\_.

- Virtual machine size
- A-Series
  - B-Series
  - E-Series
  - F-Series
  - N-Series

Answer Area

- HostPool1: \_\_\_\_\_
- HostPool2: \_\_\_\_\_
- HostPool3: \_\_\_\_\_

**Answer:**

A-Series

B-Series

E-Series

F-Series

N-Series

HostPool1: F-Series machine size

HostPool2: E-Series machine size

HostPool3: N-Series machine size

**NEW QUESTION: 54**

Configure Azure Active Directory (Azure AD) to integrate with Active Directory. Which role should be assigned to the user?

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

Which application should be assigned to the user?

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

Which workspace should be assigned to the user?

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

Which workspace should be assigned to the user? (Select one)

Answer Area	Microsoft	Statements	Yes	No
		User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
		User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
		User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Microsoft	Statements	Yes	No
		User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
		User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
		User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>

### NEW QUESTION: 55

Windows Virtual Desktop □ □□□ □□□□□.

FSLogix □□□ □□□□□ □□□□□ Azure NetApp Files □□□□ □□□□ □□□.

NetApp Resource Provider □ □□□ □ □□ □ □□ □□□ □□□□ □□□□ □□□? □□□□

□ □□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□ □□□□□.

□□: □ □ □□□ □□ □□□□ □□□□□. □□□□ □□ □□□ □□ □□□□ □□ □□□.

**Actions**

- Create a NetApp account.
- Create and assign a managed identity.
- Create a volume.
- Create a capacity pool.
- Create an Azure file share.
- Configure an Active Directory connection.

**Answer Area**



**Answer:**

**Answer Area**

Set up Azure NetApp Files account

Create capacity pool

Join Active Directory connection

- 1 - Azure NetApp Files □□ □□
- 2 - □□ □ □□
- 3 - Active Directory □□□ □□

**NEW QUESTION: 56**

□□□□□ □□□□□ □□□□□.

□□ □□□□ Windows 10 Pro□ □□□□ □□□□ □□□ □□□□.

□□ □□ □□ □□ □□ □□ □□□□ □□ Azure Virtual Desktop□ □□□ □□□□□□.

Department	Requirement
Research	Run an application that can run only on Windows Server. The application will be published as a RemoteApp.
Finance	Run Windows 10 Enterprise multi-session.

□□□ □□ □□□□□ □□□□ □□□. □□□□ □□□ □□□□□ □□□.

□ □□□ □□ □□□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□

□.

□□□□: □□ □□□ 1□□□□□.

Research:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

**Answer:**

Research:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)**

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license**
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

**NEW QUESTION: 57**

□□ □□ □□□ □□ □□□ □□□ Azure □□□ □□□□.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

SharedGallery1 □□□ □□□ □□ □□ □□□ □□□□ □□□□. (SharedGallery1 □□ □□ □□□.)

# Create shared image gallery

✓ Validation passed

Basics

Tags

Review + create

## Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	West Europe
Name	SharedGallery1
Description	None



Microsoft

Image1 □□□ □□□ □□ □□□ □□□ □□□□. (Image1 □□ □□□□□.)

# Add new image definition to shared image gallery

✓ Validation passed

Basics    Version    Publishing options    Tags    Review + create

## Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	East US
Target shared image gallery	SharedGallery1
Image definition name	Image1
Operating system	Windows
Operating system state	Specialized
Publisher	Contoso
Offer	WindowsServer2019
SKU	Datacenter

## Publishing options

Product name	None
EULA link	None
Description	None
Release notes URI	None
Privacy URI	None
Purchase plan name	None
Purchase plan publisher name	None
Recommended VM vCPUs	16-64
Recommended VM memory	500-1024GB
Excluded disk types	None
Image definition end of life date	None

□□ □ □□ □□ □□ □□□□ □□ □□□□. □□□ □□□ □□□□ □□□□□.  
□□□□: □□ □□□ 1□□□□.

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input checked="" type="radio"/>

□□:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage-and-deploy-custom-images-include-versioning-with-the-azure-shared-image-> □□□ □□/

**NEW QUESTION: 58**

HostPool1□□□ Azure Virtual Desktop □□□ □□ □□□□. HostPool1□□ □□ □□ □□ □ □ Windows 10 □□ □□□□ □□□□□□ □□□ □□□□ □□□□.

Name	Type
Appgroup1	Desktop
Appgroup2	RemoteApp
Appgroup3	RemoteApp

□□□□□ Windows 11 □□□□ □□ □□□□ □□□ □□□□□ □□□□ □□□.

□□ □□ □□□ □□ □□□?

A. □□ □□□ □□□□.

B. □□□ □□ □□□ □□□□.



Name	Performance	Type
storage1	Standard	General purpose v2
storage2	Premium	BlockBlobStorage
storage3	Premium	Page blobs
storage4	Premium	FileStorage

You are configuring an Azure VM. The VM will run Windows 10. You have selected the following storage configurations for the VM:

- storage1: Standard performance, General purpose v2 type.
- storage2: Premium performance, BlockBlobStorage type.
- storage3: Premium performance, Page blobs type.
- storage4: Premium performance, FileStorage type.

You are also configuring the VM's operating system. You have selected the following options:

- Operating system: Windows 10
- Image: FSLogix
- Virtual Desktop: Azure Virtual Desktop

You are also configuring the VM's network. You have selected the following options:

- Network: Public IP address
- Subnet: Virtual Network
- Security: Network Security Group

You are also configuring the VM's security. You have selected the following options:

- Authentication: Local Administrator Password Solution (LAPS)
- Encryption: BitLocker

You are also configuring the VM's monitoring. You have selected the following options:

- Monitoring: Azure Monitor
- Alerts: Azure Alerts

You are also configuring the VM's backup. You have selected the following options:

- Backup: Azure Backup
- Retention: 30 days

## Accounts

## Answer Area

storage1

storage2


storage3

storage4


Custom image:

Profile containers:

Answer:



□□:  
 □□□ □□□ □□□ □□□ □□ □□□



□□:  
<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-customize-master-image#upload-master-image-to->  
<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

**AZ-140** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-140 □□! DumpTop  
 □ □□ **AZ-140** □□ □□□ □□□□□□, DumpTop AZ-140 □□ □□□ □□□□□□□□  
 □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-140 □□□ □□□□□.  
<https://www.dumptop.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special Discount: KrDump**)


**NEW QUESTION: 62**  
 VM1□□□ □□ □□□ □□□ Azure □□□ □□□□. VM1□ □□□ □□ □□□ Windows 10  
 Enterprise□ □□□□□.  
 VM1□ □□ □□□ □□□□□ □□ □□□ □□□□□.  
 Azure Portal□ □□□□ VM1□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □  
□□□ □□□ □□□ □□□ □□□□□.

□□ □ □□:



**Answer:**



- 1 - Azure □□□ □□□□ □□□□.
- 2 - □□□ □□□ □□□□.
- 3 - □□□ □□□ □□□□.

**NEW QUESTION: 63**

Pool1□□□ Windows Virtual Desktop □□□ □□ □□□□□.

FSLogix □□□ □□□□□ profiles□□□ □□□ □□□□□ store1□□□ Azure Storage □□□  
□□□□.

□□ □□□□ □□ □□□□ □□□ □□□□ □□□.

- A. \\store1.blob.core.windows.net\profiles
- B. https://store1.file.core.windows.net/profiles
- C. \\store1.file.core.windows.net\profiles
- D. https://store1.blob.core.windows.net/profiles

**Answer: C (LEAVE A REPLY)**

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile> Azure□ FSLogix □□  
□ □□□□□ □□□□ □ □□□ □ □□ □□ □□□□ □□□□ □□□□□□. □□□□ □□□  
□ Azure Files□ FSLogix □□□ □□□□□ □□□□ □□ □□□□□.

**NEW QUESTION: 64**

□□ □□ □□ □□ □□ □□ □□□ □□□□ □□ Windows Virtual Desktop□ □□□ □□□□  
□.

Department	Required Windows Virtual Desktop resource	Number of users	GPU required
Research	Single-session desktop	10	No
Engineering	Multi-session desktop	50	Yes
IT	Multi-session desktop	50	No
Finance	RemoteApp	10	No

Which of the following is the correct configuration for the Windows Virtual Desktop host pool?

A. Single-session desktop, 10 users, No GPU required  
 B. Multi-session desktop, 50 users, Yes GPU required  
 C. Multi-session desktop, 50 users, No GPU required  
 D. RemoteApp, 10 users, No GPU required

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>  
 3. Single-session desktop - RemoteApp IT users require GPU. Multi-session desktop requires GPU.

<https://docs.microsoft.com/en-us/azure/virtual-desktop/manage-app-groups> Azure Virtual Desktop host pool configuration. Multi-session desktop requires GPU. RemoteApp requires no GPU.

**NEW QUESTION: 65**

contoso.com is an Active Directory domain. You plan to migrate the domain to Azure AD. Which of the following is the correct configuration for the Azure AD tenant?

Name	Type
Account1	Azure NetApp Files account
Account2	General purpose v2 storage account
Account3	Azure Files storage account
AVDPool1	Azure Virtual Desktop host pool

AVDPool1 is an FSLogix host pool. Which of the following is the correct configuration for the Azure AD tenant?

- \* Account1 is an Azure NetApp Files account.
- \* contoso.com is an Active Directory domain. You plan to migrate the domain to Azure AD. Which of the following is the correct configuration for the Azure AD tenant?



- A. 1
- B. 2
- C. 3

Answer: (SHOW ANSWER)

<https://learn.microsoft.com/en-us/azure/storage/files/storage-files-netapp-comparison>

**NEW QUESTION: 66**

□□□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□□ □□□□ □□□. □□□□ □□□ □□□ □□ □□□ □□□□ □□□. □□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □ □□□ □□□ □□□ □□□ □□□□□.

Actions	Answer Area
Create a file share and configure share permissions.	 
Sign in to VM1 as Admin1.	
Run the <code>Join-AzStorageAccountForAuth</code> cmdlet.	
Sign in to VM1 as CloudAdmin1.	
Install the <code>AzFilesHybrid</code> PowerShell module.	

**Answer:**

**Answer Area** 

- Sign in to VM1 as CloudAdmin1.

---



---

- Create a file share and configure share permissions.

---



---

- Install the AzFilesHybrid PowerShell module.

---



---

- Run the `Join-AzStorageAccountForAuth` cmdlet.

- 1 - CloudAdmin1 □ VM1 □ □□□□□□.
- 2 - □□ □□□ □□□ □□ □□□ □□□□□.
- 3 - AzFilesHybrid PowerShell □□□ □□□□□.
- 4 - Join-AzStorageAccountForAuth cmdlet □ □□□□□.

□□: <https://www.christiaanbrinkhoff.com/2020/03/01/learn-here-how-to-configure-azure-files-with-active-directory-ad-authentication-for-fslogix-profile-container-and-msix-□□□/>

**NEW QUESTION: 67**

Pool1□□□ Azure Virtual Desktop □□□ □□ storage1□□□ Azure Storage □□□ □□□□. Pool1□ storage1□ □□□ Azure □□□ □□□□. □□ □□ □□□□ □□□□ □□□□ □□ □□ □□ 95%□□□. Pool1□ □□□□ □□□□ □□ storage1□ □□□ FSLogix □□□ □□□□□□ □□□ □□□□ □.

□□□□ □□□□ □□□□□ □ □□□□ □□□ □□□□□□ □□ □□□□ □□□1□ □□ □□ □□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

For storage1:

	▼
Configure network routing.	
Configure a private endpoint.	
Configure the storage account type.	

For the session hosts:

	▼
Enable Write Accelerator.	
Increase the Virtual machine size.	
Add additional network adapters.	

**Answer:**

□□

□□□ □□□ □□□□□, □□□, □□□□□□, □□ □□ □□ □□□ □□□ □□□□ □□□

For storage1:

	▼
Configure network routing.	
Configure a private endpoint.	
Configure the storage account type.	

For the session hosts:

	▼
Enable Write Accelerator.	
Increase the Virtual machine size.	
Add additional network adapters.	

□□:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>

**NEW QUESTION: 68**

Azure Virtual Desktop □□□ □□ □□□ □□□□□ □□□□.

□□ □□□ □□□ Azure Resource Manager(ARM) □□□□ □□□□□.



□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/virtual-desktop-fall-2019/configure-host-pool-personal-desktop-designment-type-2019>

**NEW QUESTION: 69**

□□ □□ □□ □□ □□□□ □□□ Azure □□□ □□□□.

Name	Type	Description
Account1	Azure NetApp Files account	Contains Cpool1
CPool1	Capacity pool	Contains Volume1
Volume1	Volume	None
AVDPool1	Azure Virtual Desktop host pool	Configured to store FSLogix user profiles in Account1

□□□□ FSLogix □□□□ □□□ □□□ □□□ □ □□□ □□□□ □□□.

□□□ □□ □□□?

- A. Azure Portal □ CPool1 □□□□□□ □ □□□ □□□□.
- B. Azure Portal □□ Azure Backup □□ □□ □□□ □□ □□□ □□□□.
- C. Azure Portal □ Volume1 □□□□□□ □□□ □□□ □□□□.
- D. Azure Portal □□ Recovery Services □□ □□ □□□ □□ □□□ □□□□.

**Answer: D (LEAVE A REPLY)**

□□

□□□□: Azure Files Premium □□□ Azure Backup □ □□□□ FSLogix □ □□ □□□□□. Azure NetApp Files □ FSLogix □□□ □□□□□ □□□□ □□□ □□□ □□□□□ □ □□□□.

<https://learn.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix#bac>

**NEW QUESTION: 70**

JIT(Just-In-Time) VM □□□□ □□□□ Azure Virtual Desktop □□□ □□□□.

JIT VM □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□.

- □□□□ □ □□□ □ □□ □ □□ □□ □□ □□□□□? □□□□□ □□ □ □□□ □□□ □□□ □□□□□□.
- : □ □□ □□□ 1□□□□□.

### Settings



Networking



Connect



Disks



Size



Microsoft Defender for Cloud



Advisor recommendations



Extensions + applications



Continuous delivery



Availability + scaling




Configuration



Identity


















Properties

 Locks

Answer:  
Answer Area

### Settings

-  Networking
-  Connect
-  Disks  Microsoft
-  Size
-  Microsoft Defender for Cloud
-  Advisor recommendations
-  Extensions + applications
-  Continuous delivery
-  Availability + scaling
-  Configuration
-  Identity
-  Properties
-  Locks



□□□□:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#request-access-to-a-jit-ena> □□□□□ Microsoft Defender:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#work-with-jit-vm-access-u> □□:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#enable-jit-on-your-vms-fro>

**NEW QUESTION: 71**

Pool1□□□ □□□ □□ □□□ Azure Virtual Desktop □□□ □□□□. Pool1□□ □ □□ □□ □□□□ □□□□ □□□□.

Pool1□ □□ □□□ □□ □□□□ □□□□.

Name

Pool1

**Configuration**

Personal desktop

Yes  No

Start VM on connect ⓘ

No  Yes

Validation environment ⓘ

No  Yes

Friendly name

Description

Created through the Azure Virtual Desktop extension

Load balancing algorithm ⓘ

Depth-first

Max session limit

Microsoft

□□□□ □□□ □□□ □□□□ □ □□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□  
□ □□□□□.  
□□□□: □□ □□□ 1□□□□.

**Answer Area**

Service updates will be applied to Pool1 [answer choice].

as soon as the updates are released  
once every 30 days  
once the updates are generally available.

New user connections will be [answer choice].

connected to the session host that has the highest number of existing connections and has not reached the maximum session limit  
evenly distributed across all available hosts  
rejected once five sessions are established

**Answer:**


**Answer Area**

Service updates will be applied to Pool1 [answer choice].

- as soon as the updates are released
- once every 30 days
- once the updates are generally available

New user connections will be [answer choice].


- connected to the session host that has the highest number of existing connections and has not reached the maximum session limit
- evenly distributed across all available hosts
- rejected once five sessions are established



**NEW QUESTION: 72**

□□□ □□□□□ RDS □□□ □□□□ □□□. □□□□ □□□ □□ □□□ □□□□ □□□. □□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □ □□□ □□□ □□□ □□□ □□□□□.

Actions	Answer Area
Create a project in Azure Migrate.	
Register the Lakeside tool with Azure Migrate.	
Add the Azure Advisor recommendation digest.	⊖
Install agents on the virtual machines that have the Pool3 prefix.	⊕
Install agents on the virtual machines that have the Pool2 prefix.	
Create a Recovery Service vault.	⊖



**Answer:**





Question	Azure compute gallery	VM image definition
Publisher		Contoso
Offer		WindowsServer2022
SKU		Datacenter
<b>Publishing options</b>		
Product name		None
License terms link		None
Description		None
Release notes URI		None
Privacy terms URI		None
Purchase plan name		None
Purchase plan publisher name		None
Recommended VM vCPUs		4-16
Recommended VM memory		1-32 GB
Excluded disk types		None
VM image definition end of life date		None

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="checkbox"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="checkbox"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="checkbox"/>

**NEW QUESTION: 74**

conioso.com□□□ Azure Active Directory Domain Services(Azure AD DS) □□ □□□□ □□□ □.

Pool1□□□ Azure Virtual Desktop □□□ □□ □□□□. Azure □□□ □□ Virtual Machine Contributor □□□ Admin1□□□ □□□□□ □□□□□.

Admin1 Pool1 □□ □□□□ □□□ □ □□□ □□□□ □□□. □□□□ □□ □□□ □□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

A. Admin1□□ Pool1□ □□□□ □□□ □□ □□□ □□□ □□□□□.

B. Admin1□□ Pool1□ □□□□ □□□ □□□ □ □□□ □□□ □□□□□.

C. Admin1□□ Microsoft 36S Enterprise E3 □□□□□ □□□□□.

D. □□ □□□ □□□□□.

E. Admin1□ AAD DC □□□ □□□ □□□□□.

**Answer: B,D (LEAVE A REPLY)**

### NEW QUESTION: 75

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □ □□□□ □ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □ □□ □□□□ □□ □□□, □□ □□□□ □□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□ □ □□□□. □□□ □□□ □□□ □□ □□□ □□□ □ □□□□.

5□□ □□ □□□□ □□□ Windows Virtual Desktop □□□ □□ □□□□. □□ □□□□

Windows 10 Enterprise □□ □□□ □□□□□.

□□□□ Windows Virtual Desktop □□□□ □□□□ □□□□□ □□ □□□□ □□□. □□ □

□□□ □□ □□ Microsoft □□□□ □□□□ □ □□□ □□□.

□□ □□: □□ □□□□ □□□□ □□□ □□□□ □□ □□(NSG)□□ □□□ □□□□□.

□□□ □□□□□?

A. □

B. □□□

**Answer: A (LEAVE A REPLY)**

□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/tutorial-filter-network-traffic>

### NEW QUESTION: 76

□□□ □ □□

-  
□□□□□ □□□□□□ Azure AD □□□□ □□□□□ Active Directory □□□□ □□□□ □ □□□.

□□□□ □□□ Windows 11 □□ □□□□ □□□ Azure Virtual Desktop □□□ □□ □□□□.

□□□ □□□ □□□□□ □□□□□ Azure NetApp Files□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □

□□□ □□□ □□□ □□□ □□□□□.

□□: □ □ □□□ □□ □□□□□ □□□□□. □□□ □□ □□□ □□ □□□□ □□ □□□.

**Answer:**

Answer Area



Create a new Azure NetApp Files account.

Create a capacity pool.

Configure an Active Directory connection to the Azure AD tenant.

Create a new SMB volume.

**AZ-140** <https://www.dump.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

15 Windows Virtual Desktop session hosts are in a host pool. The session hosts are in a resource group. The session hosts are in a resource group. The session hosts are in a resource group.

Name	Status	Drain mode	Assigned User	Active sessions	Resource group
WVD-0	Available	Off	-	11	rg-wvd
WVD-1	Available	Off	-	2	RG-WVD
WVD-2	Available	On	-	0	RG-WVD
WVD-3	Available	Off	-	15	RG-WVD
WVD-5	Available	On	-	0	RG-WVD
WVD-6	Available	Off	-	13	RG-WVD
WVD-4	Unavailable	Off	-	0	RG-WVD

The session hosts are in a resource group. The session hosts are in a resource group. The session hosts are in a resource group.

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment

New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

**Answer:**

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment



New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

□□

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment

New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-scaling-script>

**NEW QUESTION: 78**

□□ □□ □□□ □□□□ □□□ A2ure □□□ □□□□.

Name	Type	Location
VNet1	Virtual network	East US
VNet2	Virtual network	West US
VNet3	Virtual network	Central US
storage1	Storage account	East US

Windows Server □ □□□□ VNet3 □ □□□ Sever 1 □□□□ □□ □□□□ □□□□.



Remote Desktop client app:  ▼  
Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop


Remote Desktop web client:  ▼  
Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop

**Answer:**

Remote Desktop client app:  ▼  
Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop

Remote Desktop web client:  ▼  
Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop

□□



☐☐:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-web>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-android>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-macos>

**NEW QUESTION: 80**


Windows Virtual Desktop ☐ ☐☐☐☐ ☐☐☐☐.

☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ iOS ☐☐☐☐ ☐☐☐☐.

☐☐☐☐ ☐☐ URL☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ URL☐ ☐☐☐☐ ☐☐ ☐☐☐☐.

\_msradc DNS ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐? ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐.

☐☐☐☐☐: ☐☐☐☐☐☐ 1☐☐☐☐☐.



**Answer:**

Record type: Microsoft

- A
- CNAME
- SRV
- TXT

Record value:

- https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
- https://rdweb.wvd.microsoft.com/api/feeddiscovery
- https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
- webfeeddiscovery.aspx

□□

1. □□□

2. <https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery>

RDS □□ □□□ □□ □□□ □□□ □□□□□

<https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/rds-email-discovery>

<https://docs.microsoft.com/nl-nl/learn/modules/m365-deploy-wvd/2-deployment-overview>

**NEW QUESTION: 81**

□□□□□ □□□□□ □□□□.

□□ □□□□ Windows 10 Pro□ □□□□ □□□□ □□□ □□□□.

□□ □□ □□ □□ □□ □□ □□□ □□□□ □□ Azure Virtual Desktop□ □□□ □□□□□.


Department	Requirement
Research	Run an application that can run only on Windows Server. The application will be published as a RemoteApp.
Finance	Run Windows 10 Enterprise multi-session.

□□□ □□ □□□□□ □□□□ □□□. □□□□ □□□ □□□□□ □□□.

□ □□□ □□ □□□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□

□.

□□□□: □□ □□□ 1□□□□.


Research:  ▼

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance: ▼

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

**Answer:**

Research:  ▼


Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance: ▼

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

□□

□□□, □, □□□ □□□ □□ □□□□ □□ □□□

Research:  ▼

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance: ▼

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

**NEW QUESTION: 82**

Azure Virtual Desktop `Get-AzWvdHostPool`. `Get-AzWvdHostPool` Windows 10 Enterprise `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

Pool1 `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.  
`Get-AzWvdHostPool` `Get-AzWvdHostPool`, `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`. `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.  
`Get-AzWvdHostPool` `Get-AzWvdHostPool`?

- A. `Get-AzWvdHostPool` Azure Virtual Desktop Experience Estimator `Get-AzWvdHostPool`.
- B. Azure Cloud Shell `Get-AzOperationalInsightsWorkspaceUsage` cmdlet `Get-AzOperationalInsightsWorkspaceUsage` `Get-AzOperationalInsightsWorkspaceUsage` `Get-AzOperationalInsightsWorkspaceUsage` `Get-AzOperationalInsightsWorkspaceUsage`.
- C. Azure Cloud Shell `Get-AzWvdUserSession` cmdlet `Get-AzWvdUserSession` `Get-AzWvdUserSession` `Get-AzWvdUserSession` `Get-AzWvdUserSession` `Get-AzWvdUserSession`.
- D. `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` RemoteFX Graphics(\*)\Frames Skipped/Second `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

**Answer: (SHOW ANSWER)**

`Get-AzWvdHostPool`:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/remotefx-graphics-performance-counters>

**NEW QUESTION: 83**

-  
`Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` Azure Virtual Desktop `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

Name	Description
Pool1	Personal host pool
Host1	Windows 11 session host in Pool1
Host2	Windows 11 session host in Pool1
AG1	RemoteApp app group that contains an app named App1
WS1	Workspace that publishes AG1

`Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

\* App1 `Get-AzWvdHostPool` `Get-AzWvdHostPool` ID `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

\* App1 `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

`Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`? `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool` `Get-AzWvdHostPool`.

`Get-AzWvdHostPool`: `Get-AzWvdHostPool` `Get-AzWvdHostPool` 10000.

## Answer Area

Managed identity:



A dropdown menu with a grey header and a downward arrow on the right. The list contains four items: AG1, Host1 and Host2, Pool1, and WS1.

- AG1
- Host1 and Host2
- Pool1
- WS1

Clipboard redirection:



A dropdown menu with a grey header and a downward arrow on the right. The list contains four items: AG1, Host1 and Host2, Pool1, and WS1. A Microsoft logo is partially visible at the bottom left of the list.

- AG1
- Host1 and Host2
- Pool1
- WS1

Answer:

## Answer Area



Managed identity:  
Microsoft

▼

AG1  
Host1 and Host2  
Pool1  
WS1

Clipboard redirection:

▼

AG1  
Host1 and Host2  
Pool1  
WS1

□□

## Answer Area



Managed identity:

AG1  
Host1 and Host2  
Pool1  
WS1

Clipboard redirection:

AG1  
Host1 and Host2  
Pool1  
WS1

### NEW QUESTION: 84

□□□□□ Azure Active Directory(Azure AD) □□□□ □ □□ □□□ □□ Azure □□ □□□ □ □□ Azure □□□ □□□□. □□ □□□ Windows Server 2019□ □□□□ □□ □□□□ □□ □□□.

Storage Spaces Direct Scale-Out □□ □□□ □□□□ □□□ □□□□ □□□□□ Azure Virtual Desktop □□□ □□ □□□□□ □□□.

□□ □□□ Storage Spaces Direct □□□ □□□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

\* □□ □□□ □□□□ □□ □□□ □□□□ □□□ □ □□□ □□□□□.

\* □□□ □□□ □□□□□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□. □□: □ □□□ 10 □□□.





Name	Type
Appgroup1	Desktop
Appgroup2	RemoteApp
Appgroup3	RemoteApp

□□□□ Windows 11 □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□.

□□ □□ □□□ □□ □□□?

- A. □□ □□□ □□□□.
- B. □□□ □□ □□□ □□□□.
- C. HostPool1□ □□ □□□□ □□□□□.
- D. □ □□□ □□ □□□□.

**Answer: (SHOW ANSWER)**

□□ □□□ □□□ Windows 10 □□□□ □□□□. □□ □□□ □□ Windows 11 □□□□ □□ □□ □□□□□□ Windows 11□ □□□□□ □□□ □ □□□□. Windows 11□ □□□□□ □ □□ □□□□ □□□□ Windows 11 □□□□ □□□□□ □ □□□ □□ □□□□ □□□.

□□ 2, Contoso. Ltd

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□. □□□ □□□ □□□□ □□□□ □□ □□, □ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□ □□ □□□□□. □□□ □□ □□□ □□ □□ □ □□□□ □□□□ □□□□ □□□□□.

□□

Contoso, Ltd.□ □□□□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□. □□□ □□□ □□□ □□ □□□□□.

Contoso□ Azure □□□ □□□□ □□□ Microsoft 365□ □□□□□.

□□ □□□. Active Directory

□□□□□□ contoso.com□□□ □□□□□ Active Directory □□□□ Azure Active Directory(Azure AD) □□□□ □□□□. □□□ □□□□ □ □□□ Azure □□ □□□□ □□□ □ VNET1□□□ □□ □□□□□ □□□□□. □□ □□ □□ □□□ □□□ □□□□□□ □□ □□ DNS □□□□ □□□□□.

□-□□□□ Active Directory □□□□□ □□ □□ □□□ □□ □□(OU)□ □□□□ □□□□.



Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none"> <li>• A host pool named Pool1</li> <li>• An application group named Group1</li> <li>• A workspace named Workspace1</li> <li>• Virtual machines that have a prefix of Pool1</li> </ul>
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Contoso, Inc. is a multinational corporation with offices in Montreal, Seattle, and Paris. The company is planning to implement a Windows Virtual Desktop (WVD) deployment across these offices. The deployment will consist of three separate WVD environments, one for each office. Each environment will be based on a different operating system and will have its own set of virtual machines (VMs) and application groups. The deployment will also include a central management console and a set of user profile disks to preserve the user state.

The Montreal office will have a WVD deployment that runs Windows 10 Enterprise multi-session hosts. The deployment will contain the following components:

- A host pool named Pool1
- An application group named Group1
- A workspace named Workspace1
- Virtual machines that have a prefix of Pool1

The Seattle office will have an on-premises virtual machine-based RDS deployment that has personal desktops. The personal desktop virtual machines will have a prefix of Pool2.

The Paris office will have an on-premises virtual machine-based RDS deployment that has pooled desktops. The pooled desktop virtual machines will have a prefix of Pool3. User profile disks will be used to preserve the user state.

The deployment will be managed using the Windows Virtual Desktop Admin (WVDAdmin) console. The console will allow administrators to manage the WVD environments, including creating and deleting host pools, application groups, and workspaces. The console will also allow administrators to manage the user profile disks.

The deployment will be implemented in three phases. In the first phase, the WVD environments will be created for each office. In the second phase, the user profile disks will be created and configured. In the third phase, the WVD environments will be tested and deployed to the users.

The deployment will be supported by the following infrastructure:

- VMs: 5
- VNET: VNET4
- OS: Windows 10 Enterprise
- Application Groups: Group1
- Workspaces: Workspace1
- Host Pools: Pool1, Pool2, Pool3
- Virtual Machine Configurations: Standard D2s v3
- User Profile Disks: Pool4

The deployment will be supported by the following services:

- Windows Virtual Desktop
- FSLogix
- Azure Storage
- Operator2

Server1 is a virtual machine in a virtual machine pool named Pool1. The virtual machine is running FSLogix profile containers. The virtual machine is connected to a file share named share1. The virtual machine is connected to a custom Windows 10 image named Image1. The virtual machine is connected to a custom Windows Server 2019 image named Image2.

**NEW QUESTION: 87**

You are configuring an Azure Backup service. Which virtual machine images should you back up?

Name	Description
AVDVM-0	A virtual machine used in a pooled virtual machine set
share1	An Azure file share that stores FSLogix profile containers
Image1	A custom Windows 10 image in a shared image gallery
Image2	A custom Windows Server 2019 image stored in Azure Blob storage

Vault1 is an Azure Backup vault. Which virtual machine images should you back up to Vault1?

- A. AVDVM-0
- B. AVDVM-0, share1
- C. AVDVM-0, Image1, Image2
- D. AVDVM-0, share1, Image1
- E. AVDVM-0, Image1, Image2

**Answer: E (LEAVE A REPLY)**

Source:

<https://www.techrepublic.com/article/how-to-create-a-backup-recovery-service-with-microsoft-azure/>

**NEW QUESTION: 88**

Pool1 is a Windows Virtual Desktop pool. You are configuring an Azure Automation runbook to connect to the virtual machines in Pool1. Which Azure Active Directory services should you use to connect to the virtual machines in Pool1?

Azure Automation runbooks can connect to virtual machines in a pool. The runbook is configured to connect to the virtual machines in Pool1. The runbook is configured to connect to the virtual machines in Pool1. The runbook is configured to connect to the virtual machines in Pool1.

- A. Azure Active Directory(Azure AD) ID
- B. Azure AD DS (gMSA)
- C. Azure Automation Connections
- D. Azure Automation Runbooks

**Answer: (SHOW ANSWER)**

Source:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-scaling-script>

**NEW QUESTION: 89**

□□ □□ □□□ □□ □□□□.

Name	Operating system
Device1	Windows 10 Home
Device2	Windows 8.1 Professional
Device3	Windows 10 IoT Enterprise

□□□□ □□ □□□□ □□ □□□□□ □□□□ □□ Windows Virtual Desktop□ □□□□□ □□□.

□□ □□□ □□ □□□□ □□□□□□ □□□□□?

- A. Device1□ Device2□
- B. Device1□ Device3□
- C. Device1, Device2, Device3
- D. Device1□

**Answer: B (LEAVE A REPLY)**

□□:

[https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-](https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/clients/windowsdesktop)

services/clients/windowsdesktop □□ □□: Windows 10, Windows 10 IoT Enterprise □ Windows 7 Windows □□□□□ □□ □□□□ □□□□□□ □□□□ □□ Windows □□□□ □□□□ Windows □ □ □□□□□ □□□□ □ □□□□.

□□□ □□ □□□□ □□□□□(MSRDC)□ Windows 10, Windows 10 IoT Enterprise □ Windows 7 □□□□□ □□□ □□□□□.

- 64□□
- 32□□
- ARM64

**NEW QUESTION: 90**

Pool1□□□ Azure Virtual Desktop □□□ □□ □□□□. Pool1□□ App1□□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□□. App1□ RemoteApp □□□ □□□□ □□□□□. App1□ □□□ MSI □□ □□□ □□ □ □□□□ □□□□□. □□ □□□ □□□ App1□ □ □ □□□ □□□□.

RemoteApp□ □□ App1□ □ □□□ □□□ □ □□□ □□ □□□□□ □□□□□ □□□. □ □□□□□ Windows □□□□ □□□□□□□ □□□□□□□ □□□ □ □□□ □□□ □□□ □ □□□□□ □□ □□□.

□□ □ □□ cmdlet□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

- A. Remove-AzWvdApplication
- B. New-AzWvdApplication
- C. New-AzWvdApplicacionGroup
- D. New-AzWvdMsixPackage
- E. New-AzRoleAssignmenc
- F. Remove-AzWvdMsixPackage

**Answer: B,D (LEAVE A REPLY)**

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/what-is-app-attach>

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/new-azwvdapplication?view=azps-6.4.0>

**NEW QUESTION: 91**

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □ □□□□ □ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □ □ □□ □ □□□ □□ □ □□, □□ □□□□ □□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□ □ □□□□. □□□ □□□ □□□ □□ □□□ □□□ □ □□□□.

□□□ □□□□.

Microsoft 365 E5 □□□

□□□□□ Active Directory □□□

□□□□□ Azure Active Directory(Azure AD) □□□

Azure Active Directory Domain Services(Azure AD DS) □□ □□□

Azure Virtual Desktop □□

Azure Virtual Desktop □□□□ □-□□□□ □□□□ □□□□□□ □□□□ Microsoft Intune□ □□□ □□ □□□□□ □□□□ □□□□.

□□□ □□□□□□ Microsoft Edge □□□□□ □□ □□ □□□ □□□□ □□□.

□□ □□: □-□□□□ □□□□□ GPO(□□ □□ □□)□ □□□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

**Answer: A (LEAVE A REPLY)**

□□:

<https://www.compete366.com/blog-posts/eight-tips-on-how-to-manage-azure-virtual-desktop-avd/>

**AZ-140** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-140 □□! DumpTop □ □□ **AZ-140** □□ □□□ □□□□□□, DumpTop AZ-140 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-140 □□□ □□□□□.

<https://www.dumpstump.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 92**

Azure Virtual Desktop □□□ □□ □□□ □□□□□ □□□□.

□□ □□□ □□□ Azure Resource Manager(ARM) □□□□ □□□□□.



□□:

https://docs.microsoft.com/en-us/azure/virtual-desktop/virtual-desktop-fall-2019/configure-host-pool-personal-desktop-designment-type-2019

**NEW QUESTION: 93**

□□ □□ □□□ □ □□ □□□(User1, User2)□ □□□ □□□ □□□ Azure Virtual Desktop □ □□ □□□□.

Name	Microsoft Role
storage1	Storage File Data SMB Share Contributor assigned to User1 Storage File Data SMB Share Elevated Contributor assigned to User2
storage2	Storage File Data SMB Share Contributor assigned to User1 Owner assigned to User2

storage1□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□.

storage2□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□.


□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.

□□ □□:



For storage1: 

To Group1, assign the role of: 

**Answer:**

For storage1: 

To Group1, assign the role of: 

□□:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-enable>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-file-share>

**NEW QUESTION: 95**

□□□

□□□ □□□□ □□ □□ □□ □□□□.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

□ □□□□ contoso.com□□□ Azure Active Directory(Azure AD) □□□□ □□□, □ □□□□ User1□□□ □□□□ □□□□.

□□□□ WVD1□□□□ Windows Virtual Desktop □□□ □□□□□. WVD1□□ 52.166.253.0/24 □□□□ □□ IP □□□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com□□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□.

\* □□ : Policy1

\* □□ :

- □□□ □ □□: User1

- □□□□ □ □□ □□: Windows Virtual Desktop

\* □□ □□:

- □□: □□□ □□, □□ □□ □□ □□

\* □□ □□□: □□

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.  
 □□□□: □□ □□□ 1□□□□.  
 □□ □□:

**Answer Area**



**Statements**

**Yes** **No**

If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).



If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).



If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).



**Answer:**

**Answer Area**

**Statements**

**Yes**

**No**

If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).



If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).



If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).



□□/□□:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**NEW QUESTION: 96**

□□□ □□ □□□ Azure Virtual Desktop □□□ □□□□. □□□ □□□ □□ □□□ □□□□.

\* □□□ □□ : RG1

\* □□□ □ □□ : Pool1

\* □□: □□ □□

\* □□□ □ □□ : □□

□□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

Name	Resource group	Location
Workspace1	RG1	East US
Workspace2	RG1	West US
Workspace3	RG2	East US
Workspace4	RG2	West US

Pool1 is associated with AppGroup1. RemoteApp is associated with AppGroup1. Which workspace(s) can be used to access RemoteApp?

- A. Workspace1
- B. Workspace1, Workspace3
- C. Workspace1, Workspace2, Workspace3, Workspace4
- D. Workspace1, Workspace2

Answer: B (LEAVE A REPLY)

**NEW QUESTION: 97**

You are configuring an Azure Virtual Desktop pool. Which of the following is a requirement for the pool?

Name	Description
Pool1	Personal host pool
Host1	Windows 11 session host in Pool1
Host2	Windows 11 session host in Pool1
AG1	RemoteApp app group that contains an app named App1
WS1	Workspace that publishes AG1

- \* App1 must be published to the workspace.
- \* App1 must be published to the pool.
- \* App1 must be published to the host.
- \* App1 must be published to the resource group.

## Answer Area

Managed identity:

▼

- AG1
- Host1 and Host2
- Pool1
- WS1

Clipboard redirection:


▼

- AG1
- Host1 and Host2
- Pool1
- WS1

Answer:

## Answer Area

Managed identity:



Clipboard redirection:



□□:

Managed identity:

▼

- AG1
- Host1 and Host2
- Pool1
- WS1

Clipboard redirection:

▼

- AG1
- Host1 and Host2
- Pool1
- WS1

**NEW QUESTION: 98**

□□ □□ □□□ □ □□ □□□(User1, User2)□ □□□ □□□ □□□ Azure Virtual Desktop □ □□ □□□□.

Name	Role
storage1	Storage File Data SMB Share Contributor assigned to User1 Storage File Data SMB Share Elevated Contributor assigned to User2
storage2	Storage File Data SMB Share Contributor assigned to User1 Owner assigned to User2

storage1□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□.





**Answer Area**

Sign in to VM1 as Cloud Admin1.

Create a file share and configure share permissions.

Install the AzFilesHybrid PowerShell module.

Run the Join-AzStorageAccountForAuth cmdlet.

- 1 - Cloud Admin1 VM1
- 2 -
- 3 - AzFilesHybrid PowerShell
- 4 - Join-AzStorageAccountForAuth cmdlet

□□:

<https://www.christiaanbrinkhoff.com/2020/03/01/learn-here-how-to-configure-azure-files-with-active-directory-ad-authentication-for-fslogix-profile-container-and- ms i x-□□□/>

**NEW QUESTION: 100**

□□ □□□□ Pool4□ □□□ □ □□, □□ □□□□ □□ □□□□ □□□□ □□□□ □ □□ □□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□□□: □□ □□□ 1□□□□.

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

**Answer:**

Can create Pool4: Microsoft

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

□□ 2, Litware, Inc

□□ □□

□□□□□ □□

□□□□□□ litware.com□□□ □□□□□ Active Directory □□□□ □□□□ □□□, □ □□

□□ litware.com□□□ Azure Active Directory(Azure AD) □□□□ □□□□□□□.

Azure AD □□□□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

□□ □□□□ Azure Multi-Factor Authentication(MFA)□ □□□□ □□□□.

□□ □□. □□□□ □□□

Litware□□ Azure AD □□□□ □□□ Microsoft 365 E5 □□□ □□□□. □□ □□□□□

Microsoft 365 Enterprise E5 □□□□□ □□□□□.

Litware□□ Azure AD □□□□ □□□ Azure □□□ □□□□. □□□□ □□ □□ □□□ □□

□□ □□□□ □□□□.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware□ □□□ □□ □□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□□□ Azure □□

□□□ □□□□□□□ □□ □□□ □□□□□ Active Directory □□□□ □□□□□□.

□□□□ □ DNS

□□□□ WAN □□□ □□□□ □□ □□□□□. □ □□□□ □□□□ □□ □□□□□.

□□□□ □□□□ □□ □□ DNS □□□□ □□□ □□□□ DNS □□□ □□□□ □□□□, □□ □

□□□ □□ □□□ □□□□□. □□□ □□□□□ □□□ □□□□□ DNS □□□ □□□ □□□  
□ □□ □□ DNS □□□ □□□□□.  
□□ □□. □□□ □□ □□  
Litware□ □□□ □□ □□ □□□ □□□ □□□□□.  
□□□ □□□ □□□□□ □□ □□ □□ Azure □□□ Windows Virtual Desktop □□□ □□□□□,  
□□□ □□□ □□□□□ □□ □□ □□ Azure □□□ Windows Virtual Desktop □□□ □□□□□  
□.  
FSLogix □□□ □□□□□ □□□□□□.  
Windows Virtual Desktop □□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□□□□.  
PowerShell□ □□□□ Windows Virtual Desktop □□□ □□ □□ □□□ □□□□ □□□ □□  
□□□□□.  
□□ □□. □□ □□ □□  
Litware□ □□□ □□ □□ □□ □□□ □□□□□□.  
□□□□ □□□ □□□□□ Windows Virtual Desktop □□□ □□□□ □□□ □□□□□□□.  
□ Azure □□□□ Windows Virtual Desktop □□□ □□□ □□ □□□ □□□□□□□.  
Windows Virtual Desktop □□ □□□□ □□□□□□ □ □□□ □□□ □□□□□□□.  
□□ □□. □□ □□ □□  
Litware□ □□□ □□ □□ □□ □□□ □□□□□□.  
Windows Virtual Desktop □□ □□□□ □ Azure MFA□ □□□□□□.  
Windows Virtual Desktop □□□ 8□□ □□ □□□□ □□ □□□□□□ □□□□ □□□ □□□□□  
□.  
□□ □□. □□ □□ □□  
Litware□ □□□ □□ □□ □□ □□□ □□□□□□.  
Windows Virtual Desktop □□ □□□□ Microsoft 365 □□ □□□□ □□□□□□ □□□□□□.  
Windows Virtual Desktop □□ □□□□ Windows Virtual Desktop □□□ □□ □□□□ □□□□□  
□ □□□□□□.  
□□□ □□ □□□ □□□ □□□□□□□.  
□ □□□ □□□ □ □□□ □□□ □□□□ □□□ □□□□ □ □□ □□□ CloudAdmin1□ □  
□□□□□.  
Admin1□□ □ □□□ □□□ □□ □□□□ □□ □□□□ □□ □□□ □□□ □ □□ □□□  
□□□□□□.  
□□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□□.  
□□ □□□ □□□ □□□□□□□.  
□□ □□. □□ □□ □□  
Litware□ □□□ □□ □□ □□ □□□ □□□□□□.  
PowerShell□ □□□□ Windows Virtual Desktop □□□ □□ □□ □□□ □□ □□□□ □□□  
□ □ □□□□ □□□ □□□□□□□.  
□□□ □□ □□ □□ □□□□ □□□□ Windows Virtual Desktop □□ □□□□ □□□□□□□  
□ □ □□□ □□□ □□□□□□□.  
□□□□ □□□ □□ □□ □□ □□□□ □□□□□□ □□ □□ □□□□□□□.

**NEW QUESTION: 101**

□□ □□□ □□ Azure Virtual Desktop □□□ □□ □□□□.

## Create a host pool ...

✔ Validation passed.

Basics Virtual Machines Workspace Advanced Tags Review + create

### Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Host pool name	HostPool1
Location	West Europe
Host pool type	Pooled
Max session limit	10
Load balancing algorithm	Depth-first

### Virtual Machines

Resource group	RG1
Name prefix	vm
Virtual machine location	West Europe
Availability options	Availability zone
Availability zone	3
Image type	Gallery
Image	Windows 11 Enterprise multi-session
Virtual machine size	Standard D4s v3
Number of VMs	5
OS disk type	Standard SSD
Use managed disks	Yes
Virtual network	VNet1
Boot Diagnostics	Enable with managed storage account (recommended)
Subnet	default(10.0.0.0/24)
Network security group	Basic
Public inbound ports	None
Specify domain or unit	No
Domain Join Type	Active Directory



□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□ □□ □□□□ □□

□□□.

□□□□: □□ □□□ 1□□□□.

□□ □□:



D. Azure □□□□□

Answer: (SHOW ANSWER)

□□:

<https://azure.microsoft.com/en-gb/services/virtual-desktop/assessment/>

**NEW QUESTION: 103**

□□ □□□□ Pool4□ □□□ □ □□, □□ □□□□ □□ □□□□ □□□□ □□□□ □ □□□ □□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□□□: □□ □□□ 1□□□□□.

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

Answer:

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

**NEW QUESTION: 104**

Windows Virtual Desktop□ □□□ □□□□□□.

□□□□ □□ □□ □□□ □□□ □□□ □□□□.

Type	Platform
Tablet	Windows 10 Pro
Phone	Android
Laptop	macOS

□□□□ □□ □□ □□□□ □□ □□□□ □□□□□□ □□ □□ □□□□ □ □□□□□□□ □

Windows Virtual Desktop 1000 1000 10000? 10000 10 1000 1000  
1000 10000.  
1000: 10 1000 10000.



**Answer:**



1000:



□□ □□ □□□ □□□□ □□□?

- A. □□□□2
- B. □□□4
- C. □□□3
- D. □□□1

Answer: A ([LEAVE A REPLY](#))

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

**AZ-140** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AZ-140 □□! DumpTop □ □□ **AZ-140** □□ □□□ □□□□□□, DumpTop AZ-140 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AZ-140 □□□ □□□□□□. <https://www.dumptop.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 107**

Azure Virtual Desktop□ □□□□ □□□□.

App1□□□ RemoteApp□ □□□□.

App1□ □□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□□□ App1 □□□□ □□ □□□□ □□□□□□□□ □□□ □ □□□ □□ □□ □□□□□□.

□□□□ □□ □□□□ □□□ □□□□□□□□ □□□ □ □□□ □□ □□□□.

□□□ □□ □□□?

- A. Azure Active Directory(Azure AD)□□ □□□ □□□ □□□□□□.
- B. □□□ □□ □□□ □□(1AM) □□□ □□□□□.
- C. □□□ □□ RDP □□□ □□□□□.
- D. □□ □□□□□ AppLocker □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/security-guide>

**NEW QUESTION: 108**

□□□ □□□□ □□ □□ □□ □□□□.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

□ □□□□ contoso.com□□□ Azure Active Directory(Azure AD) □□□□ □□□, □ □□□□ User1□□□ □□□□ □□□□.

□□□□ WVD1□□□ Windows Virtual Desktop □□□ □□□□□. WVD1□□ 52.166.253.0/24 □□□□ □□ IP □□□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com

\* Policy1

\* :

\* User1

\* Windows Virtual Desktop

:

\* : , ,

:

. . . . .

: 1 . . . . .

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**NEW QUESTION: 109**

Azure Virtual Desktop

, Azure Virtual Desktop



**Answer: B (LEAVE A REPLY)**

□□□□: Azure Files Premium □□□ Azure Backup□ □□□□ FSLogix□ □□ □□□□□. Azure NetApp Files□ FSLogix □□□ □□□□□ □□□□ □□□ □□□ □□□□□ □ □□□□. <https://learn.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix#backup-and-restore>

**NEW QUESTION: 112**

□□ □□ □□□ □□□□ □□ Server1□ □□ □ □□ PowerShell □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

- A. □□□□
- B. □□□□□□
- C. □□ □□□
- D. □□□ □□□□
- E. Hyper-V

**Answer: A,D,E (LEAVE A REPLY)**

Contoso□ □□□ □□ □□ □□ □□□ □□□□□□.

Server1□□□ □□□□ □□□ □□□ □□□□ FSLogix □□□ □□□□□ □□□□□.

Hyper-V, Active Directory □ Pester□ PowerShell □□□ □□□ □□□ □□□□ FSLogix□ □ □□□ cmdlet□ □□□□ □□ □□ □□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migration/azure-best-practices/contoso-migratio>

**NEW QUESTION: 113**

Azure Virtual Desktop□ □□□□ □□□□.

FSLogix □□□□ □□□□□ □□□□□.

FSlogix □□□ □□□□□ □□ □□□□□ □□□□ □□□ □□ □□□.

□□□ □□ □□□?

- A. □□□ □□ RDP □□□ □□□□□.
- B. □ □□ □□□□ □□□□□□ □□□ □□□ □□□□□.
- C. □ □□ □□□□ AppLocker □□□ □□□□□.
- D. □ □□ □□□□ □□ □□□ □□□□□.

**Answer: D (LEAVE A REPLY)**

□□:

<https://docs.microsoft.com/en-us/fslogix/configure-profile-container-tutorial>

**NEW QUESTION: 114**

□ □□ □□ □□□□ □□□□ Pool1□□□□ Azure Virtual Desktop □□□ □□ □□□□□. □□ □

□□□□ FSLogtx □□□ □□□□□ □□□□□ □□□□ □□□□□. □□ □□□□□□ Cloud Cache□ □□□□ □□□.

□□□□ □□ □□□?

- A. Windows VHDlocations
- B. FSLogtx Office
- C. Windows VHDlocations
- D. FSLogix

Answer: A (LEAVE A REPLY)

:

<https://docs.microsoft.com/en-us/fslogix/configure-cloud-cache-tutorial>

**NEW QUESTION: 115**


VM1 Azure . VM1 Windows 10 Enterprise

VM1


Azure Portal VM1

?


:



Answer:



:



**NEW QUESTION: 116**

Pool1 is an Azure Virtual Desktop pool, App1 is an application, and Share1 is an Azure Storage share.

MSIX is a package format for Windows applications.

App1 is a Windows application. You need to create an MSIX package for App1 and upload it to Share1. What should you do?

**ACTIONS**

Create an MSIX image.

Generate a signing certificate.

Upload the MSIX package to Share1.

Generate an encryption certificate.

Create an MSIX package.

Upload the MSIX image to Share1.

**Answer:**

Actions	Answer Area
Create an MSIX image.	Generate a signing certificate.
Generate a signing certificate.	Create an MSIX package.
Upload the MSIX package to Share1.	Create an MSIX image.
Generate an encryption certificate.	Upload the MSIX image to Share1.
Create an MSIX package.	
Upload the MSIX image to Share1.	

Pool1 is an Azure Virtual Desktop pool, App1 is an application, and Share1 is an Azure Storage share.

Generate a signing certificate.

Create an MSIX package.

Create an MSIX image.

Upload the MSIX image to Share1.

□□:

<https://docs.microsoft.com/en-us/windows/msix/packaging-tool/create-app-package>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/app-attach-image-prep>

### NEW QUESTION: 117

□□□ -

□□ □□ □□□ □ □□ □□□(User1, User2)□ □□□ □□□ □□□ Azure Virtual Desktop □ □□ □□□□.

storage1□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□.

storage2□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□.

□□ □ □□□ □□ □□□ □□□□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

**Answer:**

□, □□□, □

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-assign-permissions?tabs=azure-portal> "□□□ □□□□ Active Directory Domain Services(AD DS) □□

□ □□□□ □□□ □□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□. □□ □□ □□

□ □□□□ □□□□ □ □□□ □□□□. □□ Azure AD □□□□/□□□ □□□ □□□□□ □□

□□□ ID□ □□ □□ □□ □□□□ □□□ □ □□□□."

### NEW QUESTION: 118

□□ □□ □□□ □□□□ □□ Admin1□ □□ □ □□ □□□ □□□□ □□□? □ □□□ □□ □□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

A. □□□□ □□□ □□□ □ □□□

B. □□□□ □□□ □□□□□□ □□ □□□

C. □□□□ □□□ □□ □□ □□□

D. □□□□ □□□ □□□□□□ □□ □□

E. □□□ □□□ □□□

**Answer: (SHOW ANSWER)**

□□:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

**AZ-140** ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AZ-140 ☐☐! DumpTop  
☐ ☐☐ **AZ-140** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AZ-140 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐  
☐☐☐ ☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop AZ-140 ☐☐☐ ☐☐☐☐☐☐.  
<https://www.dumptop.com/Microsoft/AZ-140-dump.html> (280 Q&As Dumps, **30%OFF Special**  
Discount: **KrDump**)