

Microsoft.AZ-720.v2023-08-17.q94

□□□□:	AZ-720
□□□□:	Troubleshooting Microsoft Azure Connectivity
□□□:	Microsoft
□□ □□ □□□:	94
□□:	v2023-08-17
# □□ □:	1084
# □□ □□□:	940
https://www.krdump.com/Microsoft.AZ-720.v2023-08-17.q94.html	

NEW QUESTION: 1

□□□ □□ □□ VNet(□□ □□□□)□□ VNA(□□□□ □□ □□□□□□) □ Azure Route Server□ □□□□□□. BGP(Border Gateway Protocol) □□□□ NVA□ □□ □□□ □□ □□ □□ □ □□□ □□□ □□ □□□ □□□□□□.

NVA□ □□□ □□□□ □□□.

□□□ □□ □□□?

- A. NVA □□□□□ □□□ □□ □□□ □□□□□.
- B. □□ □□□ NVA□ □□□ VNet□□ □□□□□.
- C. NVA□□ □□□ ASN(□□ □□□ □□)□ □□□□□.
- D. □□ □□□ □□ IP □□□ □□□□□.

Answer: C (LEAVE A REPLY)

2□ □□□ Azure Route Server□ NVA(□□□□ □□ □□□□□□)□ □□ □□□□ □□ □ NVA□ □□ □□□ ASN □ □□ BGP □□□ ASN□ □□ □□□ ASN□ □□□ □□□□ □□ □. □□□ □□□ BGP □□ □□ □□□□□□ □□ □□□ □□□ □□□□□.

□□ □□ □□ □□ □□□ □□□□ NVA□□ ASN□ □□□ □ □□□□. □□□ □□□ 2□ □ □□□□□.

NEW QUESTION: 2

□□□ Azure□□ JIT(Just-In-Time) VM(□□ □□) □□□□ □□□□□ □□□□□.

□□□□ Microsoft□ JIT VM □□□ □□□□ □□ □□□□ □□ □□□ VM □□□ □□□□□.

□□□□ □□□ Defender.

□□ VM□ JIT VM □□□□ □□ □□□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□?

- A. □□□□□ SecurityReader □□□ □□□□.
- B. VM□ □□□ □□□ □□□□ □□□□□□□□□□.
- C. □□□□ VM□ □□ JIT □□□□ □□□ □□□ □□□□.
- D. □□□□ □□□□ □□ □□□ Microsoft Defender□ □□□□ □□□□.

□□□ □□ □□□?

- A. AzureActiveDirectoryDomainControllerServices□□ Azure □□□□□□□ □□□ □□ Azure AD DS□ □□ □□□□□□.
- B. Azure AD Domain Services Sync□□ Azure □□□□□□□ □□□ □□ Azure AD DS□ □□ □□□□□□.
- C. □□□□□ Azure AD□□ □□□ □□□□□ □□□□□.
- D. Azure AD Connect□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

- VM(□□ □□) □□□□ □□□□ □□ Azure Bastion□ □□□□□.
- RDP(□□ □□□□ □□□□)□ □□□□ Windows VM□ □□□ □□□□□□. □□□ □□□□□.
- □□□□ □□□.
- □ □□ □□□ □□□□ □□□?
- A. □□ PowerShell cmdlet New-AzNetworkWatcherFlowLog□ □□□□ □□□□ □□□□□□ □.
 - B. □□ □□□□ Azure Bastion□ □□□□□.
 - C. Network Watcher □□ □□ □□ □□□□ □□□□□.
 - D. Azure Bastion□ □□□ □□□□ □□□□ □□ □□□ □□□□□.
 - E. □□ PowerShell cmdlet Test-AzNetworkWatcherConnectivity□ □□□□ □□□□ □□□□□ □□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 7

- VNetGW1□□□ Azure VNet(Virtual Network) □□□□□□ □□□□□□. VNetGW1□ □□ □□□□ □□ □□□ □ VPN □□□ □□□□ □□□ □□□□ □□□□□.
- □□□ VPN □□□ □□□□ □□ □□□□□.
- □□□ □□□ □□□□ □□□.
- □□□□ □□□?
- A. □□□ VPN □□□ □□ IP □□□ VNetGW1□ □□ □□□□ □□□□□ □□ □□□□ □□ □□□.
 - B. □□□□ VPN □□□ VNetGW1□ □□□ □□ □□ □□□□ □□□□□.
 - C. □□□□ VPN □□□ □□□ □□ □□□ VPN □□□ □□ □□□□□.
 - D. □□□□ VPN □□□□□ VNetGW1□ □□□ □□ □□□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

- Azure AD(Azure Active Directory) □□□□ □□□□. □□□ Azure AD Connect□ □□□ □□.

AD DS(Active Directory)
AD DS Azure AD

 ?

- A. PowerShell cmdlet : Get-ADSyncScheduler
- B. Azure AD Connect .
- C. Azure AD Connect .
- D. PowerShell cmdlet : Get-ADSyncConnetorRunStatus

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Azure JIT(Just-In-Time) VM()
 Microsoft Defender for Cloud JIT VM
VM
 VM JIT VM
 ?

- A. Microsoft Defender .
- B. VM .
- C. VM Azure Resource Manager .
- D. SecurityReader .

Answer: B ([LEAVE A REPLY](#))

Microsoft Defender for Cloud Just-in-Time VM
VM
Azure
Resource Manager Azure
 Azure
 .

NEW QUESTION: 10

Azure AD Connect

 Azure AD

 .

:
 ?

- A.
- B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□□ Azure AD Connect □ □□□□□. □□□ SSPR(□□ □□□ □□ □□□) □ □□□ □ □□□□.

□□□□ Azure AD Connect □□ □□ □□ □□ □□ □□□□□ □□□ □ □□□ □□□ □□ □□.

□□ □□□ □□□□ □ □□□ □□□□□□.

□□□ □□□□ □□□.

□□ □□: 256□ □□□ □□□ □□ □□□ □□□□ Azure AD Connect □ □□□□□. □□□□ □□□ □□□□□□?

A. □

B. □□□

Answer: B (LEAVE A REPLY)

□□□, Azure AD Connect □□□□ □□ □□□□ □□□□□ □□□ □□□ □□□□ □□□ □□. "□□ □□□ □□□□ □ □□ □□" □□ □□□□ □□□ □□□ □□□ □□□□□.

, Azure AD Connect □□ □□ □□ □□ □□□ □□□□□ □□□ □□□.

□ □□□ □□□□□ □□ Azure AD Connect □□□ □□□ □□ □□ □□□ □□□□ Azure AD □□□□ □□□ □ □□□ □□□□ □□□. □□□ □□□□ □□□□ □□ □□, □□ □□ □ □□□ □□, □□□ □□□ □□ □□ □□ □□□ □□□ □□□ □□□ □ □□□□.

□□□ □□□ □□ B, "□□□"□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/tshoot-connect-authentication>

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/tshoot-connect-password-writeback#troubleshooting-steps>

NEW QUESTION: 12

□□□□ □ □□□□□□□□ □□□□ □□□□□□□□ Azure Application Gateway WAF(□ □□ □□□□ □□□) □□ □□□□□.

□□□□□ IP□ 203.0.113.26□ □□□□ □□□□□□□□ □□□□ □ □□□ □□□□□.

□□□ □□□□ □□□.

□□□ □□□ □□□□ □□□?



Answer:

AppMetrics
AzureActivity
AzureDiagnostics

| where ResourceProvider == "MICROSOFT.NETWORK" and Category == "
and clientip_s == "203.0.113.26


AzureFirewallDNSProxy
AzureFirewallNetworkRule
AzureFirewallApplicationRule
ApplicationGatewayFirewallLog

NEW QUESTION: 13

□□□ Azure □□ □□□□□□ Windows □ Linux VM□ □□□□□. □□□ □□□ □□ □□□
 □□ □□□□□ □□□ □□□□□□.
 TCP □ UDP □□□□ □□□□ □□□□□□□□ □□□ □□□ □□□ □□ □□ □□□ □
 □ □□□ □□□ □□□ □□□□ □□□. □□□□ □□ □□□ □□□□ □□□□ □□□.
 □□ □□□ □□□□ □□□?

Operating system	Tool
Windows	ping latte tracert
Linux	SockPerf nttcp

Answer:



NEW QUESTION: 14

□□□□□ □□□□ CosmosDB1 □□□ □□□□ □□□. □□□ □□□□ □□□?

- A. □□ □□
- B. Network Watcher □□ □ □□ □□
- C. Network Watcher □□ □□ □□ □□ □□
- D. nslookup □□

Answer: C (LEAVE A REPLY)


□ □□□ □□ □□□□ □□□ □□□□□□□□ □□□□ □□ □□□ □□□□ □ □□□ □□
 □. □□ □□□□ □□□□□ □□ □□□□ □□□□□ □□ □□1□ □□ □□□ □□□□□.
 □ □□ □ □□□ □□□□ □□□□□ □□□□ □□□□ CosmosDB1□□ □□ □□□ □□□ □ □□□
 □.

NEW QUESTION: 15

Azure VM(□□ □□) □□ □□□ □□□□ □□□.
 □□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.
 □□: □ □□□ □□□ 1□□ □□□ □□□□□.


Answer Area	Action
Requirement Configure an Azure Key Vault access policy setting.	Enable access to Azure virtual machines for deployment. Enable access to Azure Disk Encryption for volume encryption. Enable access to Azure Resource Manager for template deployment.
Requirement Configure RBAC Key Vault permissions.	Grant the Microsoft.KeyVault/operations/read permission. Grant the Microsoft.KeyVault/vaults/keys/read permission. Grant the Microsoft.KeyVault/vaults/deploy/action permission.

Answer:




NEW QUESTION: 16

VNet2 and SharePoint are connected to each other.
 How can you ensure that traffic between VNet2 and SharePoint is encrypted?
 A: Use IPsec VPN. B: Use ExpressRoute. C: Use Azure Firewall. D: Use Azure Key Vault.



Answer:



AZ-720 questions and answers for DumpTop are available at <https://www.dumptop.com/Microsoft/AZ-720-dump.html> (121 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ MFA □□□ □□□□□ □□□ □□□.
 □□□ □□ □□□?

- A. □□□□□ 10□ □□□ □□ □□□□□ □□□□□ □□□□□.
- B. Microsoft 365 □□ □□□□ □□□□ □□□□□ □ □□□ □□ □□□ □□ □□□□□.
- C. □□□□□ □□□ □□ □□□ □□□□□ □□□□□.
- D. □□□□□ □ □□□□ □□□ □□□□ □□□□□.
- E. Azure AD □□□□ □□□ □□□ □□□□□□□.

Answer: E (LEAVE A REPLY)

NEW QUESTION: 19

□□□□ □□□□ □□□□□ □□□ □ □□ VNet(□□ □□□□)□ □□□□. □□ Azure □□ □□□ □ □□□□□ □□□□□. □-□□□□ □□□□□ Azure VPN Gateway□ □□□□ VNet □ □□□ □□□□□.

□□□□ VNet□ □□ □□□□□□□ □□ □□□ □□□□ □□□ □□□□□.

□□□ □□□□ □□□.

□□□ □□□□ □□ □□□ □ □□ □ □□ □□ □□□□□?

- A. IP □□ □□
- B. AzureNetworkWatchExtension
- C. □□ □
- D. Network Watcher □□□□
- E. NSG □□ □□

Answer: A,C (LEAVE A REPLY)

Microsoft□ □□□ Network Watcher IP □□ □□ □ NSG □□ □□□ □□□□ □□□ □□□ □□□□ NSG(□□□□ □□ □□) □□ UDR(□□□□ □□ □□)□ □□□ □□□ □ □□□□□1.

NEW QUESTION: 20

□□□□□ LB1□□□□ □□ □□ SKU □□ □□ □□□ □□□ VNet1□□□□ Azure □□ □□□ □□ □□□□. LB1□ □□□ □□□□ VM1, VM2 □□ □□□ □□□□□.

□□□ VM1 □ VM2□ □□ □□□□□ HTTPS □□□ □□□ □□□□□ Rule1□□□□ □□□ □□ □□□. Rule1□ HTTPS □□ □□□□ □□□□□. □□□□ □□□□ /□ □□□□□.

VM1 □ VM2□ □□□□ □□□□ □□ □□□ □□□□ NSG1□□□□ □□□□ □□□ □□□□ □.

Priority	Port	Protocol	Source	Destination	Action
300	443	TCP	Any	VirtualNetwork	Allow
500	Any	Any	Any	Any	Deny
65000	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	Any	Any	AzureLoadBalancer	Any	Allow
65500	Any	Any	Any	Any	Deny

VNet1□□ https://VM1 □ https://VM2□ □□□□□. LB1□ □□□ □□ IP □□□ □□□□ □□ □□□ □□□□□.

□□□ □□□□ □□□.

□□□ □□ □□□?

VM() VMware ASR(Azure Site Recovery) .

VM name	Microsoft
VM1	Configuration server
VM2	Scale-out process server
VM3	Master target server
VM4	Domain controller

ASR ?

- A. VM4
- B. VM3
- C. VM1
- D. VM2

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

ExpressRoute (AS) PowerShell cmdlet ?

- A. Get-AzExpressRouteCircuitRouteTable
- B. Get-AzExpressRouteCircuit
- C. Get-AzExpressRouteCircuitPeeringConfig
- D. Get-AzExpressRouteCircuitStats

Answer: D (LEAVE A REPLY)

NEW QUESTION: 25

Azure AD(Azure Active Directory) Azure AD MFA() User1 MFA ?

- A. Microsoft 365




Answer:




NEW QUESTION: 28

- Azure Cosmos DB .
- .
- RG1 VNet1 .
- VNet1 Subnet1 .
- Private Link .
- Subnet1 Private Link IP .
- Subnet1 .
- PowerShell ?



Answer:



NEW QUESTION: 29

PowerShell cmdlet Get-AzExpressRouteCircuit
 1. cmdlet
 ExpressRoute
 Azure
 .

NEW QUESTION: 31

Azure RBAC(Azure Role Based Access Control) Azure AD(Azure Active Directory)

.

RBAC

.

Azure Monitor



Answer:



AZ-720 DumpTop AZ-720! DumpTop
AZ-720, DumpTop AZ-720
 DumpTop AZ-720
<https://www.dumptop.com/Microsoft/AZ-720-dump.html> (121 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

VNetGW1 Azure point-to-site

VNetGW1

* OpenVPN.

* Azure

VPN

.

?

A. SSTP(Secure Socket Tunneling Protocol) VPN

□□□ □□ □□□?

- A. VM1 □□□□ □□□ □□□□ □□ □□□□ FlowLog1 □□□□□□.
- B. VNet1 □ FlowTimeoutInMinutes □□□ null □ □□ □□□□□.
- C. FlowLog1 □ □□ □□□□ □□□ □□□□ □□□ Blob □□ □□□□.
- D. FlowLog1 □ □□ □□□□ □□□ □□□□ □□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□□□ □□□ □□ □□ □□□ □□□□ VMware □□□ ASR(Azure Site Recovery) □ □□□ □□.

□□(VM):

VM name	VM role
VM1	Configuration server
VM2	Scale-out process server
VM3	Master target server
VM4	Domain controller

□□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□□.

□□□ □ □□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□□.

ASR □ □□□□ □□ □□□ □□□ □ □□□□□?

- A. VM4
- B. VM3
- C. VM2
- D. VM1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□□□ □□□□□ □□□□□ Azure □□□ ExpressRoute □□□□□□ □□□□.

ExpressRoute □□□□□□ VNet1 □□□ □□ □□□□□ □□□□. □□□ □□□□□□□□

FastPath □ □□□□□□□. NSG(□□□□□ □□ □□) □ □□ □□□□ □□□□□.

□□□□ □□□□□ □□□□□ VM1 □ □□□□ □□□ □□□□□. VM1 □ VNet2 □□ □□ □□

□□□ □□□□□. VNet1 □ VNet2 □□ □□ □□□□ □□□□ □□□□□□□.

FlowLog1 □□□ □□ □□□ □□□ □□□□□ □□□□ □□□ □□□□ □□□□ □□□□

□.

FlowLog1 □ □□□□□ □□ □□□□ □□□□ □□ □□ □□□□□□□.

FlowLog1 □ □□□ □□□□ □□□□.

□□□ □□ □□□□?

NEW QUESTION: 45

□□□ □□ Azure □□□ VM(□□ □□)□ □□□□ □□□□.

□□ □□□

□□ □□

□ □□□ ExpressRoute □□□□ □□□□ □□□□ □ □□ □ □□□□ □□□□□ □□□

□□ VM□ □□ □□□ □□□□□.

□□□ □ □□□ VNet □□ □□□ VNet □□□□ □□□□□. VNet □□□□ □□□ □ VM □

□□□ ExpressRoute □□□□ □□□□ □□□□□ □□□□□.

□□□□ ExpressRoute □□□□ □□□ □□ □□□ VNet □□□□ □□□□□ □□□□ □□

□. □□□□ Azure VNet□ □□ □□ □□□□□ □□□ □□□□ □□□.

□□□ □□ □□□?

A. □□□ □□ □□□□ □□□ □□ □□□ □□□□□.

B. □□□□□ □□□□ □□□ □□□□□.

C. □ □□ VNet□ □□ □□□ □□□□ VNet □□ VNet □□□□ □□□□□.

D. □□ □ □□□ □□ ExpressRoute □□□ □□□ □□□□□□□.

Answer: (SHOW ANSWER)

□□□□ ExpressRoute □□□□ □□□ □□ □□□ VNet □□□□ □□□□□ □□□ □□□

□□ □□□ □□□ □□ □□□□ □□□□ □□□. 2□ □□□ □□□ VNet □□□□ □□ □□

□ □□ □□□□□ □□ □□□ □□□ □□ □□□ □□ IP □□□ □□□□ □□□ □ □□□□.

□□□ □□□ VNet □□□□ □□□□ □ □□ □□□ □□ ExpressRoute □□□□ □□□□ □

□ □□ □□□□ □□□□□ □□□ VNet □□□□□ ExpressRoute□ □□□□□. □ □□□ □

□□□□ □□□□ □□ □□□ □□ □□ □□□□ □□□□□ □□□ □□ ExpressRoute □□

□□ □□□ □□ □□□ VNet □□□□ □□□□□ □□□ □□ □ □□□ □□ □□□□ □□□

□ □□□ □□ □□□ □□□□ □□□.

NEW QUESTION: 46

□□□□ Azure AD Connect□ □□□□□. □□□□ SSPR(□□ □□□ □□ □□□)□ □□□ □

□□□□.

□□□□ Azure AD Connect □□ □□ □□ □□ □□ □□□□□ □□□ □ □□□ □□□ □□

□□□. □□□□ □□ □□□ □□ □□□ □□□□□.

□□ □□□ □□□□ □ □□□ □□□□□□.

□□□□ □□□□ □□□.

□□ □□: 256□ □□□ □□□ □□ □□□ □□□□ Azure AD Connect□ □□□□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

AZ-720 <https://www.dumptop.com/Microsoft/AZ-720-dump.html> (121 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

Which PowerShell cmdlet is used to list the providers for Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Azure Site Recovery?



Answer:



NEW QUESTION: 48

Which PowerShell cmdlet is used to list the providers for Hyper-V Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Hyper-V Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Hyper-V Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Hyper-V Azure Site Recovery?
 Which PowerShell cmdlet is used to list the providers for Hyper-V Azure Site Recovery?

Operating system	Tool
Windows	ping latte tracert
Linux	SockPerf nttcp

Answer:

Operating system	Tool
Windows	ping latte tracert
Linux	SockPerf nttcp


NEW QUESTION: 50

VM1 is connected to a virtual network. VM1 is unable to ping VM2. The network administrator needs to ensure that VM1 can ping VM2. The network administrator needs to ensure that VM1 can ping VM2. The network administrator needs to ensure that VM1 can ping VM2.


VM1 is unable to ping VM2. The network administrator needs to ensure that VM1 can ping VM2. The network administrator needs to ensure that VM1 can ping VM2.

- A. VM1 IP address is not in the same subnet as VM2.
- B. VM1 is not connected to the same virtual network as VM2.
- C. VM1 IP address is not in the same subnet as VM2.
- D. VM1 IP address is not in the same subnet as VM2.

Answer: D ([LEAVE A REPLY](#))



Answer:



NEW QUESTION: 55

□□□□ □-□□□□ Windows VM(□□ □□)□ Azure□ □□□□□□□□□□. □□□□ Azure Portal□ □□□□ VM□ □□ □□□ □□□□□ □□□□□□. □□□□ Azure VM □□ □□□ □□□□□ □□□□□□. □□□ □□□□ □□□. □□□: □□ □□□ □□□□□ VM □□□ □□□□□ □□□□□□□□. □□□□ □□□ □□□□□□?

- A. □
- B. □□□

Answer: A (LEAVE A REPLY)

□, □□ □□□ □□□□□ VM □□□ □□□□□ □□□□□ Azure Portal□ □□ VM□ □□ □□□ □□□□□ □ □□□□□ Azure VM □□ □□ □□□ □□□ □ □□□□□. Azure□□ □□ □□□ □ □□ □ VM□ □□ □□□ □□ □□□ □□□ □□□□□□□□ VM □□□ □□□□□□ □□□□ □□. □□□□□□ □□□□□□ □□ □□□ □□□ □□□□□□. □□□ □□□ □□□ □□□□□ □□□□□ □□□□□. □. □□: Azure□□ □□ □□ □□(Microsoft □□□□)

NEW QUESTION: 56

RG1 Azure Resource Group. RG1 contains resources sqlsvr1 and Azure SQL Database.

Resource	Description
VM1	Virtual machine
SQLDB1	Azure SQL database
SQLDB2	Azure SQL database

User1 is assigned the RBAC role. User2 is assigned sqlsvr1.

User1 IP 155.127.95.212 SQLDB1. User1 SQLDB2. User2 IP 121.19.27.18 SQLDB1 SQLDB2. VM1 SQLDB1 SQLDB2. PowerShell.

Get-AzSqlServerFirewallRule -ResourceGroupName 'RG1' -ServerName 'sqlsvr1'

```

ResourceGroupName : RG1
ServerName         : sqlsvr1
StartIpAddress     : 0.0.0.0
EndIpAddress       : 0.0.0.0
FirewallRuleName   : Rule01

ResourceGroupName : RG1
ServerName         : sqlsvr1
StartIpAddress     : 72.225.0.0
EndIpAddress       : 72.225.255.255
FirewallRuleName   : Rule02
  
```

User1 is assigned the RBAC role. User2 is assigned sqlsvr1.

□□□ □□ □□□?

Requirement	Action
Tool to use to determine the reason for the connection failure.	Transact-SQL stored procedure Azure CLI command Azure PowerShell cmdlet
Resolve the issue.	Modify the RBAC assignment for User2. Modify the firewall rules of sqlsvr1. Modify the firewall rules of SQLDB2.

Answer:

Requirement	Action
Tool to use to determine the reason for the connection failure.	Transact-SQL stored procedure Azure CLI command Azure PowerShell cmdlet
Resolve the issue.	Modify the RBAC assignment for User2. Modify the firewall rules of sqlsvr1. Modify the firewall rules of SQLDB2.

NEW QUESTION: 57

□□□ ASR(Azure Site Recovery) □ □□□□ Azure □□ □□ Azure VM(□□ □□) □ □□□□ □□□□□.

□□□□ P10 □□□□ □□□□ VM □ □ ASR □□□ □□ □□ □□□ □□□□. □□□□ □□□ □□□□ □□ □□ OS □□□ □□ □□□/□ □ □□□ □□□ □□ □□□/□□ □ □□□□ □□□ □□□ □□□□□. VM □□□ □□□ □□□□□ 8MB/s □□ □□ 10MB/s □ □□□ □□□□□□.

□□□ □□□□ □□□.

□□□ □□ □□□?

- A. □□ □□□□□□ □□□□ □□□ □□□□□□ □□□□□□.
- B. □□ □□□□ □□□□ □□□□□□□□□□.
- C. AzCopy □ □□□□ □□ □□□ □□□ □□□□ □□□□□□.
- D. VSS(Volume Shadow Copy Service) □□□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

Azure Site Recovery □□ □□□ □□□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □ □□□. VM □□□ □□□□ □□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□ □ □□□ □□□ □□□□□. □ □□□ □□□□□ □ □□ □□□ □□□□ □□□□ □ □□ □□□□ □□ □□□□ □□□□ □□□□□□ □ □□□□□.

NEW QUESTION: 58

Which of the following Azure VM configurations is correct? VM configurations are as follows:

Server name	Resource group	Availability set	Virtual network	Region
VM1	RG1	AVSet1	VNet1	East US
VM2	RG1	AVSet1	VNet1	East US
VM3	RG3	N/A	VNet2	East US 2

ILB1 is an Azure Load Balancer (ILB) that is connected to VM1, VM2, and VM3.

ILB

is configured with the following settings:

VNet1 and VNet2 are connected to each other.

VM3 is connected to ILB1. VM1 and VM2 are connected to VNet1.

Which of the following is true?

Which of the following is true?

A. VM1 and VM2 are connected to ILB1.

B. ILB1 is connected to VNet2.

C. VM1 and VM2 are in the same resource group.

D. ILB1 is in the same resource group as VM3.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 59

Which of the following Azure services can be used to connect a Windows 11 device to a VPN?

Which of the following Azure services can be used to connect a Windows 11 device to a VPN? (Select all that apply.)

Which of the following Azure services can be used to connect a Windows 11 device to a VPN?

Which of the following Azure services can be used to connect a Windows 11 device to a VPN?

Which of the following Azure services can be used to connect a Windows 11 device to a VPN?

A. Azure AD (Azure Active Directory) Connect

B. Azure AD (Azure Active Directory) Conditional Access

C. Azure AD (Azure Active Directory) Authentication

D. VPN Gateway

E. Azure AD (Azure Active Directory) Authentication

F. Azure AD (Azure Active Directory) Authentication

G. Azure AD (Azure Active Directory) Authentication

Answer: B,F,G (LEAVE A REPLY)

Which of the following Azure services can be used to connect a Windows 11 device to a VPN? (Select all that apply.)

A. Azure AD (Azure Active Directory) Authentication. B. Azure AD (Azure Active Directory) Authentication. F. Azure AD (Azure Active Directory) Authentication. G. Azure AD (Azure Active Directory) Authentication.

Which of the following Azure services can be used to connect a Windows 11 device to a VPN? (Select all that apply.)

Which of the following Azure services can be used to connect a Windows 11 device to a VPN? (Select all that apply.)


□□ □□□ □□ □□ □□□□ □□□.

AzureFirewallApplicationRule


AzureFirewallNetworkRule

Azure□□□Dns□□□

PowerShell cmdlet□ □□□ □□□□ □□□?



Answer:



NEW QUESTION: 64

□□□ Azure Backup □□□□□ □□□□ Azure □□ □□□□ □□ □□ □ □□□ □□□□□.

(VM) □ □□□□□ VM.

□□□□ □ VM □□□□ □□ □□□ □□□□□ □□□□□. Microsoft Azure□□ □□□ □□

□

□□ □□□(MARS).

□□ □□□ □□□□ □□□.

□□ □□ □□ □□□□ □□□□ □□□?

ExpressRoute is a dedicated network path between your on-premises network and Azure VNet. It provides a high-speed, low-latency connection that is not shared with other users. ExpressRoute is available in several regions and is supported by various cloud providers. It is a managed service that allows you to connect your on-premises network to Azure VNet without the need for a VPN gateway or other network devices.

- A. ExpressRoute is a dedicated network path between your on-premises network and Azure VNet.
- B. ExpressRoute is a managed service that allows you to connect your on-premises network to Azure VNet without the need for a VPN gateway or other network devices.
- C. ExpressRoute is a high-speed, low-latency connection that is not shared with other users.
- D. ExpressRoute is available in several regions and is supported by various cloud providers.

Answer: (SHOW ANSWER)

NEW QUESTION: 69

Azure VPN Gateway is a managed service that allows you to connect your on-premises network to Azure VNet. It provides a secure, encrypted connection that is shared with other users. BGP (Border Gateway Protocol) is a routing protocol that is used to exchange routing information between different networks. It is used to route traffic between different networks. VPN is a technology that allows you to connect your on-premises network to Azure VNet. It provides a secure, encrypted connection that is shared with other users.

- A. BGP
- B. VPN

Answer: B (LEAVE A REPLY)

NEW QUESTION: 70

Contoso is a company that has an on-premises network and an Azure VNet. They want to connect their on-premises network to their Azure VNet. They are considering using ExpressRoute or a VPN gateway. They want to know which option is better for their needs. PowerShell is a command-line interface for Windows that can be used to manage Azure resources. It is a powerful tool for automating tasks and managing infrastructure.

```

Get-AzExpressRouteCircuit
Get-AzExpressRouteCircuitPeeringConfig
Get-AzExpressRouteCircuitConnectionConfig -Name "Contoso-Circuit" -ResourceGroupName "Contoso-Group"
Set-AzExpressRouteCircuit
Set-AzExpressRouteCircuitPeeringConfig
Set-AzExpressRouteCircuitConnectionConfig
    
```

Answer:

```

Get-AzExpressRouteCircuit
Get-AzExpressRouteCircuitPeeringConfig
Get-AzExpressRouteCircuitConnectionConfig -Name "Contoso-Circuit" -ResourceGroupName "Contoso-Group"
Set-AzExpressRouteCircuit
Set-AzExpressRouteCircuitPeeringConfig
Set-AzExpressRouteCircuitConnectionConfig
    
```

NEW QUESTION: 71

VMs are deployed in Azure VM() . VMs are deployed in .

Server name	Resource group	Availability set	Virtual network	Region
VM1	RG1	AVSet1	VNet1	East US
VM2	RG1	AVSet1	VNet1	East US
VM3	RG3	N/A	VNet2	East US 2

ILB1 is an Azure Load Balancer(ILB) that is deployed in VM1 and VM2 .

ILB1 is deployed in SKU in RG2 .

VNet1 and VNet2 are virtual networks .

VM3, ILB1, VM1, and VM2 are deployed in the same region .

Which of the following is true?

Which of the following is true?

A. VM1 and VM2 are in the same availability set .

B. ILB1 is in RG1 .

C. ILB1 is in the same SKU as ILB2 .

D. VM1 and VM2 are in RG3 .

Answer: (SHOW ANSWER)

ILB1 is an Azure Load Balancer(ILB) that is deployed in VM1 and VM2 . ILB1 is deployed in SKU in RG2 . VNet1 and VNet2 are virtual networks . VM3, ILB1, VM1, and VM2 are deployed in the same region . Which of the following is true?

NEW QUESTION: 72

VMs are deployed in Azure JIT(Just-In-Time) VM() .

Microsoft Defender for Cloud is deployed in JIT VMs . Which of the following is true?

VMs are deployed in JIT VMs . Which of the following is true?

Which of the following is true?

A. VMs are in the same availability set .

B. VMs are in the same Azure Resource Manager (ARM) template .

C. SecurityReader is deployed in the same region .

D. Microsoft Defender is deployed in the same region .

Answer: A (LEAVE A REPLY)

NEW QUESTION: 73

contosostorage1 is a storage account .

Which of the following is true?

Which of the following is true?

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area	Issue	Action
Azure portal issue		Assign the Reader role to the team members. Assign the Contributor role to the team members. Assign the Reader and Data Access role to the team members.
Backups and restores		Assign the Storage Blob Data Contributor role to the team member. Assign the Storage Blob Delegator to the team members. Assign the Storage Blob Data Owner to the team members.

Answer:

Answer Area	Issue	Action
Azure portal issue		Assign the Reader role to the team members. Assign the Contributor role to the team members. Assign the Reader and Data Access role to the team members.
Backups and restores		Assign the Storage Blob Data Contributor role to the team members. Assign the Storage Blob Delegator to the team members. Assign the Storage Blob Data Owner to the team members.

NEW QUESTION: 76

□□□□ Azure AD(Azure Active Directory) □ □□□□ □□□□□. □□□□ □□□□□ Azure AD MFA(□□□□ □□) □ □□□ □ □□□ □□□.

User1 □□□□ □□□□□ MFA □ □□ □□ □□ □□ □□□□ □□ □□ □□□□ □□□□□.

□□□□□! □□□□ □□□ □ □□□□□. □□□□ □□□□ □□□ □□□□□□□□□□. □□□□ □□□ □ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□□□□. □□ □□□□ □□□.

□□□□ MFA □□□□ □□□□□□ □□□□ □□□.

□□□□ □□ □□□□?

- A. □□□□□□ 10□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□.
- B. Azure AD □□□□□ □□□□ □□□ □□□□□□□□□□.
- C. □□□□□□ □ □□□□□ □□□ □□□□□ □□□□□□.
- D. □□□□□□ □□□□ □□ □□□ □□□□□□ □□□□□□.
- E. Microsoft 365 □□ □□□□□ □□□□□ □□□□□□ □ □□□□ □□ □□□□ □□ □□□□□□.

Answer: B (LEAVE A REPLY)

AZ-720 □□ □□□□ □□□□□□ □□ DumpTop □□ □□□□ □□□□ AZ-720 □□! DumpTop □ □□ **AZ-720** □□ □□□□ □□□□□□□□□□, DumpTop AZ-720 □□ □□□□ □□□□□□□□□□ □□□□ □□□□□□□□□□. □□□□□ □□□□ □□□□ □□ DumpTop AZ-720 □□□□ □□□□□□.

Requirement	Action
CosmosDB1 must be accessible by host name by using VNet1.	<ul style="list-style-type: none"> Deploy an Azure virtual machine (VM) that hosts a DNS service. Configure a user-defined route (UDR) on the GatewaySubnet of VNet1. Configure a network security group (NSG) on the GatewaySubnet of VNet1.
CosmosDB1 must be accessible by host name from the on-premises environment.	<ul style="list-style-type: none"> Configure DNS conditional forwarding in the on-premises DNS infrastructure. Configure a DNS secondary zone in the on-premises DNS infrastructure. Configure custom routes in the on-premises routers.

Answer:

Requirement	Action
CosmosDB1 must be accessible by host name by using VNet1.	<ul style="list-style-type: none"> Deploy an Azure virtual machine (VM) that hosts a DNS service. Configure a user-defined route (UDR) on the GatewaySubnet of VNet1. Configure a network security group (NSG) on the GatewaySubnet of VNet1.
CosmosDB1 must be accessible by host name from the on-premises environment.	<ul style="list-style-type: none"> Configure DNS conditional forwarding in the on-premises DNS infrastructure. Configure a DNS secondary zone in the on-premises DNS infrastructure. Configure custom routes in the on-premises routers.

NEW QUESTION: 80

Contoso has an ExpressRoute connection to Azure. The connection is not working. You need to troubleshoot the connection. What should you do first? (Select three.)

PowerShell commands to check the connection?

```

Get-AzExpressRouteCircuit
Get-AzExpressRouteCircuitPeeringConfig
Get-AzExpressRouteCircuitConnectionConfig
-Name "Contoso-Circuit" -ResourceGroupName "Contoso-Group"
-ExpressRouteCircuit $var1

Set-AzExpressRouteCircuit
Set-AzExpressRouteCircuitPeeringConfig
Set-AzExpressRouteCircuitConnectionConfig

```

Answer:

```

Get-AzExpressRouteCircuit
Get-AzExpressRouteCircuitPeeringConfig
Get-AzExpressRouteCircuitConnectionConfig
-Name "Contoso-Circuit" -ResourceGroupName "Contoso-Group"
-ExpressRouteCircuit $var1

Set-AzExpressRouteCircuit
Set-AzExpressRouteCircuitPeeringConfig
Set-AzExpressRouteCircuitConnectionConfig

```

NEW QUESTION: 81

You are configuring Azure AD Connect. You need to ensure that the connection is secure. What should you do? (Select three.)

NEW QUESTION: 86

Which command is used to create a role assignment in Azure RBAC? (Select two correct answers.)


az role assignment create
az role assignment delete
az role assignment list

contoso-object-id --role "Owner" --scope


assignee-object-id
assignee-principal-type

CLI command to create a role assignment? (Select two correct answers.)

az role assignment create
az role assignment delete
az role assignment list



Answer:



NEW QUESTION: 87

Which command is used to create a role assignment in Azure RBAC? (Select two correct answers.)

az role assignment create
az role assignment delete
az role assignment list

contoso-object-id --role "Owner" --scope

assignee-object-id
assignee-principal-type

CLI command to create a role assignment? (Select two correct answers.)

az role assignment create
az role assignment delete
az role assignment list

contoso-object-id --role "Owner" --scope

assignee-object-id
assignee-principal-type

VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps

VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps

VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps

Answer: B (LEAVE A REPLY)

NEW QUESTION: 88

Which command is used to create a role assignment in Azure RBAC? (Select two correct answers.)

az role assignment create
az role assignment delete
az role assignment list

contoso-object-id --role "Owner" --scope

assignee-object-id
assignee-principal-type

CLI command to create a role assignment? (Select two correct answers.)

az role assignment create
az role assignment delete
az role assignment list

contoso-object-id --role "Owner" --scope

assignee-object-id
assignee-principal-type

VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps


VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps

VM network speed? (Select two correct answers.)

100Mbps
20Mbps
300Mbps
1000Mbps

□□ □□ □□ □□□□ □□□□ □□□?



Answer:



NEW QUESTION: 89

□□□ □-□□□□ □□□□□ Azure □□ □□□□ □□ Azure □□□ □ VPN□ □□□□□.
 □□□.
 □□□ □□□ □□□ □ VPN □□□ □□□ □ □□□ □□□□□.
 □□ □□□ □□□□ □□□.
 □□ □□□ □□ □□□?

- A. AzureClient.pfx □□□ □□□ □□□□□.
- B. □□ PowerShell cmdlet□ □□□□ □□ □□ □□□□□.
 Get-AzVirtualNetworkGatewayConnectionVpnDeviceConfigScript.Get-
 AzVirtualNetworkGatewayConnectionVpnDeviceConfigScript.
- C. □□ PowerShell cmdlet□ □□□□ □□ □□ □□□□□.
 Get-AzVirtualNetworkGatewayConnectionSharedKey.Get-
 AzVirtualNetworkGatewayConnectionSharedKey.
- D. AzureRoot.cer □□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

□□□ Azure□□ JIT(Just-In-Time) VM(□□ □□) □□□□ □□□□□ □□□□□.
 □□□□ Microsoft□ JIT VM □□□ □□□□ □□ □□□□ □□ □□□ □□□□□.
 □□□□ □□□ Defender.
 □□ VM□ JIT VM □□□□ □□ □□□□ □□ □□□ □□□□ □□□.
 □□ □□□ □□□ □□□?

NEW QUESTION: 92

□□□ 4□□ Standard_D2_v3 VM(□□ □□)□ □□□ □□ □□ □□□□□□□ □□□□□. Azure □□ □□□. □□□ Azure Firewall□ □□□□□. □□□□ □□□□ □□ □□ □□ □□ □□□□□□□ □□□□ □□□□□. □□□□□ □□□ □□ □□□□

□ VM□ □ 1Gbps□□□□.

□□ 10Gbps□ □□□□ □□□□ □□□□ □□□□.

□□□□ □□□□ □□□ □□ □□□□?

A. VM □□□□□□ □□□ □□□□□.

B. □ □□ □□□ □□□ □□ □□ □□ □□□□ Traffic Manager□□ □□□ □□ □□□ □□□□□□.

C. □□□□ □□□ □□□ □□□□□□.

D. Azure Firewall□ □□□□□□□ □□ □□□□ □□ □□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 93

□□□ □□□□□ Hyper-V □□□ Azure Site Recovery□ □□□□□. □□□ SCVMM(System Center Virtual Machine Manager)□ □□□□ □□□ □□□□□.

□□□□ □□ □□□□□ □□□ □□□□□ □□□□□□.

SCVMM □□ □ □□ □□□ □□□□ □□□□.

Troubleshooting step

View information about the Hyper-V hardware.

PowerShell cmdlet

- Get-SCVMHost
- Get-VMReplication
- Get-SCVirtualMachine
- Get-SCVirtualizationManager

View specific properties of all virtual machines.

- Get-SCVMHost
- Get-VMReplication
- Get-SCVirtualMachine
- Get-SCVirtualizationManager

View failed SCVMM activities.

- Get-SCJob
- Get-SCVMHost
- Get-SCComputer
- Get-SCVirtualizationManager

Answer:

Troubleshooting step

View information about the Hyper-V hardware.

View specific properties of all virtual machines.

View failed SCVMM activities.

PowerShell cmdlet

- Get-SCVMHost
- Get-VMReplication
- Get-SCVirtualMachine
- Get-SCVirtualizationManager

- Get-SCVMHost
- Get-VMReplication
- Get-SCVirtualMachine
- Get-SCVirtualizationManager

- Get-SCJob
- Get-SCVMHost
- Get-SCComputer
- Get-SCVirtualizationManager

NEW QUESTION: 94

□□□ Azure App Service □□□□ □□ Azure Traffic Manager □□ □□□ □□□□□.

□□ □ □□ □□ □□□ □□□ □□□□ □□□ □ HTTPS □□□□ Traffic Manager □

□□□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□ □□□.

PowerShell □□□□□ □□□ □□□□ □□□□?

Answer Area

```

add-type @"
using System.Net;
using System.Security.Cryptography.X509Certificates;
public class TrustAllCertsPolicy :
{
    public bool CheckValidationResult(
        ServicePoint srvPoint, X509Certificate certificate,
        WebRequest request, int certificateProblem) {
        return true;
    }
}
"@
[System.Net.ServicePointManager]::CertificatePolicy = New-Object TrustAllCertsPolicy

```

ICertificatePolicy
ICertificateAuthority
ICertProperty

ICertificatePolicy
CertificatePolicy
IEncryptionPolicy
EncryptionPolicy

Answer:

