

Microsoft.MS-100-KR.v2023-05-10.q172

□□□□:	MS-100-KR
□□□□:	Microsoft 365 Identity and Services (MS-100 Korean Version)
□□□:	Microsoft
□□ □□ □□□:	172
□□:	v2023-05-10
# □□ □:	1250
# □□ □□□:	1720
https://www.krdump.com/Microsoft.MS-100-KR.v2023-05-10.q172.html	

NEW QUESTION: 1

Microsoft ID □□□□ □□□ □□ □□□ □□ □□ □□ □□□□□.

□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□□ Microsoft Graph □□□□□ □□ □□ □□ □□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□□ URL□ □□□□□.

B. □□□□ □□ □□□ □□ □□ □□□□□ □□□□ □□□□□.

C. API □□ □□□□ □□□ □□ □□□ □□□□.

D. □□ □□ □□□□□ □□ □□

E. □□□□ □□ □□□ □ □□ □□□□□ □□□□ □□

F. □□ □□□□□ □□ □□□ □□□□□□□.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Azure □□□ □□□□ □□□ □□□□□ □□□ □□□□ □□□ Microsoft Teams □□ □□□ □□□□□. Teams □□ □□□□□ □□□□ □□□□ □□□ □□□□□□?

A. □ □□□□ □□ Teams □□ □□□□ □□□.

B. □□□□ □□□ □□□ □□□□ □□ □□□ □□□.

C. □□ Azure Active Directory(Azure AD)□□ □□□□□ □□□.

D. □□ □□□□□ □□□ □□□ □□□ □□□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ Microsoft SharePoint Online □□□□ □□□ Microsoft 36S □□□ □□□□. □□□ □□□ □□ SharePoint □□□□ □□□ □□□□□□□ □□ □□□□ □□□ □ □□□ □□□□□□□. □

□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□ □□□□. □□□□ □□ □ □□□

- A. Microsoft 365 □□ □□□□ □□□ □□□ □□□□□□.
- B. SharePoint □□□ □□ □□□ set-SPOSite cmdlet□ □□□□□.
- C. Azure Active Directory □□ □□□□ □□□ □□□ □□□ □□□□□□.
- D. SharePoint □□ □□□□ □□ □□□ □□□□□□.

Answer: D (LEAVE A REPLY)

Explanation

You need to set the Sharing settings to 'Existing Guests'. This setting allows sharing only with guests who are already in your directory. These guests may exist in your directory because they previously accepted sharing invitations or because they were manually added.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

NEW QUESTION: 4

□□□□□ □□□□□ App1□□□ □□ □□□□□□.

100□□ □□□□ □□□ □□□□□ Microsoft 365 □□□ □□□□□. □□□□□□□ Microsoft 36S E5 □□□□□ □□□□□□.

App1□ □□ Azure Active Directory Seamless Single Sign-On(Azure AD Seamless SSO)□ □□ □□□ □□□. □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □ □□□□□ □□□□ □□ □□□ □□□□□.

Actions

- Install the Microsoft Azure AD Connect Provisioning Agent Package on a domain-joined Windows server.
- Install App1 on an Azure virtual machine.
- Add App1 to Azure AD.
- Create a dynamic device group in Azure AD.
- Install the Azure AD application proxy connector on a domain-joined Windows server.
- Create a connector group in Azure AD.

Answer Area

Microsoft
krdump.com

Navigation icons: back, forward, search, refresh.

Answer:

Actions

- Install the Microsoft Azure AD Connect Provisioning Agent Package on a domain-joined Windows server.
- Install App1 on an Azure virtual machine.
- Add App1 to Azure AD.
- Create a dynamic device group in Azure AD.
- Install the Azure AD application proxy connector on a domain-joined Windows server.
- Create a connector group in Azure AD.

Answer Area

- Install App1 on an Azure virtual machine.
- Install the Azure AD application proxy connector on a domain-joined Windows server.
- Add App1 to Azure AD.

Navigation icons: back, forward, search, refresh.

Explanation

Graphical user interface, text, application, email Description automatically generated

Answer Area

- 1 Install App1 on an Azure virtual machine.
- 2 Install the Azure AD application proxy connector on a domain-joined Windows server.
- 3 Add App1 to Azure AD.



NEW QUESTION: 5

Microsoft 365

Name	Role
User1	Helpdesk admin
User2	Global Administrator
User3	None
User4	None
User5	None

Name	Type	Members
Group1	Microsoft 365	User2, User3
Group2	Mail-enabled security	User1, Group3
Group3	Distribution list	User4, User5

Security view page



Statements	Yes	No
User1 can modify the app deployment.	<input type="radio"/>	<input type="radio"/>
User2 will receive the app.	<input type="radio"/>	<input type="radio"/>
User4 will receive the app.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

User1 can modify the app deployment.

User2 will receive the app.

User4 will receive the app.

Yes	No
<input checked="" type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input type="radio"/>



Explanation

Statements

User1 can modify the app deployment.

User2 will receive the app.

User4 will receive the app.

NEW QUESTION: 6

Microsoft Exchange Online (EXO) is a cloud-based email and collaboration platform.

Microsoft 365 is a suite of cloud-based productivity and collaboration tools, including Exchange Online, Word, Excel, PowerPoint, OneDrive, and Teams.

Exchange Online is a cloud-based email and collaboration platform that is part of Microsoft 365.

Microsoft 365 is a suite of cloud-based productivity and collaboration tools, including Exchange Online, Word, Excel, PowerPoint, OneDrive, and Teams.

Exchange Online is a cloud-based email and collaboration platform that is part of Microsoft 365.

Microsoft 365 is a suite of cloud-based productivity and collaboration tools, including Exchange Online, Word, Excel, PowerPoint, OneDrive, and Teams.

Migration type to use: ▼

Cutover migration
Staged migration
Remote move migration
IMAP migration

Data to include in the migration: ▼

Email only
Email and calendar only
Email, calendar and contacts only
Email, calendar, contacts, and tasks

Answer:

Migration type to use:

- Cutover migration
- Staged migration
- Remote move migration
- IMAP migration

Data to include in the migration:

- Email only
- Email and calendar only
- Email, calendar and contacts only
- Email, calendar, contacts, and tasks

Explanation

Migration type to use:

- Cutover migration
- Staged migration
- Remote move migration
- IMAP migration

Data to include in the migration:

- Email only
- Email and calendar only
- Email, calendar and contacts only
- Email, calendar, contacts, and tasks

You'll need to use the IMAP migration method. You can use the setup wizard in the Microsoft 365 admin center for an IMAP migration to migrate mailboxes from Gmail to Microsoft 365.

IMAP migration will only migrate emails, not calendar and contact information. Users can import their own email, contacts, and other mailbox information to Office 365 after the mailboxes have been migrated.

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-g-suite-mailbo>

NEW QUESTION: 7

_____ 5_____. _____

_____ Microsoft 36S _____.

_____ Microsoft OneDrive _____.

_____?

- A. Windows 10 □□□□ OneDrive □□□□□□ □□□□□□ □□
- B. OneDrive □□ □□□□ □□□ □□□ □□□□□□.
- C. SharePoint □□□□□□ □□ □□□□□ □□□□□□.
- D. SharePoint □□□□□□□ □□□ □□□□□□.

Answer: D (LEAVE A REPLY)

Explanation

The SharePoint Migration Tool lets you migrate content to SharePoint Online and OneDrive from the following locations:

- * SharePoint Server 2013
- * SharePoint Server 2010
- * Network and local file shares

Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/introducing-the-sharepoint-migration-tool>

NEW QUESTION: 8

contoso.com□□□ Active Directory(Azure AD) □□□□ □□□□ Microsoft 365 □□□ □□□ □. □□□□□ □□ □□ □□□ Windows 10 □□□ □□□□ □□□□.

Name	Version	Language
Device1	x86	German
Device2	x64	English
Device3	x64	French

□□ □□□ Microsoft Endpoint Manager□ □□□□ □□□□ Group1□□□□ □□□ □□□□□ □.

Microsoft Endpoint Manager □□ □□□□ Microsoft Office 365 □□ App1□□□□ □ □□□□ □ □□□.

□□□□ □□□ □□ App1 □□□ □□□□□□. (□□ □□ □□□□□.)



App1 Group1

Office 365 ProPlus will be installed and the display language will be German.

Statements



On Device1, Office 365 ProPlus will be installed and the display language will be German.

Yes No

On Device2, Office 365 ProPlus will be installed and both the German and English display languages will be installed.

Yes No

On Device3, Office 365 ProPlus will be installed and both the German and French display languages will be installed.

Yes No

Answer:

CUSTOM SMART LOCKOUT

Lockout threshold Microsoft ✓

Lockout duration in seconds ✓

Custom banned passwords

Enforce custom list Yes No

Custom banned password list ✓

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory Yes No

Mode Enforced Audit

Which of the following is a valid password for a user in the Contoso domain?

- A. 1
- B. User1
- C. User1
- D. 1, 2, 3

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad>

NEW QUESTION: 10

Projects is a Microsoft SharePoint Online site. You need to ensure that the Microsoft Graph API can access the documents in the Projects site. Which of the following is a valid Microsoft Graph API endpoint to use to access the documents in the Projects site?

Options:

- A. /sites/{siteid}/drives/Documents/
- B. /sites/{siteid}/drives/Documents/any/sites/Documents/files/{siteid}/Projects/
- C. /sites/{siteid}/items/lists/Documents/items/sites/{siteid}/Documents/sites/Projects/Documents
- D. /sites/{siteid}/items/lists/Documents/items/sites/{siteid}/Documents/sites/Projects/Documents

Answer Area

<https://graph.microsoft.com/v1.0/>


/sites/{siteid}/drives/Documents/any/sites/Documents/files/{siteid}/Projects/	/sites/{siteid}/items/lists/Documents/items/sites/{siteid}/Documents/sites/Projects/Documents
---	---

Answer:

Answer Area

https://graph.microsoft.com/v1.0/

sites/{siteid}/ drives/Documents/ my/sites/Documents/ files/{siteid}/Projects/	sites/{siteid}/items lists/Documents/items sites/{siteid}/Documents sites/Projects/Documents
---	---



Explanation

Answer Area



NEW QUESTION: 11

Microsoft 365 E5 .

VCH(Microsoft 365 .

Azure AD ID .

Microsoft 365 .

?

- A. Microsoft 365
- B.
- C. Azure AD
- D.

Answer: B (LEAVE A REPLY)

Explanation

You should configure a Conditional Access policy exclusion. Conditional Access allows you to configure policies that specify the conditions under which users are allowed to access your organization's resources. In this case, you should create a policy exclusion that exempts users who are accessing Microsoft 365 from the corporate VDI solution. This will allow them to access Microsoft 365 without being blocked by the sign-in risk policy.

NEW QUESTION: 12

Microsoft Azure Information Protection Microsoft OneDrive .

Protection settings ⓘ

Azure (cloud key) HYOK (AD RMS)

Select the protection action type ⓘ

- Set permissions
- Set user-defined permissions (Preview)

USERS	PERMISSIONS
M365x901434.onmicrosoft.com	Co-Owner
+ Add permissions	

Content expiration

Always Never **By days**

Number of days the content is valid

30 ✓

Allow offline access

Balance security requirements (includes access after revocation) with the flexibility to open protected content without an Internet connection. [More information and recommended settings](#)

Always Never **By days**

Number of days the content is available without an Internet connection

7 ✓

Protection template ID - template id is automatically generated after template is saved

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□□□□
□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

If you copy the file from OneDrive to your internet connected computer, you [answer choice].

If you email the document to a user outside your organization, the user [answer choice].

cannot open the document
can open the document indefinitely
can open the document for up to 7 days
can open the document for up to 30 days

cannot open the document
can open the document indefinitely
can open the document for up to 7 days
can open the document for up to 30 days

Answer:

If you copy the file from OneDrive to your internet connected computer, you [answer choice].

- cannot open the document
- can open the document indefinitely
- can open the document for up to 7 days
- can open the document for up to 30 days

If you email the document to a user outside your organization, the user [answer choice].

- cannot open the document
- can open the document indefinitely
- can open the document for up to 7 days
- can open the document for up to 30 days

Explanation

Box 1:

If you copy the file from OneDrive to your internet connected computer, you can open the document for up to 30 days. This is because the "Number of days the content is valid" setting is set to 30 days.

Box 2:

If you email the document to a user outside your organization, the user cannot open the document. To open the document, the user would need to be added to the Users list and assigned permission. With the configuration in the exhibit, only the user listed in the Users list and the creator of the document can open the document.

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-protection>

NEW QUESTION: 13

□□□□ □□□□□□ □□ □□ □□□ □ □□□□□□□□ □□□□ □□□□.

Name	Hosted on server
App1	Web1
App2	Web1
App3	Web2
App4	Web2

Microsoft 365 □ □□□□ □□□□ □□□□ □□□□□.

□ □□□□□□□ □□□ □□□□□.

□ □ □□□ □□□□ □□ □□□□□□□□ □□□□ □ □□□ □□□□ □□□□. □□□□ □□

□□□□ □□□□□ □□□.

□□ □□□ □□ □□□□?

- A. □□□ □□□ □□□ □□□ □□□□□.
- B. □□□ □□□□□□ □□□ □□□□ □□□□□.
- C. 4□□ □□□□□□ □□□ □□□□□.
- D. Microsoft Azure□□ □□□□□ □□□□□ □□□ □ VPN□ □□□□.

Answer: B (LEAVE A REPLY)

Explanation

The Application Proxy connector is what connects the on-premises environment to the Azure Application Proxy.

Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. Azure AD, the Application Proxy service, and the Application Proxy connector work together to securely pass the user sign-on token from Azure AD to the web application.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-connectors>

NEW QUESTION: 14

□□ □□□ □□□□ □□ □□ □□□ □□□□. □□□□ □ □□□□ □□□ □ □□□□. □ □□□ □ □ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.

□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□□. □ □□□□□ □□□ □□□ □ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□ □□□ □□□□□ □□□ □□□ □□□□□.

□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□ □ □□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.

□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□ □. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□.

□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□□ □□

□□□ □□ □□ □□□ □□ □□□ □□□□□□□.

□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□□.

□□□□□ □□□□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□□.

Microsoft 365 □□□ □□:
admin@M365x981607.onmicrosoft.com

Microsoft 365 □□: *yfLo7lr2&y-

Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□ □ □□□ □□ □□□□□.

□□ □□□ □□ □□ □□□□□ □□□□□□.

□ □□□□: 10811525

□□□ □□□□□ □□□□□□□ □□□□ □□□□ □□ □□□.

Answer:

See explanation below.

Explanation

You need to configure the App Registrations setting in Azure Active Directory.

1. Go to the Azure Active Directory admin center.
2. Select Azure Active Directory.
3. Select 'User settings'
4. In the 'App registrations' section, toggle the 'Users can register applications' setting to No.
5. Click Save to save the changes.

NEW QUESTION: 15

Microsoft 365 E5 □□□ contoso.com□□□ Azure AD □□□□ □□□□.

□□ □□□□ Windows 11□ □□□□ □□□□ □□□□ □□ contoso.com□ □□□□ □□□

BitLocker □□□□ □□□(BitLocker)□ □□□□ □□□□□.

□□ □□□ □□□ Admin1□□□ □□□□ □□ □□□□□.

* BitLocker □□ □□ □□□.

* contoso.com□□ □□□□ □□ □□□ □□□□□.

□□ □□□ □□□□□ Admin1□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area



Devices

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

Global

- Global Administrator ⓘ

Identity

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ ✓
- Guest Inviter ⓘ
- License Administrator ⓘ ✓
- Password Administrator ⓘ

Answer:

Answer Area

Devices

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

Global

- Global Administrator ⓘ

Identity

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ
- Guest Inviter ⓘ
- License Administrator ⓘ
- Password Administrator ⓘ

Explanation

Answer Area



Devices

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

Global

- Global Administrator ⓘ

Identity

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ ✓
- Guest Inviter ⓘ
- License Administrator ⓘ ✓
- Password Administrator ⓘ

NEW QUESTION: 16

Microsoft 365 □□□ □□□□.

□□□□ App1□□□□ □ □□ □□□□□□□□ □□□□□□.

Microsoft Cloud App Security□ Cloud Discovery□□ □□□ □ □□□□ □□ □□□ □□ □ □

□□ □□□□ □□ □□□ □□□□ □□ □□□□□□□□ □□□ □□ □□ □□□□□□□□.

□□□ □□□ □□□ □□□ □□ □□□ □□ □□□.

Cloud Discover □□□□ □□□ □□□□ □□□□?

- A. □ □□
- B. □□ □□
- C. □□ □□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

Explanation

* Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable. (this is because the authentication is performed by Azure Active Directory).

* Users passwords must be 10 characters or more. (the Default Domain Policy in the on-premise Active Directory can be configured to require the password length) Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-password-hash-synchronization>

NEW QUESTION: 18

Microsoft 365 contoso.onmicrosoft.com Microsoft Azure Active Directory(Azure AD) user1@outlook.com Microsoft user1@outlook.com contoso.onmicrosoft.com user1@outlook.com user1@outlook.com?

- A. Azure Cloud Shell New-AzureADUser cmdlet -UserPrincipalName user1@outlook.com
- B. Microsoft 365 user1@outlook.com
- C. Azure Portal user1@outlook.com
- D. Azure Portal Azure AD user1@outlook.com

Answer: (SHOW ANSWER)

Explanation

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.

The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the external vendor already has a Microsoft account (user1@outlook.com) so he can authenticate using that.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

NEW QUESTION: 19

Microsoft 365 contoso.onmicrosoft.com Microsoft Azure Active Directory(Azure AD) user1@outlook.com Microsoft user1@outlook.com contoso.onmicrosoft.com user1@outlook.com user1@outlook.com?

□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□ □
□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.
□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□
□. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□
□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□□ □□□.
□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.
□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□□ □□

□□□ □□ □□ □□□ □□ □□□ □□□□□□□.
□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□□.
□□□□□ □□□□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□□.

Microsoft 365 □□□ □□:

admin@LODSe426243.onmicrosoft.com

□□□□□□□ 365 □□: 3&YWyjse-6-d

Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□
□ □□□ □□ □□□□□.

□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 10887751

Johanna Lorenz□□ □□□□ □□ □□□ □□□□□. Ben Smith□□ □ □□□ Johanna
Lorenz□ □□□ □□□□□.

Ben Smith□□ □□□□ □□□□ □□□. Ben Smith□ <http://myapps.microsoft.com> □ □□□□
□ Microsoft Word Online□ □ □ □□□ □□□.

Answer:

See explanation below.

Explanation

You need to create a user account and assign a license to the account. You then To create the user account and mailbox:

- * In the Microsoft 365 admin center, go to User management, and select Add user.
- * Enter the name Ben Smith in the First Name and Last Name fields.
- * Enter Ben.Smith in the username field and click Next.
- * Assign a Microsoft 365 license to the account.
- * Click Next.
- * Click Next again.
- * Click 'Finish adding'.

NEW QUESTION: 20

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□
□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□□.

Microsoft 365 □□□ □□□□.

□□ □□ □□□□ Microsoft SharePoint □□□□ □□□□ □□□□□□ □□□□□□. □□ □□□ □□□□ □□□□ SharePoint □□ □□□ □□□□□.

□□ SharePoint □□□ □□□□ □□□ □□□ □□□.

□□ □□: SharePoint □□□□□ □□□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: B (LEAVE A REPLY)

Explanation

You need to create a threat management policy in the Security & Compliance admin center.

NEW QUESTION: 21

□□□□□□ □□ Active Directory □□□□ □ □□ Microsoft Azure Active Directory(Azure AD) □□□□ □□□□□.

□ Azure AD □□□ □□□ □□ □□□□ □□□□ □□□ □□□□□□. □ □□□□□ □□ Active Directory □□□□ □□□□□.

□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□?

A. Azure AD Connect□ □□□□ □ □□ □□□ □□□ □□ OU(□□ □□ □□) □□ □□□□ □□□□ □ □□□□ □□□□ □□□□□□.

B. Azure AD Connect□ □□□□ □□□ □□□ □□□ □□ □ □□ □□□ □□□ □□□□□.

C. Azure AD Connect□ □□□□ □□□ □□□ □□□ □□ OU(□□ □□ □□) □□ □□□□ □□□□ □ □□□□ □□□□ □□□□□□.

D. Azure AD Connect□ □□□□ □□□ □□□ □□□ □□ □□□ □□ □□□□ □□□□ □ □□□□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

Explanation

There's a 1:1 relationship between an Azure AD Connect sync server and an Azure AD tenant. For each Azure AD tenant, you need one Azure AD Connect sync server installation. Therefore, we need to deploy two servers that run Azure AD Connect for the two Azure AD tenants.

Each user account can only be synchronized to one Azure AD tenant. Therefore, we need a way of splitting the users between the two Azure AD tenants. Azure AD Connect offers three ways to filter which users get synchronized to an Azure AD tenant. You can use domain-based filtering if you have multiple domains in a forest, attribute-based filtering or OU-based filtering.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-topologies#multiple-azure-ad-tenant>

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION: 22

Scenario: You are a system administrator for a company named Contoso. The company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. The company has a Microsoft System Center Configuration Manager (SCCM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1.

contoso.com Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. The company has a Microsoft System Center Configuration Manager (SCCM) server named Device1.

Microsoft System Center Configuration Manager (SCCM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1.

Microsoft Intune Configuration Manager (CM) server named Device1.

Device1 Configuration Manager (CM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1.

Microsoft Intune Configuration Manager (CM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1.

Device1 Configuration Manager (CM) server named Device1. The company has a Microsoft Intune Configuration Manager (CM) server named Device1.

Device1 Configuration Manager (CM) server named Device1.

A. []

B. []

Answer: A (LEAVE A REPLY)

Explanation

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection so that it auto-enrols in Microsoft Intune. You will then be able to manage Device1 using Microsoft Intune.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

NEW QUESTION: 23

contoso.com Azure Active Directory (AAD) tenant named contoso.com. The company has a Microsoft Azure Active Directory (AAD) tenant named contoso.com. The company has a Microsoft Azure Active Directory (AAD) tenant named contoso.com.

Name	Configuration
Group1	Global security group
User1	Enabled user account
User2	Disabled user account

contoso.com Azure Active Directory (AAD) tenant named contoso.com. The company has a Microsoft Azure Active Directory (AAD) tenant named contoso.com.

□□ □□□ Azure AD□ □□□□□□?

A. □□ 1, □□□ □ □□□ 2

B. □□1 □ □□□1□

C. User1 □ User2□

D. □□ 1□

Answer: A ([LEAVE A REPLY](#))

Explanation

Global Security Group is a scope for the group and is set for created groups:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-g>

NEW QUESTION: 24

□□ □□ □□□ □□ □□ □□ □□□□□□□□ □□□□ □□□□.

* □□□□□ □□□□ □□□ □□□ □□□□□ □□□□ □□□□□.

* Microsoft OneDrive □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□ □□

* □□□□ □□□□ □□ □ □□□ □□□ □ □□□□.

* □□□ □□□ Azure Blob □□□□ □□□□□ □□

□□□□□□□ □□□□ □□□□ □□ □ □□ □□ □□□□□? □□□□□ □□ □□□□□

□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□□.

Answer:

Explanation

NEW QUESTION: 25

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

contoso.com is a Microsoft Entra ID tenant. User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

User1 is a member of the contoso.com Microsoft Azure Active Directory (Azure AD) group.

A user can report fraud on her account by:

- Typing a special code after receiving an alert call
- Sending an email message to an administrator
- Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

- 6 hours
- 1 day
- 7 days
- 90 days

Answer:

A user can report fraud on her account by:

- Typing a special code after receiving an alert call
- Sending an email message to an administrator
- Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

- 6 hours
- 1 day
- 7 days
- 90 days

Explanation

A user can report fraud on her account by:

- Typing a special code after receiving an alert call
- Sending an email message to an administrator
- Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

- 6 hours
- 1 day
- 7 days
- 90 days

Code to report fraud during initial greeting: When users receive a phone call to perform two-step verification, they normally press # to confirm their sign-in. To report fraud, the user enters a code before pressing #. This code is 0 by default, but you can customize it.

Block user when fraud is reported: If a user reports fraud, their account is blocked for 90 days or until an administrator unblocks their account. An administrator can review sign-ins by using the sign-in report, and take appropriate action to prevent future fraud. An administrator can then unblock the user's account.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert>

NEW QUESTION: 26

□□□□□ □□□ □□ Microsoft SharePoint □□ □□□□□□ □□□□.
□□□□ □□□□ □□□ Microsoft 365 □□□□ □□□□.
□□ □□ □□□□□□ SharePoint Online□□ □□□ □□□□□.
□□ □□□□□□ □□ □□□□□□ □□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□
□□ □□□□ □□□ □□□ □□□□□□□.

Actions	Answer Area
Use the SharePoint Migration Tool to migrate the SharePoint data.	
Create new SharePoint sites.	
Run azcopy.exe to migrate the SharePoint data.	
Create a Microsoft Azure Storage account.	
Create new SharePoint libraries.	

Answer:

Actions	Answer Area
Use the SharePoint Migration Tool to migrate the SharePoint data.	Create new SharePoint sites.
Create new SharePoint sites.	Create new SharePoint libraries.
Run azcopy.exe to migrate the SharePoint data.	Use the SharePoint Migration Tool to migrate the SharePoint data.
Create a Microsoft Azure Storage account.	
Create new SharePoint libraries.	

Explanation

Answer Area



Create new SharePoint sites.
Create new SharePoint libraries.
Use the SharePoint Migration Tool to migrate the SharePoint data.

The SharePoint Migration Tool lets you migrate content to SharePoint Online and OneDrive from the following locations:

- * SharePoint Server 2013
- * SharePoint Server 2010
- * Network and local file shares

The first step is to create new SharePoint sites in SharePoint online. These sites will host the document libraries which will host the migrated content.

The second step is to create the document libraries in the SharePoint sites to host the migrated content.

The final step is to use the SharePoint Migration Tool to migrate the content.

Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/how-to-use-the-sharepoint-migration-tool>

NEW QUESTION: 27

Microsoft ID .

RBAC().

```

"appId": "8763f1c4-f988-489c-a51e-158e9ef97d6a",
"appRoles": [
  {
    "allowedMemberTypes": [
      "User"
    ],
    "displayName": "Read user access",
    "id": "9e46db32-d022-4e98-84cc-520a55ff9ba0",
    "isEnabled": true,
    "description": "Readers have the ability to read tasks.",
    "value": "Readers"
  },
  {
    "allowedMemberTypes": [
      "User"
    ],
    "displayName": "Write user access",
    "id": "9e46db32-d022-4e98-84cc-520a55ff9ba0",
    "isEnabled": false,
    "description": "Writers have the ability to write tasks."
    "value": "Writers"
  }
],
"availableToOtherTenants": false,

```

Which of the following is a valid value for the allowedMemberTypes property?

- A. allowedMamberType
- B. ID
- C. User
- D. Users

Answer: (SHOW ANSWER)

NEW QUESTION: 28

A company has a Microsoft Exchange Server 2013 on-premises. The company has 100 users. The company is migrating to Microsoft 365. The company has a Microsoft Azure Active Directory (Azure AD) tenant. The company wants to migrate the on-premises Exchange Server 2013 to Exchange Online. Which of the following is a valid migration method?

- A. IMAP migration
- B. IMAP migration with mailbox sync
- C. Exchange Online Migration Tool
- D. Exchange Online Migration Tool with mailbox sync

Answer: (SHOW ANSWER)

Explanation

References:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/cutover-migration-to-office-365> A cutover migration and an IMAP migration do not require the company to sync the on-premises

Active Directory domain to Microsoft Azure Active Directory (Azure AD). Only a cutover migration meets the requirements in this question.

With a cutover migration, user accounts will need to be created in Azure Active Directory for each user. The mailboxes are all migrated in one go and MX records configured to redirect email to Microsoft 365.

NEW QUESTION: 29

Company is planning to migrate 10,000 users from on-premises Active Directory to Azure AD. There are 500 mailboxes in on-premises Exchange. The migration must be completed in one go. The migration must be a cutover migration. The migration must be a one-time migration. The migration must be a full migration.

Windows 10 is installed on all devices. The migration must be a cutover migration. The migration must be a one-time migration. The migration must be a full migration. The migration must be a full migration. The migration must be a full migration. The migration must be a full migration.

- A. Full migration
- B. Full migration
- C. Windows 10 migration
- D. Full migration

Answer: [\(SHOW ANSWER\)](#)

Explanation

By using a Provisioning, IT administrators can create a self-contained package that contains all of the configuration, settings, and apps that need to be applied to a device.

NEW QUESTION: 30

Microsoft 365 is used in the organization. The organization wants to implement DLP. The organization wants to implement DLP. The organization wants to implement DLP. The organization wants to implement DLP. The organization wants to implement DLP. The organization wants to implement DLP. The organization wants to implement DLP.

- A. Full migration
- B. Full migration
- C. Full migration
- D. Full migration

Answer: [\(SHOW ANSWER\)](#)

Explanation

From the Dashboard in the Security and Compliance center, you can view various reports including the DLP Incidents report. From there you can configure a schedule to email the reports. In the schedule configuration, there are two choices for the frequency: Weekly or Monthly. Therefore, to ensure that the reports are sent as frequently as possible, you need to select Weekly.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-a-schedule-for-a-report>

NEW QUESTION: 31

□□□□ Azure AD(Azure Active Directory)□ □□□□□ □□□ □□□□.

Microsoft 365 □□□ □□□□□.

□□□□ Azure AD(Azure Active Directory)□ □□□□□ □□□ □□□□.

Microsoft 365 □□□ □□□□□.

□ □ □□ □ □□□□ □ □□□ Microsoft 365□ □□□□□□□ □□□□□. □ □□□□□□□

Windows 10□ □□□□ □□□ □□□□.

□□□ 5□□ □ □□□ □□□ □□ □□□□□□□□□ □□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□



□ □□ □□□□ □□□□ □□□ □□□ □□□□□□□. □ □□□□□□□ Windows 10□ □□□

□ □□□ □□□□.

□□□ 5□□ □ □□□ □□□ □□ □□□□□□□□□ □□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□

□ □□ □□□□ □□□□ □□□ □□□ □□□□□□□.

Actions	Answer Area
From SharePoint Online, create 10 libraries.	  <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 20px;"> <div style="text-align: center;"> > < </div> <div style="text-align: center;"> ^ v </div> </div>
From Group Policy Management Editor, configure the OneDrive settings.	
From Group Policy Management Editor, configure the Folder Redirection settings.	
Instruct the users to run gpupdate.exe /force at a command prompt on each device.	
Deploy the Azure File Sync agent to all devices.	
Copy the OneDrive Administrative Templates to your computer.	

Answer:

Actions	Answer Area
From SharePoint Online, create 10 libraries.	Copy the OneDrive Administrative Templates to your computer.
From Group Policy Management Editor, configure the OneDrive settings.	From Group Policy Management Editor, configure the OneDrive settings.
From Group Policy Management Editor, configure the Folder Redirection settings.	Instruct the users to run gpupdate.exe /force at a command prompt on each device.
Instruct the users to run gpupdate.exe /force at a command prompt on each device.	
Deploy the Azure File Sync agent to all devices.	
Copy the OneDrive Administrative Templates to your computer.	

Explanation

Copy the OneDrive Administrative Templates to your computer.

From Group Policy Management Editor, configure the OneDrive settings.

Instruct the users to run gpupdate.exe /force at a command prompt on each device.

You need to configure a Group Policy Object (GPO) with the OneDrive settings required to redirect the Home folder of each user to Microsoft 365.

Before you can configure the Group Policy, you need to download the OneDrive Administrative Templates.

These templates add the required OneDrive settings to Group Policy so you can configure the settings as required.

After the OneDrive settings have been configured in Group Policy, you can run the gpupdate /force command on the five computers to apply the new Group Policy settings immediately.

Reference:

<https://practical365.com/clients/onedrive/migrate-home-drives-to-onedrive-for-business/>

MS-100-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MS-100-KR □□!
 DumpTop □ □□ **MS-100-KR** □□ □□□ □□□□□□, DumpTop MS-100-KR □□ □□□
 □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop MS-100-
 KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/MS-100-KR-dump.html> (431
 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

Microsoft 365 □□□ □□□□.

Microsoft Office □□ □□□ □□□□ Office 365 ProPlus□ □□□□□.

□□ □□□ □□□ □□ □□□ □□□□.

```

<Configuration>
  <Add SourcePath="\\Server1\Office"
    OfficeClientEdition="32"
    Channel="Broad"
    AllowCdnFallback="False">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us" />
      <Language ID="ja-jp" />
    </Product>
    <Product ID="VisioProRetail">
      <Language ID="en-us" />
      <Language ID="ja-jp" />
    </Product>
  </Add>
  <Remove All="TRUE">
    <Product ID="0365ProPlusRetail" Microsoft
      <Language ID="en-us" />
    </Product>
    <Product ID="VisioProRetail">
      <Language ID="en-us" />
    </Remove>
  <Updates Enabled="TRUE"
    UpdatePath="\\Server1\Office"
    Channel="Broad" />
  <Display Level="None" AcceptEULA="TRUE" />
  <Logging Level="Standard" Path="%temp%" />
</Configuration>

```

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

The [answer choice] will be uninstalled from the computers.

If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will [answer choice].

MSI version of Microsoft Visio only
C2R version of Microsoft Visio only
MSI and C2R versions of Microsoft Visio

be installed in English only
be installed in a randomly selected language
NOT be installed

Answer:

The [answer choice] will be uninstalled from the computers.

MSI version of Microsoft Visio only
C2R version of Microsoft Visio only
MSI and C2R versions of Microsoft Visio

If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will [answer choice].

be installed in English only
be installed in a randomly selected language
NOT be installed

Explanation

The [answer choice] will be uninstalled from the computers.

- MSI version of Microsoft Visio only
- C2R version of Microsoft Visio only
- MSI and C2R versions of Microsoft Visio

If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will [answer choice].

- be installed in English only
- be installed in a randomly selected language
- NOT be installed

Box 1:

The C2R (click-to-run) version of Microsoft Visio only will be uninstalled from the computers. To remove the MSI version of Microsoft Visio, you would need to specify the RemoveMSI parameter. The RemoveMSI parameter is not configured in the configuration file in this question. Therefore, only the C2R version will be installed.

Box 2:

If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will be installed in English only.

In the configuration file, English is the first in the list above Japanese. Therefore, English is the primary language and the installation will continue in English only.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool>

NEW QUESTION: 33

Microsoft 365 will be installed on all computers in the organization. The installation will be performed using the Office Deployment Tool (ODT). The ODT configuration file contains the following information:

* Microsoft 365 will be installed on all computers in the organization.
* Microsoft 365 will be installed on all computers in the organization.
Microsoft Graph will be installed on all computers in the organization?

- A. Calendars.Readwrite.Shared
- B. Calendars.Readwrite Mail.Read
- C. Calendars.Readwrite Mail.ReadWrite
- D. Mail.ReadWrite Mail.Readwrite

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

User2 will be added to the organization. The user will be added using the Exchange Online PowerShell cmdlet. The cmdlet configuration file contains the following information:

- A. Exchange Online
- B. Microsoft 365
- C. Exchange Online

in Microsoft 365 contains much of the same information but also includes additional entries focusing on alerts, data insights.

The Monitoring and reports section from the Compliance admin center does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION: 37

300□□ □□□□ □□□ Microsoft 365 □□□□ □□□□.

□□□□ □□ □ □□ □□ □□ □□□□□ □□□ □□□□.

□□□ □ □□ □□ □□□ □□□□ □ □□□ □□ □□□□□ □ □□□□? □□□□□ □□

□□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:

Number of user phone numbers: ▼

150
300
340
600

Number of toll-free service phone numbers: ▼

20
30
45
65

Explanation

Graphical user interface, text, application, email Description automatically generated

Number of user phone numbers: ▼

150
300
340
600

Number of toll-free service phone numbers: ▼

20
30
45
65

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/how-many-phone-numbers-can-you-get>

NEW QUESTION: 38

□□ □□ □□□ □□□□ □□□□ Microsoft 365□ □□□□□ □□□ □□□□.

Name	Member of
User1	Group2
User2	Group1, Group2
User3	Group1

AppA□□ □-□□□□ □□□ □□□□. Group1□□ AppA□ □□□□ □ □□ □□□ □□□□.

Azure AD(Azure Active Directory) □□□□□□ □□□□ □□□□□.

□□□□ □□□ □□ AppA□ □□ □□□□□□ □□□ □□□ □□□□□□. (□□ □□ □□□□ □.)

Statements	Yes	No
User1 can access AppA by using the external URL.	<input type="radio"/>	<input type="radio"/>
User2 can access AppA in the My Apps portal.	<input type="radio"/>	<input type="radio"/>
User3 can access AppA by using the external URL.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access AppA in the My Apps portal.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Statements	Yes	No
User1 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access AppA in the My Apps portal.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>

Box 1: No

User1 is in Group2. The enterprise app is assigned to Group2. However, the authentication method is

"Passthrough" so the authentication will be passed to the on-premises web app. Only Group1 has access to the web app. Therefore, User1 will not be able to access the web app.

Box 2: Yes.

User2 is in Group1 and Group2. The enterprise app is assigned to Group2. The authentication method is

"Passthrough" so the authentication will be passed to the on-premises web app. Group1 has access to the web app. Therefore, User2 will be able to access the web app in MyApps.

Box 3: No

User3 is in Group1. Group1 has access to the web app so User3 could access the app on-premises. However, the enterprise app is assigned to Group2 which User3 is not a member of. Therefore, User3 will not be able to access the external URL of the web app.

NEW QUESTION: 39

Microsoft 365 □□□ □□□□.

□□ Microsoft Office 365 □□ □□□□ □□ □□□□ □□□ □□□□□ □□□ □□□□□.

□□□ □□□□□ □□□□□□ □□ □□□□ □□□□ □□□.

□□□ □□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. Microsoft 365 □□ □□□□ □□□ □□ □□□□□ □□□□□.

B. Office 365 Admin □□□ □□□ □□□□ □□□□□.

C. Microsoft 365 □□ □□□□ □□ □□□□□ □□□□□.

D. Microsoft 365 □□ □□□□ □□□ □□ □□□□□ □□□□□.

Answer: A,B (LEAVE A REPLY)

Explanation

The Message center in the Microsoft 365 admin center is where you would go to view a list of the features that were recently updated in the tenant. This is where Microsoft posts official messages with information including new and changed features, planned maintenance, or other important announcements.

The messages displayed in the Message center can also be viewed by using the Office 365 Admin mobile app.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/admin/admin-overview/admin-mobile-app?view=o365-worldwide>

NEW QUESTION: 40

Office 365 K□ □□□ □□ □□□ □□*□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ □□□.

□□□ □□□ □□□□□ □□□□□ □□□ □□□□ □□□□ □□□?

A. 3□□ □□(CNAME) □□□

B. □□□ □□□(TXT) □□□

C. □□□ □□(CNAME) □□□

D. □ □□ □□□(TXT) □□□

Answer: D (LEAVE A REPLY)

Explanation

Contoso plans to provide email addresses for all the users in the following domains:

* East.adatum.com

* Contoso.adatum.com

* Humongousinsurance.com

To verify three domain names, you need to add three TXT records.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION: 41

Which cmdlet is used to add a Microsoft 365 domain to an Azure Active Directory tenant?

Azure Active Directory (Azure AD) is a cloud-based directory service that provides a central location for managing users and groups. It is used to manage access to Microsoft 365 services. Azure AD is a multi-tenant service, meaning that it can be used to manage access to Microsoft 365 services for multiple organizations. Azure AD is a cloud-based directory service that provides a central location for managing users and groups. It is used to manage access to Microsoft 365 services. Azure AD is a multi-tenant service, meaning that it can be used to manage access to Microsoft 365 services for multiple organizations.

Which cmdlet is used to add a Microsoft 365 domain to an Azure Active Directory tenant?

A. Azure Active Directory `Get-MSOLUser` cmdlet

B. Azure Cloud Shell `Get-Msoluser` cmdlet

C. Azure Cloud Shell `Get-AzureADUser` cmdlet

D. Azure Active Directory `Get-MSOLUser` cmdlet


Answer: B (LEAVE A REPLY)

NEW QUESTION: 42

Which cmdlet is used to add a Microsoft 365 domain to an Azure Active Directory tenant?

Which cmdlet is used to add a Microsoft 365 domain to an Azure Active Directory tenant?

Which cmdlet is used to add a Microsoft 365 domain to an Azure Active Directory tenant?



Answer:

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

GET https://graph.microsoft.com/v1.0/groups?

```
$expand=id,displayName,description
$filter=displayName
$select=id,displayName,description
```

```
&$orderBy=description
&$orderBy=displayName
&$orderBy=id
```

Answer:

Answer Area

GET https://graph.microsoft.com/v1.0/groups?

```
$expand=id,displayName,description
$filter=displayName
$select=id,displayName,description
```

```
&$orderBy=description
&$orderBy=displayName
&$orderBy=id
```

Explanation

Answer Area



GET https://graph.microsoft.com/v1.0/groups?

\$select=id,displayName,description

&\$orderBy=displayName

NEW QUESTION: 44

□□□□□□ adatum.com □ contoso.com□□□ □ □□ □□□ □□ □□□□□ Active Directory □□□□□ □□□□ □□□□.

nwtraders.com□□□ Azure AD □□□□ □□□□.

□□□□□ □□□□□ nwtraders.com□ □□□□□ □□□. □□□□ □□ □□ □□□ □□□ □□□.

* adatum.com □ contoso.com□ □□□ □ □□ □□□ □□□□□.

* Microsoft Exchange □□□□□□ □□ □□□ □□□□□.

* □□ □□□ □□□□□ □□□ □□□□□.

* □□□ □□□ □□□□□□.

Tools

- Azure AD Connect
- Azure AD Connect Cloud Sync
- Active Directory Migration Tool

Answer Area

Provide the ability to sync device objects:

Provide support for Microsoft Exchange hybrid:

Provide the ability to connect to adatum.com and contoso.com:

Answer:

Tools


- Azure AD Connect
- Azure AD Connect Cloud Sync
- Active Directory Migration Tool

Answer Area

Provide the ability to sync device objects:

Provide support for Microsoft Exchange hybrid:

Provide the ability to connect to adatum.com and contoso.com:

Technical contact 

User1@contoso.com ✓

Global privacy contact

Privacy statement URL

http://contoso.com/privacy ✓

Which of the following is a valid technical contact email address?

- A. User2@contoso.com
- B. User2@contoso.com; User3@contoso.com
- C. User3@contoso.com
- D. User1@contoso.com; User2@contoso.com
- E. User1@contoso.com

Answer: E (LEAVE A REPLY)

NEW QUESTION: 48

A company has a Microsoft Azure Active Directory (Azure AD) tenant named .Ki.ituin.com. The company has an on-premise Active Directory forest named contoso.com. The on-premise Active Directory has 100 users. The company wants to sync the on-premise Active Directory users to the Azure AD tenant. Which of the following is the best way to achieve this goal?

- A. Active Directory Connect Active Directory Connect Active Directory Connect Active Directory Connect Active Directory Connect
- B. Microsoft 365 Connect Active Directory Connect Active Directory Connect Active Directory Connect Active Directory Connect
- C. Azure Cloud Shell Get-AzureADUsers Get-AzureADUser set-AzureADUser cmdlet
- D. Windows PowerShell Get-AzureADUser Set-AzureADUser cmdlet

Answer: C (LEAVE A REPLY)

Explanation

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can use Windows PowerShell on a domain controller and run the Get-ADUser cmdlet to get the required users and pipe the results into Set-ADUser cmdlet to modify the city attribute.

Reference:

Answer Area Microsoft

Create a Microsoft Azure Active Directory (Azure AD) tenant.

Configure the required DNS records and verify fabrikam.com as a custom domain.

Implement directory synchronization.

Fabrikam plans to implement a Microsoft 365 Enterprise subscription and move all email and shared documents to the subscription.

All users must be able to exchange email messages successfully during Project1 by using their current email address.

After the planned migration to Microsoft 365, all users must continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

This configuration requires a hybrid Exchange configuration during the pilot phase. This means that you will have mailboxes hosted in Exchange Online and mailboxes hosted in Exchange on-premise.

The first steps to configure Exchange hybrid are to Create the Azure AD tenant, add the Fabrikam.com domain as a custom domain, then configure directory synchronization to replicate the on-prem Active Directory user accounts to Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

NEW QUESTION: 50

contoso.com Azure AD(Azure Active Directory)

Name	Type	Member of
User1	User	Group1
User2	User	Group1, Group2
User3	User	Group1, Group2
User4	Guest User	Group2

User1 Group1 User2 Group2

* ,

*

* : 1 2

*

.

: 1

Statements	Yes	No
User1 can review access for User2.	<input type="radio"/>	<input type="radio"/>
User1 can review access for User3.	<input type="radio"/>	<input type="radio"/>
User3 can review access for User4.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can review access for User2.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can review access for User3.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can review access for User4.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Statements	Yes	No
User1 can review access for User2.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can review access for User3.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can review access for User4.	<input type="radio"/>	<input checked="" type="radio"/>

Box 1: Yes

User1 is the owner of Group1. User2 is in Group1 and Group2. Group owners can review access. Therefore, User1 can review User2's membership of Group1.

Box 2: Yes

User1 is the owner of Group1. User3 is in Group1 and Group2. Group owners can review access. Therefore, User1 can review User3's membership of Group1.

Box 3: No

Only group owners can review access. User3 is not a group owner. Therefore, User3 cannot review membership of the groups.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION: 51

Microsoft 365 Enterprise .

.

Microsoft Office 365 ProPlus .

Office 365 ProPlus .

? .

: 1 .

- A. `setup.exe /download downloadconfig.xml`
- B. XML
- C. Microsoft 365 Office 365
- D. `setup.exe /configure installconfig.xml`
- E. Microsoft 365

Answer: B,D,E (LEAVE A REPLY)

Explanation

You can use the Office Deployment Tool (ODT) to download the installation files for Office 365 ProPlus from a local source on your network instead of from the Office Content Delivery Network (CDN).

The first step is to create the configuration file. You can download an XML template file and modify that.

The next step to install Office 365 ProPlus is to run the ODT executable in configure mode with a reference to the configuration file you just saved. In the following example, the configuration file is named `installconfig.xml`. `setup.exe /configure installconfig.xml` After running the command, you should see the Office installation start.

To prevent the users from installing Office 365 ProPlus from the Internet, you need to configure the Software download settings (disallow downloads) in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/overview-of-the-office-2016-deployment-tool#download-the-insta>

NEW QUESTION: 52

- Azure AD(Azure Active Directory) Active Directory
- Microsoft SharePoint Server 2019
- Microsoft 365
-

Name	Source
User1	Windows Active Directory
User2	Azure Active Directory

SharePoint User1 User2

- User1
- User2
- User2

- A.
- B. SharePoint
- C.
- D. SharePoint

Answer: C (LEAVE A REPLY)

Explanation

To run the SharePoint Hybrid Configuration Wizard, you need to provide credentials of a user (in this case User2) of a Global Administrator account in Azure Active Directory.

Reference:

<https://www.c-sharpcorner.com/article/sharepoint-2019-enable-hybrid-experience/>

<https://docs.microsoft.com/en-us/sharepoint/hybrid/accounts-needed-for-hybrid-configuration-and-testing>

NEW QUESTION: 53

contoso.com is a Microsoft 365 tenant. The tenant has 3,000 users. The tenant has a Microsoft 365 E3 license assigned to all users. The tenant has an Exchange Online plan assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

PowerShell cmdlet: Get-MsolAccountSku

What does the cmdlet return?

A. All SKUs assigned to the tenant.

B. All SKUs assigned to the user.

Answer: (SHOW ANSWER)

Explanation

The Get-MsolAccountSku cmdlet returns all the SKUs that the company owns. It does not tell you which licenses are assigned to users.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msolaccountsku?view=azureadps-1.0>

NEW QUESTION: 54

contoso.com is a Microsoft 365 tenant. The tenant has 100 users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users. The tenant has a Microsoft 365 Business Voice license assigned to all users.

What does the cmdlet return?

A. Azure Active Directory SKUs assigned to the tenant.

B. Microsoft 365 □□ □□□□ □□ □□□ □□□ □□□□□.

C. Microsoft 365 □□ □□□ □□□□ □□□□□ □□□□□ □□□□□.

Answer: A (LEAVE A REPLY)

Explanation

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-groups-assign>

NEW QUESTION: 55

Microsoft 365 □□□ □□□□.

□□ □□ □□ □□□□ □□□ □□□□ □□□ □□ □□□.

□□□ □□ □□□?

A. Exchange □□ □□□□ □□□ □□ □□□ □□□□.

B. □□ □ □□ □□□□ DLP □□□ □□□□.

C. □□ □ □□ □□□□ □ □□ □□ □□□ □□□□.

D. Exchange □□ □□□□ □□ □□ □□□ □□□□.

Answer: C (LEAVE A REPLY)

Explanation

Anti-phishing protection is part of Office 365 Advanced Threat Protection (ATP). To prevent phishing email messages from being delivered to your organization, you need to configure a threat management policy.

ATP anti-phishing is only available in Advanced Threat Protection (ATP). ATP is included in subscriptions, such as Microsoft 365 Enterprise, Microsoft 365 Business, Office 365 Enterprise E5, Office 365 Education A5, etc.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-anti-phishing-policies>

NEW QUESTION: 56

Microsoft Teams □□ □□ webhook1□□□ □□ □□□□ □□□□□.

webhook1□ □□□□□ □□□. □□□ □□ □□□?

A. @webhook1□ □□ □□□ URL□ □□ http get □□□ □□□□□.

B. □□□□ @mention webhookl.

C. @webhook1□ □□ □□□ URL□ □□ http □□ □□□ □□□□□.

D. □□ □□□□□ @□□□ webhookl.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 57

Microsoft Endpoint Manager□ □□□□ □□□□□ Windows 10 □□□□□ □□□□□. □□ □□□

□ Microsoft Office 365 □□ □□□□ □□□□□.

Office 365 □□ □□ □□ □□ □□□ □□□□□ □□□.

Microsoft Endpoint Manager □□ □□□□ □□□ □□□□□ □□□?

A. □ □□ □□

B. □□ □□ □□

C.

D.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Microsoft Teams SharePoint Framework 5PFx) ?

A. config

B. supportedHosts TeamsTab

C. componentType TeamsTab

D. config Teams

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Microsoft 365 .

Name	Role
User1	Global administrator
User2	Security administrator, Guest inviter
User3	None
User4	Password administrator

.

.

.

? .

: 1 .

Modify the password protection policy:

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Create new guest users in Microsoft Azure Active Directory (Azure AD):

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Answer:

Modify the password protection policy:

Create new guest users in Microsoft Azure Active Directory (Azure AD):

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Explanation

Modify the password protection policy:

Create new guest users in Microsoft Azure Active Directory (Azure AD):

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Only a Global Admin can modify the password protection policy.

A Global Admin or a user with the Guest Inviter role can create guest accounts.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-op>

NEW QUESTION: 60

contoso.com Microsoft Azure Active Directory(Azure AD) Microsoft 365

User1

User1

User1

A.

B.

C.

D. eDiscovery

Answer: (SHOW ANSWER)

Explanation

Members of your compliance team who will create retention labels need permissions to the Security & Compliance Center. By default, your tenant admin has access to this location and can give compliance officers and other people access to the Security & Compliance Center, without giving them all of the permissions of a tenant admin. To do this, we recommend that you go to the

Permissions page of the Security & Compliance Center, edit the Compliance Administrator role group, and add members to that role group.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/labels#permissions>

NEW QUESTION: 61

Microsoft Teams `TeamSettings.Read.All` permission is required to read the settings of a team channel. Which of the following permissions is required to read the settings of a team channel?

- A. `Channel.ReadBasic.All`
- B. `TeamSettings.Read.All`
- C. `Channel.ReadBasic.All`
- D. `Channel.ReadBasic.All`

Answer: ([SHOW ANSWER](#))

MS-100-KR `Channel.ReadBasic.All` permission is required to read the settings of a team channel. `TeamSettings.Read.All` permission is required to read the settings of a team channel. `Channel.ReadBasic.All` permission is required to read the settings of a team channel. `Channel.ReadBasic.All` permission is required to read the settings of a team channel. <https://www.dumptop.com/Microsoft/MS-100-KR-dump.html> (431 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Microsoft Office Online task panes are available in Office Online.

Task panes can be placed on either the left or right side of application windows. Task panes can be used to modify the contents of documents.

Statements	Yes	No
Task panes are available in Office Online.	<input type="radio"/>	<input type="radio"/>
Task panes can be placed on either the left or right side of application windows.	<input type="radio"/>	<input type="radio"/>
Task panes can be used to modify the contents of documents.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

Task panes are available in Office Online.

Yes

No



Task panes can be placed on either the left or right side of application windows.

Task panes can be used to modify the contents of documents.

Explanation

Graphical user interface, text, application, email Description automatically generated



Statements

Yes

No

Task panes are available in Office Online.

Task panes can be placed on either the left or right side of application windows.

Task panes can be used to modify the contents of documents.

Reference:

<https://github.com/OfficeDev/office-js-docs-pr/blob/master/docs/develop/automatically-open-a-task-pane-with-a>

<https://docs.microsoft.com/en-us/office/troubleshoot/settings/office-program-task-panes>

NEW QUESTION: 63

□□ □□□ □□□□ □□ □□ □□□ □□□□. □□□□ □ □□□□ □□□ □ □□□□. □
 □□□ □ □ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.
 □□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□□. □ □□□□□ □□□ □□□
 □ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□□□ □□□ □ □□□
 □□ □□(□: □□ □ □□□□, □□ □ □□□ □□ □□)□ □□□ □□□□□□□.
 □□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□□ □
 □□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.
 □□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□
 □. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□
 □□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□□ □□□.
 □ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.
 □□ □□□ □□□□ □□□ □□□ □ □□□□.
 □□□ □□
 □□□ □□ □□ □□□ □□ □□□ □□□□□□□.

Microsoft 365 admin center: Microsoft 365 admin center.

Microsoft 365 admin center:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 admin center: 3&YWyjse-6-d

Microsoft 365 admin center: Microsoft 365 admin center CTRL-K Microsoft 365 admin center.

Microsoft 365 admin center: Microsoft 365 admin center.

Microsoft 365 admin center: 10887751

Nestor Wilke Microsoft 365 admin center: Nestor Wilke Microsoft 365 admin center.

Nestor Wilke Microsoft 365 admin center: Nestor Wilke Microsoft 365 admin center.

Answer:

See explanation below.

Explanation

You need to sign-in status for the account to 'Blocked'. Blocking doesn't stop the account from receiving email and it doesn't delete any data.

1. On the home page of the Microsoft 365 admin center, type the user's name into the Search box.
2. Select the Nestor Wilke account in the search results.
3. In the 'Sign-in status' section of the account properties, click the Edit link.
4. Select 'Block the user from signing in' and click the Save button.

NEW QUESTION: 64

contoso.com Microsoft Azure Active Directory(Azure AD) Microsoft Store.

Microsoft Store Microsoft Store.

Microsoft Store Microsoft Store.

Name	Microsoft Store for Business role	Azure AD role
User1	Purchaser	None
User2	Basic Purchaser	None
User3	None	Application administrator
User4	None	Cloud application administrator
User5	None	None

Microsoft Store Microsoft Store.

* Microsoft Store Microsoft Store.

* Microsoft Store Microsoft Store.

Microsoft Store Microsoft Store.

Microsoft Store Microsoft Store?

- A. 1, 2, 3, 4, 5
- B. 1
- C. User1 User2
- D. User3 User4

E. 1, 2, 3, 4

Answer: C (LEAVE A REPLY)

Explanation

Allow users to shop controls the shopping experience in Microsoft Store for Education. When this setting is on, Purchasers and Basic Purchasers can purchase products and services from Microsoft Store for Education.

References:

https://docs.microsoft.com/en-us/microsoft-store/acquire-apps-microsoft-store-for-business

NEW QUESTION: 65

Scenario: You are a Microsoft 365 administrator. You have a Microsoft 365 tenant with the following configuration:

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1	Group	Cloud
Group2	Group	Windows Server Active Directory

Azure AD Connect is installed and configured to sync Group1 and Group2 from Windows Server AD to Azure AD.

You run the following PowerShell command:

```
Set-AzureADGroup -Name "Group1" -Source "Windows Server Active Directory"
```

```
Set-AzureADGroup -Name "Group2" -Source "Windows Server Active Directory"
```

What is the result of running the command?

A. The command fails because Group1 is not a group in Windows Server AD.

B. The command fails because Group2 is not a group in Windows Server AD.

C. The command succeeds.

D. The command fails because Group1 is not a user in Windows Server AD.

Answer: B (LEAVE A REPLY)

Explanation

The Set-AzureADGroup cmdlet updates a group in Azure Active Directory (AD) but User2 and Group2 are objects in Windows Server AD.

NEW QUESTION: 66

Scenario: You are a Microsoft Office 365 administrator. You have a Microsoft Office 365 tenant with the following configuration:

A. All users can access the Office UI.

B. Only users with the Microsoft Office 365 license can access the Office UI.

- C. □□□□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

Microsoft 365 □□□ □□□□.

□□ □□ □□□□ Microsoft SharePoint □□□□ □□□□ □□□□□□ □□□□□□□. □□ □ □□□ □□□□ □□□□ SharePoint □□ □□□ □□□□□.

□□ SharePoint □□□ □□□□ □□□ □□□ □□□.

□□ □□: □□ □ □□ □□ □□ □□□□ □□ □□ □□□ □□□□.

□□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: A ([LEAVE A REPLY](#))

We can create a threat management policy to alert us when the sharing policy is changed. Create a new Alert policy > under Category select Threat Management > under 'Activity is' scroll down to the 'Site administration activities' and select 'Changed a sharing policy'.

NEW QUESTION: 68

□□□□ Windows 10□ □□□□ □□□□□ □□□□ 500□ □□□□.

Microsoft Office 365 ProPlus□ □□ □□□□ □□□ □□□□□.

□□□ □□□ □□ □□ XML □□□ □□□□□.

```

<Configuration>
  <Add OfficeClientEdition="64" Channel="Broad" ForceUpgrade="TRUE">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us"/>
      <ExcludeApp ID="Groove"/>
      <ExcludeApp ID="Publisher"/>
    </Product>
  </Add>
  <Updates Enabled="TRUE" Channel="Broad" Deadline="03/31/2019, 00:00"
  UpdatePath="\\sccm\updates"/>
  <Display Level="Full" AcceptEULA="TRUE"/>
  <Property Name="FORCEAPPSHUTDOWN" Value="TRUE"/>
  <Property Name="SharedComputerLicensing" Value="0"/>
  <Property Name="PinIconsToTaskbar" Value="TRUE"/>
</Configuration>

```

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□□□□
□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

When the installation is complete [answer choice].

all users will be prompted to accept the EULA
all users will be prompted to install several updates
all semi-channel updates will be installed automatically

Office 365 ProPlus will [answer choice].

include Microsoft OneDrive for Business and Microsoft Outlook only
be installed on all the computers
be installed only on the computers that run a 64-bit version of Windows 10

Answer:

When the installation is complete [answer choice].

all users will be prompted to accept the EULA
all users will be prompted to install several updates
all semi-channel updates will be installed automatically

Office 365 ProPlus will [answer choice].

include Microsoft OneDrive for Business and Microsoft Outlook only
be installed on all the computers
be installed only on the computers that run a 64-bit version of Windows 10

Explanation

When the installation is complete [answer choice].

all users will be prompted to accept the EULA
all users will be prompted to install several updates
all semi-annual channel updates will be installed automatically

Office 365 ProPlus will [answer choice].

include Microsoft OneDrive for Business and Microsoft Outlook only
be installed on all the computers
be installed only on the computers that run a 64-bit version of Windows 10

Box 1:

When the installation is complete, all users will be prompted to install several updates.

In the configuration file, the Updates Enabled element is set to True. This means that Office will check for updates after the installation.

The Channel element set to Broad means that all semi-annual channel updates will be installed.

Box 2:

Office 365 ProPlus will be installed only on the computers that run a 64-bit version of Windows 10.

The OfficeClientEdition element defines whether the 32-bit or 64-bit edition of Office 365 ProPlus is downloaded or installed. In the configuration file, it is set to '64'. The 64-bit version will only install on a 64-bit client computer.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool>

NEW QUESTION: 69

Which of the following is a valid configuration for a mobile device mailbox policy? (Choose two.)

A. Require encryption on device: Yes, Require a password: No

B. Require encryption on device: No, Require a password: Yes

C. Require encryption on device: Yes, Require a password: Yes

D. Require encryption on device: No, Require a password: No

E. Require encryption on device: Yes, Require a password: No

Microsoft 365 Admin Center:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Admin Center: 3&YWyjse-6-d

Microsoft 365 Admin Center: CTRL-K CTRL-L CTRL-M CTRL-N CTRL-O CTRL-P CTRL-Q CTRL-R CTRL-S CTRL-T CTRL-U CTRL-V CTRL-W CTRL-X CTRL-Y CTRL-Z

Microsoft 365 Admin Center: 10887751

Microsoft Exchange Online: Require encryption on device: Yes, Require a password: No

Microsoft Exchange Online: Require encryption on device: No, Require a password: Yes

Microsoft Exchange Online: Require encryption on device: Yes, Require a password: Yes

Answer:

See explanation below.

Explanation

You need to modify the default mobile device mailbox policy.

1. Go to the Exchange Admin Center.
2. Select 'mobile' then select 'mobile device mailbox policies'.
3. Click the 'Create a policy' button.
4. Select the Default policy and click the edit icon (pencil icon).
5. Select the 'Security' link to open the security settings.
6. Tick the 'Require a password' checkbox.
7. Tick the 'Require encryption on device' checkbox.
8. Click the Save button to save the changes.

References:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/exchange-activesync/mobile-d>

NEW QUESTION: 70

□□□ □□□□ 3□□ □ □□□□ 1□□ □□□ □□□□. □□□ □□□ □□□□□.
□ □□□ Microsoft 365 □□□□ □□□□ □□□ □□□ □□□ □□□□□.
□□□ □□□ □□□ □□□□□□ □□□□□ □□□ Microsoft 365 □□□□ □□□□ □□□.
□□□□ □□□ □□□□ □□□?

- A. Microsoft Azure Active Directory(Azure AD) □□□ □□□.
- B. Microsoft Azure Active Directory(Azure AD) □□ □□.
- C. □□ □□ □□
- D. Microsoft Intune □□ □□ □□□

Answer: A (LEAVE A REPLY)

Explanation

With Azure Active Directory (Azure AD) Conditional Access, you can control how authorized users can access your cloud apps. The location condition of a Conditional Access policy enables you to tie access controls settings to the network locations of your users.

For this question, we need to configure a location condition in a conditional access policy and apply the policy to users in that location (the branch office). The conditional access policy can be required to 'Allow Access' but 'Required MFA'.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 71

Microsoft 365 □□□ □□□□.
Microsoft Azure Information Protection□ □□□□ □□□□□.
PilotUsers□□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□ □□□.
□□□ □□ □□□?

- A. Add-AadrmRoleBaseAdministrator cmdlet□ □□□□□.
- B. Azure Information Protection □□□ □□□□.
- C. Azure Information Protection□ □□ □□ □□□ □□□ □□□□□.
- D. Set-AadrmOnboardingControlPolicy cmdlet□ □□□□□.

Answer: D (LEAVE A REPLY)


Explanation

If you don't want all users to be able to protect documents and emails immediately by using Azure Rights Management, you can configure user onboarding controls by using the Set-AadrmOnboardingControlPolicy References:


<https://docs.microsoft.com/en-us/azure/information-protection/activate-service>

NEW QUESTION: 72


Microsoft Azure Active Directory Connect Adatum.com Active Directory .



Microsoft Azure Active Directory Connect Adatum.com Active Directory .



Answer:



Explanation

Contoso.com Azure AD(Azure Directory) Microsoft 365 .

Name	Role
User1	Exchange administrator
User2	User administrator
User3	Global administrator
User4	None

user5 .

User5 .

.

A. Azure AD .

B. Azure AD .

C. User2 User4 .

D. User4 .

E. User1, User2 User4 .

F. User2 User4 .

Answer: C,F (LEAVE A REPLY)

Explanation

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below).

Only on users who are non-admins or in any of the following limited admin roles:

- * Directory Readers
- * Guest Inviter
- * Helpdesk Administrator
- * Message Center Reader
- * Reports Reader
- * User Administrator

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#availab>

NEW QUESTION: 75

Microsoft 365 E5 .

contoso.com Azure AD .

* 1

* 2

* 1

Contoso.com AU1 . User1 AU1 .

Answer Area



Microsoft

Statements

Yes

No

You can add Admin1 as a member of AU1.

You can add User1 as a member of AU2.

You can assign Admin2 the User administrator role for AU1.

Answer:

Answer Area

Statements

You can add Admin1 as a member of AU1.

You can add User1 as a member of AU2.

You can assign Admin2 the User administrator role for AU1.

Yes

No

Microsoft

Explanation

Answer Area

Statements

You can add Admin1 as a member of AU1.

You can add User1 as a member of AU2.

You can assign Admin2 the User administrator role for AU1.

Yes

No

Microsoft

NEW QUESTION: 76

contoso.com DNS

```
@           IN      SOA  dns1.contoso.com. hostmaster.contoso.com. (
                    539      ; serial number
                    900      ; refresh
                    600      ; retry
                    86400     ; expire
                    3600     ) ; default TTL

@           NS       dns1.contoso.com.

@           MX       10    server1.contoso.com.
@           TXT      ( "v=spf1 a include:server1.contoso.com -all" )
Server1     A         193.77.10.15
```

Microsoft 365

Microsoft Exchange Online

Exchange Online SPF(Sender Policy Framework)

A. TXT

- B. TXT □□□□ □□□□□.
- C. SOA □□□□ □□ □□□ □□□□□.
- D. SOA □□□□ □□ TTL□ □□□□□.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-spf-in-office-365-to-help-pre>

MS-100-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MS-100-KR □□! DumpTop □ □□ **MS-100-KR** □□ □□□ □□□□□□, DumpTop MS-100-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop MS-100-KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/MS-100-KR-dump.html> (431 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□. □□□□ □□□ □□□ □ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □ □□ □□□□ □□ □ □□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□. □ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□□ □□□□.

□□□ Microsoft Office 36S □□□□ □□□□.

□□ Office 365 □□□ □□□ □□□□□ □□□ □□□□□.

□□□□□ □□□ □□□□□ □□□ □□□ □□□□ □□□.

□□ □□: Microsoft 365 □□ □□□□ □□□ □□ □□ □□□ □□□□□.

□□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: B (LEAVE A REPLY)

Explanation

A service request is a support ticket. Therefore, the option in the Microsoft 365 admin center displays a list of support tickets. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION: 78

2,500□□ □□□□□ Microsoft Teams□ □□□ □□□□□.

□□□ □□□ □□□ □□□□ □□□□ □□□.

□□□ □□□□ □□□?

A. □ □□

B. □□□□ □□□

C. □□□□□ Skype □□ □□ □□ □□□

D. Microsoft □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

Explanation

From: <https://docs.microsoft.com/en-us/microsoftteams/network-planner>

Network Planner is a new tool that is available in the Teams admin center. It can be found by going to Planning > Network planner. In just a few steps, the Network Planner can help you determine and organize network requirements for connecting Microsoft Teams users across your organization. When you provide your network details and Teams usage, the Network Planner calculates your network requirements for deploying Teams and cloud voice across your organization's physical locations.

NEW QUESTION: 79

□□□□ □□□ □□□ □□□□□ □□ □□□ □□ □□□□□ □□□ □□□□ □□□ □□ □□□□ □□□□.

□□□ □□□ □□□□□ □□□ □ □□□ □□□□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□ □□ □□ Webhook □□□□

B. □□□□□□□ □□□□ configurationUrl □□□ □□□□□.

C. □□ □□ □□□□□ webhook URL□ JSON□ □□□□□.

D. □□ □□ □□□□□ □□ URL□ XML□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

Microsoft Azure Active Directory(Azure AD) □□□□ □□□□.

□□□□ WIP(Windows Information Protection)□ □□□□□.

WIP□ □□□ □□ □□□ □ □□ □□□□□ □□□□ □□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

To modify which users are affected by WIP, configure:

- The Azure AD app registration
- The Azure AD device settings
- The MAM User scope
- The mobile device management (MDM) authority

To modify which applications are affected by WIP, configure:

- App configuration policies
- App protection policies
- Compliance policies
- Device configuration profiles

Answer:

To modify which users are affected by WIP, configure:

- The Azure AD app registration
- The Azure AD device settings
- The MAM User scope
- The mobile device management (MDM) authority

To modify which applications are affected by WIP, configure:

- App configuration policies
- App protection policies
- Compliance policies
- Device configuration profiles

Explanation

To modify which users are affected by WIP, configure:

- The Azure AD app registration
- The Azure AD device settings
- The MAM User scope
- The mobile device management (MDM) authority

To modify which applications are affected by WIP, configure:

- App configuration policies
- App protection policies
- Compliance policies
- Device configuration profiles

Microsoft Intune has an easy way to create and deploy a Windows Information Protection (WIP) policy. You can choose which apps to protect, the level of protection, and how to find enterprise data on the network. The devices can be fully managed by Mobile Device Management (MDM), or managed by Mobile Application Management (MAM), where Intune manages only the apps on a user's personal device.

The MAM User scope determines which users are affected by WIP. App protection policies are used to configure which applications are affected by WIP.

Reference:

<https://docs.microsoft.com/en-us/windows/security/information-protection/windows-information-protection/crea>

NEW QUESTION: 81

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□.

□□□□□□ contoso.com□□□□ □□□□□ Active Directory □□□□ □□□□ □□□□. □□ □□□ □□ □□ □□□ □□□□ □□□□□.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

□□□□ □□□ □□ □□□□ contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□□. (□□ □□ □□□□□.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status

Enabled



Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled

USER SIGN-IN



Federation

Disabled

0 domains

[Seamless single sign-on](#)

Enabled

1 domain

[Pass-through authentication](#)

Enabled

2 agents

User2□ user2@fabrikam.com□□ □□□□ □ Azure AD□ □□□□ □□□□.

User2□ Azure AD□ □□□□ □□□□ □ □□□ □□□□ □□□.

□□ □□: □□□□□ Active Directory □□□□□ User2□□ □□ □□□ □□ □□□ □□□ □ □□□□. User2□□ user2@fabrikam.com□□ □□□□□□ □□□□□.

Microsoft 365 □□□ □□□□.

□□ □□□□ Microsoft SharePoint Online □□□□ □□□□□□.

□□ □□□ □□ □□□□□.

10□ □□ SharePoint Online□ □□□ 5□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□ □□ □□□.

□□ □□□ □□ □□□?

A. Microsoft Office 365 Cloud App Security□ □□□□□□.

B. Windows Defender Advanced Threat Protection(Windows Defender ATP)□ □□□□□.

C. Microsoft Office 365 □□□ □□□□□□.

Answer: B (LEAVE A REPLY)

Explanation

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the "Malware detected in file" activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>


NEW QUESTION: 84

□□□ □□□□ □□□ □□□□ □□□□□ □□□ □□□ Microsoft Teams □□ □□ □□□ □.

□ □□□□□□ □□ □□□ □ □□□□□ □□(□ □□□□□ □ □□)□ □□□□□. □□ □ □ JavaScript □□□ □□ □□□ □□ □□□□□ □□ JavaScript □□(JavaScript □ □□)□ □ □□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□□(□□□ □ □□). □□ □ □□□ □□ □□□ □□□ □□ □□□□□. □□□ □□□ □□□□ □□□□□. □□; □ □□□ □□□ 1□□ □□□ □□□□□.

Answer Area

Statements	Yes	No
If the user changes mobile devices after successfully using all the functionalities in the tab, the user will receive the message again.	<input type="radio"/>	<input type="radio"/>
If the user uses two different tenants on the same mobile device, the user will receive the message again.	<input type="radio"/>	<input type="radio"/>
If two users share the same mobile device, each user will receive the message when the user first uses the tab.	<input type="radio"/>	<input type="radio"/>



Answer:

Answer Area

Microsoft

Statements

	Yes	No
If the user changes mobile devices after successfully using all the functionalities in the tab, the user will receive the message again.	<input type="radio"/>	<input type="radio"/>
If the user uses two different tenants on the same mobile device, the user will receive the message again.	<input type="radio"/>	<input checked="" type="radio"/>
If two users share the same mobile device, each user will receive the message when the user first uses the tab.	<input type="radio"/>	<input type="radio"/>

Explanation

Answer Area


Microsoft

Statements

	Yes	No
If the user changes mobile devices after successfully using all the functionalities in the tab, the user will receive the message again.	<input checked="" type="radio"/>	<input type="radio"/>
If the user uses two different tenants on the same mobile device, the user will receive the message again.	<input type="radio"/>	<input checked="" type="radio"/>
If two users share the same mobile device, each user will receive the message when the user first uses the tab.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 85

□□ □□□ SharePoint Online □□□ □□□□ □□ □□ □□ □ □□□ □□□□ □□□.
□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Development model:  Microsoft ▼

- Full-trust web parts
- Sandboxed solutions
- SharePoint Framework (SPFx)


IDE: ▼

- Eclipse
- Microsoft Visual Studio
- Microsoft Visual Studio Code

Front-end framework: ▼


- Bootstrap
- Fluent UI
- Material Design

Answer:



Explanation

Graphical user interface, text, application Description automatically generated



NEW QUESTION: 86

Microsoft 365 □□□ □□□□.

□□ □ □□ □□ □□ □□□□ ProjectX□□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □□.

□□□ □□ □□□ □□□□ □□□□.

□□□□ □□□□□□□□ □□□ □□□□□?

- A. □□□□ □
- B. □□
- C. □□□ □□□
- D. □□ □□(CA) □□□

Answer: (SHOW ANSWER)

Explanation

When you export a report, the data is temporarily stored in a unique Azure Storage area in the Microsoft cloud before it's downloaded to your local computer.

To download the report from the Azure Storage Area, you need an export key.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/export-a-content-search-report>

NEW QUESTION: 87

□□□□□ Active Directory □□□□ □□□□ □□□□. □□□□□ Windows Server 2016 □ □
□□□ Server1□□□ □□□ □□□□ □□□□. Server1□□ Share1□□□□ □□□ □□□□.
Microsoft 365 □ □□□□□ □□□ □□□□□.
Share1□ □□□□ Microsoft OneDrive □ □□□□□□□□ □□□.
□□□ □□□□ □□□?

- A. Windows Server □□□□□□ □□
- B. Microsoft SharePoint □□□□□□ □□
- C. □□□□ □□□□□□ □□□

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/migrating-content-to-onedrive-for-business>

NEW QUESTION: 88

□□□□□□ □□□□□□ Active Directory □□□□ □□□□ □□□□. □□□□□ Windows 10
□ □□□□ 2,000□□ □□□□ □□□□□.
Microsoft 365 □□□ □□□□□□.
□□ □□ □□□ □ Azure AD(Azure Active Directory) Seamless Single Sign-On(Seamless SSO)
□ □□□□□□.
□□□□□ Windows 10 □□□□□□□ Seamless SSO □ □□□ □ □□□ □□□□ □□□□.
□□□□ □□ □□□?

- A. Azure AD□□ □□□ □□□ □□□□□□.
- B. Azure AD Connect □□ □□□ □□□□□□.
- C. □□□□□ Azure AD□ □□□□□□.
- D. □□ □□□ □□□□ □□□□ □□ □□ □□

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-ss0-quick-start>

NEW QUESTION: 89

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

A. Azure Portal. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

B. Azure Cloud Shell. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

C. Azure Cloud Shell. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

D. Azure Portal. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Answer: B (LEAVE A REPLY)

Explanation

* Vendors must be able to authenticate by using their Microsoft account when accessing Contoso resources.

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.

The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the vendors already have Microsoft accounts so they can authenticate using them.

In this solution, we are creating guest account invitations by using the New-AzureADMSInvitation cmdlet and specifying the -InvitedUserEmailAddress parameter.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

<https://docs.microsoft.com/en-us/powershell/module/azuread/new-azureadmsinvitation?view=azureadps-2.0>

NEW QUESTION: 90

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

Contoso is a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant. The Contoso organization has a Microsoft 365 tenant.

□□□ □□
 □□□ □□ □□ □□□ □□ □□□ □□□□□□.
 □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.
 □□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□.
 Microsoft 365 □□□ □□: admin@LODSe503797.onmicrosoft.com
 Microsoft 365 □□: x?-ofP?fG70o
 Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□
 □ □□□ □□ □□□□□.
 □□ □□□ □□ □□ □□□□□ □□□□□.
 □ □□□□: 11325860



dev@fabrikam.com□□□ □□ □□□□ Microsoft 365 □□□□ □□□□□□□ □□□ □ □□
 □ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.
 □□□□□ Microsoft 365 □□□ □□□□□□.

Answer:

See explanation below.

Explanation


You need to create a guest account for the external user and assign the Application Developer role. As the user's domain is an external domain, you will need to 'invite' the user. The external user will need to accept the invitation to create the account.

1. Go to the Azure Active Directory Admin Center.
2. In the left navigation pane, select Users.
3. Click on the '+ New Guest User' link.
4. Ensure that the 'Invite user' option is selected.
5. Enter dev@fabrikam.com in the email address field.
6. In the Roles section, 'user' will be selected by default. Click on 'user' to open a list of roles.
7. Select Application Developer in the list and click the 'Select' button to assign the role.
8. Click the 'Invite' button to send the invitation.

NEW QUESTION: 91

□□□ Microsoft 365□ □□□□□ □□□ □□□□.

User1 [answer choice] Microsoft Azure Active Directory(Azure AD) [answer choice].
Azure AD Connect [answer choice].



[answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice] [answer choice]

[answer choice].

[answer choice]: [answer choice] [answer choice] 1 [answer choice] [answer choice].

User1 [answer choice].	[answer choice]
	cannot change her password from any Microsoft portals
	can change her password by using self-service password reset feature only
	an change her password from the Office 365 admin center only

If the password for User1 is changed in Active Directory, [answer choice].	[answer choice]
	the password will be synchronized to Azure AD
	a new randomly generated password will be assigned to User1
	the password in Azure AD will be unchanged

Answer:

User1 [answer choice].	[answer choice]
	cannot change her password from any Microsoft portals
	can change her password by using self-service password reset feature only
	an change her password from the Office 365 admin center only
If the password for User1 is changed in Active Directory, [answer choice].	[answer choice]
	the password will be synchronized to Azure AD
	a new randomly generated password will be assigned to User1
	the password in Azure AD will be unchanged

Explanation

Azure AD Connect □□□ contoso.com□ □□□□□. Azure AD Connect□ Azure AD(Azure Active Directory) □□□□ □□□□□□.

west.contoso.com□□□ □ □□□□ □□□□□ □□□□□.

west.contoso.com□ Azure AD □□□□ □□□□□□ □□□□ □□□.

□□ □□: west.contoso.com□ □ Azure AD Connect □□□ □□□□ AD Connect□ □□ □□ □□□□□□.

□□□ □□□ □□□□□?

A. □□□

B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 94

□□ □□□ □□□□ □□ □□ □□□ □□□□. □□□□ □ □□□□ □□□ □ □□□□. □

□□□□ □ □ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.

□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□. □ □□□□□ □□□ □□□

□ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□□□ □□□ □ □□□

□□ □□(□: □□ □ □□□□, □□ □ □□□ □□ □□)□ □□□ □□□□□□.

□□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□ □

□□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.

□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□

□. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□

□□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□.

□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□□□ □□

□□□□ □□ □□ □□□ □□ □□□ □□□□□□.

□□□□ □□□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.

□□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□.

Microsoft 365 □□□ □□: admin@LODSe878763.onmicrosoft.com

Microsoft 365 □□: m3t^We\$Z7&xy

Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□

□ □□□ □□ □□□□□.

□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 11440873



Lynne Robbins is a Microsoft Office 365 user who is unable to sign in to her account. She receives the error message 'Can't access your account'. You need to ensure she can sign in to her account.

Answer:

See explanation below.

Explanation

You need to enable Multi-Factor Authentication for Lynne Robbins.

1. Sign in to the Microsoft 365 Admin Center.
2. In the left navigation pane, expand the Users section and select Active Users.
3. Click the 'Multi-factor authentication' link.
4. Select Lynne Robbins.
5. In the right navigation pane, select the 'Enable' link to enable MFA for the account.
6. Confirm the setting by clicking the 'Enable multi-factor authentication' button.
7. Click the Close button to close the confirmation window.

NEW QUESTION: 95

A user reports that they are unable to access a SharePoint site. The user is able to access other SharePoint sites. The user is using a web browser. The user is using a supported browser. The user is using a supported operating system. The user is using a supported device. The user is using a supported network connection. The user is using a supported location. The user is using a supported time zone. The user is using a supported language. The user is using a supported locale. The user is using a supported currency. The user is using a supported date and time format. The user is using a supported keyboard layout. The user is using a supported mouse button configuration. The user is using a supported touch screen configuration. The user is using a supported accessibility technology. The user is using a supported assistive technology. The user is using a supported screen reader. The user is using a supported screen magnifier. The user is using a supported screen color calibration. The user is using a supported screen resolution. The user is using a supported screen refresh rate. The user is using a supported screen aspect ratio. The user is using a supported screen color depth. The user is using a supported screen color gamut. The user is using a supported screen color temperature. The user is using a supported screen color balance. The user is using a supported screen color contrast. The user is using a supported screen color saturation. The user is using a supported screen color brightness. The user is using a supported screen color contrast. The user is using a supported screen color saturation. The user is using a supported screen color brightness.

Microsoft 365 user who is unable to access a SharePoint site.

The user is using a web browser. The user is using a supported browser. The user is using a supported operating system. The user is using a supported device. The user is using a supported network connection. The user is using a supported location. The user is using a supported time zone. The user is using a supported language. The user is using a supported locale. The user is using a supported currency. The user is using a supported date and time format. The user is using a supported keyboard layout. The user is using a supported mouse button configuration. The user is using a supported touch screen configuration. The user is using a supported accessibility technology. The user is using a supported assistive technology. The user is using a supported screen reader. The user is using a supported screen magnifier. The user is using a supported screen color calibration. The user is using a supported screen resolution. The user is using a supported screen refresh rate. The user is using a supported screen aspect ratio. The user is using a supported screen color depth. The user is using a supported screen color gamut. The user is using a supported screen color temperature. The user is using a supported screen color balance. The user is using a supported screen color contrast. The user is using a supported screen color saturation. The user is using a supported screen color brightness.

A. No

B. Yes

Answer: B (LEAVE A REPLY)

Explanation

You need to create a threat management policy in the Security & Compliance admin center.

NEW QUESTION: 96

You need to create a threat management policy in the Security & Compliance admin center.
 Which of the following is the correct email address to use for the user?
 A. user1@fabrikam.com
 B. user1@fabrikam.onmicrosoft.com
 C. user1@fabrikam.onmicrosoft.onmicrosoft.com
 D. user1@fabrikam.onmicrosoft.onmicrosoft.onmicrosoft.com
 E. user1@fabrikam.onmicrosoft.onmicrosoft.onmicrosoft.onmicrosoft.com

Microsoft 365 user1@fabrikam.com:
 admin@M365x981607.onmicrosoft.com
 Microsoft 365 user1@fabrikam.com: *yfLo7lr2&y-
 Microsoft 365 user1@fabrikam.com: user1@fabrikam.com CTRL-K user1@fabrikam.com
 user1@fabrikam.com
 user1@fabrikam.com: 10811525
 user1@fabrikam.com Fabrikam, Inc. user1@fabrikam.com user1@fabrikam.com
 user1@fabrikam.com user1@fabrikam.com Microsoft 365 user1@fabrikam.com user1@fabrikam.com
 user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com
 user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com user1@fabrikam.com

Answer:

See explanation below.

Explanation

You need to create a guest account for user1.

1. Go to the Azure Active Directory admin center.
2. Select Users.
3. Click the 'New guest user' link.
4. Select the 'Invite user' option.
5. Give the account a name (User1) and enter user1@fabrikam.com in the email address field.
6. Click the 'Invite' button.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/b2b-quickstart-add-guest-users-portal>

NEW QUESTION: 97

Microsoft 365.

Name	Group
User1	Group1
User2	Group1, Group2

Named location and IP range.

Named location	IP range
Montreal	133.107.0.0/16
Toronto	193.77.10.0/24

IP address ranges.

IP address:

IP: 1

IP: 2

IP: 193.77.10.20

IP:

IP: 133.107.10.15

IP: 133.107.10.20

IP: 133.107.10.20, 193.77.10.20

User1 can access Microsoft Office 365 (MFA) from a device that has an IP address of 133.107.10.20.

User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.

User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input checked="" type="radio"/>	<input type="radio"/>

The Blocked User list is used to block specific users from being able to receive Multi-Factor Authentication requests. Any authentication attempts for blocked users are automatically denied. Users remain blocked for 90 days from the time that they are blocked.

Box 1: Yes

133.107.10.20 is in the Montreal named location. The conditional access policy excludes Montreal so the policy does not apply. Therefore, User1 can access Microsoft Office 365.

Box 2: No

193.77.10.15 is in the Toronto named location. The conditional access policy applies to Group1 which User1 is a member of and all locations except for Montreal. Therefore, the conditional access policy applies in this case. The policy requires MFA but User1 is on the MFA blocked list so he is unable to use MFA. Therefore, User1 cannot access Microsoft 365.

Box 3: Yes

User2 is in Group1 and Group2. The conditional access policy applies to Group1 but excludes Group2.

Therefore, the conditional access policy does not apply in this case so User2 can access Microsoft Office 365.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

NEW QUESTION: 98

□□□□ SalesApp □ □ □□ □□ □□□□ □□□.

□□□□ □□ □□ □□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□□?

- A. SharePoint Online
- B.
- C.
- D.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 99

Microsoft 365 contoso.com Microsoft Azure Active Directory(Azure AD) . Contoso.com

Name	Type	Role
User1	Member	None
User2	Member	Security administrator, Guest inviter
User3	Member	User administrator
User4	Guest	None


Contoso.com

External collaboration settings

 Save  Discard

Guest users permissions are limited 

Yes No

Admins and users in the guest inviter role can invite 

Yes No

Members can invite 

Yes No

Guests can invite 

Yes No

Collaboration restrictions

- Allow invitations to be sent to any domain (most inclusive)
- Deny invitations to the specified domains
- Allow invitations only to the specified domains (most restrictive)

□□□□ □□ □□□ □□ □ □□ □□□ □□.

□□ □□ □□□ □□?

A. □□□ □□ □ □□□.

B. □□ □□ □□ □□□□.

C. □□ □□ □ □□□.

D. □□ □□ □□ □□ □ □□□ □□ □ □□□.

E. □□ □□□ □□ □□ □□□□.

Answer: D ([LEAVE A REPLY](#))

Explanation

The setting "Admins and users in the guest inviter role can invite" is set to No. This means that no one can create guest accounts because they cannot 'invite' guests. This setting needs to be changed to Yes to ensure that guest users can be created in the tenant.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations>

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions>

NEW QUESTION: 100

https://app.contoso.local URL is not accessible from Microsoft 365.

Microsoft 365 is not accessible.

Users are unable to access the application.

Users are unable to access the application. The application proxy is not configured correctly.

Users are unable to access the application? The application proxy is not configured correctly.

URL: https://app.contoso.com/100 is not accessible.

- A. The application proxy is not configured correctly.
- B. Azure Active Directory is not configured correctly.
- C. Azure Active Directory is not configured correctly.
- D. The application proxy is not configured correctly.
- E. https://app.contoso.com/100 is not accessible.

Answer: A,B (LEAVE A REPLY)

Explanation

Azure Active Directory (Azure AD) has an Application Proxy service that enables users to access on-premises applications by signing in with their Azure AD account. The application proxy enables you to take advantage of Azure AD security features like Conditional Access and Multi-Factor Authentication.

To use Application Proxy, install a connector on each Windows server you're using with the Application Proxy service. The connector is an agent that manages the outbound connection from the on-premises application servers to Application Proxy in Azure AD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-add-on-premises-applica>

NEW QUESTION: 101

Microsoft Outlook is not accessible from Microsoft 365. The application proxy is not configured correctly.

Users are unable to access the application? The application proxy is not configured correctly.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

```
{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  ...
  "actions": {
    "autoInvokeAction": {
      "expectedActors": {
        "method": "MERGE",
        "method": "POST",
        "method": "PUT",
        "url": "https://actionablemessages.contoso.com/api/getupdatedcard",
        "body": "",
        "type": "Action.Http"
      }
    }
  }
}
```



Answer:
ANSWER AREA

```
{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  ...
  "actions": {
    "autoInvokeAction": {
      "expectedActors": {
        "method": "MERGE",
        "method": "POST",
        "method": "PUT",
        "url": "https://actionablemessages.contoso.com/api/getupdatedcard",
        "body": "",
        "type": "Action.Http"
      }
    }
  }
}
```



Explanation

Graphical user interface, text, application, email Description automatically generated

```

{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  . . .
  &quot;actions&quot;: {
    &quot;autoInvokeAction&quot;: {
      &quot;expectedActors&quot;: {
        &quot;method&quot;: &quot;MERGE&quot;,
        &quot;method&quot;: &quot;POST&quot;,
        &quot;method&quot;: &quot;PUT&quot;,
        "url": "https://actionablemessages.contoso.com/api/getupdatecard"
        "body": "",
        "type": "Action.Http"
      }
    }
  }
}

```

Box 1: "autoInvokeaction":{

With the autoInvokeAction property on actionable messages, you can provide an HTTP endpoint to retrieve an up-to-date Adaptive Card payload with the latest information when the user opens the email in Outlook.

Box 2: "method": "POST",,

With the autoInvokeAction property on actionable messages, you can provide an HTTP endpoint to retrieve an up-to-date Adaptive Card payload with the latest information when the user opens the email in Outlook.

Reference:

<https://docs.microsoft.com/en-us/outlook/actionable-messages/auto-invoke>

NEW QUESTION: 102

Microsoft 365 E5 □□□ □□□□.

□□ □□□□ Microsoft Office □□□□ □□□□□□□□ Microsoft 365 □□ □□□ □ □□□□.


□□ □□ □□□□ □□□.

* Office □□□□ □□□□□□□□ Microsoft 365 □ □□ □□□


* □□□□ Microsoft Teams □□□□□ □□ □□□ □ □□□ □□□□□.

Microsoft 365 □□ □□□□ □□□□ □□ □ □□ □□ □□□□ □□□□□? □□□□□ □□ □

□□□ □□□ □□□ □□□□□□.



Answer:



Explanation



NEW QUESTION: 103

contoso.com is a Microsoft Exchange Server 2019 organization. The organization has an Azure AD (Azure Active Directory) tenant. The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant. The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant.

Azure AD Connect is used to connect the on-premise Active Directory to the Azure AD tenant. The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant. The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant.

- A. Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.
- B. Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.
- C. Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.
- D. Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.
- E. Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.

Answer: B,E (LEAVE A REPLY)

Explanation

Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-preview>

NEW QUESTION: 104

The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant. The organization wants to connect the on-premise Active Directory to the Azure AD tenant. The organization has a Microsoft 365 tenant.

NEW QUESTION: 105

Contoso.onmicrosoft.com

Contoso.com

Sub1.contoso.onmicrosoft.com

Sub2.contoso.com


Fabrikam.com

Exchange Online


DNS

DNS


100



Answer:



Explanation



Box 1: 2

You don't need to verify Sub1.contoso.onmicrosoft.com because the onmicrosoft.com domain and DNS is managed by Microsoft. You also don't need to configure an MX record for Sub1.contoso.onmicrosoft.com because that will be done by Microsoft.

For sub2.contoso.com, you don't need to verify the domain because you have already verified its parent domain contoso.com. However, you do need an MX record to direct email for that domain to Exchange Online.

For Fabrikam.com, you will need to verify the domain. You will need an MX record to direct email for that domain to Exchange Online.

Box 2: 0

You 'should' create CNAME records for autodiscover to point your email clients to Exchange Online to connect to the mailboxes. However, you don't have to. You could configure the email client manually.

Therefore, the minimum number of CNAME records required is zero.

NEW QUESTION: 106

□□ □□□ □□□□ □□ □□ □□□ □□□□. □□□□ □ □□□□ □□□ □ □□□□. □
□□□ □ □ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.
□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□□. □ □□□□□ □□□ □□□
□ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□□□ □□□ □ □□□
□□ □□(□: □□ □ □□□□, □□ □ □□□ □□ □□)□ □□□ □□□□□□□.
□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□ □
□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.
□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□
□. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□
□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□□ □□□.
□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.
□□ □□□ □□□□ □□□ □□□ □ □□□□.

Microsoft 365 □□□ □□:
admin@LODSe426243.onmicrosoft.com
□□□□□□□ 365 □□: 3&YWyjse-6-d

Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□
□ □□□ □□ □□□□□.
□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 10887751
Grady Archie□□ □□□□ □□□□. □□□□ □□ □□ □□□ □□□□ □□□.
Grady Archie□ Microsoft Office 365 □□□□ □□ □□□ □□□ □ □□□ □□□.
□□□□ □□□□□ □□□□ □□□□ □□ □□□□□ □□□.
□□□□ □□ □□ □□□ □□□□ □□□.

Answer:
See explanation below.

B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□ □□□ □□□□ □□ □□ □□□ □□□□. □□□□ □ □□□□ □□□ □ □□□□. □
 □□□ □ □ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.
 □□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□□. □ □□□□□ □□□ □□□
 □ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□□□ □□□ □ □□□
 □□ □□(□: □□ □ □□□□, □□ □ □□□ □□ □□)□ □□□ □□□□□□□.
 □□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□□□ □
 □□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.
 □□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □ □□□
 □. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□ □□
 □□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□□ □□□.
 □ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.
 □□ □□□ □□□□ □□□ □□□ □ □□□□.
 □□□ □□
 □□□ □□ □□ □□□ □□ □□□ □□□□□□□.
 □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□□.
 □□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□□.
 Microsoft 365 □□□ □□: admin@LODSe878763.onmicrosoft.com
 Microsoft 365 □□: m3t^We\$Z7&xy
 Microsoft 365 □□□ □□□□□ □□□□□ □□□□ □□□ CTRL-K□ □□ □ □□□□ □□
 □ □□□ □□ □□□□□□.
 □□ □□□ □□ □□ □□□□□ □□□□□□.
 □ □□□□: 11440873



Managers□□ □□□ Adele Vance□ □□□□ □□□□. □□□□ □□□□□ □□□ □□□ □ □
 □□ □□□□ □□□□.
 □□□□□ Microsoft 365 □□□ □□□□□□□.

Answer:

See explanation below.

Explanation

You need to create a group named Managers and add Adele Vance to the group. To ensure that you can grant permissions to the Managers group, the group needs to be a Security Group.

1. Sign in to the Microsoft 365 Admin Center.
2. In the left navigation pane, expand the Groups section then select Groups.
3. Click the 'Add a group' link.
4. For the group type, select Security and click Next.
5. Enter 'Managers' in the Name field and click Next.
6. Click the 'Create Group' button to create the Managers group.
7. In the list of groups, select the Managers group.
8. Click the Members link.
9. Click the 'View all and manage members link'.
10. Click the 'Add Members' button.
11. Select Adele Vance and click the Save button.
12. Click the Close button to close the group page.

NEW QUESTION: 109

SalesApp □□□ □□ □□ □□ □ □□□ □□□□ □□□.
□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Development model: ▼
Office Add-ins
SharePoint Framework (SPFx) web parts
Microsoft Visual Studio Tools for Office (VSTO)

IDE: ▼
Script Lab
Microsoft Visual Studio
Microsoft Visual Studio Code

Front-end framework: ▼
Fluent UI
Bootstrap
Material Design

Answer:

Development model: ▼

- Office Add-ins
- SharePoint Framework (SPFx) web parts
- Microsoft Visual Studio Tools for Office (VSTO)

IDE: ▼

- Script Lab
- Microsoft Visual Studio
- Microsoft Visual Studio Code

Front-end framework: ▼

- Fluent UI
- Bootstrap
- Material Design

Explanation

Graphical user interface, text, application Description automatically generated

Box 1: Office Add-ins

Scenario: SalesApp must be integrated with Microsoft Word and must combine images and text from multiple sources to create a quotation as a DOCX file.

You can use the Office Add-ins platform to build solutions that extend Office applications and interact with content in Office documents.

Box 2: Microsoft Visual Studio

Visual Studio can be used to create Office Add-ins for Excel, Outlook, Word, and PowerPoint. An Office Add-in project gets created as part of a Visual Studio solution and uses HTML, CSS, and JavaScript.

Box 3: Fluent UI

Fluent UI is the upcoming and continually evolving design system for Microsoft 365. Currently, there is an ongoing merge in the process to have one consistent UI Framework across the Microsoft ecosystem.

Reference:

<https://docs.microsoft.com/en-us/office/dev/add-ins/overview/office-add-ins>

<https://n8d.at/5-reasons-or-thoughts-on-fluent-ui-web>

NEW QUESTION: 110

litwareinc.com □□□ □□ □□□□ □□□□ Microsoft 365 □□□ □□□□. □□□□

Collection1 □□□ Microsoft SharePoint □□□ □□□ □□□□.

Azure Active Directory □□ □□□□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□□. (□□ □□ □□ □□ □□□□□.)

Sharing outside your organization

Control how users share content with people outside your organization.

- Don't allow sharing outside your organization
- Allow sharing only with the external users that already exist in your organization's directory
- Allow users to invite and share with authenticated external users
- Allow sharing to authenticated external users and using anonymous access links

Who can share outside your organization

- Let only users in selected security groups share with authenticated external users

Default link type

Choose the type of link that is created by default when users get links. [Learn more.](#)

- Direct - specific people
- Internal - only people in your organization
- Anonymous Access - anyone with the link

- Use shorter links when sharing files and folders

Default link permission

Choose the default permission that is selected when users share. This applies to anonymous access, internal and direct links.

- View
- Edit

Additional settings

- Limit external sharing using domains (applies to all future sharing invitations). Separate multiple domains with spaces. [Learn more.](#)

Don't allow sharing with users from these blocked domains ▼

contoso.com

- Prevent external users from sharing files, folders, and sites that they don't own
- External users must accept sharing invitations using the same account that the invitations were sent to
- Require recipients to continually prove account ownership when they access shared items

Notifications

Email OneDrive for Business owners when

- Other users invite additional external users to shared files
- External users accept invitations to access files
- An anonymous access link is created or changed

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Statements	Yes	No
------------	-----	----

- | | | |
|---|-----------------------|-----------------------|
| You can share the files in Collection1 to user1@fabrikam.com. | <input type="radio"/> | <input type="radio"/> |
| You can share Collection1 to user2@fabrikam1.com. | <input type="radio"/> | <input type="radio"/> |
| You can share Collection1 to user3@us.contoso.com. | <input type="radio"/> | <input type="radio"/> |

Answer:

Statements

Yes

No

You can share the files in Collection1 to user1@fabrikam.com.

You can share Collection1 to user2@fabrikam1.com.

You can share Collection1 to user3@us.contoso.com.

Explanation

Statements

Yes

No

You can share the files in Collection1 to user1@fabrikam.com.

You can share Collection1 to user2@fabrikam1.com.

You can share Collection1 to user3@us.contoso.com.

Box 1: Yes

In the first exhibit, "Allow invitations to be sent to any domain (most inclusive) is enabled". Also, everyone is allowed to 'invite'. The Target Domains setting will have no effect. This would only apply if one of the Allow/Deny invitations to the specified domain options were selected.

There is a restriction that blocks invitations being sent to contoso.com. However, this restriction does not apply to Fabrikam.com. Therefore, you can share the files in Collection1 to user1@fabrikam.com.

Box 2: Yes

As noted above, external sharing is enabled for any domain except contoso.com. The Target Domains setting in the first exhibit will have no effect. Therefore, you can share Collection1 to user2@fabrikam1.com.

Box 3: Yes

As noted above, external sharing is enabled for any domain except contoso.com. Blocking sharing to contoso.com does not block sharing to us.contoso.com. Therefore, you can share Collection1 to user3@us.contoso.com.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

NEW QUESTION: 111

Microsoft Teams HRApp
.
.

Actions	Answer Area
Implement a handler for the <code>jobsearch</code> command in the Microsoft Bot Framework app.	
In the HRApp manifest, configure the <code>botId</code> value in the <code>bot</code> section to match the <code>botId</code> value of the bot registration.	
Implement a handler for the <code>query</code> command in the Microsoft Bot Framework app.	
Create a bot registration and a Microsoft Bot Framework app.	
In the HRApp manifest, configure the <code>botId</code> value in the <code>ComposeExtensions</code> section to match the <code>botId</code> value of the bot registration.	

Answer:

Actions	Answer Area
Implement a handler for the <code>jobsearch</code> command in the Microsoft Bot Framework app.	
In the HRApp manifest, configure the <code>botId</code> value in the <code>bot</code> section to match the <code>botId</code> value of the bot registration.	
Implement a handler for the <code>query</code> command in the Microsoft Bot Framework app.	
Create a bot registration and a Microsoft Bot Framework app.	
In the HRApp manifest, configure the <code>botId</code> value in the <code>ComposeExtensions</code> section to match the <code>botId</code> value of the bot registration.	

Explanation

Graphical user interface, text, application Description automatically generated

Create a bot registration and a Microsoft Bot Framework app.
In the HRApp manifest, configure the <code>botId</code> value in the <code>ComposeExtensions</code> section to match the <code>botId</code> value of the bot registration.
Implement a handler for the <code>jobsearch</code> command in the Microsoft Bot Framework app.

Step 1: Create a bot registration..

Step 2: In the HRApp manifest, configure the `botId` value in the `ComposeExtensions` section to match the `botId` value of the bot registration.

Scenario: HRApp must include a messaging extension that enables users to search jobs by job title or job ID.

Step 3: Implement a handler

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-quickstart-registration>

NEW QUESTION: 112

□□□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□ DNS □□□□ □□□□ □□□.
□□□□□ □□□□ □□ □□□□ □□ DNS □□□□ □□□□ □□□.
□□ DNS □□□□ □□□□ □□□?

- A. □□(CNAME)
- B. □□□ □□(HINFO)
- C. □□□(A)
- D. □□ □□□(MX)

Answer: C (LEAVE A REPLY)

Explanation

When you add a custom domain to Office 365, you need to verify that you own the domain. You can do this by adding either an MX record or a TXT record to the DNS for that domain.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/get-help-with-domains/create-dns-records-at-any-dns-hosting->

NEW QUESTION: 113

□□□□□□ contoso.com □ fabrikam.com□□□ □ □□ □□□□□ Active Directory □□□□
□ □□□□ □□□□. Fabrikam.com□□ □□□ 1□□ □□□ □□□□ 5□□ □□□□ □□□
□. Contoso.com□□ □□ □□ □□□ □□□□ □□□□ □□□□.

Name	Number of domain controllers
Contoso.com	2
East.contoso.com	3
West.contoso.com	3

Azure AD Connect□ □□□□ □ □□□□□ □□ □□□□ □□ Azure AD(Azure Active Directory) □□□□ □□□□□ □□□.

□□□ □□ Azure AD Connect □□□ □□ □□ □□□□□?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A (LEAVE A REPLY)

Explanation

You can have only one active Azure AD Connect server synchronizing accounts to a single Azure Active Directory (Azure AD) tenant. You can have 'backup' Azure AD Connect servers, but these must be running in

'staging' mode. Staging mode means the Azure AD Connect instance is not actively synchronizing users but is ready to be brought online if the active Azure AD Connect instance goes offline.

□□□□ 3,000□□ □□□□ □□□□. □□ □□□□□ Microsoft 365 E3 □□□□□ □□□□ □.

□□ □□□□□□ □□ Microsoft 365 □□□□ □□ □□□□□ □□□□□. □□ □□□□□□ □□ Microsoft 365 □□□□ □□ □□□□□ □□□□□.

User1□□□ □□□□ Exchange Online□ □□□□ □□□ □□□□□□ □□□ □□□□ □□ □.

□□ □□: Get-MsolUser cmdlet□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: B (LEAVE A REPLY)

Explanation

The Get-MsolUser cmdlet will tell you if a user is licensed for Microsoft 365 but it does not tell you which licenses are assigned.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msoluser?view=azureadps-1.0>

NEW QUESTION: 116

App1□ □□ □□□□□□ □□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. Azure Active Directory □□ □□□□ □□□□□□□ URL □□□ □□□□□.

B. Azure Active Directory □□ □□□□ □□□□□□ □□□□□□ □□□□□.

C. □□□□□ □□□□ Microsoft AAD □□□□□□ □□□ □□□□ □□□□□□ □□□□□.

D. □□□□□ □□□ □□□□□ □□ □□□□ □□□□□.

E. Microsoft 365 □□ □□□□ □□□□□ □□□□ □□□ □□□□□.

Answer: A,B,C (LEAVE A REPLY)

Explanation

* An on-premises web application named App1 must allow users to complete their expense reports online.

Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. Azure AD, the Application Proxy service, and the Application Proxy connector work together to securely pass the user sign-on token from Azure AD to the web application.

In this question, we need to add an enterprise application in Azure and configure a Microsoft AAD Application Proxy connector to connect to the on-premises web application (App1).

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy#how-application-proxy->

NEW QUESTION: 117

- □□□ App1□□□ □□ □□□ □□□□□□(SPA)□ □□□□ □□□□.
- App1□ □□ □□□□ □□ □□ □□□□□□ □□□ □□□ □□□□□□.
- Microsoft ID □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.
- * App1□ □□□□ □□□□ □□ □ □□□ □□□□□□□□.
- * □□ □ □□□ □□ □□□ □□□□□□□□.
- * App1□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□□.
- □□□ □□□□ □□□□? □□□□□□ □□ □□□□ □□□ □□□ □□□□□□□□.

Answer Area

```
function authCallback(error, response) {  
  }  
userAgentApplication.handleRedirectCallback(authCallback);  
const accessTokenRequest: AuthenticationParameters = {  
  scopes: ["user.read"]  
};  
use (accessTokenRequest).then(function (accessTokenResponse) {  
  let accessToken = acquireTokenRedirect  
  }).catch(function (error) {  
    acquireTokenSilent  
    acquireTokenPopup  
  });  
  userAgentApplication.  
  (accessTokenRequest);  
  acquireTokenRedirect  
  acquireTokenSilent  
  acquireTokenPopup  
});
```

Answer:

Answer Area

```
function authCallback(error, response) {  
  }  
userAgentApplication.handleRedirectCallback(authCallback);  
const accessTokenRequest: AuthenticationParameters = {  
  scopes: ["user.read"]  
};  
use (accessTokenRequest).then(function (accessTokenResponse) {  
  let accessToken = acquireTokenRedirect  
  }).catch(function (error) {  
    acquireTokenSilent  
    acquireTokenPopup  
  });  
  userAgentApplication.  
  (accessTokenRequest);  
  acquireTokenRedirect  
  acquireTokenSilent  
  acquireTokenPopup  
});
```

Explanation

```
function authCallback(error, response) {  
  }  
  userAgentApplication.handleRedirectCallback(authCallback);  
  const accessTokenRequest: AuthenticationParameters = {  
    scopes: ["user.read"]  
  }  
  userAgentApplication.  
    acquireTokenSilent (accessTokenRequest).then(function(accessTokenResponse) {  
    let accessToken = accessTokenResponse.accessToken;  
  }).catch(function (error) {  
  
    if (error.errorMessage.indexOf("interaction_required") !== -1) {  
      userAgentApplication.  
        acquireTokenPopup (accessTokenRequest);  
    }  
  });  
});
```



NEW QUESTION: 118

□□□ □□□□ 3□□ □ □□□□ 1□□ □□□ □□□□. □□□ □□□ □□□□□.
□ □□□ Microsoft 365 □□□□ □□□□ □□□ □□□ □□□□□.
□□□ □□□ □□□ □□□□□□ □□□□□ Microsoft 365 □□□□ □□□□ □□□. □□ □
□□ □□□ □□□□ □□□?

- A. Azure AD □□□ □□□
- B. Microsoft Endpoint Manager □□ □□ □□ □□
- C. Azure AD □□ □□
- D. Microsoft Endpoint Manager □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 119

□□□ □□□□ □ □□ □□□□ □□□□. □□□□ □□□□ □□□ □□□□.
□□□ □□ □□□ □□□□ □□□□□.
Microsoft 365□ □□□□□.
□□□ □□□□ □□ □□□□ Exchange Online□□ □□□□□. □□□ □□□ □□□□□ □
□□ □□ □□ □□ □□□□ □□□□□ □□□□□ Microsoft 365□ □□□□□.
□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□□.
□□□□ □□ □□ □□□ □□□ □□□□ □□□□□.

Users in	Email domain
Seattle	Contoso.com
New York	Adatum.com

□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□□□ □□□□□ □□□□ □□□.
□□□□ □ □□□□ □□□□ □□ □□ □□ □□ □□□□ Microsoft 365□ □□ □□□□□□□
□□ □□□.
□□□ DNS □□□□ □□ □□□□ □□□□□.

Microsoft 365 □□ □□□ □□□ □□ □□□?

- A. Microsoft 365 □□ □□□□ □□ □□□□ □□□□□. Exchange □□ □□□□ adatum.com □□ □□□□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□.
- B. Microsoft 365 □□ □□□□ adatum.com □□□□ □□□□□. Exchange □□ □□□□ adatum.com □□ □□□ □□□□□ □□□□□.
- C. Microsoft 365 □□ □□□□ adatum.com □□□□ □□□□□. Exchange □□ □□□□ adatum.com □□□□ □□ □□ □□□□□ □□□□□.
- D. Microsoft 365 □□ □□□□ □□ □□□□ □□□□□. Exchange □□ □□□□ adatum.com □□ □□ □□□□□ □□□□□.

Answer: B (LEAVE A REPLY)

Explanation

The first step is to configure Exchange Online to accept emails for the adatum.com domain. To do this, we add the domain in Microsoft 365. When you add your domain to Microsoft 365, it's called an accepted domain.

The next step is to tell Exchange Online what to do with those emails. You need to configure the adatum.com domain as either an authoritative domain or an internal relay domain.

Authoritative domain means that the mailboxes for that domain are hosted in Office 365. In this question, the mailboxes for the adatum.com domain are hosted on the third-party email system. Therefore, we need to configure the adatum.com domain as an internal relay domain. For an internal relay domain, Exchange Online will receive the email for the adatum.com domain and then 'relay' (forward) the email on to the third-party email server.

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/manage-accepted-domains/manage-accepted>

NEW QUESTION: 120

Group1 □ □□ □□ □□□ □□□□ □□□.
□□□ □□ □□□?

- A. □□□ □□□ □□□□ □□□□□□ □□ □□□□ □□□□□.
- B. Group1 □ □□□ □□□□□.
- C. Group1 □ □□ □□□ □□□□□.
- D. Azure AD □□□□ □□ □□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

Explanation

References:

* The members of Group1 must be required to answer a security question before changing their password.

If SSPR (Self Service Password Reset) is enabled, you must select at least one of the following options for the authentication methods. Sometimes you hear these options referred to as "gates."
Mobile app notification Mobile app code Email Mobile phone Office phone Security questions You

can specify the required authentication methods in the Password reset properties of the Azure AD tenant.

In this case, you should set the required authentication method to be 'Security questions'.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks>

NEW QUESTION: 121

Which authentication method should you configure for the password reset properties of the Azure AD tenant? (Select two.)

* Security questions

* Microsoft OneDrive

Which authentication method should you configure for the password reset properties of the Azure AD tenant? (Select two.)

Microsoft OneDrive



Microsoft

Save invoices:

Administrator
Application
Delegated
Super User

Send automated reminders:

Administrator
Application
Delegated
Super User

Answer:



Microsoft

Save invoices:

Administrator
Application
Delegated
Super User

Send automated reminders:

Administrator
Application
Delegated
Super User

Explanation

New	Users and groups
<p>Info</p> <p>*Name <input type="text" value="App1 policy"/></p> <p>Assignments</p> <p>Users and groups <input type="text" value="All users"/></p> <p>Cloud apps 0 cloud apps selected</p> <p>Conditions 0 conditions selected</p> <p>Access controls</p> <p>Grant 0 controls selected</p> <p>Session 0 controls selected</p> <p>Enable policy <input type="button" value="On"/> <input checked="" type="button" value="Off"/></p>	<p>Include Exclude</p> <p><input type="radio"/> None <input checked="" type="radio"/> All users <input type="radio"/> Select users and groups</p> <p><input type="checkbox"/> All guest users <input type="checkbox"/> Directory sales <input type="checkbox"/> Users and groups</p>

Answer:

New	Users and groups
Info	Include Exclude
*Name <input type="text" value="App1 policy"/>	<input type="radio"/> None
Assignments	<input checked="" type="radio"/> All users
<input type="text" value="Users and groups"/> All users	<input type="radio"/> Select users and groups
<input type="text" value="Cloud apps"/> 0 cloud apps selected	<input type="checkbox"/> All guest users
<input type="text" value="Conditions"/> 0 conditions selected	<input type="checkbox"/> Directory roles
Access controls	<input type="checkbox"/> Users and groups
<input type="text" value="Grant"/> 0 controls selected	
<input type="text" value="Session"/> 0 controls selected	
Enable policy	
<input type="button" value="On"/> <input checked="" type="button" value="Off"/>	



Explanation

NEW QUESTION: 124

Microsoft 365. User1 Microsoft Exchange Online. User1. ? . : 1 .



Answer:



Explanation



To enable auditing for a single mailbox (in this example, belonging to Holly Sharp), use this PowerShell command: Set-Mailbox username -AuditEnabled \$true References: <https://support.microsoft.com/en-us/help/4026501/office-auditing-in-office-365-for-admins> <https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/set-mailbox?view=exchange-ps>

NEW QUESTION: 125

contoso.com Active Directory. Microsoft 365. contoso.onmicrosoft.com Microsoft Azure Active Directory(Azure AD). App1 Microsoft Graph API. Microsoft Office 365. App1 URI. ?

A. <https://login.microsoftonline.com/>

- B. <https://contoso.com/contoso.onmicrosoft.com/app1>
- C. <https://login.microsoftonline.com/contoso.onmicrosoft.com/>
- D. <https://myapps.microsoft.com>

Answer: C (LEAVE A REPLY)

Explanation

In a single tenant application, sign-in requests are sent to the tenant's sign-in endpoint. For example, for contoso.onmicrosoft.com the endpoint would be:

<https://login.microsoftonline.com/contoso.onmicrosoft.com>.

Requests sent to a tenant's endpoint can sign in users (or guests) in that tenant to applications in that tenant.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-convert-app-to-be-multi-tenant>

NEW QUESTION: 126

□□□□ □□ □□ □□□□ □□□□ Microsoft Azure Active Directory(Azure AD) □□□□ □□□□.

Name	Role
User1	Privileged role administrator
User2	User administrator
User3	Security administrator
User4	Billing administrator

□□□□□ Admin1□□□ □□ □□□ □□□□ □□□□. Admin1□ □□ □□□ □□□□ □ □□□□.

□□ □□ □□□ □□□ □ □□ □□□□ □□□□ □□□.

□□□ □□□ □□□ □□□□.

User3□ Admin1□ □□□□□.

□ □□□ □□ □□ □□□□ □□□□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□ □□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Create guest user accounts:

- User4 only
- User2 only
- User3 only
- User2 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Add User3 to Admin1:

- User4 only
- User2 only
- User3 only
- User2 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Answer:

Create guest user accounts:

- User4 only
- User2 only
- User3 only
- User2 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Add User3 to Admin1:

- User4 only
- User2 only
- User3 only
- User2 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Explanation

□ □□□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□ □□□□ □□□□.

□□□□□□ contoso.com□□□□ □□□□□ Active Directory □□□□ □□□□ □□□□. □□ □□□ □□ □□ □□□ □□□□ □□□□□.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

□□□□ □□□ □□ □□□□ contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□□. (□□ □□ □□□□□.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status

Enabled

Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled



USER SIGN-IN



Federation

Disabled

0 domains

[Seamless single sign-on](#)

Enabled

1 domain

[Pass-through authentication](#)

Enabled

2 agents

User2□ user2@fabrikam.com□□ □□□□ □ Azure AD□ □□□□ □□□□.

User2□ Azure AD□ □□□□ □□□□ □ □□□ □□□□ □□□.

□□□: Azure Active Directory □□ □□□□ fabrikam.com□ □□□ □□ □□□□□ □□□□

□. User2□□ user2@fabrikam.com□□ □□□□□□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

Explanation

The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

NEW QUESTION: 129

Q: You have a Microsoft 365 tenant named Contoso. The on-premises Active Directory domain is named contoso.com. You need to enable users to sign on using a different UPN (different domain). What should you do?

A. Add the domain to Microsoft 365 as a custom domain.

B. Add the domain to Microsoft Office 365 as a custom domain.

C. Add the domain to Office 365 as a custom domain.

D. Add the domain to Microsoft 365 as a custom domain in Windows Admin Center.

A.

B.

Answer: (SHOW ANSWER)

Reference:

<https://techcommunity.microsoft.com/t5/windows-it-pro-blog/windows-release-health-now-available-in-the-adm>

NEW QUESTION: 130

Q: Project1 is a Microsoft 365 tenant. You need to configure DNS for Project1. What should you do?

A. Add a mail exchanger (MX) record.

B. Add an authoritative answer (AAA) record.

C. Add a canonical name (CNAME) record.

D. Add an address (A) record.

A. (MX)

B. (AAA)

C. (CNAME)

D. (A)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 131

Q: You have a Microsoft 365 E3 license. You need to configure Exchange Online for a user named User1. What should you do?

A. Add a mail exchanger (MX) record to the DNS zone for the domain.

B. Add a canonical name (CNAME) record to the DNS zone for the domain.

C. Add an address (A) record to the DNS zone for the domain.

D. Add a mail exchanger (MX) record to the DNS zone for the domain.

Domains:

1
2
3



Enterpriseregistration DNS records:

1
2
3

Explanation

Reference:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/windows-enroll>

NEW QUESTION: 135

□□□□ User1□□□□ □□□□ □□□□ contoso.onmicrosoft.com□□□□ Microsoft Azure Active Directory(Azure AD) □□□□ □□□□.

□□□□ User1□ □□ □□□□ □□□□ Azure AD□ □□□□□ □□□ □□□□□.

Admin1□□□□ □□□□ □□ User1□ □□ □□□ □□ □□□ □ □ □□□ □□□□ □□□□.

24 □□.

Admin1 can view the sign-in details of users in the Security Administrator, Security Reader, Global Reader, and Report Reader roles. Which of the following roles can view the sign-in details?

- A. Security Administrator
- B. Security Reader
- C. Global Reader
- D. Report Reader
- E. Security Administrator, Security Reader, Global Reader, and Report Reader
- F. Security Administrator, Security Reader, and Global Reader

Answer: A,E,F (LEAVE A REPLY)

Explanation

Users in the Security Administrator, Security Reader, Global Reader, and Report Reader roles can view the sign in details.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-sign-ins>

NEW QUESTION: 136

A Microsoft Office 365 tenant has the following configuration:

Name	Members
Group1	User1, User2
Group2	User3

The tenant has the following license configuration:

License	Included service	Assigned to
Microsoft 365	Microsoft Exchange Online	Group1
Microsoft 365	Microsoft SharePoint Online	User1, User2, User3

Which of the following statements are true?

Group1 is licensed for Microsoft Exchange Online. User1 is licensed for Microsoft Exchange Online. Group2 is licensed for Microsoft Exchange Online. Group1 is licensed for Microsoft SharePoint Online. User1 is licensed for Microsoft SharePoint Online. User2 is licensed for Microsoft SharePoint Online. User3 is licensed for Microsoft SharePoint Online.

Statements	Yes	No
User1 is licensed for SharePoint Online.	<input type="radio"/>	<input type="radio"/>
User2 is licensed for SharePoint Online.	<input checked="" type="radio"/>	<input type="radio"/>
User3 is licensed for SharePoint Online.	<input type="radio"/>	<input type="radio"/>

Answer:

To create a query-based In-Place Hold, a user requires both the Mailbox Search and Legal Hold roles to be assigned directly or via membership in a role group that has both roles assigned. To create an In-Place Hold without using a query, which places all mailbox items on hold, you must have the Legal Hold role assigned.

The Discovery Management role group is assigned both roles.

Reference:

<https://docs.microsoft.com/en-us/Exchange/permissions/feature-permissions/policy-and-compliance-permissions>

NEW QUESTION: 138

HRBot is a mailbox on the HRApp server. HRApp is a mailbox on the HRApp server. HRApp is a mailbox on the HRApp server. HRApp is a mailbox on the HRApp server.

- A. staticTaes is a mailbox on the HRApp server.
- B. tots is a mailbox on the HRApp server.
- C. config igurableTabs is a mailbox on the HRApp server.
- D. is a mailbox on the HRApp server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 139

WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server.

WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server.

Microsoft Outlook 2016 is a mailbox on the HRApp server. Microsoft Exchange Server is a mailbox on the HRApp server.

WAN is a mailbox on the HRApp server. WAN is a mailbox on the HRApp server.

Microsoft 365 is a mailbox on the HRApp server. Microsoft 365 is a mailbox on the HRApp server.

WAN is a mailbox on the HRApp server. Outlook is a mailbox on the HRApp server.

Microsoft Azure is a mailbox on the HRApp server. VPN is a mailbox on the HRApp server.

WAN is a mailbox on the HRApp server.

- A. is a mailbox on the HRApp server.
- B. is a mailbox on the HRApp server.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 140

Microsoft SharePoint Server 2016 is a mailbox on the HRApp server.

Microsoft 365 □□□□ □□□□.

□□ SharePoint □□□□ SharePoint Online□□ □□□□□□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

Microsoft OneDrive □□□□ □□□□ □□□ □□□□ □□□□□□ □□□.

□□□□ □□□□□ □ □□□□ □□ □□□□ □□ □□□□ □ □□□ □□□.

□□□□ □-□□□□□□ □□□□ □□□ □□ □□ SharePoint □□□□ □□□ □□□ □□□.

□□□□ □□□□ □□□□ □□□ □□□ □ □□□□ □□□ □ □-□□□□ □□□ □□□□□ □□□.

SharePoint □□□□□ □□ □□□□□ □□ □□□ □□□□□.

□□□□□ B2B(Business to Business) □□□□

□□□□□ □□□□□

□□□□□ □□

SharePoint □□□□□ □□ □□□ □□□ □□□□ □ □□ □□ □□□ □□□□□?

□ □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□□ □□□□□□ □□□□ □□□ □□ □□ SharePoint □□□□ □□□ □□□ □□ □.

B. OneDrive □□□□ □□□□ □□□ □□□□ □□□□□□ □□□.

C. □□□□ □□□□□ □ □□□□ □□ □□□□ □□ □□□□ □ □□□ □□□.

D. □□□□ □□□□ □□□□ □□□ □□□ □ □□□□ □□□ □ □□□□□ □□□ □□□ □□ □□□.

Answer: B,D (LEAVE A REPLY)

Explanation

Hybrid OneDrive - Choosing this option will redirect on-premises My Sites/OneDrive for Business sites to SharePoint Online OneDrive for Business in Office 365. Once the wizard completes, any click of the OneDrive link from on-premises will redirect to OneDrive for Business in the cloud.

This meets the following requirement: OneDrive sites must redirect users to online content.

Cloud hybrid search - Choosing this option creates a cloud Search service application in SharePoint Server and connects the cloud Search service application to your Office 365 tenant.

This meets the following requirement: When users search for a document by using keywords, the results must include online and on-premises results.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/hybrid/hybrid-picker-in-the-sharepoint-online-admin-center>

NEW QUESTION: 141

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□ □□□□ □□□□.

Microsoft Azure Active Directory(Azure AD) contoso.com Active Directory.

Microsoft System Center Configuration Manager(Windows 10).

Device1 Configuration Manager.

Device1 Configuration Manager.

Microsoft Intune Configuration Manager Device1.

Intune Configuration Manager.

Configuration Manager?

A.

B.

Answer: B (LEAVE A REPLY)

Explanation

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection. You do not need to create a device configuration profile from the Intune admin center. Therefore, this solution does not meet the requirements.

Reference:

https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable

NEW QUESTION: 142

contoso.onmicrosoft.com Microsoft Azure Active Directory(Azure AD).

contoso.com DNS.

User1 user1@contoso.onmicrosoft.com.

user1@contoso.com User1.

contoso.com? DNS.

ACTIONS

Run Set-MsolDomainAuthentication - TenantID contoso.com

Modify the email address of User1.

Modify the username of User1.

Verify the custom domain.

Add a contoso.com as a SAN for an X.509 certificate.

Add a custom domain name.

ANSWER AREA

Empty answer area boxes.

Answer:

Actions

Run Set-MsolDomainAuthentication - TenantID contoso.com

Modify the email address of User1.

Modify the username of User1.

Verify the custom domain.

Add a contoso.com as a SAN for an X.509 certificate.

Add a custom domain name.

Answer Area

Add a custom domain name.

Verify the custom domain.

Modify the username of User1.

Explanation

Box containing the correct answer order: Add a custom domain name, Verify the custom domain, Modify the username of User1.

The first step is to add the contoso.com domain to Office 365. You do this by adding a custom domain. When you add a custom domain to office 365, you can use the domain as your email address or to sign in to Office 365.

The second step is to verify the custom domain. This is to prove that you own the domain. You can verify the custom domain by adding a DNS record to the domain DNS zone.

When you have added and verified the domain, you can configure the user accounts to use it. To configure User1 to sign in as user1@contoso.com, you need to change the username of User1. In Office 365, the username is composed of two parts. The first part is the actual username

(User1) and the second part is the domain. You need to modify the username of User1 by selecting the contoso.com domain from the dropdown list of domains. The dropdown list of domains contains the <domain>.onmicrosoft.com domain and any custom domains that have been added.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION: 143

Microsoft 365 Azure AD Connect

Name	Source	Last sign in
User1	Azure Active Directory (Azure AD)	Yesterday
User2	Windows Server Active Directory	Two days ago
User3	Windows Server Active Directory	Never

* Microsoft 365

* Azure AD Connect

Active Directory Azure AD

- A. 1
- B.
- C. User1 User2
- D. 1, 2, 3

Answer: (SHOW ANSWER)

NEW QUESTION: 144

Microsoft Teams

- A.
- B.
- C.
- D.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 145

contoso.onmicrosoft.com Microsoft Azure Active Directory(Azure AD) user1@outlook.com Admin1

□□ □□: https://graph.windows.net/user□ □□□□ □□ □□□ □□ □□ □□ □□□ □□□
□. □□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 148



ReactJS □□□□□□ □□□□ SPfx(SharePoint Framework) □ □□□ □□□ □□□□□.
□ □□□ □□□ □ □□ □ □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□ □□□.
□□□□ □□ □□□ □□□□□ □□□. □□□□ □□□ □□□□ □□□?

- A. HTML5 □ CSS
- B. FluentUI
- C. Microsoft Fluid □□□□□
- D. □□-UI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□
□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.
□□ □□ □□□ □□□ □□□□ Microsoft 365□ □□□□□ □□□ □□□□□.

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1 	Group	Cloud
Group2 	Group	Windows Server Active Directory

Azure AD Connect□□ □□□ □□ □□□ □□□□.
□□ □□ □□□: □□
□□□□ □□ □□: □□
□□ □□ □□: □□
User2□ □□ 2□ □□□□ □□□.
□□ □□: □□ □ □□ □□ □□ □□□ □□□□□.
□□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 150

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□□□□□ Active Directory □□□□ □□□□ □□□□.
Microsoft Azure Active Directory(Azure AD) □□□□ □□□□□.

□□ □□□□ Azure AD□ □□□□□□□ □□□□ □□□□□.
OU(□□ □□ □□)□ 10□ □□□ □□□ Azure AD□ □□□□□ □□ □□ □□□□□□□. □□ □□ □□□ □□□□□ □□□□□□□□□.

Azure AD Connect Health□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□□□□ □□ □□□.

10□□ □□□ □□□ Azure AD□ □□□□□□□□ □□□□ □□□.

□□□: idfix.exe□ □□□□ 10□□ □□□ □□□ □□□□□.
□□□ □□□ □□□□□□?

- A. □
- B. □□□

Answer: B (LEAVE A REPLY)

Explanation

The question states that "all the user account synchronizations completed successfully". If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION: 151

Microsoft Intune□ □□□□ Microsoft 365 E5 □□□ □□□□□.
□□□□□ □□□ □□ □□□ □□□□□ □□□. □□□□ □□□□□ □□□□?

- A. Microsoft 365 □□ □□□ □
- B. Microsoft Authenticator □
- C. Intune □□ □□
- D. Intune □

Answer: A (LEAVE A REPLY)

Name	Source
User1	Azure Active Directory
User2	Azure Active Directory
User3	Windows Active Directory

□□□□ □□ □□ □□□ □□□ □□□□.

Name	Password
User1	Contoso123
User2	M3w3rT0Gue33
User3	ComplexPassword33

□□ □□□ □□ □□ □□□ □□□□□.

Custom smart lockout
lockout threshold

lockout duration in seconds

Custom banned passwords
enforce custom list Yes No

Custom banned password list

Password protection for Windows Server Active Directory
enable password protection on Windows Server Active Directory Yes No

Mode Enforced Audit

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□□.

Statements	Yes	No
User1 must change his password at the next sign in.	<input type="radio"/>	<input type="radio"/>
User2 can change his password to C0nt0s0_C0mplex123.	<input type="radio"/>	<input type="radio"/>
User3 can change his password to MyPasswordContoso123.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

User1 must change his password at the next sign in.

Yes

No

User2 can change his password to C0nt0s0_C0mplex123.

User3 can change his password to MyPasswordContoso123.

Explanation

Statements

User1 must change his password at the next sign in.

Yes

No

User2 can change his password to C0nt0s0_C0mplex123.

User3 can change his password to MyPasswordContoso123.

Box 1: No

User1's password contains the banned password 'Contoso'. However, User1 will not be required to change his password at next sign in. When the password expires or when User1 (or an administrator) changes the password, the password will be evaluated and will have to meet the password requirements.

Box 2: Yes

Password evaluation goes through several steps including normalization and Substring matching which is used on the normalized password to check for the user's first and last name as well as the tenant name.

Normalization is the process of converting common letter substitutes into letters. For example, 0 converts to o.

\$ converts to s. etc.

The next step is to identify all instances of banned passwords in the user's normalized new password. Then:

* Each banned password that is found in a user's password is given one point.

* Each remaining unique character is given one point.

* A password must be at least five (5) points for it to be accepted.

'C0nt0s0' becomes 'contoso' after normalization. Therefore, C0nt0s0_C0mplex123 contains one instance of the banned password (contoso) so that equals 1 point. After 'contoso', there are 11 unique characters.

Therefore, the score for 'C0nt0s0_C0mplex123' is 12. This is more than the required 5 points so the password is acceptable.

Box 3:

- A. Azure ATP □□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□.
- B. Azure ATP □□ □□□ □□□ □□□ □□ □□□ □□□□□.
- C. Azure ATP □□□ □□□ □□ □□□ □□□□□.
- D. Azure ATP □□□ □□□ □□ □□ □□□□ □□□□□.

Answer: (SHOW ANSWER)

Explanation

If you're installing on a domain controller, you don't need a standalone ATP sensor. You need to configure the detections to detect application installations. With an ATP sensor (non-standalone), you don't need to configure port mirroring.

Reference:

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/install-atp-step5>

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-capacity-planning#choosing-the-right-sen>

NEW QUESTION: 157

□□□□ □□ □□ □□□ □□□□ □□□□ contoso.com□□□ Microsoft Azure Active Directory(Azure AD) □□□□ □□□□.

Name	Usage location	Membership
User1	United States	Group1, Group2
User2	<i>Not applicable</i>	Group2
User3	<i>Not applicable</i>	Group1
User4	Canada	Group1

Group2□ Group1□ □□□□□□.

Microsoft Office 365 Enterprise E3 □□□□□ Group1□ □□□□□.

□□□ Office 365 E3 □□□□ □□ □□□□ □□□.

□□□ □□□□ □□□?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C (LEAVE A REPLY)

Explanation

Group-based licensing currently does not support groups that contain other groups (nested groups). If you apply a license to a nested group, only the immediate first-level user members of the group have the licenses applied. Therefore, User2 will not be assigned a license.

When Azure AD assigns group licenses, any users without a specified usage location inherit the location of the directory. Therefore, User3 will be assigned a license and his usage location will be set to the location of the directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-groups-assign>

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-group-advanced>

NEW QUESTION: 158

Prod1 is a Microsoft Power Platform environment. App1 is an application in the Prod1 environment.

App1 is a production application. You need to ensure that App1 can be tested in a sandbox environment. What should you do?

Actions

Answer Area

- Reset the Prod1 environment
- Convert the Prod1 environment to a sandbox environment.
- Convert the Prod1 environment to a production environment.
- Sign in to the Power Platform admin center.
- Sign in to the make.powerapps.com maker portal.



Answer:

Actions	Answer Area
Reset the Prod1 environment	Sign in to the Power Platform admin center.
Convert the Prod1 environment to a sandbox environment.	Convert the Prod1 environment to a sandbox environment.
Convert the Prod1 environment to a production environment.	Reset the Prod1 environment
Sign in to the Power Platform admin center.	Convert the Prod1 environment to a production environment.
Sign in to the make.powerapps.com maker portal.	

Explanation

Sign in to the Power Platform admin center.

Convert the Prod1 environment to a sandbox environment.

Reset the Prod1 environment

Convert the Prod1 environment to a production environment.

Text Description automatically generated

Reference:

- <https://docs.microsoft.com/en-us/power-platform/admin/switch-environment>
- <https://docs.microsoft.com/en-us/power-platform/admin/reset-environment>
- <https://www.azamba.com/2018/01/18/how-to-reset-a-production-instance-in-microsoft-dynamics-365-crm/>

NEW QUESTION: 159

Microsoft 365 .

contoso.com .

admin@contoso.com

D18912E1457D5D1DDDCBD40AB3BF70D5D

A.

B. DNS TXT

C. NS

D. Microsoft 365

Answer: A (LEAVE A REPLY)

Explanation

The email address that is used to verify that you own the domain is the email address listed with the domain registrar for the registered contact for the domain.

Reference:

https://docs.microsoft.com/en-us/microsoft-365/admin/setup/add-domain?view=o365-worldwide

NEW QUESTION: 160

Microsoft Azure Active Directory(Azure AD)

Active Directory

Microsoft System Center Configuration Manager(Windows 10

Device1 Configuration Manager

Microsoft Intune Configuration Manager Device1

Device1 Active Directory

A.

B.

Answer: B (LEAVE A REPLY)

Explanation

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device

Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection, not an Active Directory Group. Therefore, this solution does not meet the requirements.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

NEW QUESTION: 161

□□ □□ □□□ □□□□ □□ User4□ □□□□ □□ Azure AD □□□ □□□□□?

- A. □□ □□□
- B. □□□ □□□
- C. □□ □□□
- D. □□ □□ □□ □□□

Answer: B (LEAVE A REPLY)

Explanation

* User4 must be able to reset User3 password.

User3 is assigned the Customer Lockbox Access Approver role. Only global admins can reset the passwords of people assigned to this role as it's considered a privileged role.

Reference:

<https://techcommunity.microsoft.com/t5/Security-Privacy-and-Compliance/Customer-Lockbox-Approver-Role-N>

NEW QUESTION: 162

□□□□□□ Active Directory □□□□ Microsoft Azure Active Directory(Azure AD) □□□□ □□□□ □□□□.

□□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□□□.

□□□□ □□□□ □□□□ □□□□□□.

□□□ □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□□.

* *.microsof.com

* *.office.com

□□□□ □□□□ □□□□□.

□□□□ □□□□ □□□□□ □□□□□□ □□□□ □□□.

□□□ □□□□ □□ □□□ □□ □□□ □□□□□? □□ □□□ □□ □□□ □□□ □□□ □□□ □□□□.

- A. □□□□□ □□□□□ □□□ □□ Azure □□□□ □□□ IP □□ □□□ □□□□□.
- B. Azure AD Connect□□ □□□ □□ □□□ □□ □□□ □□□□□.
- C. □□ □□□□ Azure AD Connect □□□ □□□ □□□□□.
- D. □□□□□ □□□ □□□□ □□□ □□□ □□□□.
- E. □□□□□ □□□ □□□□□ □□□ □□□ □□□□□.

Answer: (SHOW ANSWER)

Explanation

□□□□□ 8.0, □□□□□ 8.1.0, □□□□□ 9

iOS 12 □ iOS 13

□OS 10.14

□□□ 10

□□□ Microsoft 365 □□ □□□□ □□□.

Microsoft Endpoint Manager □□ □□□□ □□□□ □□ □□ □ □□ □□□□□?

A. 1

B. 3

C. 4

D. 7

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

NEW QUESTION: 166

Microsoft Exchange Online□ □□□ Microsoft 365 □□□□ □□□□.

adatum.com□□□ □□□ □□□ □□ □□□ □□□□ □□□□□. □□□ □□□□ Microsoft 365 □□□□ □□□□.

adatum.com□ □□□□ □□ □□□□ □□□□ □□ □□□ □ □□□ □□□□ □□□.

A. Exchange □□ □□□□ □□ □□□□ □□□□.

B. Exchange □□ □□□□ □ □□ □□□ □□□□.

C. Microsoft 365 □□ □□□□ □□ □□□ □□□ □□□□□.

D. Microsoft 365 □□ □□□□ □□ □□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

Explanation

You need to set up an organization relationship to share calendar information with an external business partner. Office 365 admins can set up an organization relationship with another Office 365 organization or with an Exchange on-premises organization.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

MS-100-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MS-100-KR □□!
DumpTop □ □□ **MS-100-KR** □□ □□□ □□□□□□, DumpTop MS-100-KR □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop MS-100-
KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/MS-100-KR-dump.html> (431
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

Microsoft Azure Active Directory(Azure AD) adatum.com Active Directory.

100 users. The city attribute must be changed in the on-premise Active Directory.

- A. Active Directory Administrative Center
- B. Microsoft 365
- C. Azure Cloud Shell
- D. Windows PowerShell

Answer: (SHOW ANSWER)

Explanation

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can modify certain attributes of multiple user accounts simultaneously by selecting them in Active Directory Administrative Center or Active Directory Users and Computers, right clicking then selecting Properties.

The other three options all suggest modifying the city attribute of the users in the Azure Active Directory which is incorrect.

Reference:

https://blogs.technet.microsoft.com/canitpro/2015/11/25/step-by-step-managing-multiple-user-accounts-via-activ

NEW QUESTION: 168

Microsoft Power Apps Microsoft Power Platform. How many environments can be created?

- A. 7
- B. 14
- C. 28
- D. 90

Answer: C (LEAVE A REPLY)

Explanation

All your environments, except Trial environments (standard and subscription-based), are backed up. System backups for production environments that have been created with a database and have one or more Dynamics

Name	In SharePoint library	Last modified
File1.docx	Documents	1/11/2019
File2.docx	Documents	1/12/2019

□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Name	In folder	Last modified
File1.docx	D:\Folder1	1/1/2020
File2.xlsx	D:\Folder1	1/13/2020
File2.xlsx	D:\Folder2	1/7/2020
File3.pptx	D:\Folder2	1/20/2020

□□ □□□ □□ SharePoint □□□□□□ □□□ □□□□ D:\Folder1 □ D:\Folder2□ □□ □
 □□□□□ □□□□□□□□□□.

All migration settings

General

Only perform scanning Off

Preserve file share permissions On

Users

Azure Active Directory Lookup On

User mapping file

Choose file

Filters

Keep all versions On

Migrate hidden files On

Migrate files created after

Select a date...



Migrate files modified after

Select a date...



Save

Cancel

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Statements	Yes	No
There will be two versions of File1.docx in the Documents library.	<input type="radio"/>	<input type="radio"/>
There will be two copies of File2.xlsx in the Documents library.	<input type="radio"/>	<input type="radio"/>
There will be a single copy of File3.pptx in the Documents library.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

Yes No

There will be two versions of File1.docx in the Documents library.

There will be two copies of File2.xlsx in the Documents library.

There will be a single copy of File3.pptx in the Documents library.

Explanation

Statements

Yes No

There will be two versions of File1.docx in the Documents library.

There will be two copies of File2.xlsx in the Documents library.

There will be a single copy of File3.pptx in the Documents library.

You can't have two files with the same name and extension in a SharePoint documents library. If a file on the source server has the same name and extension as an existing file in the document library, this will cause a conflict.

The options for dealing with a conflict are: Skip, Merge, or Overwrite.

The "Keep all versions" setting in the exhibit is used to retain the file history for a migrated file. It does not create multiple versions of a file in a document library.

Box 1: No

File1.docx exists in the document library so this will cause a conflict.

Box 2: No

Migrating two File2.xlsx files will cause a conflict.

Box 3: Yes

There is only one File3.pptx in the source server and none in the document library so there will be no conflict.

NEW QUESTION: 172

Microsoft 565 □□□ □□□□.

□□□ □□□ □□□ □□□□ □□ □ □□□□□ □□□□ □□ □ □□□ □□□□ □□□.

□□□ □□ □□□?

A. □□ □□ □□

B. □□□□□ □□□ □□□□□□.

C. □ □□□□ Microsoft 365 □□□□□ □□ □□□□ □□□□□.

D. □□ □□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

MS-100-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MS-100-KR □□!
DumpTop □ □□ **MS-100-KR** □□ □□□ □□□□□□, DumpTop MS-100-KR □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop MS-100-
KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/MS-100-KR-dump.html> (431
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)