

Microsoft.PL-100.v2023-10-06.q135

□□□□:	PL-100
□□□□:	Microsoft Power Platform App Maker
□□□:	Microsoft
□□ □□ □□□:	135
□□:	v2023-10-06
# □□ □:	1947
# □□ □□□:	1350
https://www.krdump.com/Microsoft.PL-100.v2023-10-06.q135.html	

NEW QUESTION: 1

Power BI Desktop □ □□□□ □□ □□ □□□□□ □□□ □□□□.

□□□□□ □□ □□ □□ □□ □ □□□ □□□ □ □□ □□ □□□ Microsoft Teams □□ □ □ □□□ □ □□□ □□□.

□□□ □□□ □□□ □□□□.

□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/define-rollup-fields>

NEW QUESTION: 2

□□□ □□□ □□□□ □□□.

□□□□ □□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□ □□□.

□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/power-bi/fundamentals/service-service-vs-desktop>

NEW QUESTION: 3

□□□ □□□ □□□□ □□□.

□□□□ □□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□ □□□.

□□□.

Q: How many Power BI licenses are there?

Answer:

Q:

Q 1: Power BI Desktop

Power BI Desktop is a free tool that allows you to create and share reports and dashboards. It is available on Windows and Mac. Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac. Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

Q 2: Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

NEW QUESTION: 4

Microsoft Dataverse is a cloud-based data platform that allows you to store and manage your data. Power Automate is a cloud-based workflow automation tool that allows you to create and run workflows. You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - Initialize the variable.
- 2 - Use the Apply to each loop running sequentially.
- 3 - Set the variable.
- 4 - Update the Microsoft Dataverse row.

NEW QUESTION: 5

User1 is a user who has access to the Power BI service.

How can you ensure that User1 can access the Power BI service when they are offline?

Q: How many Power BI licenses are there?

Answer:

Q:

<https://powerapps.microsoft.com/en-us/blog/implementing-offline-capability-in-your-app/>

NEW QUESTION: 6

Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac. Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac. Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac. Power BI Desktop is a self-service tool that allows you to create and share reports and dashboards. It is available on Windows and Mac.

□□ □□□ □□□ □□ □□ □□□□ □□□. □□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□□.

□ □□□ □□ □□ □□□ □□ □□□□ □□□? □□□□□ □□□ □ □□□ □□□ □□□□ □□□□□□□. □ □ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□ □□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines>

<https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION: 7

Microsoft SharePoint □□ □□□□□□ □□□ □□□□□ Power Automate □□□ □□□□. □□ □ □□□ □□□□ □□□□ □□□. □□□ □□□□ □□ □□□ □□□ □□□□□. □□ □□ □□□□ □□□ □□ □□□□ □□□ □□□□ □□□. □□□ □□ 11□ □□□ □□ □□□ □□□□□ □ □□□.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition action. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- C. Manually trigger the flow.
- D. Add a Delay Until action and enter the timestamp for 11 00 PM.

Answer: (SHOW ANSWER)

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.

Add a fixed delay before the next step.

Delay an action until a specific timestamp.

Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

NEW QUESTION: 8

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□
□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□.

□□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□.

□□ □ □□□:

* AI Builder□□ □□ □□ □□□ □□ □□□ □□□□.

* □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□.

* □□ □□□ □□□□ □□□ □□ □□□□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

□□

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface.

When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

<https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION: 9

You create multiple apps as part of an unmanaged solution.

You need to move the apps to another environment.

You need to pick the appropriate solution type for each requirement.

Which types of solutions should you create? To answer, drag the appropriate solution types to the correct requirements. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION: 10

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form.

You need to select the component types.

□□ □□ □□ □□□ □□□□ □□□? □□□□□ □□□ □□ □□ □□□ □□□ □□□□ □ □□□□□.

□ □□ □□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □ □□□ □ □□ □□ □□□□□□ □□/□□□□ □□□□□ □ □□ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

NEW QUESTION: 11

□□□ □□ □□□ Power Apps □□□ □□□ Power Apps □ □□□ □□ □□□□ □□□□ □ □□.

Power Apps □□ □□□ □□ □□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□□□□□□□.

□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□ □ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/component-framework-for-canvas-apps>

NEW QUESTION: 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□□ □□□ □□ □□□ □□□□.

□□□□ □□□ □□□□ □□□ □□ □□ □□□ □ □ □□□ □□□. □□□ □□□□ □□ □ □□□ □□ □□□□ □□□ □□□□□ □□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A ([LEAVE A REPLY](#))

□□ □□, □□ □□ □□, □□ □□, Edit form □□□□ □□□ □□□.

FormMode.View: □□□ □□ □□□□ □□□□□ □□□□ □□ □□ □□□ □ □□□□.

□ □□□ □□ Button □□ Image □□□□ OnSelect □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION: 14

You are creating a canvas app.

□□ □□□□□ □□□ □□ □□□ □□□□ □□□. □□ □□□□ □□□ □□ □□□ □□□ □□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□ □□□□ □□ □□

B. □□□ □□ □□ □□

C. □ □□□□ □□ □□

D. □□□□ □□□□□□ □□□□ □□

Answer: ([SHOW ANSWER](#))

□□ □□ □□□ □□□ □□ □□□ □ □□□□.

□□:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION: 15

Marinas□□ □□□□ □□ □□ □□ □□ □□□□. □ □□□□ □□□ □□□ □□□□ Boats □□ □□□□ □□□□.

□□□ □□□ □□ □□□ □□□□ □□□. □□ □□□□ □□ □□□ □ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□.

□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□.

Answer:

1 - □□□ Subgrid □□ □□ □□

2 - □□ □□□ □□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□□.

3 - □□□□ □□□ □□□ □ □□□ □□ □□□ □□□□□.

4 - □□ □□ □ □□

□□:

https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/form-designer-add-configure-subgrid

NEW QUESTION: 16

You plan to create apps for a company.

You need to identify the Power Platform tools required.

□□□ □□□□ □□□? □□□□□ □□□ □□□ □□ □□□□ □□□□□□□□. □ □ □□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □ □□□ □□□ □□□□□ □ □ □□□□.

Answer:

□□:

https://docs.microsoft.com/en-us/power-virtual-agents/authoring-fundamentals

https://docs.microsoft.com/en-us/power-automate

PL-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-100 □□! DumpTop □ □□ **PL-100** □□ □□□ □□□□□□□, DumpTop PL-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-100 □□□ □□□□□□. <https://www.dumptop.com/Microsoft/PL-100-dump.html> (279 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions.

Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

□□□□: □□ □□□□□ □□□□ □□ □□ Microsoft □□□ □ □□ □□□ □□□□□□ □□ □□ □□□.

User2□ □□ □□□ □□ □□□□ □ □ □□□□□.

AccessibleLabel□ □□□ □□□ □□□□□□□.

□□□, □□□ □ □□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□.

□□ 2: TabIndex

User3□ □□□□ □□□ □ □□□□.

TabIndex□ □□□□ □□□ □□□ □□□□□ □□□ □□□□□.

□□□ □□□ □□ □□ □□□ □□□□□. □□ □□□□□ □□□□ □□□ □□□□ □□□

□ □□□ □ □□□□□□. □□ □□□ □□□ □□□ □□□.

□□□□□ □□□ □□ □□□□□□.

□□□ □□□□□ □ □□□ □□□□.

□□□□□ □□□□□ □□□ "Z" □□ □□ □□□ □□□□□ "□□□-N"□□□□ □□□□□.

NEW QUESTION: 18

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- * Add an edit form to Screen_AccountDetail and set the Default Mode of the form to New
- * Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- * Set the data source of the form to Accounts.
- * Set the Item property of the form to Selected.
- * Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

FormMode.New: the form is populated with default values and the user can modify the values of the fields. Once complete, the user can add the record to the data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION: 19

□ □□□ □□ □□ □□ □□ □□□ □□□ □□□□□ □□□□ □□□□.

□□□ □□ □ □□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □□□ □□□□. □□□□□.

□□ □□ □ □□□□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□ □□□□ □□□□□□□□.

□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□□. □□□□ □□□ □ □□ □ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/configure-interactive-experience-dashboards>

NEW QUESTION: 20

□□□ □□□□ □□□□ □□ □□□ □□ □□□□. □□□ □□□ □□□ □□□□□□. □□□ □ □□ □□ □□□ □□□ □□□ □□□□□□□□.

□□□□ □□□□ □□□□ □□□ □□□□□ □□□□. □□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□ □□ □□□□□.

□□□□ □□□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□□ □□□?

- A. □□□□ □□ □□
- B. □□ □
- C. □□□ 365 □□□
- D. □□ □□□ □□□

Answer: A (LEAVE A REPLY)

□□□ □□□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□ □ □□□□. □□□□ □□ □ □□□ □ □□□ □□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION: 21

You are deploying solutions from development environments into test environments. You need to gather solution information. What should you do? To answer, drag the appropriate actions to the correct scenarios. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

□□□ □□ □□□□□□ □□□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION: 25

Bill Jones□□ □□□□ □□□ □□ □□□ SharePowerUsers □ ShareJimSmith □□□□ □□
□ □□ □□□ □□ □□□□ □□□□□□. (SharePowerUsers □□ ShareJimSmith □□ □□□
□□.)

□□ □□□ □□ □□□□. □□□□ □□ □□ □□ □□ □□□ □□□ □ □□□ □□□ □ □
□□ □□□.

□□□ □□□□ □□□□□□□ □□□□ □□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/save-publish-app>

NEW QUESTION: 26

□ □□ □□□□ □□ □□□ □□□□□□□□. □□□□ □□□ □□ □□□ □□□□ □□ □□
□□ □□□ □□□□□□. □ □□□□ □□ □□(□)□□□□ □□□ □□ □□□ □□□□ □□□
□.

□□□ □□□□ □□ Excel □□□□□□□□ □□ □□□□□□ □□□□ □□□. □□□□□□□□□
□□ □□ □□ □ □□ □□□ □□ □ □□ □□□ □□□□□ □□□.

□□□□□□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□
□□ □□□□ □□□ □□□ □□□□□□□.

Answer:

□□

□□ □□□□ □□ □□□ □□□□ □□

1□□: □□ □□□ □□□ □□ □□ □□□□ □□□□

□ □□□□ Office Excel □□ □□□□ □□□ □□□□ □□□ □□□ □ □ □□□□. Excel □
□ □□□□ □ □□□□ □□, □□, □□ □ □□□□ □□ □□□□□□.

200: 00 0000 00 00 Phone Rep 000 000 0000 00 00 00(0)0 000
0 00000. 300: 00 00 00(0) 000 0000 0000 0000 00 0000 00 0
0 000 400: 00000000 00000 00000 00 0000000.

00:

<https://docs.microsoft.com/en-us/powerapps/user/export-excel-pivottable>

NEW QUESTION: 27

00 000 00 00000 00000 00 00000 0000 0000 00 00000 00000.
0 0000 00 00 0000 000000? 000000 0000 0000 0000 000000 000000
0.

0 0000 0 0, 00 0 000000 00 00000 00 0 00000. 00000 0000 0 0000
00 0000 0000 000000 0 0 00000.

00: 0 0000 0000 100 0000 00000.

Answer:

00

00:

<https://docs.microsoft.com/sv-se/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION: 28

0000 0000 0 000000000.
0000 000000 0000 00 0000 00 0 0000 00 00 000000 0000.
00 00 0000 0000 000000 0000.
00000 0000 000000 0000?

- A. Power Platform 00 00
- B. Power Apps Maker 00
- C. Dynamics 365 00 00

Answer: A (LEAVE A REPLY)

00

Power Platform 00 00000 0000 0000000.

00:

<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

NEW QUESTION: 29

00: 0 0000 0000 0000000 000000 0000 00 0 0000000. 00000 0 00000 0
00 0000 0000 0 00 0000 000000 000000 000000. 00 00 000000 00 0000
0000 000000 00 0 0000 00 00 000000 0000 000000 00 0 000000.

0 0000 0000 00 0000 00 000000 0000 0 000000. 0000000 0000 0000 00
0000 000000 000000.

00 0000 000000 0000 00 0000 000000.

□□□□ □□□ □□□□ □□□ □□ □□ □□□ □ □ □□□ □□□. □□□ □□□□ □□ □
□□□ □□ □□□□ □□□ □□□□□ □□□.

Screen_Accounts□□ □ □□□ □□□□ Gallery_Accounts□□ □□□□ □□□ □□□□□.
Gallery_Accounts□ □□□ □□□ Accounts□ □□□□ Screen_AccountDetail□□□ □ □□ □
□□□ □□□□□.

□□ □□□□ □□□.

□□□:

* Screen_AccountDetail□ □□ □□□ □□□□□.

* Gallery_Accounts□ OnSelect □□□ Navigate(Screen_AccountDetail)□ □□□□□.

* □□□ □□□ □□□ □□□□ □□□□□.

* □□ Item □□□ Selected□ □□□□□.

* Screen_AccountDetail□ □□ □□□□ □□□□ OnSelect □□□ Navigate(Screen_Accounts)
□ □□□□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □□□ □□□
□ □□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form-detail> □□

□ □□□ Testlet 2 □□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □
□□ □□□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□ □□ □□
□ □□□ □□ □ □□□□. □□□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □
□□ □□□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □□□□
□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□ □ □
□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□□ □□□ □□□□ □□□ □□ □□
□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □ □□□
□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □□ □□
□□ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□□□ □□ □□,
□□ □□ □ □□ □□□ □□ □□□ □□□□□. □□□ □□ □□□ □□ □□ □□□ □□□□
□□□□ □□□□□.

□□

□□

Contoso, Ltd.□ □□□ □□□□ □□□□□. □ □□□ □□ □□□ □□□□ □□□ □□□□□
□□ □□□□□□ □□□□.

□ □□□ □□□ □□□ □□ □□□ □□ □□□□. □□□ □□ □□□ □□ □□□ □□□□ □
□ □□□ □□ □□□□.

□□□ □□ □□□□ □□□ □□□□□□. □□□ 25□ □□ □□□□□□□□.

□□ □□

□□ □□□ □ □□

□□ □□□ □□ □□□□□□ □□□□□□. □□□ □□ □□□□ □□ □□ □□□ □□ □□□
□.

□□ □ □□

* □□□ □□□□ □□ ERP/□□ □□□□ □□□□ □□□ General Ledger, Accounts

Receivable □ Accounts Payable □□□ □□□□□□. □□ □□□□□ □□ □□ □□ □□ □□
□□□ □□□□ □□□ □□□□□.

* □□ □□□ □□ □□□ □□□□ □□□□□□. □□□ □□ □□□ □□ □□ □□ □□ □ □□
□□□ □□ □□□ □□□□□□.

* □□ □□□ □□□ □□□□ □□ □ □□□□□□ □□□ BOM(Bill of Material)□ □□□□ □
□□□□□□.

* □□□ Dynamics 365 Finance□ □□□□□□. □□ □□□□ □□ 5□ □□ Dynamics 365
Finance□ □□ □□□ □□□□ □□ □□□□ □□□□□□.

□□

* Contoso, Ltd.□ □□□ □□□□□□ Microsoft Excel □□ □□□ Microsoft Word □□□ □□□
□ □□ □□□□□□, □□ □□ □□ □□ □□ □□□ □□□□□□. □□□ □□ □□□□ □□□□□□
□□□□□□.

* □□□ □□□□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□□. □□ □□ □□□□,
□□ □□ □□ □ □□ □□□ □□□□□□.

* □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□ Job
Traveler □□□ □□□□□□.

□□ □□

□□□

* □□ □□□ □□ □□ □□ □□ □□□ □□□□□□. □□ □□□□ □□ □□□ □□□□□□.

- □□ □□ □□

- □□ □□

- □□

- □□ □□□

- □□ □□(RFQ)□ □□(□□, □□, □□ □□ □ □□□)

- □□□□□□, □□□□□, □□□□□□ □□

- □□ □□□ □□

- □□□ □□□□ □□□ □□

- □□□□□ □□□□ □□ □ □□ □□

- □□□ □□□ □□(□□□□ □□)

- □□ □ □□□□ □□□□

□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□ □□□□ □□□□□□□. □ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□ □ □□ □□□ □□□ □□□□□ □ □ □□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/learn/modules/intro-business-process-flows/2-differences>

NEW QUESTION: 34

□□ □□ □□ □□ □□ □□□ □□□□ □□□. □□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-new-barcode-scanner>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION: 35

□□□ □□□ □ □□□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □ □□ □□□□ □□ □□□ □□□□□. □□ □□□ □□ □□□ □□□□ □□ □□ Microsoft Excel □□ □□□ □□ □□□□□ □□□□. □□□□□□□ Power BI□ □□□ □□ □□□ □□ □□ □ □□□□. □□ □□□ □□□ □□ □□ □□□□ □□□. □□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□□. □ □□□ □□ □□ □□□ □□ □□□□ □□□? □□□□□ □□□ □ □□□ □□□ □□□□ □□□□□□□. □ □ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□ □□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines>

<https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION: 36

□□□□ Microsoft Teams □ Microsoft Power Platform □□□ □□□□ □□□□□□ □□□□ □ □□□□ □□□□. Power Automate □□□ □□ □□□ □□□ □□□□□□ □□□□ □ □□□ □□□□□.

When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process.

What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A (LEAVE A REPLY)

Explanation

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery." Jim Parker: Web and Collaboration Services Manager Reference:

Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION: 37

□□□ □□□ □□ □□□ □□ □□□□.
□□ □□□ □□□□ ViewServices □□□□ □□□□□. □□□□ □□□ □□□□ □□□□
DetailForm1□□□ □□□ □□□□. □□□ □□ ViewServices □□□ □□□ □□ □□□□ □
□□□□.
□□□□ □□□□ □ □□ □□□ □□□□. □ □□ □□□ □□ □□ □□ DetailForm1□ □□
□□ □□□ □□□□ □□□.
□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□ □□
□ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□
□□□ □□□ □□□□□, □□□, □□□□□□ □□ □□ □□
□□ 1: Name_DataCardValue1.Default
□□ 2: □□□□ □□ □□□□ □□□□ □□ □ □□□ □□ □□□□ □□□□□.
Select □□□ □□□□ □□□□ □□□□□ □□ □□□ □□□□□ □□ □□□ □□□□□□
□□. □□□□□ □□ □□□□ OnSelect □□□ □□□□□.
□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-select>

NEW QUESTION: 38

□ □□□ □□□□ □□□ □□□ □□□ □□ □□□□□.
□□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

□□□ □□ □□□□□□ □□□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION: 42

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□
□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.
□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.

Common Data Service □□□□□□□ □□□□ □□ □□ □□ □□ □□□□ □□□□. □ □□□□
□□□□ □□ □□□ □□ □□□.

□□□□ □□□□ □□□□ □□ □ □□□□ □□□□ □□□. □ □□□ □□□□ □□ □□□
□ □□□□ □□□.

□□ □ □□□□ □□ □□□ □□□ □□□□□□□ □□□□ □□□.

□□□:

* D1□□□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□□□□□□.

* □□□□ □□□ □□□ D1□ □□□ □□□□□□.

* □□□□ □□□ □□□□ □□□□□ □□□□ □□□□□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: (SHOW ANSWER)

□□

□□□□: □□□ □□□□ □□□□ □□□ □□□□ □□ □□□□.

□□□□ □□ □□□□ □□□ □□□□ □□□□.

□□: □□ □ □□ □□□□ □□□ □□□□□□□. □□□ □□□□□ □□ □□□ □□□□□□□
□.

□□:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION: 43

□□□ □□ □□ □□□□□.

□□□ Power Platform □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□ □□□□ □□□□□□□. □ □
□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □
□ □□□ □□□ □□□□□ □ □ □□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

□□ 1: □□□ □

□□ 2: □□ □□ □

□□ □□ □ □□□□ □ □□□ □□ □□ □□ □□ □□ □□□□□. □□ □□ □ □□□□□
□□□□ □□□□ □□□ □□□ □□ □□□□□ □□ □□□ □ □□□□. □□□□□ □ □□□
□□ □□□ □□□□ □□□ □ □□□ □□, □□ □□ □□□□ □□□□□ □□□□ □□□□
□□ □□□□ □□□ □□ □□□□ □□ □□□ □□ □□□□□.

□□ 3: □□ □□□□□

Power Automate □ □□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□ □□□□
□, □□□ □□, □□□□ □□□□ □ □□□ □□ □□□□□□.

□□ 4: Power Virtual Agents □

Power Virtual Agents □ □□ □□ □ □□□ □□□□ □□□□□.

□□ □□: □ □□ □ □□□ □□ □□□ □ □□□□ □□□□□ □□□□ □□□ □□ □□□ □
□□□ □□ □□ □□ □□□□□.

Power Virtual Agents □ □□□□ □□ □□□ □□ □□ □□ □□ □□□□ □□ □□□ □ □□
□ □□□ □□ □□□□ □□, □□□ □□ □□ □ □□□ □□□ □ □□ □□ □□ □□□ □□
□□.

□□:

<https://docs.microsoft.com/en-us/power-virtual-agents/authoring-fundamentals>

<https://docs.microsoft.com/en-us/power-automate>

NEW QUESTION: 44

□□ □□□□□ Microsoft Teams □□ Power Virtual Agents □□□ □□□ □□□□. □□□
Microsoft Dataverse for Teams □ □□□□ □□□ □□ □□□ □□□□□.

□□□□ □□□□ □□ □□ □□ □□□ □□□□□ □□□ □ □□□ □□□□.

□□□□ jean, slacks □□ trousers □□ □□□ □□□□ □□□ □□ □□ □□□□ □□□□□
□□□ □□□□ □□□.

□□ □□ □□ □□□ □□□□ □□□?

- A. □□
- B. □□□
- C. □□
- D. □□□□ □□
- E. □□□

Answer: (SHOW ANSWER)

□□:

NEW QUESTION: 45

□□□ □□ □□□ □□□□.
□□ □□□□□ □□□ □□ □□□ □□□□ □□□. □□ □□□□ □□□ □□ □□□ □□□
□□ □□□.
□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. □□□ □□ □□ □□
- B. □□□□ □□□□□□ □□□□ □□
- C. □□□ □□□□ □□ □□
- D. □□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

You are creating a model-driven app.
You must create new components to ensure data from related records can be displayed on a record form.

You need to select the component types.
Which component types should you use? To answer, drag the appropriate component types to the correct dat a. Each component type may be used once, more than once, or not at all. You may need to drag the spirt bar between panes or scroll to view/ content.

NOTE: Each correct selection is worth one point.

Answer:

PL-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-100 □□! DumpTop □ □□ **PL-100** □□ □□□ □□□□□□□, DumpTop PL-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-100 □□□ □□□□□□.

<https://www.dumptop.com/Microsoft/PL-100-dump.html> (279 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

□□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□.
□□□□ iPad□ □□□□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□□. □□□
□ □□□□ .csv □□□ □□□□□.
iPad□ □□□□ □□□ □□□□□ Power BI □□□□ □□□□ □□□.
□□ 5□□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□
□□ □□□□ □□□ □□□ □□□□□□□.

Answer:

NEW QUESTION: 50

Which of the following is a correct statement about Microsoft Excel and Power BI? Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool. Power BI is a cloud-based platform, while Excel is a desktop application. Power BI is a data visualization tool, while Excel is a data storage tool. Power BI is a data analysis tool, while Excel is a data entry tool.

Which of the following is a correct statement about Microsoft Excel and Power BI? Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool. Power BI is a cloud-based platform, while Excel is a desktop application. Power BI is a data visualization tool, while Excel is a data storage tool. Power BI is a data analysis tool, while Excel is a data entry tool.

Which of the following is a correct statement about Microsoft Excel and Power BI? Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool. Power BI is a cloud-based platform, while Excel is a desktop application. Power BI is a data visualization tool, while Excel is a data storage tool. Power BI is a data analysis tool, while Excel is a data entry tool.

Answer: Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool.

Answer:

Microsoft:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines>

<https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION: 51

Which of the following is a correct statement about Common Data Service? Common Data Service is a cloud-based platform. Common Data Service is a data storage tool. Common Data Service is a data analysis tool. Common Data Service is a data visualization tool.

Which of the following is a correct statement about Common Data Service? Common Data Service is a cloud-based platform. Common Data Service is a data storage tool. Common Data Service is a data analysis tool. Common Data Service is a data visualization tool.

Answer: Common Data Service is a cloud-based platform.

- A. Power Platform
- B. Power Apps
- C. Power Apps Maker
- D. SQL
- E. Common Data Service

Answer: (SHOW ANSWER)

1:N (Common Data Service) and N:1 (Common Data Service) relationships are used to connect data tables. Common Data Service is a cloud-based platform. Common Data Service is a data storage tool. Common Data Service is a data analysis tool. Common Data Service is a data visualization tool.

* Power Apps uses 1:N (Common Data Service) and N:1 (Common Data Service) relationships to connect data tables. Common Data Service is a cloud-based platform. Common Data Service is a data storage tool. Common Data Service is a data analysis tool. Common Data Service is a data visualization tool.

* Common Data Service uses 1:N (Common Data Service) and N:1 (Common Data Service) relationships to connect data tables. Common Data Service is a cloud-based platform. Common Data Service is a data storage tool. Common Data Service is a data analysis tool. Common Data Service is a data visualization tool.

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

NEW QUESTION: 52

Which of the following is a correct statement about Microsoft Excel and Power BI? Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool. Power BI is a cloud-based platform, while Excel is a desktop application. Power BI is a data visualization tool, while Excel is a data storage tool. Power BI is a data analysis tool, while Excel is a data entry tool.

Which of the following is a correct statement about Microsoft Excel and Power BI? Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool. Power BI is a cloud-based platform, while Excel is a desktop application. Power BI is a data visualization tool, while Excel is a data storage tool. Power BI is a data analysis tool, while Excel is a data entry tool.

- A. Microsoft Excel is a spreadsheet application, while Power BI is a business intelligence tool.
- B. Power BI is a cloud-based platform, while Excel is a desktop application.

C. □□ □□ □□□□ □□ □□□□ □□□□ □□

D. □□ □□□ □□ □□□□ □□

Answer: (SHOW ANSWER)

□□□□: □□□ □□□□ □□ □□ □□□ □□□□ □□□□□.

□□ □□ □□□ □□□□□.

□□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□□□.

NEW QUESTION: 53

□□□□ Power Automate □ Power Apps□ □□□□ □□□□ □□□□□ □□□□□□.

□□ □□□ □□ □□ □□□ □□□□□ AI Builder□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □□

□□ □□□ □□□ □□□□□□.

Answer:

□□:

<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

NEW QUESTION: 54

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□□□ □

□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□

□□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□

□□□□ □□□□ □□□□.

□□□□ Microsoft Power Platform □□ □□□ □□□□ □□□ □□ □□□□□ □□□□□ □

□□□.

□□□□ □□(HR) □□□□ □□ □□ □□□□ □□□ □□□□□. HR □□□□ □□□□ □□□

□ □□□ □□□□ Power Apps □□ □□□□ □□□. HR □□□□ □ □□□□ □□ □□ □□□

□□□□ □□□.

□□□□ □□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□□□ □□□ □□ □□ □□□

□□ □□ □□ □□□□ □□□□□ □□ □□□□ □□□.

□□□□ □□□ □□□□ □□ □□□ □□□□□ □□ □□ □ □□□ □□ □□□ Power Apps □

□ □□ □□□□□.

□□ □□ □□□ □□□□ □□□□□ Power Apps □ □□□□ □□□□ □□□.

□□□□ □□□: □□□□ □□□□□ PowerQuery□ □□ Common Data Service □□□□□ □□□

□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

□□

□□□□(□□□□) □□□/□□□ □□□ □□□ □□ □□□□ □□□□, □□ □□ □□ □□□ □□□□□ □ □□□ □□□ □□□□ □□□ □□ □□□□□.

Common Data Service □□□□ □□: □□ □□□ □□□□□□□ □□ □□□ □□□ - □□□□ □□□ □□□□□ □□ □□□ □□□ □ □□□□□. □□ □□ □□ □□□ □□□ □□ □□□ □ □□□□ □□□ □ □□ □□ □□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION: 55

□□□□ Microsoft Excel □□□□ □□□□ □□□□ □□□ □ □□□ □□□ □□□□ □□□ □.

TemplateAdministrator□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□ User1□□□□ □ □□□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□ □□ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 56

□ □□□ 500□□ □□□ □□□□. □ □□□ □□ ID□ □□□□□□. □ □□□ 8□ □□ □□ □ □□□ □□□□.

□ □□□ □□ □□□ □□□□ □□ □□□ □□□□.

□□ □□□□□ □□ □□□□ □□□□. □□□ □□□ □□□□ □□□ □ □□□ □□□□□□.

Microsoft Dataverse□□ □ □□ □ □□□□ □□□□ □□□.

□□: □□□□ □ □□ □□□ □□□□□□.

□□: □□ ID □ □□□ □□ □□□ □□□□□□. □□□□ □□ □□□□ □□□□□□□.

Dataverse□□ □□□ □□ □□□ □ □□□ □□□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□□? □□□□□□ □□□ □□□ □□□ □□□ □□ □□□□ □ □□□□□□□. □ □□□ □□□ □ □, □ □ □□ □□□□□□ □□ □□□□□ □□ □ □□□□□. □ □□□ □□□ □ □□□ □□ □□□ □□□ □□□□□□ □ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

NEW QUESTION: 57

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart.

Does the solution meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION: 58

□□□□ □□ □□□ □□ □□ Power Apps □□ □□□ □□□□.

□ □□□□ □□□ □ □□ □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□□ □□□.

□□□ □□□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□□ □□□□ □□

□□□□□. □ □□□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□

□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm>

NEW QUESTION: 59

□□□ □□□□ □□ □□ □□ □□□□□. □□ □□ □□□□□ □□□ □□□□□ □□□□□

□□□.

The managers observe that several dashboards are displayed.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/add-edit-app-components>

NEW QUESTION: 60

□□ □□□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□ □□□?

A. □□□□ □□ □□□ □□□□ Sec() □□□ □□□ □ □□ □□□□□ □□□□ □□□□ □□□□.

B. □□ □□□ □ □□□□□□□ □□□□□□ □□□□□. OnSelect □□□□ SaveDaca() □□ □□□□□.

C. □□□□ □□ □□□ □□□□ SaveDaca() □□□ □□□ □ □□□□□□□ □□□□ □□ □□ □□□□□.

D. □□ □□□ □ □□□□□□□ □□□□ □□□□ □□□□□. Submit □□□□ LoadDaca() □□□ □□□□□.

Answer: (SHOW ANSWER)

□□

□□□□: □□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□ □□ □□ □□□□ □□□□ □□□.

□□□□ □□□□□□ □□□□ □□ □□ □□□ □□□ □ □□□ □□□□ □□ □□□□ □□ □□.

□□□ □□□□ □□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□ □□ □□ □□.

LoadData □ SaveData □ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□. □□□ □□□ □□□□ □□□ □□□□ □□□ □□ □□□ □ □□□□.

SaveData □□□ □□□ □□□□ □□□ □□□□ □□□□□.

LoadData □□□ □□□ SaveData □ □□□ □□□□ □□□□ □□ □□□□□. □ □□□ □□ □□ □□ □□□□ □□□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-savedata-loaddata>

□□ 1, □ □□ □□□□

□□□□ □□ □□□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□□ □ □□ □□ □□ □□□ □□□ □ □□□□. □□□□ □ □□□ □□ □□ □□ □ □□□ □□ □ □□□.

□□□□. □□□□ □□ □□ □ □□□ □□□□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□ □.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□□ □□□ □□□□ □□□ □□ □□ □□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □ □□□ □.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□□ □□□□□□. □□□ □□□ □□ □□ □□ □ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□□□ □□ □□, □ □□□ □ □□ □□□ □□ □□□ □□□□□. □□□ □□ □□□ □□ □□□ □□□□□□. □□□ □□ □□□ □□ □□□ □□□□□□. □□ □□ □□ □□□□ □□ □□ □□□□ □□ □□□□□ □□□□□. □□□ □□ □□□□ □ □□□□ □□□ □□□□. □□ □□□□ □□□□ □□□□□ □□□□□□.

Wide World Importers □ □□ □ □□□ Microsoft 365, Microsoft Azure □ Power Platform □ □□ □□□ □□□□□□. Wide World Importers □ Tailwind Traders □ □□ □□□ Microsoft SharePoint □ Azure □□□ □□□ □□□□. □ □□ □□ □□□ □□□□ □□□□□.

□□ □□

□□□□□□

□□ □□□□ □□ □□□ □□□ □□□□□□ □□□ □□ □□□□ □□□. Tailwind Traders □ □□□ □□ □□□ □ □□□ □□ □□□. □□□ □□ □□ □□ □□□ □□□□ □□□.

* □□ □□□ □□□□□□.

* □□□ □□ □□□ □□□ □□□□□□.

* □□□ □□□ □□□□□ □□□□□.

* SharePoint □□□ □□□□ □□ □□□ □ □□ □□□□ □□ □□□ □□□□□.

* Azure SQL Database □ □□□□ □□ □□□□ □□□□□.

□□ □□□

□□ □□□□ □□ □□□ □□ □□ □□□□□ □□ □□ □□ □□□□ □□□□ □□□. □□□□ □ □□□□□ □□ □□ □□□ □□□□ □□□.

* □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□. □ □□□ □□ □□□□ □ □□□□ □□□ □□□. □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□□ □ □□.

* □□□□□ □□□ □□□□ □□□□□□□□ □□□□ □□ □□, □□□□ □□□□□□ □ □□□ □□□□ □□□□□ □□□.

* □□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□□ □□□ □□□ □□ □□ □□□□ □□□ □□□ □□□.

* □□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□□□ □ □ □□□ □□ □□□ □□ □□ □□□□ □□□.

* When data is submitted offline, the data must be stored in the app until the app is back online.

Technical

Wide World Importers and Tailwind Traders are both using Microsoft 365, Microsoft Azure, and Power Platform for future app development. Both Wide World Importers and Tailwind Traders have identical Microsoft SharePoint and Azure configurations. Both companies use separate tenants.

Wide World Importers has decided to use Microsoft 365, Microsoft Azure, and Power Platform for future app development. Both Wide World Importers and Tailwind Traders have identical Microsoft SharePoint and Azure configurations. Both companies use separate tenants.

Requirements

Application

You must create a mobile app to streamline the creation of status reports by sales representatives. You must make the same app available to Tailwind Traders. The mobile app must meet the following requirements:

Minimize the use of code.

Use formulas and expressions when necessary.

Support a variety of visual layouts.

Use a SharePoint list to store information about regional managers and sales representatives.

Use Azure SQL Database to store other data.

Status reports

The status report app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

UI

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

UI

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

Major: The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

Minor: The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

The app must be able to display data from a SharePoint list and an Azure SQL Database. The app must be able to filter data based on the user's region. The app must be able to display data in a table and a chart. The app must be able to display data in a mobile-friendly format.

□ □□□□ □□□ □□□ □ □□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□, □□□ □ □□□ □□□□□ □□ □□□ □□□□ □□□. □□ □□□□ □□ □□□ □□□ □□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□□ □□□ 5□ □□ □□□□ □□□.

□□

□□□ □□ □ □ □□ □□□□□□□. □□ □□ □□□ □□ □□□□□ □□□ □□ 8□ □□ □ □□ □□□□□□□. □□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□.

User1□ □□ □□□ □□□ □□ □□□□ □□□□□. User1□ □□ □□ □□□□ □□□□ □ □□ □□□□ □□□□ □□□.

□□ □□ □□□□□□ □□□ □□□ □□□□. User2□ □□ □□□ □□ □□□□ □ □ □□ □□. User3□ □□□□ □□□ □ □□□□.

NEW QUESTION: 64

□□□ □□□ □□□□ □□ □□□ □ □□ □□ □□□□□□ □□□ □□□□□. □□ □ □□□□ □□□ □□□□□. □□□ □□□□ □□ □□ □□□□□□ □□□□□. □□ □ □□□ □□□ □□ □□ □□□□□□ □□ □□□ □□□□□. □□□ □□□□□ □□□ □□ □□ □□□□□□ □□□□□ □□□□ □□□.

□□□ □□ □□□?

- A. □□□□□ □□ □□ □□□□□□ □□□□ □□□□ □□□□ □□□ □□□ □□ □□ □□□□□.
- B. □□□□ □□□ □□ □□□□ □□ □□ □□□□□□ □□□□□ □□□ □□□□ □□□□ □ □□□□.
- C. □□□□ □□□ □□ □□□□ □□ □□ □□□□□□ □□□□□□□ □□□□□.

Answer: (SHOW ANSWER)

□□ □□ □□ □□□□□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□. □ □□ □□ □□ □□□□□□ □□□□ □□ □□□ □□□□□ □□□□□ □□ □□ □□□□□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□□□ □□ □□□ □□□ □ □□□ □□□ □□□□. □□□□ □□□ □ □□□□□□ □□ □□□ □ □□□ □□□□□. □□ □□□ □□□□□□□ □□□ □ □□ □□.

□□□ □□□□ □□ □□□ □□□□□□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION: 65

□□□ □ 2□ □□ □□□ □□ □□ □□□ □□□□□. □□□ □□ □□ □□□□□ □□□□ □□□ □□□□□. □□□□ □□□ 1-10□ □□ □□ □□□ □□□□□.

□□□ □□□ □□□□□.

□□□ Power Apps □□ □□□□ □□□ □□ □□□ Common Data Service □□□□ □□□□ □□□. □□□ □□□ □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□□□ □□□.

□□□ □□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□ □□
□ □□□ □□□ □□□.
□□□ □□□□ □□□ □□□ □ □□□ □□□□ □□□.
□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□
□□□ □□□ □□□□□, □□□, □□□□□□, □□□, □□□ □□ □□ □□
□□ 1: AI □□
PowerApps □ AI Builder □ □□ □□ □□ □□□ □□□ □□□ □□□ □□□□ □□ □
□ □□□ □□□□□. □□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□□□□□□ □
□ □□ □□□ □□□ □□□□ □ □□□ □□□□□. □□□□ □□□□ □□ □□□ □□□□
□□□□ □□□□ □□□ □□□□□.
□□ 2: □□□□□ □□□ □ □□□ □□ □□
□□□ □□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□
□.
Power Apps □ Power Automated □□ □□ □□□ □□□ □□ □□□ □ □□□□.
□□ 3: □□
□□□ □□□□□ □□ □□□ □□□ □□□ □□ □□□□ □□□ □□□□□.
□□:
<https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>
<https://powerapps.microsoft.com/en-us/blog/new-ai-builder-models-are-now-generally-available/>

NEW QUESTION: 66

A user named Bill Jones creates a canvas app and shares it with other users in his company as shown in SharePowerUsers and ShareJimSmith exhibits. (Click the SharePowerUsers tab and the ShareJimSmith tab.)

There are multiple versions of the app. Users must only be able to run the most recently published version of the app as shown in the table below:

□□□ □□□□ □□□□□□ □□□□ □□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/save-publish-app>

NEW QUESTION: 67

Q: A Power Apps gallery control displays a list of records from a data source. The gallery has a default view of 'Cards'. You want to change the view to 'Table'. Which property should you set on the gallery control?

A: The 'View' property.

Q: You are developing a Power Apps app. You have a gallery control that displays a list of records. You want to ensure that only one record is selected at a time. Which property should you set on the gallery control?

A: You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- * Add a display form to Screen_AccountDetail.
- * Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- * Set the data source of the form to Accounts.
- * Set the Item property of the form to Selected.
- * Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

If you add a Display form control, the user can display all fields of a record or only the fields that you specify.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form-detail>

NEW QUESTION: 68

Q: A Power Automate flow uses a Power Apps gallery control to display a list of records. The gallery has a default view of 'Cards'. You want to change the view to 'Table'. Which property should you set on the gallery control?

A: The 'View' property.

Q: You are developing a Power Apps app. You have a gallery control that displays a list of records. You want to ensure that only one record is selected at a time. Which property should you set on the gallery control?

Answer:

Q:

1: The 'View' property.

Q: You are developing a Power Apps app. You have a gallery control that displays a list of records. You want to ensure that only one record is selected at a time. Which property should you set on the gallery control?

2: The 'View' property.

3: The 'View' property.

4: Power Automate flow uses a Power Apps gallery control to display a list of records.

□□□ □□□□ □□□ □ Power Automate□□ □□□ □□ □□□ □□□□.

□□:

<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

NEW QUESTION: 69

□□□ □□□ □□ □□□□.

□□□ □□□ □□ □□□ □□□□ □□□□.

□. □□□ □□□□ □□ □ □□ □□□ OnVisible □□□ □□□□□.

□□□ □□ □□□□□□ □□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION: 70

□□□ □□ □□□ Power Apps □□□ □□□ Power Apps □ □□□ □□ □□□□ □□□□ □ □□.

Power Apps □□ □□□ □□ □□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□□□□□□□.

□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□

□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/component-framework-for-canvas-apps>

NEW QUESTION: 71

You need to configure the app to meet the requirements.

Which object properties should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-screen>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION: 72

□□ □□ □□□ □□□□□ □□□□ □□□□ □□□.
□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form-detail>

NEW QUESTION: 73

You create a canvas app within a Power Platform environment.
You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?

- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: (SHOW ANSWER)

Find accessibility issues

1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.
2. In the menu that appears, select Accessibility.

A list of issues appears, sorted first by severity and then by screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION: 74

You create multiple apps as part of an unmanaged solution.

□□ □□ □□□□ □□□□ □□□.
□ □□ □□□ □□□ □□□ □□□ □□□□ □□□.
□□ □□□ □□□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□□ □□ □□□□
□□□□□□□□. □ □□□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□.
□□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION: 75

Bill Jones □□ □□□□ □□□ □□ □□□ SharePowerUsers □ ShareJimSmith □□□□ □□ □ □□ □□□ □□ □□□□ □□□□□. (SharePowerUsers □□ ShareJimSmith □□ □□□ □□.)

□□ □□□ □□ □□□□. □□□□ □□ □□ □□ □□ □□□ □□□ □ □□□ □□□ □ □ □□ □□□.

□□□ □□□□ □□□□□□ □□□□ □□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ □□□□ □□ □□□ □□□ □□□ □□□□□

□□ 1: □□□

□□ □□□ □ □□□□.

□□ 2: □

□□ 3: □□□

□□□□□ □□ 2□ □□□□ □□□.

□□: □□□ □□□ □□□□□ □ □□ □□□ □□□ □□ □□ □□□□ □□□□ □ □□ □□ □□ □□□□□.

□□□ □□□ □□□□□□, □□□□ □□ □□ □□

Live□ □□□□ □□□ □□ □□□ □□□□□.

□□□ □□□ □□□□□□, □□□□□□ □□ □□ □□

□□ 4: □

□□ □□ □□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/save-publish-app>

NEW QUESTION: 76

□□□□ Microsoft Excel □□□□ □□□□ □□□□ □□□ □ □□□ □□□ □□□□ □□□ □.

TemplateAdministrator□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□ User1□□□□ □ □□□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□ □□ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A ([LEAVE A REPLY](#))

□□□ □□ □□□ □□□ □□□ AI Builder □□ □□□ □□□ □□□□□. □ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□ □□ □□ □□□□ □□ □□□ □□□ □□ □□□ □ □□□□ □□□□ □□□□□. □□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□ □□ □□□□ □□□□ □□□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION: 79

□□□ □□□□ □□ □□ □□ □□ □□□□ □□□.
□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-views-app-designer>

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION: 80

□□□ □□□ □□□ □□□□□□. □□□ □ □□□ □□ □□□□ □□□□□.
□ □□□□ □□□ □□□□ □□□□□.
□□□□ □□□□ □□□.
□□ □□ □□□ □□□□ □□□? □□□□□ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□□. □ □□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/understand-charts-underlying-data-chart-representation>

NEW QUESTION: 81

□□ □□□ □□□□□ □□ □□□□ □□□.
□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

* Add the Object Detector control to your canvas app.

Does the solution meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION: 87

□□□□ □ □□□ Microsoft Power Platform□ □□□□□ □□□□.

□□□□ Power Apps □□ □□□ □□□ □□□□□. □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□.

□□□□ □ □ □□□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□?

A. Azure AD □□ □□

B. □□□ □□ □□□

C. □□□ □□□

D. □□ □□

Answer: D (LEAVE A REPLY)

Power Platform □□ □□□ □□□ □□□ □□ □□:

Microsoft Dataverse □□□□ □□□ □□□□ □□□ □□□ □ □□ □□□ □□□□. □□□□

□□□ □□ □□□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □ □□□ □□□ Power

Platform □□ □□□ □□□ "□□ □□" □□□ □□□ □□ □□□□ □□ □□ □□□ □□□

□□□□□. □ □□□ □□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□□ □□□□ □

□□ □□□□ □ □□□ □□□.

□□:

<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organization>

□□ 1, Contoso, Ltd

□□ □□

□□

□□ □□□ □□ □□□□□□ □□□□□□. □□□ □□ □□□□ □□ □□ □□□ □□ □□□

□.

□□ □□□ □ □□

The company has a cloud-based ERP/accounting system and uses the General Ledger, Accounts Receivable, and Accounts Payable modules. The current system does not have any modules that handle shop floor or manufacturing planning functionality.

Employee information is maintained only within the accounting system. Access to the information is strictly controlled due to privacy regulations and company policies.

All purchasing of raw materials is performed based on bills of material (BOMs) generated by the engineering department when engineering prints are created.

The corporate office uses Dynamics 365 Finance. The operations manager reports that Dynamics 365 Finance will not be implemented for the manufacturing plants for at least five years.

Manufacturing and planning

Contoso, Ltd. □ □□□ □□□□□ Microsoft Excel □□ □□□ Microsoft Word □□□ □□□□ □□ □□□□□, □□ □□ □□ □ □□ □□□ □□□□□. □□□ □□ □□□□ □□□□□ □ □□□□.

□□□ □□□□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□. □□ □□ □□□, □ □ □□ □□ □ □□ □□□ □□□□□.

□□□ Job Traveler □□□ □□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □ □□ □□□□□.

□□

□□ □□□ □□ □□ □□ □□ □□□ □□□□□. □□ □□□□ □□ □□□ □□□□□.

□□ □□ □□

□□ □□

□□

□□ □□ □□

Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled
Names of the sales manager, salesperson, and estimator
Name of the product line
Date the quote was sent to the customer
Approximate start and finish dates of the project
Date the order was received, if won
Job number, which is assigned if won
The company has a formal process in place for managing estimates. Some sales quotes lack required supporting documentation including estimates for labor and materials even though a formal process is in place. The company wants to incorporate the formal process as part of an app.

Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

An accurate sales pipeline and win/loss information cannot currently be reported because the close probability field in the Sales Log is being set to 100% when a sale is closed and 0% when a sale is lost.

Setting up a folder system on the network drive by a customer had not improved the hand-off of the current version of the sales quote to manufacturing.

Requirements

Solution

You plan to create a solution that uses Microsoft Teams and Power Platform.

You must convert the Sales Log workbook to a Common Data Service database.

Each department will have a separate Teams channel. Employees must only be able to access the channel for their department. All employees and management will have read access to a general company channel. The Teams site must include the following channels:

Sales

□□ □□□□□ □□ □□□ □□□□ □□ □□ □□, □□ □□□□□ □ □□□ □□ □□□□ □□ □□ □□ □□ KPI□ □□ □□□ □□□□ □□□.

□□ □□ □□ □□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□. □□ □□ □□□ □ □□□□□. □□□□ □□ □□ 10□□ □□□□ □□□.

□□

□□ □□ □□ □□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□□□□.

□□ □□ □□□□□ □□, □□ □□ □ □□□□ □□ □□ □□ □□□ □□□ □ □□ □□□ □□.

□□□ □□ □□□ □ □□ □□□□□ □ □□□. □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□.

□□□□

□□ □□ □□□□ □□□.

□□ □□

□□□ □□□□ □ □□□ □□□ □□□□□ □□□ □□ □□□□ □□□. □□□ □□□ □□ □□□ □□□.

□□□ □□

□□□ □□ □□ □□□ □□□□ □□

□□□ □□ □□ □□□ □□□□ □□

□□ □□ □□ □□□ □□□□ □□□.

□□ □□ □□□□□ Microsoft SQL Server □□□□□ □□□□ □□□□ □□□.

□□□ □□□ □□□ □□ □□ □□□□ □□□□ □ □□□ □□□.

□□□ □ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□.

□□□ □□ □ □□ □□□ □□ □□ □□□ □□□ □ □□□ □□□.

□□□ □□□ □ □□□ □□□ □ □□□ □□□. □ □□□□ □□ □□□ □□ □□□ □□□□ □□□□.

□□ □□ □□□ QR □□□ □□□□ □□□. □□□□ □□ □□□ □□□□□ □□□.

Job Traveler □□□ PDF □□□ □□□□ □□ □□ □□ □ □□ □□□ □□ UPC E □□□□ □□□□ □□□. □□□□ □□ □□ □□ □□□□□ □□ □□□□□.

□□

Sales □□ □□ □□ □□□ □□□□ □□□.

□□, □□ □ □□□□□ □□□ □□ □□□ □□ □□□□□ □□ □□□□ □□ □□ □□□□ □ □ □□ □□□ □□ □□ □□□ □□□□□.

□□ □□ □□□ □□ □□, □□ □□□ □□, □□ □□□, □□ □□ □ □□ □□□ □□, □□ □□, □□ □ □□ □□□□□ □□□□ □□□□□ □□□□□.

□□ □□ □□ □□ □□ □□ □□ □□ □□ □ □□ □□ □□□ □□□ □□□□ □□□ □ □□□ □□□.

□□□ □□□□ □□ □□ □□□ □□□□□ □□□□□□.
□□ □□ □□□ □□□□□.
□□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□□□.
□□□ □□□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □
□□. □□ □□ □□ □□□ □□□□ □□□.
□□□ □□ □□□□ □□□□ □□ □□□ □□ □□□□□ □ □□□ □□□.
□□ □ □□
□□ □□ □□ □□□ □□□□ □□□.
□□□□□□□□ □□ □ □□ □□□ □□ □□ □□□ □□ □□□ □□□□ □□□□ □□□ □
□□□□.
□□ □□□□ □□□□ □□□, □□□□, □□ □□ □ □ □□□ □□□ □□□ □□□□□.
□□□ □□□□ □□□□□ □□□ □□ □□ □□□ □□□ □□□□□.
□□ □□ □□□□ □□ □□□□□ SQL Server □□□□□ □□□□□ □□□□ □□□.
Job Traveler □□□ PDF □□□ □□□□ □□ □□ □□□□□ □□□□□ □□□.
□□
□□ □□ □□□ □□□□ □□□□ □□□□ □□□□□. □□□ □□□□□ □□□ □□ □□
□ □□□□□ □□□□□□.
□□ □□□□ □□□□ □□ □□ □□ □□ □□ □□□□□□ □□□□□□. □□ □□□□ □□
□ □□□ □□□ □□□ □□ □□ □□ □□□□□ □□□□□□.
□□□□ □□ □□□□ □□□ □□ □ □□□ □ □ □□□ □□□□.
□□□□ □□□ □□ □□□ Time Tracker □□□ □□ □□□ □ □ □□□ □□□□□□. □□ □
□ □□ □□□ □□□ □□ □□□□.

NEW QUESTION: 88

Power Automate □□, □□ □□ □ □□ □□ □□ □□□□ □□□□ □□□□.
□□ □ □□□ □□□□ □□□□ □□□? □□□□□□ □□ □□□□ □□ □□□ □□ □□□□
□□□□ □□□ □□□ □□□□□□□.

Answer:

□□:
<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION: 89

□□□ □□ □□□ □□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□□□. □□□ □ □□
□□□□ □□□□ □□□□. □□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□.
□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□□. □□□□□□□ □□□ □□ □□ □□
□ □□□□□ □□□□. □ □□□ □□ □□□□ □□□□□ □□□□.
□□□□□□ □□□□ □□□.
□□ □□□ □□□□ □□□? □□□□□□ □□ □□□□ □□□ □□□ □□□□□□□□.
□□: □ □□□ □□□ □□□ 1□□ □□□ □□□□□.

Answer:

NEW QUESTION: 90

□□□ □□ □□ □□□□ □□□□ □□□.
□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
<https://powerapps.microsoft.com/sk-sk/blog/saveandpublish/>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>

NEW QUESTION: 91

□□□ □□□□ □□□□ Microsoft Power Platform□ □□□□□. □□□ □□□□□□ □□□
□ □□□ □□□□ □□□□□ □□□□ □□□□. □ □□ □□□□ □□ □□□ □□□□□.
□□□ □□ □□□ □□□□□ □□□.
□□ □□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□
□□□. □ □□□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□□. □□□□□
□□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

PL-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-100 □□! DumpTop
□ □□ **PL-100** □□ □□□ □□□□□□□, DumpTop PL-100 □□ □□□ □□□□□□□□
□□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop PL-100 □□□ □□□□□□.
<https://www.dumptop.com/Microsoft/PL-100-dump.html> (279 Q&As Dumps, **30%OFF Special**
Discount: **KrDump**)

NEW QUESTION: 92

Power Platform □□ □□□ □□□ □□ □□□□.
□□ □□□□ □□ □□□ □ □□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□□
□□□.
□□ □□□ □□□□ □□□?
A. □□ □□□
B. □ □□
C. □□□ □□□

Answer: B (**LEAVE A REPLY**)

□□□ □□ □□
1. Power Apps Studio□ □□□ □□□□ □ □□□ □□□□ □□□□□.

2. □□□□ □□□□ □□□□ □□□□□.

□□ □□□□□ □□□ □□ □□□□ □□□ □□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION: 93

□□ User2 □ User3□ □□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □ □□.

□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/use-powerapps-checker>

NEW QUESTION: 94

□□□□ Microsoft Excel □□□□ □□□□ □□□□ □□□ □ □□□ □□□ □□□□ □□□ □□□.

TemplateAdministrator□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□ User1□□□ □ □□□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□ □□ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 95

□□□ □□ □□□ □□□□ □□□ □□ □□□□.

Test Studio□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□.

□□□ □□□□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□□.

Answer:

□□

□□ □□□□ □□ □□□ □□□ □□

1□□: □□□ □□□

□□□□□ Test Studio□□ □□□ □□ □□ □ □□□ □□□ □□□□□. □□□ □□□□ □ □□ □□□□ □□□□ □ □□□□□. □□□□ □□ □□□ □□□ □□□ □□□ □ □□□□.

2□□: □□□ □□□

□□□□ □□□□□ □□□□□□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□□ □□ □□□□.

□ □□□ □□ □□ □□ □□ □□ □□ □□□□ □ □□□□.

3□□: □□□ □□

4□□: □□□ □□□

□□□ □□□□ □□□ □□□ □□□ □□□ □□□□□. □□□ □□□ □□□ □□□□ Power Apps □□ □□□□ □□□□□. □□ □□ □□□ □ □□□□ □□□□ □□□ □□□ □□□□ □□□ □ □□□□. □□ □ □□□ □□□□ □□□□□□, □ □□□ □□□□, □□□ □□□ □, □□□ □□□□ □□□□ □□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION: 96

□□□ □ □□

□□ □□□ □□ □□ □□□□.

□□□ □□□□ □ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□□. □ □□□ □ □□□ □□□□ □□□.

□□ □□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ □□ □□ □□□ □□□□□. □□□ □□□ □□□ □□ □□□□ □□ □□ □.

□□ □ □□:

Answer:

□□:

1□□: □□□ □□□ □□

□ □□□ □□□ □□

1. □□ □□□ □□□□ □□□ □□ □□□ □□□□□.

2. □□□ □□ □□ □□□ □□ □□□ □ □□ □□□□ □□□□□. 2□□: □□ □□ □□□ □ □□ □□

1. □ □□□ □ □□ > □□ □□□ □□□□□.

□□□ □□□□ □□ □□□□ □□ □□ □□□□ □□□ □□□ □□□□□.

3□□: □□ □□ □□

□□ □□□ □□ □□□ □□ □□□□ □□□ □□□□ □□ □□□□□.

□□:

□□ □□□ □□□ □□ □□ □□ □□□ □□□□ □ □□□□□. □□ □□ □□□ □□□□

Selected □□□ □□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION: 97

Which three chart types can you add directly to the canvas app?

Power Platform includes Power BI, Power Apps, and Power Automate.

You are an app maker. You are creating a canvas app. You do not have access to Power BI. You need to add charts to the app. Which three chart types can you add directly to the canvas app? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

Answer:

☐☐:

<https://docs.microsoft.com/en-us/power-virtual-agents/authoring-fundamentals>

<https://docs.microsoft.com/en-us/power-automate>

NEW QUESTION: 98

Which three chart types can you add directly to the canvas app?

Power Platform includes Power BI, Power Apps, and Power Automate.

NOTE: Each correct selection is worth one point.

Answer:

☐☐:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/types-of-entities>

NEW QUESTION: 99

You are an app maker. You are creating a canvas app.

You do not have access to Power BI.

You need to add charts to the app.

Which three chart types can you add directly to the canvas app? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. pie

B. area

C. funnel

D. column

E. line

Answer: A,D,E (LEAVE A REPLY)

Explanation

You can use line charts, pie charts, and bar charts to display your data in a canvas app.

Add a bar chart to display your data:

1. On the Home tab, add a screen.

2. On the Insert tab, select Charts, and then select Column Chart.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/use-line-pie-bar-chart>

NEW QUESTION: 100

□□□□ Power Automate □ Power Apps□ □□□□ □□□□ □□□□□□. □□ □□□ □□ □□ □□□ □□□□□ AI Builder□ □□□□ □□□. □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□□.

Answer:

□□:

<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

NEW QUESTION: 101

□□□□ □□□□ □□□ □ □□ □□□ □□□□. □□ □□□ □□ □□□□ □□□□□ □□□ □□□□□ □□□□. □ □□ □□ □□□□ □□□ □□□□□□ □□□□ □□□. □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/set-aspect-ratio-portrait-landscape>

NEW QUESTION: 102

Common Data Service □□□□□□□ □□□□ □□□ □□ □□□□. □□□□ □□ □□□□ □□□□ □□□□ □□□□□. □□□□ □□□ □□□□ □ □ □□□ □□□□ □□□. □□□ □□ □□□?

- A. □□□□ □ □□
- B. □□□□□ Power Apps □□□□ □□
- C. □□□□□ □□ □□ □□
- D. □ □□

Answer: C (LEAVE A REPLY)

□□

Common Data Service□ □□□□ □□ □□□ □□. □□□□ □□ □□□□ □□□□ □□□□ □ □□ □□□ □□□□□. □□□ □□□ □□□□□ □□□ □□□□ □□□.

1. □□ □□ □□
2. □□□□ □□ □□□ □□

□□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□□.

Answer:

□□

□□□ □□□ □□□□□, □□□, □□□□□□, □□□ □□ □□ □□

1□□: OneDrive□ □□□□ □□□

□□□ □□□ □□□□ □□□. □□□□ □□□ □ □□□ □□□.

2□□: □□□ □□ □□□

3□□: □□□□□ □□ □□ □□□

Power BI Desktop□ □□ □□ □□□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□

□□□ □□□□ □□□ □□□ □□□ □ □□□□.

4□□: □□□ □□ □□□□ □□□ □□ □□

5□□: □□ □□ □□

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-and-use-dataflows>

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION: 109

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□ □□ □□ □□ □□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ □□ □□ □□□ □□□□□. □□□ □□□ □□□ □□ □□□□ □□ □□ □.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION: 110

□□ □□□ □□ □□□ □□ □□□□ □□□.

□□□ □□ □□□?

A. □□□□ □□□□ □□□ □□□□.

B. □□ □□ □□ □□□ □□ □□□□ □□□ □□□□□.

C. Won/Lost □□□ □□ □□ □□□ □□□ □□□□□.

D. □□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□.

Answer: (SHOW ANSWER)

□□□□: □□ □□ □□□ □□ □□ □□ □□□□ □□□□. □□ □□□□ □□ □□□ □□□□□.

□□ □□(RFQ)□ □□(□□, □□, □□ □□ □ □□□) □□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □ □□ □□□ RFQ □□□ □□□□ □□□□ □□□□.

□□□ □□□□□ □□□□□ □□□□ □□□ □□ □ □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□ □ □□□□. □□□□ □□□ □□□ □□□□ □□□□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□□ □□□□□.

□□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□ □□ □□ □□ □ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION: 111

□ □□□ 500□□ □□□ □□□□. □ □□□ □□ ID□ □□□□□. □ □□□ 8□ □□ □□ □ □□□ □□□□.

□ □□□ □□ □□□ □□□□ □□ □□□ □□□□.

□□ □□□□□ □□ □□□□ □□□□. □□□ □□□ □□□□ □□□ □ □□□ □□□□□.

□□□□ □□□ □□□ □□□□ □□ □□□□ □□□□□ □□□.

Microsoft Dataverse□□ □ □□ □ □□□□ □□□□ □□□.

□□: □□□ □ □□ □□□ □□□□□.

□□: □□ ID □ □□□ □□ □□□ □□□□□. □□□ □□ □□□□ □□□□□□.

Dataverse□□ □□□ □□ □□□ □ □□□ □□□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□□ □□ □□□□ □ □□□□□□. □ □□□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □ □□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

NEW QUESTION: 112

□□□□ □□ □ □□ □□□ □□□□.

□□□□□ □□□□ Microsoft SQL Server □□□□□□□ □□□□ □ □ □□□ □□ Power BI □□□□ □□□□ □□□.

□ □□□□ □□□□ □□□ □□ □□ □□□□ □ □ □□□ □□ □□□.

□□□□ □□□ □□□□ □□□?

□□□□□ □□□ □□□ □□□ □□□□ □□□□□□□. □ □□□ □ □, □□ □ □□□□□ □□ □□□□ □□ □ □□□□. □□□□□ □□□ □ □□□ □□ □□□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □□□□□, □□□□□□ □□ □□ □□

□□ 1: Power BI □□□□

Power BI Desktop □□□ □□ □ □□□ □□□ □ □□□□. Power BI□ □□□□ □□ □□□ □□□□□.

□□ □□□ □□□□□ □□ □□□ □□□□□.

* □□□□ Power BI Desktop □□□□ □□□□□ DirectQuery □□□ □□□□□.

* □□□ □□□ □□ □□□ □□□□□.

* □□ □□ □□□ □□□□ □□□□□.

* □.

□□ 2: Power BI □□□

Power BI Report Server□ □□□□ □□□ □ □□□ □□□□ □□□□ □□□□ □□□□□ □ □□□□.

1. Power BI Desktop□□ □□□□ Power BI Report Server□ □□□□□. Power BI Report Server□ Power BI Desktop □□□ □□□□ □□□.

2. Power BI Report Service□□ □□□ □□ □□ □□□(...).□ □□□□□.

3. □□ > □ □□ □□□ □□□□□.

□□□ □□□ □□□□□, □□□, □□□□□□, □□□ □□ □□ □□

□ □□ □□ □□□□□ Power BI Desktop□□ □□ □□□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-rls>

NEW QUESTION: 113

□□□□ □□ □□□ □□□□ □□□.

□ □□□ □□ □□ Power Platform □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □ □□□□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □□□□□, □□□, □□□□□□, □□□ □□ □□ □□

Box 1: Model-driven app

The Sales app must meet the following requirements:

* Provide a central location for all sales pipeline and quote information that is easily accessible and maintains all of the versions of the estimate, quote, and engineering documents.

Compared to canvas apps, model-driven apps in PowerApps are based on underlying data - specifically, the data stored in Common Data Service (CDS).

Box 2: Power BI Desktop

You can create a KPI in Power BI Desktop.

- * Open your report editor in Power BI Desktop then select a report on which you are working.
- * On your right, you will see a Visualizations pane and a Fields pane.
- * From the Visualizations pane, select the KPI visual.
- * Etc.

Box 3: Power Automate

NEW QUESTION: 114

Which of the following is a valid DAX formula?
 A. =SUM('Sales'[Sales])
 B. SUM('Sales'[Sales])
 C. SUM(Sales[Sales])
 D. SUM(Sales[Sales])

Answer:

D:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/types-of-entities>

NEW QUESTION: 115

Which of the following is a valid DAX formula?
 A. =SUM('Sales'[Sales])
 B. SUM('Sales'[Sales])
 C. SUM(Sales[Sales])
 D. SUM(Sales[Sales])

(OrderType = [test] OR EmployeeID = 1) AND (OrderType = [test] OR EmployeeID = 1)

Answer: A,D (LEAVE A REPLY)

D:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION: 116

Which of the following is a valid DAX formula?
 A. =SUM('Sales'[Sales])
 B. SUM('Sales'[Sales])
 C. SUM(Sales[Sales])
 D. SUM(Sales[Sales])

Answer:

D:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-new-barcode-scanner>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION: 117

Microsoft Power Platform is a set of tools that help you build apps, automate tasks, and connect data across your organization. It includes Power Apps, Power Automate, and Power BI. Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. Power Automate is a cloud-based workflow automation tool that lets you create automated workflows between different apps and services. Power BI is a business analytics tool that lets you visualize and analyze data from different sources.

Answer:

AB

NEW QUESTION: 118

Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. It includes Power Apps, Power Automate, and Power BI. Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. Power Automate is a cloud-based workflow automation tool that lets you create automated workflows between different apps and services. Power BI is a business analytics tool that lets you visualize and analyze data from different sources.

- A. ABC
- B. AB
- C. AC
- D. AD
- E. ABCD

Answer: (SHOW ANSWER)

AB

B: Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. Power Automate is a cloud-based workflow automation tool that lets you create automated workflows between different apps and services. Power BI is a business analytics tool that lets you visualize and analyze data from different sources.

CE: Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. Power Automate is a cloud-based workflow automation tool that lets you create automated workflows between different apps and services. Power BI is a business analytics tool that lets you visualize and analyze data from different sources.

Power Apps is a low-code/no-code platform that lets you build custom apps for your organization.

Power Apps is a low-code/no-code platform that lets you build custom apps for your organization.

AB

AB:

UpdateContext is a function that lets you update the context of a variable in a Power Apps app. It is used to update the context of a variable that is defined in a Power Apps app. The function takes two arguments: the name of the variable and the new value for the variable.

Power Apps is a low-code/no-code platform that lets you build custom apps for your organization. Navigate is a function that lets you navigate to a different screen in a Power Apps app. It is used to navigate to a different screen that is defined in a Power Apps app. The function takes two arguments: the name of the screen and the context of the screen.

Power Apps is a low-code/no-code platform that lets you build custom apps for your organization.

AB:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

NEW QUESTION: 119

Microsoft Power Platform is a collection of tools that help you create business apps. Which of the following are part of the Microsoft Power Platform? (Select all that apply.)

Options: Microsoft Dynamics 365, Microsoft Power BI, Microsoft Power Apps, Microsoft Power Automate, Microsoft Power Virtual Agent, Microsoft Power Search, Microsoft Power To Go, Microsoft Power View, Microsoft Power Web, Microsoft Power Workspace.

- A. Microsoft Dynamics 365
- B. Microsoft Power BI
- C. Microsoft Power Apps
- D. Microsoft Power Automate
- E. Microsoft Power Virtual Agent

Answer: B,C,E (LEAVE A REPLY)

B: Microsoft Power BI is a data visualization tool that helps you analyze and share your data. It is part of the Microsoft Power Platform.

CE: 1. DataLakeStore is a cloud storage service that is part of the Microsoft Power Platform. 2. Azure AD is a cloud-based identity management service that is part of the Microsoft Power Platform. 3. OAuth 2.0 is a protocol for authorization that is part of the Microsoft Power Platform.

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION: 120

Power Apps uses a risk-based approach to security. Which of the following are part of the risk-based approach? (Select all that apply.)

Options: RiskStatus, RiskLevel, RiskScore, RiskType, RiskCategory, RiskSeverity, RiskImpact, RiskMitigation, RiskDetection, RiskPrevention, RiskResponse, RiskRecovery, RiskCommunication, RiskReporting, RiskMonitoring, RiskAssessment, RiskEvaluation, RiskAnalysis, RiskIdentification, RiskTreatment, RiskReduction, RiskElimination, RiskTransfer, RiskRetention, RiskAcceptance, RiskAvoidance, RiskMitigation, RiskDetection, RiskPrevention, RiskResponse, RiskRecovery, RiskCommunication, RiskReporting, RiskMonitoring, RiskAssessment, RiskEvaluation, RiskAnalysis, RiskIdentification, RiskTreatment, RiskReduction, RiskElimination, RiskTransfer, RiskRetention, RiskAcceptance, RiskAvoidance.

Answer:

Options: RiskStatus, RiskLevel, RiskScore, RiskType, RiskCategory, RiskSeverity, RiskImpact, RiskMitigation, RiskDetection, RiskPrevention, RiskResponse, RiskRecovery, RiskCommunication, RiskReporting, RiskMonitoring, RiskAssessment, RiskEvaluation, RiskAnalysis, RiskIdentification, RiskTreatment, RiskReduction, RiskElimination, RiskTransfer, RiskRetention, RiskAcceptance, RiskAvoidance.

<https://wonderlaura.com/2020/07/23/power-apps-gallery-conditional-formatting/>

NEW QUESTION: 121

B.

Answer: B ([LEAVE A REPLY](#))

□□□□: □□□ □□□□ □□□□ □□□ □□□□ □□ □□□□.

□□ □ □□□□ □□ □□□□ □□□ □□□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION: 123

□□: □ □□□ □□□ □□□□□□ □□□□ □□□ □□ □ □□□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

Common Data Service □□□□□□□□ □□□□ □□ □□ □□ □□□□ □□□□. □ □□□□ □□□ □□ □□□ □□ □□□.

□□□□ □□□□ □□□□ □□ □ □□□□ □□□□ □□□.

□. □ □□□ □□□□ □□ □□□□ □□□□ □□□.

□□ □ □□□□ □□ □□□ □□□ □□□□□□□□ □□□□ □□□.

□□□:

S1 □ S2□□ □□□□ □□□ □□□□□□□□□.

□□□□ □□□ S1□ S2 □□□ □□□□□.

□□□□ S1□ □□□□ □□□□□□ S2□ □□□□□□.

□□□□ □□□ □□□□□□?

A.

B.

Answer: A ([LEAVE A REPLY](#))

□□□□ □□□ Microsoft Dataverse□ □□ □□□□□ □□□□□□. □□□□□ □□□ □□□ □ □□□ □□ □□□□ □□□□□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□ □□□ □□.

□□:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION: 124

□□: □ □□□ □□□ □□□□□□ □□□□ □□□ □□ □ □□□□□□. □□□□ □ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □ □□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□ □□ □□□ □□□ □□□□ □□□□.

□□ □□□ □□ □□□ □□ □□□□□□. □ □□□ □□ □□□□□□□□ □□□ □□□ □□□ □□□

□. □□ □□□□□□ □□□ □□□□ □□□ □□□□.

□□□□ □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□ □□□ □□□ □ □□ □ □□□.

□□□□ □□ □□□ □□□ □□□□ □□□ □ □□□ □□□□ □□□.

□□ □□□: □□ □ □□ □□□ □□□□□.

□□□□ □□□ □□□□□?

A. □

B. □□□

Answer: B ([LEAVE A REPLY](#))

□□ □ □□ □□ □□□ □□□ □□□ □□□ □□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

□□ 2, □ □□ □□□□

□□

□□ □□

□□ □□□□ □□ □□□□□ □□ □□ □□□□ □□□□□. □□□ □□ □□□□□ □□□

□ □□□ □□□□. □□ □□□□ □□□□ □□□□□□□.

Wide World Importers□ □□ □ □□□ Microsoft 365, Microsoft Azure □ Power Platform□ □□

□□□ □□□□□□. Wide World Importers□ Tailwind Traders□ □□ □□□ Microsoft

SharePoint □ Azure □□□ □□□ □□□□. □ □□ □□ □□□ □□□□ □□□□□.

□□ □□

□□□□□□

□□ □□□□ □□ □□□ □□□ □□□□□□ □□□ □□ □□□□ □□□. Tailwind Traders

□ □□□ □□ □□□ □ □□□ □□ □□□. □□□ □□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□□□.

□□□ □□ □□□ □□□□ □□□□□□.

□□□ □□□ □□□□□ □□□□□.

SharePoint □□□ □□□□ □□ □□□ □ □□ □□□□ □□ □□□ □□□□□.

Azure SQL Database□ □□□□ □□ □□□□ □□□□□.

□□ □□□

□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□

□□ □□□ □□ □□□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□. □ □□□ □□ □□□□

□ □□□□ □□□ □□□. □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□□ □

□□.

□□ □□□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□ □□ □□□□□

□□ □□□ □□□□ □□□ □□□.

□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□□ □□□ □□□ □□□

□ □□□□ □□□ □□ □□ □□ □□□□ □□□□ □□□.

□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □ □ □□□ □□ □□□ □□□

□ □□□□ □□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□ □□□ □□□□ □□□□.

□□□ 4□ □□□ □□ □□ □ □□□ □□□□□.

□□□ □ □□□ □□□ □□□ □□□ □□/□□□ □□ □□□ □□□□□. □□□ □□ □□□ □□□ □□□ □□ □□ □□(USD) □□ □□□□ □□□□□.

□□/□□□ □ □□□□ USD□ □□□□ □□□□ □□□□ □□□.

Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION: 127

□□□ □□ □□ □□□ □□ □□ □□□□ □□□ □□ Power Apps □□ □□□ □□□□□.

□□□□ □□ □□□ □□ □□□ □□□□□ □□□□□□ □□ □□ □□(ALM) □□□□ □□ □□ □□□□ □□□. □□ □□ □□ □□ □□□ □□ □□□□ □□ □□□ □□□□□□ □□ □□.

□. □□ □□□ □□□ □□□ □ □□□ □□□. □ □□ □□□ □□□ □□□□□□ □□□.

You need to create an application for the apps.

Which two tools should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Microsoft Azure DevOps

B. Microsoft Visual Studio

C. Lifecycle Services

D. AppSource

E. Common Data Service

Answer: A,D (LEAVE A REPLY)

A: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps.

D: Microsoft AppSource is now embedded in the Dynamics 365 home page and throughout the common navigation. It now includes a private gallery of apps available to you within your

company. Select Get more apps from the home page or task pane, and navigate to the My Organization tab to see apps that are available to you.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/devops-build-tools>

<https://docs.microsoft.com/en-us/powerapps/user/app-source>

NEW QUESTION: 128

□□ □□□□ □□□□ □□ Common Data Service □□□□□□□□ □□□□ □□□□ □□□□ □□□□
□□ □□□□ □□□□ Sales□□ □□□□ □□□□.
TotalSales□□ □□□□ □□□□ □ □□□□ □□□□. □ □□□ □ □□ □□□□ □□□□ □□□□
□□□□ □ □□□□□□.
□□□□ □□ □□□□ □□□□ □□□□.
□□ □□ □□□□ □□□□ □□□□? □□□□□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□
□□□□. □ □□ □□□□ □ □, □ □ □□ □□□□□□ □□ □□□□□ □□ □ □□□□□. □□□□□□
□□□□ □ □□□□ □□ □□□□ □□□□ □□□□□□ □ □ □□□□□.
□□: □ □□□ □□□□ 1□□ □□□□ □□□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION: 129

□□□□ □□□□ □□ □□□□□.
□□□□ □□ □□ □□□□ □□□□□ □□□□. □□ □□□□□ □□ □□□□ □ □□□ □□□□□□ □
□□.
□□ □□□□ □□□□□ □□□□.
□□□□ □□□□□ □□□□? □□□□□□ □□□□ □□ □□□□ □□□□ □□□□□□□□□□. □ □
□ □□□□ □ □, □ □ □□ □□□□□□ □□ □□□□□ □□ □ □□□□□. □□□□□ □□□□ □ □□
□ □□ □□□□ □□□□ □□□□□□ □ □ □□□□□.
□□: □ □□□ □□□□ 1□□ □□□□ □□□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/properties-visual>

<https://arpitmscrmhunt.blogspot.com/2020/04/powerapps-display-loading-icon-until.html>

NEW QUESTION: 130

□□□□ □□□□ □□ □□□□□.
□□□□ □□□□ □□ □□□□ □□□□□ □□□□□. □□□□ □□□□□ □□ □ □□ □□□□ OnVisible □
□□ □□□□□□□.
□□□□ □□ □□□□□□□□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □□□

□□□□ □□□□□□ □□ □□□□□□.

□□ 2: □

□□ □□□ □□□ □□□ □□□□ □□□□□□.

□□: □□(DataSource, □□, ...)

□□□□ □□ - □□□□□□. □□□□□ □□□ □□□ □□□□□□. □□ □□□□ □□ □□ □ □□
□□ □□□□□□.

□□ - □□. □□□ □□□ □□□ □□ □□□ □□□ □□ □□□□□□.

□□ 3: □□□

□□□ □□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION: 131

□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□.
□□ □□□ □□□ □□□□ □□□□?

- A. □□ □□ □□□□ □□ □□□ □□
- B. □□ □□□ □□ □□□□(□□) □□
- C. □□ □□ □□□□ □□ □□□□ □□□□ □□
- D. □□ □□□ □□ □□□□ □□

Answer: D (LEAVE A REPLY)

□□

□□□□: □□□ □□□□ □□ □□ □□□ □□□□ □□□□□□.

* □□□ □□ □□□ □□□□□□.

* □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□□□□.

NEW QUESTION: 132

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□□. □□□□ □ □□□□ □
□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□ □□□
□□□ □□□□ □□ □ □□□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□□ □□
□□□ □□□□ □□□□.

□□□□ Microsoft Power Platform □□ □□□ □□□□ □□□ □□ □□□□□ □□□□□ □
□□□□.

NEW QUESTION: 134

You publish the first version of the app and solution on November 1, 2020.

You need to create the version numbers for the app and the solution.

Which version numbers should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/update-solutions>

NEW QUESTION: 135

□□□ □□□ □□ □□ □□□□□ □□□□. □□□ □□ □□□□ □□□ □□□□□.

□□□ □□ □□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□? □□□□□ □□□ □□ □□□ □□□ □□□ □□□□□□

□. □ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □

□□□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

PL-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-100 □□! DumpTop □ □□ **PL-100** □□ □□□ □□□□□□□, DumpTop PL-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop PL-100 □□□ □□□□□□.

<https://www.dumptop.com/Microsoft/PL-100-dump.html> (279 Q&As Dumps, **30%OFF Special Discount: KrDump**)