

Microsoft.PL-600-KR.v2026-06-04.q112

□□□□:	PL-600-KR
□□□□:	Microsoft Power Platform Solution Architect (PL-600 Korean Version)
□□□:	Microsoft
□□ □□ □□□:	112
□□:	v2026-06-04
# □□ □:	149
# □□ □□□:	1120
https://www.krdump.com/Microsoft.PL-600-KR.v2026-06-04.q112.html	

NEW QUESTION: 1

□□□ □□ □□□□ □□ □□□□□□□□ □□ □□□ □□□ □□□□□□□ □□□□ □□□□.

□□□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□.

□□□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□.

* □□ □□ □□□ □□ □□□□ □□□□□□ □□□□ □□ □□ □□□□ □□□□ □ □□□□.


* □□□□ □ □, CSV □□□□ □□ □□□□ □□□□ □□□□□.

□□ □□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□.



Answer:



Explanation:



NEW QUESTION: 2

□□□ □ □□□ □□ □□□□□□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□□□□□.

□□: □□ □□□ 1□□□□.

Requirement

Component

Allow users to change the status of a record only if a custom column named Reason is populated.

	▼
Business rule	
Power	Automate flow
Asynchronous	plug-in
Background workflow	

Prompt users to update each opportunity product record when an opportunity is won or lost.

	▼
JavaScript code	
Real-time workflow	
Power Automate flow	
Asynchronous plug-in	

Answer:

Requirement	Component
Allow users to change the status of a record only if a custom column named Reason is populated.	▼ - Business rule - Power Automate flow - Asynchronous plug-in - Background workflow
Prompt users to update each opportunity product record when an opportunity is won or lost.	▼ - JavaScript code - Real-time workflow - Power Automate flow - Asynchronous plug-in

Explanation:

Requirement	Component
Allow users to change the status of a record only if a custom column named Reason is populated.	▼ - Business rule - Power Automate flow - Asynchronous plug-in - Background workflow
Prompt users to update each opportunity product record when an opportunity is won or lost.	▼ - JavaScript code - Real-time workflow - Power Automate flow - Asynchronous plug-in

Box 1: Business rule

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Box 2: Power Automate flow

Trigger the Power Automate flow with "When a record is updated", then add a Condition in the flow and configure it with Status Label equals to Won.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-create-business-rule>

<https://www.inogic.com/blog/2021/12/how-to-win-lose-dynamics-365-crm-opportunity-through-power-automate-flow/>

NEW QUESTION: 3

□ □□□ □□□ □□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Group

Microsoft

Tool

Maintenance supervisors

▼

Microsoft Teams

Notes

Power Apps portal

Posts

Aircraft maintenance vendors

▼

Dynamics 365 Workspace

Notes

Power Apps portal

Posts

Answer:

NEW QUESTION: 5

□□□ □□□ □□□□ □□□ □□□□ □□ □□ □□ □□ □□□□ □□□□.

□□□□□ □□□ □□ □□□□ □□□□□□:

* □□ □□ □□□□□□ □□□□□□ □□□ □□□□ □ □ □□□ □□□□.

* □□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□□ □ □□□□.

* □□□ □□ □□ □□ □□□ □□□ □□ □□□□ □□□□.

* □□ □□□□ □□□ □□ □□□ □□□ □□□ □ □□□□.

□□□ □ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Issue	Resolution
The process of downloading initial metadata for the app takes hours to complete.	▼ Synchronize the mobile app. Remove organization data filters. Reduce records included in the profile filter.
Changes to users' security privileges are not reflected in the mobile app.	▼ Synchronize the mobile app. Reduce records included in the profile filter. Remove reference to tables not included in mobile profile.
Some account views are unavailable when the app is offline.	▼ Synchronize the mobile app. Reduce records included in the profile filter. Remove reference to tables not included in mobile profile.
Contact data is not available when the app is offline.	▼ Reduce records included in the profile filter. Update mobile profile to include contact information. Remove reference to tables not included in mobile profile.

Answer:

Answer: B (LEAVE A REPLY)

□□□ □□□□ □□ □□□ □□□□□.

* □□□□□ □3□ □□□□□ □□□□ □□□□□ □□□□□□□ □□□.

□□ □□□ □□□ □□□□□ □□□□ □□□.

☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐ ☐☐ ☐☐☐.

Challenges

Process

Adoption

Technical

Regulatory

Requirements with their feasibility challenge

Requirement

Dashboards must be updated in real time with data from third-party providers.

All parts of the solution must be GDPR compliant.

Challenge

Challenges

- Process
- Adoption
- Technical
- Regulatory

Microsoft

Explanation:

Challenges

- Process
- Adoption
- Technical
- Regulatory

Requirements with their feasibility challenge

Requirement	Challenge
Dashboards must be updated in real time with data from third-party providers.	Technical
All parts of the solution must be GDPR compliant.	Regulatory

Microsoft

NEW QUESTION: 8

□□ □□□ □□ □□□ □□□□□ □ □□ □□□□ □□□□ □□□□. □□□ □□□□□□ 5□ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□. □ □□□ □□□□□ □ 20□□ □□ □□ □□□□□ □□□ □□□□ □□□□ □□□□□□.

□ □□□ □□ □□□□ □□□ □□□□□□ □□□□ Microsoft Power Platform □□□□□ □□□ □□□□□□. □□, □□□□□ □□ □□ □□□ □□□□ □□ Microsoft Teams □□□ □□ □□ □□□ □ □□□□ □□□.

□□□ □□□□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□□□ □□□□□□.

□□ □□□□ □□□□ □□ □□□□ □□□ □□□□ □□□.

□□□□ □□□□ □□□.

□□ □□ □□□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□□. □□: □□ □□□ 1□□□□.

Answer Area

Microsoft

Requirement	Solution
Data storage and normalization.	Data Gateway Azure Data Lake Dataverse for Teams Azure Analysis Services
Visibility to key operational metrics from various Teams	Power BI AI Builder Teams adaptive cards Microsoft Teams integration object


Answer:

Answer Area

Microsoft

Requirement	Solution
Data storage and normalization.	Data Gateway Azure Data Lake Dataverse for Teams Azure Analysis Services
Visibility to key operational metrics from various Teams	Power BI AI Builder Teams adaptive cards Microsoft Teams integration object

Explanation:



Box 1: Azure Data Lake

A data warehouse is a centralized repository of integrated data from one or more disparate sources. Data warehouses store current and historical data and are used for reporting and analysis of the data.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/relational-data/data-warehousing>

<https://docs.microsoft.com/en-us/powerapps/teams/use-teams-integration-object>

NEW QUESTION: 9

□□ □□ □□ □□□ □□□□ □□□.

□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Requirement	Action
Obtain the serial number and other machine attributes for use in the inspection order.	Microsoft Use a virtual table. Import to a custom table. Create a lookup to Dynamics 365 Field Service.
Configure the relationship between inspection orders and inspection ratings.	Create a one-to-many relationship and set the behavior to Parental. Create a many-to-many relationship and set the behavior to Parental. Create a one-to-many relationship and set the behavior to Cascade None. Create a many-to-many relationship and set the behavior to Cascade None.

Answer:

Requirement	Action
Obtain the serial number and other machine attributes for use in the inspection order.	Use a virtual table. Import to a custom table. Create a lookup to Dynamics 365 Field Service.
Configure the relationship between inspection orders and inspection ratings.	Create a one-to-many relationship and set the behavior to Parental. Create a many-to-many relationship and set the behavior to Parental. Create a one-to-many relationship and set the behavior to Cascade None. Create a many-to-many relationship and set the behavior to Cascade None.

Explanation:

Requirement	Action
Obtain the serial number and other machine attributes for use in the inspection order.	Use a virtual table. Import to a custom table. Create a lookup to Dynamics 365 Field Service.
Configure the relationship between inspection orders and inspection ratings.	Create a one-to-many relationship and set the behavior to Parental. Create a many-to-many relationship and set the behavior to Parental. Create a one-to-many relationship and set the behavior to Cascade None. Create a many-to-many relationship and set the behavior to Cascade None.

Box 1: Create a lookup to Dynamics 365 Field Service

Scenario: Machines are assigned serial numbers and placed in stock until they are shipped to customers.

Entity lookup: Allows technicians to choose a Dynamics 365 record. In the inspection designer interface, admins must select an entity and a field to display. For a chosen entity, the Name field and mandatory fields are the entity attributes that can be displayed in the lookup.

Box 2: Create a one-to-many relationship and set the behavior to Parental Scenario: Inspection orders must:

Allow entry of quality ratings of passed or failed for each quality metric identified for the machine being rated.

Be automatically marked as failed if one inspection step rating is marked as failed.

Each inspection order can have one or many inspection steps, and each inspection step has a rating.

Note: Each pair of tables that are eligible to have a 1:N relationship can have multiple 1:N relationships between them. Yet usually only one of those relationships can be considered a parental table relationship.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/field-service/inspections>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>

NEW QUESTION: 10

□□□ □□□□ □□□ □□□ □ □□□□□ □□□ □ □□ □□□□ □□□□ □□□.

□□□ □□□□□□□□?

A. □□ □□

B. □□□□ □□□□ □□

C. □□□□

D. □□ □□□□□

Answer: B (LEAVE A REPLY)

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind.

Use business process flows to define a set of steps for people to follow to take them to a desired outcome.

With business processes flows available as an entity, you can now use advanced finds, views, charts, and dashboards sourced from business process flow data for a given entity, such as a lead or opportunity.

Scenario:
Agents need a solution to replace paper reservation checklists.
Agents need dashboards to show a current count of all reservations on the entity.
Agents need a way to track reservation issues.
Agents need a visual indicator in the interface to determine the reservation step to provide a seamless customer experience.

NEW QUESTION: 11

□□ □□□ □□ □□ □□□□ □□□.
□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.

Data type	Technical solution
Job placement record	Custom table Activity table Virtual table
Security clearance record	Lookup (N:1) Choice Lookup (N:N)

Answer:

Data type	Technical solution
Job placement record	Custom table Activity table Virtual table
Security clearance record	Lookup (N:1) Choice Lookup (N:N)

Explanation:

Data type	Technical solution
Job placement record	Custom table Activity table Virtual table
Security clearance record	Lookup (N:1) Choice Lookup (N:N)

Box 1: Virtual Table

A virtual table is a custom table in Microsoft Dataverse that has columns containing data from an external data source. Virtual tables appear in your app to users as regular table rows, but contain data that is sourced from an external database, such as an Azure SQL Database. Rows based on virtual tables are available in all clients including custom clients developed using the Dataverse web services.

Scenario:

First Up uses an on-premises system to manage current and historical patient data including medications and medical visits.

The company plans to reference historical data in the existing system. The records held in these systems will not be migrated to the new solution except for medication information.

The solution must provide a worker appointment booking system that can access worker historical job placement data.

First Up staff members must be able to view and update worker records. They must be able to see current and historical job placement data on the same form in the new solution.

Box 2: Lookup (N:1)

Each worker can have many security clearances, so need a 1:N relationship.

Scenario: The solution must support tracking of security clearance information for a worker including the date, status, and certifying agency.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-virtual-entities>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>

NEW QUESTION: 12

□ □□□ □□□□□□□□ □□ □□□□ □□□□ □□□□. □ □□□ Azure DevOps □□□□□□ □□□□ □□(ALM)□ □□□□ □□□□ □□□□□□.

□□□□ □□□□□□□ □ □□□ □□□□□□□□.

□ □□□ □□ □□□□ □□□□ □□□.

□□ □□□□ □□□□□□□□□? □□□□□□ □□□□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area	
Issue	Resolution
Account lookup column values in related records are blank.	- Import data in a specific order. - Change column-level security. - Change record ownership to organization. - Modify account privileges for security roles.
Power BI dashboard in the model-driven app is not visible to users.	- Share the Power BI semantic model - Share the Power BI dashboard. - Assign Power BI licenses to users. - Modify reporting privileges for security roles.

Answer:
Answer Area

Issue	Resolution
Account lookup column values in related records are blank.	- Import data in a specific order. - Change column-level security. - Change record ownership to organization. - Modify account privileges for security roles.
Power BI dashboard in the model-driven app is not visible to users.	- Share the Power BI semantic model - Share the Power BI dashboard. - Assign Power BI licenses to users. - Modify reporting privileges for security roles.

Explanation:



Microsoft

Issue

Account lookup column values in related records are blank.

Resolution

Modify account privileges for security roles.

Power BI dashboard in the model-driven app is not visible to users.

Assign Power BI licenses to users.

NEW QUESTION: 13

□ □□□ □□ □□ □□□ □□□□ □□ Power Apps □□□ □□□ □□□□□. □ □□□ □□ □□ □□ □□□ □□□ □□□, □ □□ □□□ □□, □□ □□ □ □□□□ □□□□□. □□□□ □□ □□ □□ □□ □□□ □□□□.

□□□ □□□ □□□ □□□ □□□ □□□□.

* □□□□□□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□.

* □□ □□□□ □□□ □□□ □□□ □ □ □□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

□□ □□□ □□ □□□ □□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□.

Requirement	Scope
Portal users must only see the notes for the cases that they manage.	▼ - Self - Parent - Contact - Account
Portal users must only see cases that are submitted by their colleagues.	▼ - Self - Global - Contact - Account

Answer:

Requirement	Scope
Portal users must only see the notes for the cases that they manage.	▼ Self Parent Contact Account
Portal users must only see cases that are submitted by their colleagues.	▼ Self Global Contact Account

Explanation:

Requirement	Scope
Portal users must only see the notes for the cases that they manage.	▼ Self Parent Contact Account
Portal users must only see cases that are submitted by their colleagues.	▼ Self Global Contact Account

Box 1: Contact

With Contact scope, a signed-in user in the role for which the permission record is defined will have the rights granted by that permission only for records that are related to that user's contact record via a defined relationship.

Box 2: Account

With Account Scope, a signed-in user in the role for which the permission record is defined will have the rights granted by that permission only for records that are related to that user's parent account record via a defined relationship.

This scope means that the entity list will only show the records of the selected entity that are associated to the user's parent account. For example, if an entity permission allows Read access to Lead entity with the Account scope, the user having this permission can view all the leads of only the parent account of the user.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/assign-entity-permissions>

NEW QUESTION: 14

□□ □□□ □□□□□□ □□ □□□ □□□ □□□□.

□□ □□□ Azure □□□ □ □□□□□ □□□ □□□□ □□□□ □□□ □□□.

□ □□□ Microsoft Power Platform □□ □□, Azure □□□ □ □□□ □□ □□ □□□□ □□□□ □□□ □□□□ □□□.

□□□ □□□ □□□□ □□□□ □□□□ □□□.

□□□□ □□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□. □□: □ □□□ 1□□□□.

A. Azure □□ □□□□ □□□ □□□□□□ □□□□□□.

B. SQL Server □□□□□ □□□□□ Azure □□□□ □□□□□.

C. Microsoft Power Apps□ □□□□□ □□□□ □□ □□□□ □ □□□ □□ □□□(VPN)□ □□□□□.

D. Microsoft Entra ID□ □□□□ Microsoft Power Platform □□□ □□ □□□□ □□□□□.

E. Azure □□□□ Microsoft Power Platform □□ □□ □□ □□□□ Azure Express Route□ □□□□□.

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 15

□ □□□ □□□ □□ □□□ □□□□ □□ Microsoft Power Platform□ □□□ □□□□□. □□ □□□ □□□□ □□□□ □□ □□□ □□ □□□□.

IT □□ DLP □□□ □□□ □□□□□. □ □□□□□ □□□ □□ □□ □□□ □□ □□ □□ □□ □□□ □□□ □□□□□.

IT □□ □□□ □□ □□□ □□□ □ □□ □□□ □□□□ □□□.

□ □□ □□□ □□ □□ □□□ □□□□□□□□□? □□□□□ □□□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □

□□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Policy types

Tenant

Environment

Answer Area

Microsoft

Security role

System Administrator

Power Platform Administrator

Global Administrator

Dynamics 365 Administrator

Policy type

Answer:

Policy types

Tenant

Environment

Answer Area

Microsoft

Security role

System Administrator

Power Platform Administrator

Global Administrator

Dynamics 365 Administrator

Policy type

Environment

Tenant

Tenant

Environment

Explanation:



NEW QUESTION: 16

Power BI is a business analytics service by Microsoft. It aims to provide interactive visualizations and business intelligence capabilities with an interface simple enough for end users to create their own reports and dashboards. It is part of the Microsoft Power Platform.

Power BI Apps are an easy way for designers to share different types of content at one time. App designers create the dashboards and reports and bundle them together into an app. The designers then share or publish the app to a location where you, the business user, can access it. Because related dashboards and reports are bundled together, it's easier for you to find and install in both the Power BI service (<https://powerbi.com>) and on your mobile device. After you install an app, you don't have to remember the names of a lot of different dashboards or reports because they're all together in one app, in your browser or on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-apps>

A. Power BI is a business analytics service by Microsoft. It aims to provide interactive visualizations and business intelligence capabilities with an interface simple enough for end users to create their own reports and dashboards. It is part of the Microsoft Power Platform.

B. Power BI Apps are an easy way for designers to share different types of content at one time. App designers create the dashboards and reports and bundle them together into an app. The designers then share or publish the app to a location where you, the business user, can access it. Because related dashboards and reports are bundled together, it's easier for you to find and install in both the Power BI service (<https://powerbi.com>) and on your mobile device. After you install an app, you don't have to remember the names of a lot of different dashboards or reports because they're all together in one app, in your browser or on your mobile device.

C. Power BI is a business analytics service by Microsoft. It aims to provide interactive visualizations and business intelligence capabilities with an interface simple enough for end users to create their own reports and dashboards. It is part of the Microsoft Power Platform.

D. Power BI Apps are an easy way for designers to share different types of content at one time. App designers create the dashboards and reports and bundle them together into an app. The designers then share or publish the app to a location where you, the business user, can access it. Because related dashboards and reports are bundled together, it's easier for you to find and install in both the Power BI service (<https://powerbi.com>) and on your mobile device. After you install an app, you don't have to remember the names of a lot of different dashboards or reports because they're all together in one app, in your browser or on your mobile device.

Answer: A,D (LEAVE A REPLY)

A: Power BI is a business analytics service by Microsoft. It aims to provide interactive visualizations and business intelligence capabilities with an interface simple enough for end users to create their own reports and dashboards. It is part of the Microsoft Power Platform.

D: Power BI Apps are an easy way for designers to share different types of content at one time. App designers create the dashboards and reports and bundle them together into an app. The designers then share or publish the app to a location where you, the business user, can access it. Because related dashboards and reports are bundled together, it's easier for you to find and install in both the Power BI service (<https://powerbi.com>) and on your mobile device. After you install an app, you don't have to remember the names of a lot of different dashboards or reports because they're all together in one app, in your browser or on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-apps>

PL-600-KR 100% Pass Guarantee 100% DumpTop 100% Pass Guarantee 100% PL-600-KR 100%! DumpTop 100% **PL-600-KR** 100% Pass Guarantee 100%, DumpTop PL-600-KR 100% Pass Guarantee 100% 100% Pass Guarantee 100%. 100% Pass Guarantee 100% 100% DumpTop PL-600-KR 100% Pass Guarantee 100%. <https://www.dumptop.com/Microsoft/PL-600-KR-dump.html> (260 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

Power BI is a business analytics service by Microsoft. It aims to provide interactive visualizations and business intelligence capabilities with an interface simple enough for end users to create their own reports and dashboards. It is part of the Microsoft Power Platform.

Power BI Apps are an easy way for designers to share different types of content at one time. App designers create the dashboards and reports and bundle them together into an app. The designers then share or publish the app to a location where you, the business user, can access it. Because related dashboards and reports are bundled together, it's easier for you to find and install in both the Power BI service (<https://powerbi.com>) and on your mobile device. After you install an app, you don't have to remember the names of a lot of different dashboards or reports because they're all together in one app, in your browser or on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-apps>

□□□□□, □□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□□□.

Actions

Run the pipeline.
Create an Export pipeline.
Create an Azure DevOps Project.
Install the Microsoft Power Platform Build Tools.
Create a Release pipeline.
Add a task for Microsoft Power Platform Import Solution.



Answer:



Explanation:



NEW QUESTION: 18

□□□ □□□ □□ □□□ □□□ □ □□□ □□ □□ □□□□ □□□□.
□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□.
* □□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□□.
* □□ □□□□ □□ □□ □□□□ □□□ □□□ □□□ □ □□□ □□□.
* □□ □□□□ □□□ □□□□ □□□ □□□□ □□□.
□□□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□.
□□ □□ □ □□□ □□□□□□□□? □ □□□ □□□□ □□□ □□□□□□.
□□: □□ □□□ 1□□□□□.

- A. □□ □□ □□
- B. □□ □□ □□□
- C. □□ □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

With the position hierarchy security, a user at a higher position has access to the records owned by a lower position user or by the team that a user is a member of, and to the records that are directly shared to the user or the team that a user is a member of.

The hierarchy security model is an extension to the earlier security models that use business units, security roles, sharing, and teams. It can be used in conjunction with all other existing security models.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/security-dev/hierarchical-security-control-access-entities>

NEW QUESTION: 19

□□□ □□□ □□ □□ □□□ □□□□ □□□□.

□□□ □□ □□ □□□ □□□□ □□□.

* □□□ □□□ □□□□ □□□ □ □□□ □□□.

□□□ □□ □□□□□ □□□ □□□□ □□□ □ □□□ □□□.

* □□□ □□□□ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□□.

□□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□.

□□ □□□ □□□ □ □□□ □□□□□□□□? □ □□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□.

A. Dynamics 365 □□ □□□

B. Dynamics 365 □□ □□□

C. □□ □□□□ □□ □□□□

D. □□ □□□□

E. □□ □□ □□□ □□

Answer: B,C,E ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/portal-templates>

<https://docs.microsoft.com/en-us/dynamics365/customer-service/embed-chat-widget-portal>

NEW QUESTION: 20

□□□ □□□ □□ □□ □□ □□□□ □□ □□□ □□ □□□□□. □□□□ □□ □□ □□□ □□□□ □□□□ □□□? □ □□ □□ □□ □□□ □□□□□?

A. □□ □□

B. □□ □□□

C. □□ □□□□

D. □□□ □□□

E. □□□□□□□ 365 □□□□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Power Automate□ □□ □□□□ □□□(RPA) □□□ □□ □□□□ □□ □□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□. □□□□ □□ □□□□□ □□□□ □□□ □□ Azure □□ □□□ □□ □ □□□□□□□□□.

Azure □□ □□□ □□□□□ □□□□ □□□□ □□□□.

A. □□ □□ □ □□□□ □□

B. Azure VM □□□ □ □□□ □□

C. □□□ □□□□□ □ □ □□□ □□□□□

D. ☐☐ ☐☐ ☐ ☐☐☐ ☐☐

E. ☐ ☐ ☐ ☐ ☐ ☐ ☐ Power BI ☐ ☐ ☐

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 22

Microsoft Dataverse

□□ □□ □□□ □□ □□ □□□ □□□□□□.

* □□□□ □□ □□□ □□□ □ □□□ □□□□ □□ □□ □□ □□□□.

* □□□□ □□□□ □□□□ □□□□ □ □□□ □□ □□□□ □□□□□□.

* □□□□□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□□□ □□□□.

☐☐☐ ☐☐☐☐ ☐☐☐.

□□□ □□ □□□? □□□ □□□□□ □□□□□ □□□ □□□ □□□□. □□: □□ □□□ 1□□□□.

Answer Area	Microsoft						
Issue Users can access account records but cannot read a column in the table. A licensed user receives an insufficient permission error when opening leads. A licensed user does not appear in the list of users available for security assignment.	Action <table border="1" data-bbox="616 781 1094 816"> <tr><td>Security role</td></tr> <tr><td>Security group</td></tr> <tr><td>Field security profile</td></tr> </table> <table border="1" data-bbox="616 816 1094 849"> <tr><td>Security role</td></tr> <tr><td>Security group</td></tr> <tr><td>Field security profile</td></tr> </table>	Security role	Security group	Field security profile	Security role	Security group	Field security profile
Security role							
Security group							
Field security profile							
Security role							
Security group							
Field security profile							

Answer:

Issue	Action
Users can access account records but cannot read a column in the table.	Security role Security group Field security profile
A licensed user receives an insufficient permission error when opening leads.	Security role Security group Field security profile
A licensed user does not appear in the list of users available for security assignment.	Security role Security group Field security profile

Explanation:

Issue	Action
Users can access account records but cannot read a column in the table.	▼ Security role Security group Field security profile
A licensed user receives an insufficient permission error when opening leads.	▼ Security role Security group Field security profile
A licensed user does not appear in the list of users available for security assignment.	▼ Security role Security group Field security profile

References:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/field-security-entities>

NEW QUESTION: 23

□□□ □□□ □□ □□□ □□□□□ □□□□ Microsoft Power Platform □□□□□□□. □□□□ □□ □□ □ □□ □□ □□ □□ □□ □□ □□□□ □□□□□. □□□□ □□□ □□□□ □□ □□ □□□ □□□ □ □□ □□□ □□ □□□ □□□□ □□□. □□ □□□□ □□ □□ □ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□ □□□□. □□□□□ □□□□□ □□□ □□□. □□ □□□□□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

Answer Area



Requirement

Enable sales representatives to locate assets in less time.

Enable management to view inventory and asset details.

Priority

Non-functional

Time Consumer

Non-functional

Functional

Quick Win

Functional

Big Investment

Non-functional

Budget

Functional

Answer:

Answer Area

Requirement

Enable sales representatives to locate assets in less time.

Enable management to view inventory and asset details.

Priority

Non-functional

Time Consumer

Non-functional

Functional

Quick Win

Functional

Big Investment

Non-functional

Budget

Functional

Explanation:

Answer Area



Requirement

Enable sales representatives to locate assets in less time.

Enable management to view inventory and asset details.

Priority

Non-functional

Functional

NEW QUESTION: 24

[illegible]

A. ☐☐ ☐☐☐☐ ☐☐☐☐☐.

B. □ □□□ □□□□ □□□□□□□□.

[illegible]

Answer: C (LEAVE A REPLY)

NEW QUESTION: 25

☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐.

□ □ □ □ □ □ □ □ □ ?

A. ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐.

B. IT ☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐.

C. IT ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.

D. ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 26

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□□ □ □ □□□ □ □□□, □ □□ □□ □□ □□□ □□□□.

[illegible]

Microsoft Power Platform

□□ □□: □□□ □□□ □□□ □□□□□.

□ □□□□ □□□ □□□□□?

A. ☐

B. ☐☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

0000 0000 00 0000 0000 0000 0000 0000 0000. 000000 00 00 00 0000 00000. 00 0000 00 00 00 Azure AD 00 0000 00000 0000 00000
00 0000 000000.

□□□ □□ □□□□□ □□□□□□□□:

* □□ □□□ □□ make.powerapps.com□ □□□□□ □□ □□□ □□ □□□ □ □□□□.

* □□□□ □□ Azure AD □□ □□□ □□□□ □□ □□ □□ □□□□ □ □□□□.

* □□□□ □□ Azure AD □□ □□□ □□□□ □□□ □□ □□□□ □ □□□□.

□ □ □ □ □ □ □ □ □ □ .

□□□ □□ □□□? □□□ □□□□ □□□□ □□□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

Answer Area

Issue

The superuser team cannot set the environment variables.

Users cannot access the model-driven app.

Users cannot access the canvas app.



Microso

Resolution

- Assign the System Customizer role.
- Assign the Basic User role.
- Assign the Service Reader role.
- Assign the Office Collaborator role.

- Assign the Basic User role.
- Assign the Service Reader role.
- Assign the Office Collaborator role.
- Add the Azure AD Security Group.

Add users to an Azure AD Security Group.

Answer:

Answer Area


Issue

The superuser team cannot set the environment variables.

Users cannot access the model-driven app.

Users cannot access the canvas app.

Resolution



Assign the System Customizer role.

Assign the System Customizer role.

Assign the Basic User role.

Assign the Service Reader role.

Assign the Office Collaborator role.

Assign the Basic User role.

Assign the Basic User role.

Assign the Service Reader role.

Assign the Office Collaborator role.

Add the Azure AD Security Group.

- Add users to an Azure AD Security Group.
- Assign the System Customizer role.
- Assign the Service Reader role.
- Add users to the superuser team.
- Add users to an Azure AD Security Group.

Explanation:

Answer Area	
Issue The superuser team cannot set the environment variables. Users cannot access the model-driven app. Users cannot access the canvas app.	Resolution Assign the System Customizer role. Assign the Basic User role. Add users to an Azure AD Security Group.

NEW QUESTION: 28

[illegible]

* □□□□ □□□ □□ □□□□□.

* PowerBI에 대한 요구 사항을 충족하는 보안 구성을 선택하십시오.

* 보안 구성을 선택할 때 다음을 고려하십시오.

1. 요구 사항을 충족하는 보안 구성을 선택하십시오.

2. 보안 구성을 선택할 때 다음을 고려하십시오: 보안 구성은 모든 요구 사항을 충족해야 합니다.

3. 보안 구성을 선택할 때 다음을 고려하십시오.

Answer Area

Requirement

Share a canvas app.

Control account balance visibility.

Streamline user administration and role assignment.



Microsoft

Security component

Microsoft Entra ID security group

Security roles

Column-level security

Manager hierarchy model

Microsoft Entra ID security group

Report access

Report access

Column-level security

Microsoft Entra ID security group

Manager hierarchy model

Security roles

Column-level security

Manager hierarchy model

Microsoft Entra ID security group

Answer:

Answer Area

Requirement	Security component
Share a canvas app.	Microsoft Entra ID security group Security roles Column-level security Manager hierarchy model Microsoft Entra ID security group
Control account balance visibility.	Report access Report access Column-level security Microsoft Entra ID security group
Streamline user administration and role assignment.	Manager hierarchy model Security roles Column-level security Manager hierarchy model Microsoft Entra ID security group

Explanation:

Answer Area

Requirement	Security component
Share a canvas app.	Microsoft Entra ID security group
Control account balance visibility.	Report access
Streamline user administration and role assignment.	Manager hierarchy model

NEW QUESTION: 29

□□ □□□ □□□□ □□ □□ □□□ □□□.


□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Requirement

Solution

Prevent editing of finalized inspection orders.



Business rule
Security role
User permission

Prepare documentation for failed inspection steps.




Data flow
Business rule
Form property

Answer:

Requirement


Solution

Prevent editing of finalized inspection orders.



Business rule
Security role
User permission

Prepare documentation for failed inspection steps.



Data flow
Business rule
Form property

Explanation:

Answer: A,B,C (LEAVE A REPLY)

A: With advanced data preparation available in Power Apps, you can create a collection of data called a dataflow, which you can then use to connect with business data from various sources, clean the data, transform it, and then load it to Microsoft Dataverse or your organization's Azure Data Lake Gen2 storage account.

B: By combining conditions and actions, you can do any of the following with business rules:

- * Set column values
- * Clear column values
- * Set column requirement levels
- * Show or hide columns
- * Enable or disable columns
- * Validate data and show error messages
- * Create business recommendations based on business intelligence.

C: Duplicate detection works by comparing generated match codes of existing records with each new record being created. These match codes are created as each new record is created. Therefore, there is potential for one or more duplicate records to be created if they are processed at the exact same moment. In addition to detecting duplicates as they are created, you should schedule duplicate detection jobs to check for other potential duplicate records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-create-business-rule>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-and-use-dataflows>

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/duplicaterule-entities>

NEW QUESTION: 31

□□□ □ □□□ □□ □□ □□□ □□□□ □□□□.

□□□□□□ □□□ □□□ □□□□□ □□ □□□ □□□□□ □□□.

□□□□□ □□□□ □□ □□□ □□□□ □□□.

□□ □ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

A. □□ □□ □ □□ □□□□ □□□□□.

B. □□ □□□ □□□□ □□□□□.

C. □□ □□□□ □□ □□ □□□ □□□□ □□□□□.

D. □□□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□□.

Answer: B,D (LEAVE A REPLY)

To control data access, you must set up an organizational structure that both protects sensitive data and enables collaboration. You do this by setting up business units, security roles, and field security profiles.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/security-roles-privileges>

PL-600-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-600-KR □□! DumpTop □ □□ **PL-600-KR** □□ □□□ □□□□□□□, DumpTop PL-600-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-600-KR □□□ □□□□□□. <https://www.dumptop.com/Microsoft/PL-600-KR-dump.html> (260 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□ □□□ Microsoft Dynamics 365 □ Microsoft Power Platform □ □□□ □□□□□. □ □□□ □□□ □□ □□ □□□ □□□ □□□□.

* □□□ □□□ □□ □□ □□ □□□□ □□□□.

* □□□□ □□□ □□□□ □□□□ □□□ □□□□□□.

□□□□□ □□□□ □□□□ □□□□ □□□.

□□ □□□□ □□□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□□.



Answer:



Explanation:



NEW QUESTION: 33

□ □□□ Microsoft Power Platform □ □□□□ □□□□. □ □□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□□. □□□ □□□ □□ □□ □□□ □□□ □□□ □□□ □□□ □

□□□□.

□□□ □ □□□ □□ □□□ □□□□□□□.

* □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□ □□ □ □ □□□□.

* □□ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □ □ □□□□.

□ □□□ □□ □□□□ □□□□ □□□.

□□ □□□□ □□□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.

Answer Area

Issue

Users assigned to the Contact Manager security role cannot view the embedded canvas app.

Some users assigned to the Basic User security role cannot view the embedded canvas app.

Resolution

Add the Contact Read privilege to the Contact Manager security role.
 Publish the Contact form.
 Republish the canvas app from Power Apps studio.
 Add the Contact Read privilege to the Contact Manager security role.
 Add the Canvas App Read privilege to the Contact Manager security role.

Add the Canvas App Read privilege to the Basic User security role.
 Republish the Contact form.
 Share the canvas app with the users.
 Republish the canvas app from Power Apps studio.
 Add the Canvas App Read privilege to the Basic User security role.

Answer:

Answer Area

Issue

Users assigned to the Contact Manager security role cannot view the embedded canvas app.

Some users assigned to the Basic User security role cannot view the embedded canvas app.

Resolution

Add the Contact Read privilege to the Contact Manager security role.
 Publish the Contact form.
 Republish the canvas app from Power Apps studio.
 Add the Contact Read privilege to the Contact Manager security role.
 Add the Canvas App Read privilege to the Contact Manager security role.

Add the Canvas App Read privilege to the Basic User security role.
 Republish the Contact form.
 Share the canvas app with the users.
 Republish the canvas app from Power Apps studio.
 Add the Canvas App Read privilege to the Basic User security role.

Explanation:

A screenshot of a computer AI-generated content may be incorrect.

Answer Area

Issue

Users assigned to the Contact Manager security role cannot view the embedded canvas app.

Some users assigned to the Basic User security role cannot view the embedded canvas app.

Resolution

Add the Contact Read privilege to the Contact Manager security role.

Add the Canvas App Read privilege to the Basic User security role.

NEW QUESTION: 34

□ □□□ □□□ □□ □□□□ 250□ □□ □□□ □□ Microsoft Dataverse□ □□□ □□□□□. □□□□ □□□ □□ □□□□ □□□ □□□□□. □□□□ □□□□ □□□ □□ □□ □□ □□□□□□ □□ □□ □□□□□□. □□□□□□ □□ □□ □□□□ □□□, □□ □□□ □□□□ □□□?

- A. Azure □□□ □□□
- B. Azure Service Bus
- C. □□ □□□□□
- D. Azure Event Grid

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

□ □□□ □□ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□. □ □□□ □□□ □□□ □□ □□ □□□□ □□□□□ □□□. □□□ □□□ □□ □□ □□□ □□□ □□□□. * □□□ □□□ □□□□ □□□ □ □□ □□□ □□□ □□□□□. * □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □ □□□ □□□□. * □□ □□□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □□□□□. □□□ □□□□ □□□□ □□□. □□ □ □□ □□ □□□ □□□□□□□□? □ □□□ □□□□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

- A. Dynamics 365 □□ □□□□ □□
- B. □□ □□ □□□ □□
- C. Dynamics 365 □□ □□□
- D. □□□□ □□□□ □□
- E. □□ □□□□ □□ □□□□

Answer: B,D,E (LEAVE A REPLY)

B: Customer self-service portal: A customer self-service portal enables customers to access self-service knowledge, support resources, view the progress of their cases, and provide feedback.
Note: Based on the selected environment in Power Apps, you can create a Dataverse starter portal or a portal in an environment containing customer engagement apps (Dynamics 365 Sales, Dynamics 365 Customer Service, Dynamics 365 Field Service, Dynamics 365 Marketing, and Dynamics 365 Project Service Automation).
E: Omnichannel for Customer Service offers a suite of capabilities that extend the power of Dynamics 365 Customer Service Enterprise to enable organizations to instantly connect and engage with their customers across digital messaging channels.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/portals/portal-templates>
<https://docs.microsoft.com/en-us/dynamics365/customer-service/embed-chat-widget-portal>

NEW QUESTION: 36

□□□ □ □□□ □□ □□□□□□ □□□□□ □□□□□ □□□□. □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□□ □□□. □□□ □□ □ □□ □□□ □□ □□□ □□ □□□□ □□□? □ □□□ □□□ □□□□□. □ □□□ □□□□□. □□: □ □□□ 1□□□□.

- A. □□
- B. □□ □□
- C. □□□ □□
- D. □□
- E. □□

Answer: (SHOW ANSWER)

NEW QUESTION: 37

□□□ □□□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□□ □ □□ 10□□ □□□□.

□ □□ □□□ □□□□ □ □□ □□□□ □□□ □□□ □□□.

□□ □ □□ □□□□ □□□□□□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□.

- A. □□□□□ □□□□ □□□□.
- B. □□□ JavaScript □□□ □□□□□.
- C. □□□□□ OnLoad □□□□ □□□□□.
- D. □□□□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

Controls that require extra data beyond the primary record produce the most strain on form responsiveness and loading speed. These controls fetch data over the network and often involve a waiting period (seen as progress indicators) because it can take time to transmit the data.

Keep only the most frequently used of these controls on the default tab.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/design-performant-forms>

NEW QUESTION: 38

□□ □□□□□□□ □□□□ Microsoft Power Platform □□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□ □□□.

* □□□□□ □□□ □□□□ □ □□□ □□□.

* □□□□ □□□□ □□□ □□□□□ □□□□ □□□□□□□□.

* □□□ □□□□ □□ □□□.

* □□ □□□ □□□□ □□ □□.

* □□□□ □□ □□ □□□ □□□□□.

□□ □□ □□□□□□□ □□□□□□ □□□ □ □□ □ □□ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□. □□: □ □□□ 1□□□□.

- A. □□□ □□□□ □□ □□□.
- B. □□ □□□ □□□□ □□□ □□□□ □□.
- C. □□ □□ □□ □□.
- D. □□□ □□□□ □□ □□□.
- E. □□□□ □□□□□ □□□□□ □□□□ □□□□□□ □□.

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 39

□□□ □□□ □□□ □ □□□ □□ □□□ □□(fit gap analysis)□ □□□□ □□□□. □□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□□ □□□□ □□□□ □□□ □□□. □□□□ □□□ □ □□ □□ □□□ □□ □□, □□ □ □□□ □□□□ □□□ □□□ □□ □□□□ □□ □ □□□ □□ □□ □□□□. □□□□ □□□ □□ □□ □□□ □□ □□□□ □□□□ □□□.

- A. □□ □□□□□ □□ □□□□ □□□□□□ □□□□□ □□□□.
- B. □□□□□ □□□□ □□□ □□□□.
- C. □□ □□□□□ □□ □□ □□□ □□□□ □□□□.
- D. □□□ □□□□ □□□□□ □□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 40

Which of the following is a common issue when migrating data from Microsoft Power Platform to Microsoft Dynamics 365? (Select all that apply.)

* Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Records that include lookup columns often fail to load.

Answer Area

Issue	Solution
Migration processes fail due to operation timeouts.	Increase multithreading and/or batch size settings. Increase multithreading and/or batch size settings. Decrease multithreading and/or batch size settings. Ensure you are loading data into all tables at the same time. Ensure you are loading data into tables in a particular order.
Records that include lookup columns often fail to load.	Ensure you are loading data into tables in a specific order. Increase multithreading and/or batch size settings. Decrease multithreading and/or batch size settings. Ensure you are loading data into all tables at the same time. Ensure you are loading data into tables in a specific order.

Answer:

Answer Area

Issue	Solution
Migration processes fail due to operation timeouts.	Increase multithreading and/or batch size settings. Increase multithreading and/or batch size settings. Decrease multithreading and/or batch size settings. Ensure you are loading data into all tables at the same time. Ensure you are loading data into tables in a particular order.
Records that include lookup columns often fail to load.	Ensure you are loading data into tables in a specific order. Increase multithreading and/or batch size settings. Decrease multithreading and/or batch size settings. Ensure you are loading data into all tables at the same time. Ensure you are loading data into tables in a specific order.

Explanation:

Answer Area



Microsoft

Solution

Migration processes fail due to operation timeouts.

Increase multithreading and/or batch size settings.

Records that include lookup columns often fail to load.


Ensure you are loading data into tables in a specific order.

NEW QUESTION: 41


□□□□ □□ □□□□□□ Microsoft Dynamics 365 Sales □□ □□□□ □□□□ □□□□□. □□ □□□□ □□ □□□ Microsoft Teams □□□□ □□□□□. □□ □□□□ □□ □□□ □□□□ □□ □
□□□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□□□.
□□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□.
□□□□ □□□ □□ □□□□□ □□□□ □□□□□. □□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□□.
□□□□ □□□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□□ □□□?
□□□□□, □□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□□□□.

Actions	Steps
⋮ Edit the existing sales flow.	
⋮ Parse the keywords from the sales emails.	
⋮ Install Microsoft Power Automate in the environment.	
⋮ Create the JSON message for the adaptive card.	
⋮ Create a new flow in Microsoft Power Automate.	
⋮ Add a trigger to the flow when email arrives in the sales mailbox.	
⋮ Add a flow step to post adaptive card in the Teams technical channel.	

Answer:



Explanation:



NEW QUESTION: 42

Which of the following is a valid use case for the Microsoft Power Platform? (fit gap analysis) The Microsoft Power Platform is a set of tools that can be used to create custom applications and workflows. It can be used to create custom applications for a variety of purposes, including sales, marketing, and customer service. It can also be used to create custom workflows that can automate a variety of tasks, such as data entry and report generation.

- A. Creating custom applications for a variety of purposes.
- B. Automating a variety of tasks, such as data entry and report generation.
- C. Creating custom workflows that can automate a variety of tasks.
- D. All of the above.

Answer: (SHOW ANSWER)

NEW QUESTION: 43

Which of the following is a valid use case for the Microsoft Power Platform? The Microsoft Power Platform is a set of tools that can be used to create custom applications and workflows. It can be used to create custom applications for a variety of purposes, including sales, marketing, and customer service. It can also be used to create custom workflows that can automate a variety of tasks, such as data entry and report generation.

Answer Area

Requirement

Download compliant ISV solutions.

Verify that the ISV solution will not have issues with high-volume transactions.

Solution

AppSource
Security
API limits
AppSource
ISV Studio

API limits
Security
API limits
AppSource
ISV Studio

Answer:

Answer Area

Requirement

Download compliant ISV solutions.

Verify that the ISV solution will not have issues with high-volume transactions.

Solution

AppSource
Security
API limits
AppSource
ISV Studio

API limits
Security
API limits
AppSource
ISV Studio

Explanation:

Answer Area

Requirement

Download compliant ISV solutions.

Verify that the ISV solution will not have issues with high-volume transactions.

Solution

AppSource
API limits

NEW QUESTION: 44

□□□ □□□□□□□ □□ □□□ □□□□ □□□□ □□□□.

□ □□□□ □□□□ Microsoft Power Platform □□ □□□ □□□ □□ □□□ □□□□□.

Microsoft AppSource □□□ □□□ □□□□ □□□.

AppSource□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□.

A. □□□□□□□ □□ □□□□ □□ □ □□□□ □□ □□.

- B. Microsoft Entra ID □□□□□ □□ □□□(SSO).
- C. □□ □□ □□ □□ □□ □□□ □□□.
- D. □ □□ □□□ □□ 99.9%□□□.
- E. □□□ AppSource□ □□□ □ □□□□ □□ □□□ □□□□□.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 45

□ □□□ Microsoft Power Platform□ Microsoft Dataverse□ □□□□ □□□□. □ □□□ □□, □□□, □□□ □□ □□ □□□□ □□ □□ □ □□□□ □□ □□□ □□□□□□□□. □□ □□□□ □□ □ □□□ □□ □□□ □□ □□□. □□□ □□ □□□?

- A. □□□□ □□ □□□ □□ □□ □□ □□□□□.
- B. Microsoft Power Platform □□ □□□□ □□ □□□□ □□□□□□.
- C. □□ □□□□□ □□ □□□ □□□ □□ □□ □□□□□□.
- D. □□□□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□ □ □□ □□□ □□□□ □ □□□ □□ □□□ □□□ □□□ □□□.

□□ □□ □□□ □□□□□□□□?

- A. □□□ □□ □□
- B. □□
- C. □□ □□
- D. □ □□ □□

Answer: B ([LEAVE A REPLY](#))

Scenario:

Customers can select a meal when they make a reservation and can save the meal choices as a customer preference.

The company offers two types of meals: standard and vegetarian. Meal types can be temporarily unavailable.

The airline is considering offering other meal types, such as gluten-free and low-sodium options.

In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage - once you define its text values you can centrally managed it.

Example:

Explanation:

NEW QUESTION: 48

[illegible]

Requirement	Technology option
Save captured images in an appropriate location.	▼ Business process flow Desktop flow Instant cloud flow Automated cloud flow
Analyze saved images by using an image recognition process.	▼ Instant cloud flow and AI Builder Automated cloud flow and AI Builder Desktop flow and AI Builder
Display data in real-time dashboards.	▼ Dynamics 365 interactive experience dashboard Model-driven app dashboard with native graphs Model-driven app dashboard with Power BI

Answer:

Requirement	Technology option
Save captured images in an appropriate location.	▼ Business process flow Desktop flow Instant cloud flow Automated cloud flow
Analyze saved images by using an image recognition process.	▼ Instant cloud flow and AI Builder Automated cloud flow and AI Builder Desktop flow and AI Builder
Display data in real-time dashboards.	▼ Dynamics 365 interactive experience dashboard Model-driven app dashboard with native graphs Model-driven app dashboard with Power BI

Explanation:

Requirement	Technology option
Save captured images in an appropriate location.	▼ Business process flow Desktop flow Instant cloud flow Automated cloud flow
Analyze saved images by using an image recognition process.	▼ Instant cloud flow and AI Builder Automated cloud flow and AI Builder Desktop flow and AI Builder
Display data in real-time dashboards.	▼ Dynamics 365 interactive experience dashboard Model-driven app dashboard with native graphs Model-driven app dashboard with Power BI

Box 1: Automated cloud flow.

Create a cloud flow when you want your automation to be triggered either automatically, instantly, or via a schedule.

Automated flows: Create an automation that is triggered by an event such as arrival of an email from a specific person, or a mention of your company in social media.

Box 2: Desktop flow and AI Builder

Desktop flows are used to automate tasks on the Web or the desktop. Using Power Automate Desktop you can automate tasks on the desktop as well as the Web.

Box 3: Model-driven app dashboard with Power BI

The Power BI cloud service works with Microsoft Dataverse apps to provide a self-service analytics solution.

Power BI automatically refreshes the app 's data displayed.

Reference:

<https://docs.microsoft.com/en-us/power-automate/flow-types>

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/use-power-bi>

NEW QUESTION: 49

□□□ □□□□ □□□ □□□□ □□□ □□□□.

□□ □□□ □□□ □ □□□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□□.

□□□□□ □□□ □□□ □□□ □□□ □□□ □□□.

□□ □ □□ □□ □□ □□□□□□□□? □ □□□ □□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

A. □□□□ □□□ □□□□□.

B. □□□□□□ □□□ □□□□□□.

C. □□ □□□□□ □□□□□.

D. □ □□□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

Client-side scripting using JavaScript is one of the ways to apply custom business process logic for displaying data on a form in a model-driven app. You can use a community tool, Ribbon Workbench, to visually edit ribbons using the UI.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/client-scripting>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/customize-commands-ribbon>

NEW QUESTION: 50

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

* Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to an on-premises Active Directory.

* Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

* Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

A. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to an on-premises Active Directory.

B. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

C. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

D. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

E. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

Answer: (SHOW ANSWER)

NEW QUESTION: 51

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

Which of the following is a valid use case for the Microsoft Entra ID Connect app?

A. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to an on-premises Active Directory.

B. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

C. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

D. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

E. Microsoft Entra ID Connect app can be used to connect Microsoft Entra ID to a cloud-based Active Directory.

Answer: (SHOW ANSWER)

Non-functional requirements capture the elements that users might not directly care about but are important to support the proposed architecture and operational viability of the solution. Non-functional requirements often influence user adoption and perceived satisfaction with the solution.

Examples of common non-functional requirement types include:

Availability

Compliance/regulatory

Data retention/residency

Performance (response time, and so on)

Privacy

Recovery time

<https://docs.microsoft.com/en-us/learn/modules/work-with-requirements/4-non-functional-requirements>

□□: □□ □□□ 1□□□□.

Requirement	Product
Enable collaboration between onsite inspectors and remote inspectors.	Dynamics 365 Remote Assist
Enable management and maintenance of knowledge articles.	Dynamics 365 Customer Service

Requirement	Product
Enable collaboration between onsite inspectors and remote inspectors.	Dynamics 365 Remote Assist Dynamics 365 Remote Assist Dynamics 365 Customer Voice Dynamics 365 Customer Insights
Enable management and maintenance of knowledge articles.	Dynamics 365 Customer Service AI Builder Dynamics 365 Customer Voice Dynamics 365 Customer Service Dynamics 365 Customer Insights

Requirement	Product
Enable collaboration between onsite inspectors and remote inspectors.	Dynamics 365 Remote Assist
Enable management and maintenance of knowledge articles.	Dynamics 365 Customer Service

NEW QUESTION: 53

□□□ □□□ □□ □□□□ □□□ □□□ □□□.

□□ □ □□ □□□ □□□□□□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□.

A. AI □□

B. SQL Server Reporting Services(SSRS)

C. □□□□□ 365

D. □□ BI

Answer: B,C (LEAVE A REPLY)

Scenario:

* The reporting and analytics team must be able to create reports that include data from all facilities and all workers.

* Management reports must present an overview of the entire organization. Other reports may be limited to specific offices.

B: Power Apps apps can include reports that provide useful business information to the user. These reports are based on SQL Server Reporting Services and provide the same set of features that are available for typical SQL Server Reporting Services reports.

C: Microsoft Dynamics 365 online and Model-Driven PowerApps offers several advanced reporting options.

Advanced reports are often necessary when business requirements demand complex calculations, returning multiple data sets, grouping large sets of data based on rules, and retrieving data from different data sources.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/add-reporting-to-app>

<https://powerusers.microsoft.com/t5/Building-Power-Apps/Creating-SSRS-Report-for-Model-Driven- PowerApps/td-p/621866>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/powerapps-custom-visual>

NEW QUESTION: 54


□ □□□ Dynamics 365 States□ □□□□ Microsoft Power Platform □□□□ □□□ □□□□□. □ □□□□ □□ □□ □□□ □□□□ □□□.

* □□□ □□ □□□ □□ □□□□ Dynamics 365 Sales □□□□□ □□ □□□ □□, □□□□ Microsoft Azure SQL □□□□□□□□ □□ □□□ □□□ □□ □□□ □ □□□□□.

* □□ □□□□□ □□□ Dynamics 365 Sales □□□□□ □□□□ □□□□ □□□.

Dynamics 365 Sales□ □ □□□□ □□□□ □ □□ □□□ □□□□ □□□ □□□ □□□.

□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.



Answer:

Integration requirement

Have read-only visibility of data from an external Azure SQL database.

Solutions

- Use virtual tables.
- Use a custom plug-in.
- Use Dynamics 365 Web API.
- Use a web resource to display data.

- Use a custom plug-in.
- Use Dynamics 365 Web API.
- Use a web resource to display data.

External system sends data to Dynamics 365 Sales.



NEW QUESTION: 55

□ □□ Power Automate □ □□□ □□□□ □□□□ □□□□. □□ □□ □□ □□□□ □□ □□ □□□□ □□□□□□. □ □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□□. □□□ □□ □□□?

- A.** □□□□ □□□□ □□□□ □□ □□□□ □□□□□.
- B.** □□ □□□□ □□□□ □□ □□□□ □□□□□.
- C.** □□□□□ □□□□ □□ □□□□□ □□□ □□□ □□□□□.
- D.** □□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 56

☐ ☐ ☐ Azure ☐ ☐ ☐ ☐ ☐ API ☐ ☐ ☐ ☐ ☐ ☐ Microsoft Power Platform ☐ ☐ ☐ ☐ ☐.

Microsoft Power Platform ☐ ☐ ☐ API ☐ ☐ ☐ ☐.

- A.** □□□ □□ □□□
B. □□ □□
C. □□□□ □□
D. □□□ □□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 57

□□□□ □□ □□ □□ □□□ □□□□ □□□□. □□□ □□ □□ □□□ □□□□.

* □□ □□, □□ □□ □□ □ □□ □□□ □□□□□.

* □□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□ □□□□□.

* □ .

□□ Dynamics 365 □ Microsoft Power Platform □□ □□□ □□□□ □□□. □□ □ □□ □□ □□□ □□□□ □□□? □ □□□ □□ □□□ □□□ □□□□□□. □□: □□ □□□ 1□□□□.

- A.** Dynamics 365 ☐☐ ☐☐☐☐
B. ☐☐ ☐☐ ☐☐☐☐
C. ☐☐BI
D. Dynamics 365 ☐☐ ☐☐

Answer: A,B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/dynamics365/customer-service/overview>

Microsoft Power Platform □□□□ □□□ □□□□□ □□□□. □ □□□□ □□□ □□□ □□□ □□ □ □ □□□ □□□.

Department	Requirements
Inside sales	• Use only a browser-based app. • Include fields for contact name, phone number, product, order date, and total amount owed.
Fulfillment	• Use either a mobile or browser-based app. • Include fields for contact name, product, and order date.
Field sales	• Use only a mobile app. • Include fields for contact name, address, phone number, and product.

D. □□ □□□ □ □□ □□□□□. □□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

□□□□□ □□□ □□□□ □□□? □□□ □□□□ □□□ □□□ □□ □□□□ □□ □□□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□ □□□ □ □□□ □□ □□□ □ □□□□ □□□□□ □ □□ □□□□.

Reference:
<https://docs.microsoft.com/en-us/powerapps/user/import-data>

NEW QUESTION: 61

□□□ □ □□ □□□ □□□ □□ □□□□□ □□□□ □□□□. □ □□□ □□□□□□□ □□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□ □□□ □□□ □□□□□□□ □□□□ □□□, □□ □□□ □□ □□□ □ □□ □□□ □□ □□□ □□□□ □□□ □□□. □□□ □ □□□□□ □□ □□ □□□ □□□□ □□□.

- A. □□□ □□□ □□
- B. □□ □□ □□
- C. □□ □□
- D. □□ □□ □□
- E. □□ □□ □□

Answer: (SHOW ANSWER)

PL-600-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-600-KR □□! DumpTop □ □□ **PL-600-KR** □□ □□□ □□□□□□, DumpTop PL-600-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-600-KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/PL-600-KR-dump.html> (260 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 62

□ □□□ □□□ □□, □□, □□□ □□□ □□ □□□□□ □□□□ □□ □□□□□□□ □□ □□□ □□□□ □□□□ □□□□. □ □□□ □□□□□ □□□□□ □□□ □□□ □□□□□. □□□ □ □□□ □□□□ □□ □□□□ □□□□ □□□, □ □□□ □□□ □□/□□□□ □□ □□ □□□□. □□ □□□ □□□ □□ □□□ □□□□ □□□.

- * □□ □□□□ □□□ □□□□ □□/□□□ □□□ □□□□□ □□□ □ □□□ □□□.
- * □□ □□□□ □□ □□ □ □□ □□□ □□□□ □□ □□□ □ □□□ □□□.
- * □□ □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□ □□□ □□□ □□□□□.
- * □□ □□□□□ □□ □□ □□□ □□ □□□□ □□ □□□□ □□ □□□ □□□□□.

- □□□ □□ □□□□ □□□□ □□□. □□□ □□ □□□?
- A. Microsoft Entra ID □□□ □□□□ □□ □□□□□□□ □□ □□ □□□ □ □ □□□ □□□□□.
 - B. □□ □□□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□.
 - C. □□ □□□□□ □□ □□ □□□ □□□ □□ □□□ □□ □□□ □□□□□□.
 - D. □□□□ □□□ □□ □□□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 63

□□ □□□□ □□□□ □□□□. □□ □□□□ Microsoft Dataverse□ □□□□□□□□□ □□□. □□□ □□□□□□□ □□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□. □□ □□: □□□□□□□□ □□□ □□□ □□□□□□. □ □□□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

□□□□ □□□ □□ □ □□ □□ □□□□ □□□□ □□□.
□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□□.
□□: □□ □□□ 1□□□□□.

Scenario	Relationship behavior
A worker transfers to a new client company.	▼ Assign: Cascade All Assign: Cascade None Merge: Cascade All Rollup View: Cascade All
A user deletes a worker's job placement history.	▼ Delete: Cascade All Delete: Remove Link Delete: Restrict

Answer:

Scenario

Relationship behavior

A worker transfers to a new client company.

▼

Assign: Cascade All

Assign: Cascade None

Merge: Cascade All

Rollup View: Cascade All

A user deletes a worker's job placement history.

▼

Delete: Cascade All

Delete: Remove Link

Delete: Restrict

Explanation:

Scenario

Microsoft

Relationship behavior

A worker transfers to a new client company.

Assign: Cascade All

Assign: Cascade None

Merge: Cascade All

Rollup View: Cascade All

A user deletes a worker's job placement history.

Delete: Cascade All

Delete: Remove Link

Delete: Restrict

Box 1: Assign: Cascade None

Scenario: Worker still records must be archived after ten years and are then removed from the main system.

Assign: The referenced table record owner is changed.

Cascade None: Do nothing.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-entity-lookup>

Topic 2, Relecloud

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Background

Relecloud provides regional air service in North America. The company uses a variety of systems, apps, and services to manage the business. You are hired to design a new solution to manage passenger information, reservations, and maintenance.

Current environment

The company uses Microsoft Office 365.

The company has a custom app for managing and tracking passenger luggage. The app uses Microsoft Dataverse.

For flights longer than four hours, passengers receive a meal. Customers can select a meal when they make a reservation and can save the meal choices as a customer preference.

The company offers two types of meals: standard and vegetarian. Meal types can be temporarily unavailable.

The airline is considering offering other meal types, such as gluten-free and low-sodium options.

The company uses paper-based reservation checklists to help ensure that all the steps for a reservation are complete.

The company uses vendors to service aircraft.

Environment

Ensure that employees can sign in to all Microsoft apps by using one set of credentials per employee.

Minimize the use of third-party products and custom development.

Reduce customer support call volumes by having the system automatically resolve common issues.

The security rule for agents must contain the privileges in the default Customer Service Representative security role.

Log issues as cases. The case form must show variable sections based on the case type. Include a custom entity named Seats and grant agents access to the entity.

Application use layout should be role specific.

Agents

You must standardize the format used by agents to enter customer phone numbers.

Agents need a solution to replace paper reservation checklists.

Agents need dashboards to show a current count of all reservations on the entity.

Agents need a way to track reservation issues.

Agents need a visual indicator in the interface to determine the reservation step to provide a seamless customer experience.

Agents need different versions of cancellation policies to send customers. One version must be controllable within the system.

Agents need to view which pieces of luggage match to each passenger, and then need to add the total on the passenger record.

IT

IT staff needs a mobile solution to see IT cases at the top of the menu since this is their primary focus.

IT staff needs a system that is easy to navigate to active cases.

IT specialists want to design Power BI reports. They need to understand the underlying table relationships of the system.

IT specialists need a solution that is visual rather than text-based so they can quickly complete their tasks.

Management

Management requires paginated reports for stakeholders.

Management wants to provide frequent flyers with better service when the flyers call.

Managers need to see all customer dashboards at the top of their menu on their mobile device.

Maintenance

Maintenance supervisors must not have access to Dynamics 365 Customer Service. The supervisors must be able to communicate with the contracts team about contracts.

Aircraft maintenance vendors must have only view and upload privileges to their invoices and receipts.

Contracts with maintenance companies must be stored in Dynamics 365 Customer Service.

NEW QUESTION: 65

□ □□□ □□ □□□ □□□□□□□ □□□□ Power Platform □□□ □□□□ □□□□.

□□ □□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□□□ □□□□ □□□□ □□□□ □□□□□□□.

□□□□ □□□ □□□□:

□□ □□□□ □□□ □□□□ □□ □□□□□□□ □□□ □□□□ □□□□ □□□□.



'00' 000 000 00000000 00 0000 0 00 000 0000.



0000 0000 000 0000.



□□ □□□□ □□ □□□□ □□□□ □□.
□□ □□ □□□ □ □□ □□□□□? □ □□□ □□ □□□□ □□□□□.
□□: □□ □□□ 1□□□□.

Issue

Solution

Migration processes fail due to operation timeouts.

	▼
Increase multithreading and/or batch size settings.	
Decrease multithreading and/or batch size settings.	
Ensure you are loading data into all tables at the same time.	
Ensure you are loading data into tables in a particular order.	

Records that include lookup columns often fail to load.

	▼
Increase multithreading and/or batch size settings.	
Decrease multithreading and/or batch size settings.	
Ensure you are loading data into all tables at the same time.	
Ensure you are loading data into tables in a specific order.	

Answer:

* □□□□ □□ □□□□ □□□□□□□ □□□ □□□ □ □□□ □□□□□□.

* □□, □□, □□□, □□□ □□ □□ □□□ □□□ □□□ □□□□□.

* □□ □□□ □□ □□□□□□ □□□□□□.

□□□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□.

□□□ □□□□□□□□?

A. ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐

B. CafeX ☐☐☐ **Microsoft Dynamics 365** ☐ ☐☐ ☐

C. ☐☐☐☐ ☐☐☐

D. ☐☐ ☐☐☐ ☐☐☐

Answer: A ([LEAVE A REPLY](#))

Omnichannel for Customer Service is a robust application that extends the power of Dynamics 365 Customer Service to enable organizations to instantly connect and engage with their customers via channels like Live Chat and SMS.

Omnichannel for Customer Service also provides a modern, customizable, high-productivity app that allows agents to engage with customers across different channels. The application offers contextual customer identification, real-time notification, integrated communication, and agent productivity tools like KB integration, search, and case creation to ensure agents are effective.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-service/introduction-omnichannel>

NEW QUESTION: 67

□ □□□ Dynamics 365 Sales□ Power BI□ □□□□ □□□□.

□□ □□□□ □□□ □□ □□□□ □□ □□□□□□ □□□ □□□ □ □□□ □□□.

* □□ □□□ □□ □□□ □□□ □ □□ □□□□□ □□□□□.

* □□□□□□ 250□ □□ □□□□ □□□□ □□ □□□□ □□□□□.

* □□ □□□□ Power BI□□ □□□□□□ □□□ □ □□□ □□□□□ □□□ □ □□□ □□□.

□□ □□□□ □□□□ □□□□ □□□□ □□□.

□□ □□□ □□□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□.

Notify the sales manager when an Opportunity changes sales stage.	▼ Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, data alerts, and Microsoft Office 365 connector
Notify the sales managers when the pipeline drops below 2.5 USD.	▼ Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Power BI data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector
When reviewing the pipeline in Power BI, a sales executive must be able to add a Playbook to an Opportunity.	▼ Power BI, Power Apps, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Data alerts, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, Data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector

Answer:

Notify the sales manager when an Opportunity changes sales stage.	▼ Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, data alerts, and Microsoft Office 365 connector
Notify the sales managers when the pipeline drops below 2.5 USD.	▼ Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Power BI data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector
When reviewing the pipeline in Power BI, a sales executive must be able to add a Playbook to an Opportunity.	▼ Power BI, Power Apps, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Data alerts, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, Data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector

Explanation:

Notify the sales manager when an Opportunity changes sales stage.	Microsoft Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, data alerts, and Microsoft Office 365 connector
Notify the sales managers when the pipeline drops below 2.5 USD.	Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Power BI data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector
When reviewing the pipeline in Power BI, a sales executive must be able to add a Playbook to an Opportunity.	Power BI, Power Apps, Microsoft Dataverse connector, and Microsoft Office 365 Outlook connector Microsoft Power Automate, Data alerts, Microsoft Dataverse connector, and Microsoft Office 365 users Microsoft Power Automate, Data alerts, and Microsoft Office 365 connector Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector

Box 1: Microsoft Power Automate, Microsoft Dataverse connector, and Microsoft 365 Outlook connector Use Microsoft Dataverse as the data source.

While Power Automate is a robust tool with ever-expanding capabilities, it also handles simple tasks with grace. A universal business need for many organizations is the ability to automate email notifications based on certain criteria: an opportunity is won, send an email to the sales manager; a case is closed, send an email to the customer; a work order is completed, send an email to the customer.

Power Automate can easily accommodate this using the Microsoft 365 Outlook connector.

Box 2: Microsoft Power Automate, Power Bi data alerts, and Microsoft 365 connector Data alerts in the Power BI service: Set alerts to notify you when data in your dashboards changes beyond limits you set.

Box 3: Microsoft Power Automate, Power BI, Power Apps, and Microsoft Dataverse connector Reference:

<https://www.velosio.com/blog/2021/01/27/tracking-emails-the-right-way-with-power-automate/>

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION: 68

□□ □□ □□ □□□ □□□ □□ □□□ □□□ □ □□ □□□ □□□ □□□.

□□ □□□ □□□□ □□□?

A. Dynamics 365 □□□□ □□

B. Dynamics 365 □□ □□□

C. Microsoft □□□□ □□□ Power Apps □□□ □

D. □□□ □□□□□□□ □□□ Power Apps

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

□ □□□□□ □□□□□□□ □□ □□□□□ □□□□□ □□□□ □□ □□□ □□□ □ □□□ □□□□.

□□ □□□□□ □□ 12□□ □□ □□□□□□ □□ API □□□□□□ □□□ □□□ □□□□ □□□□□□. □□□□ □□□□□ □□ □□□□ □□□ □□ □□ □□□ □□□□□□ □□□□□□. □□□□□

□ □□ □□□ □□□ □□□□□ □□□□ □□□. □□ □□□ □□□ □□□□□ □□□□ □□□□?

A. Microsoft Power Apps API □□ □□

B. Microsoft Dataverse □□ □□ □□

C. □□□ □□ API □□

D. Microsoft Power Automate API □□ □□

E. ☐ ☐ ☐ ☐

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

□ □□□ □□□ □□ □□□□ 250□ □□ □□□ □□ Microsoft Dataverse□ □□□ □□□□□. □□□□ □□□ □□ □□□□ □□□ □□□□□. □□□□ □□□□ □□□ □□ □□ □□ □□□□□□ □□ □□ □□□□□□. □□□□□□ □□ □□ □□□□ □□□, □□ □□□ □□□□ □□□?

- A. Azure Event Grid
- B. Azure Data Factory
- C. ☐ □□□□□□
- D. Azure Service Bus

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 71

□□ □□□□ □□ □□□ □□□ □□ □□□□□□□□ □□ □□□ □□ □□□□□□. □□ IT □□□□ □□ □□□ □□□ □□□□□□□□ □ □□□ □□□ □□□□□□□□. IT □□ □□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□□□. □□ □□□ □□□□ □□□□ □□□ □□□□ □□□. * □□□□ □□□ □□□□□□□□ □□ □□ □□□ □□ □□ □□□□□□ □□□□ □□□. □□ □□ □□□□ □□□ □□ □□ □□□ □□ □□□□□ □ □□□ □□□. □□ □ □□ □□□ □□□□□□□□□? □ □□□ □□□□ □□□ □□□□□□. □□: □□ □□□ 1□□□□□.

- A. □□□□□□□□ □□ □□ □□□ □□□□ □□ □□ '□□'□□ □□□□□□.
- B. □□ □□□□ □□ □□ □□□ □□□□□□□□.
- C. □□□ □□ □□ □□□□ □□□□□□.
- D. □□ □□ □□ □□ □□ □□ □□ □□□ □□□□□□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.
* Enable field security on one or more fields for a given entity.
* Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.
Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION: 72

□□□ □□ □□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□. □□ □□ □□□□□□□□□? □□□□□□ □□□□□□ □□□ □□□ □□□□□□. □□: □□ □□□ 1□□□□□.

Requirement	Solution
Provide workers a self-service option for viewing personal and skills information.	▼ Power Automate QnA Maker Azure Cognitive Services
Authenticate workers who use the self-service option for updating skills information.	▼ Azure Active Directory B2B Azure Active Directory B2C Dynamics 365 owner team
Plan routes for audit teams.	▼ Azure traffic routing Address input component Dynamics 365 Field Service

Answer:

Requirement	Solution
Provide workers a self-service option for viewing personal and skills information.	▼ Power Automate QnA Maker Azure Cognitive Services
Authenticate workers who use the self-service option for updating skills information.	▼ Azure Active Directory B2B Azure Active Directory B2C Dynamics 365 owner team
Plan routes for audit teams.	▼ Azure traffic routing Address input component Dynamics 365 Field Service

Explanation:

Solutions	Answer Area								
Dynamics 365 Field Service									
Dynamics 365 Customer Voice									
Dynamics 365 Customer Insights									
	<table> <tr> <th>Business requirement</th><th>Solution</th></tr> <tr> <td>Send articles to technicians to allow technicians to help customers resolve issues.</td><td>Dynamics 365 Customer Insights</td></tr> <tr> <td>Track work progress and inspections at customer sites.</td><td>Dynamics 365 Field Service</td></tr> <tr> <td>Schedule technicians for service appointments.</td><td>Dynamics 365 Field Service</td></tr> </table>	Business requirement	Solution	Send articles to technicians to allow technicians to help customers resolve issues.	Dynamics 365 Customer Insights	Track work progress and inspections at customer sites.	Dynamics 365 Field Service	Schedule technicians for service appointments.	Dynamics 365 Field Service
Business requirement	Solution								
Send articles to technicians to allow technicians to help customers resolve issues.	Dynamics 365 Customer Insights								
Track work progress and inspections at customer sites.	Dynamics 365 Field Service								
Schedule technicians for service appointments.	Dynamics 365 Field Service								

Explanation:

Business requirement	Solution
Send articles to technicians to allow technicians to help customers resolve issues.	Dynamics 365 Customer Insights
Track work progress and inspections at customer sites.	Dynamics 365 Field Service
Schedule technicians for service appointments.	Dynamics 365 Field Service

Box 1: Dynamics 365 Customer Insights

Dynamics 365 Customer Insights is a part of Microsoft's customer data platform (CDP) that helps deliver personalized customer experiences. The platform's capabilities provide insights into who your customers are and how they engage with your platform. Unify customer data across multiple sources to get a single view of customers.

Box 2: Dynamics 365 Field Service

Dynamics 365 Field Service helps to:

Organize and track resolution of customer issues



Keep customers updated with the status of their service call and when it ' s resolved



Note: The Dynamics 365 Field Service business application helps organizations deliver onsite service to customer locations. The application combines workflow automation, scheduling algorithms, and mobility to set up mobile workers for success when they ' re onsite with customers fixing issues.

The Field Service application enables you to:

Improve first-time fix rate
Complete more service calls per technician per week
Manage follow-up work and take advantage of upsell and cross sell opportunities Reduce travel time, mileage, and vehicle wear and tear Organize and track resolution of customer issues Communicate an accurate arrival time to customers Provide accurate account and equipment history to the field technician Keep customers updated with the status of their service call and when it ' s resolved Schedule onsite visits when it ' s convenient for the customer Avoid equipment downtime through preventative maintenance

Box 3: Dynamics 365 Field Service Dynamics 365 Field Service: Schedule onsite visits when it ' s convenient for the customer.

Reference:
<https://docs.microsoft.com/en-us/dynamics365/field-service/overview>
<https://dynamics.microsoft.com/en-us/customer-voice/capabilities>

NEW QUESTION: 78

□ □□□ □□□ □□ □□ □□□□□ □□ □□□ □□□□□ □□□ □□□□□. □ □□□ □□ □□□□ □□□□ □□□□ □□□□.

□□ □□□ □□ □□□□□ □□□ □□ □□□ □□ □□□ □□□□□□.

* □□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□ □□□□.

* □□□□□□□ □□□ □□□□ □□ □ □□□□ □□□□.

Power Platform □□□□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□.

□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Issue	Solution
Users often encounter a character limit when entering data.	Microsoft Define a data mask. Define and implement duplicate detection rules. Define the data type and format for each column.
The database includes multiple instances of some records.	Define requirements for data entry. Define and implement duplicate detection rules. Define the data type and format for each column.

Answer:

Issue

Users often encounter a character limit when entering data.

Solution

Define a data mask.

Define and implement duplicate detection rules.

Define the data type and format for each column.

The database includes multiple instances of some records.

- Define requirements for data entry.
- Define and implement duplicate detection rules.
- Define the data type and format for each column.

Explanation:

Issue

Users often encounter a character limit when entering data.

Solution

- Define a data mask.
- Define and implement duplicate detection rules.
- Define the data type and format for each column.

The database includes multiple instances of some records.

Define requirements for data entry.
Define and implement duplicate detection rules.
Define the data type and format for each column.

Box 1: Define the data type and format for each column

Increase the data type size of the column.

Box 2: Define and implement duplicate detection rules

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/set-up-duplicate-detection-rules-keep-data-clean>

NEW QUESTION: 79

00: 0 000 000 00000 0000 000 00 0 00000. 0 0000 000 000 000 0 00 000 0000 0000 0000. 00 00 0000 000 0 0 000 0 000, 0
 00 00 00 000 0000.
 0 0000 000 000 000 00 0000 000 0 0000. 000 0 0000 00 000 0000 0000.
 0 000 00 00 000 0000 00 00000000 00 000 00000.
 000 00000 000000 000.
 000000 00000 000 0000 000.
 00 00: 00 000 000 00 0000 0000 00000 000 000000. 00 0000 0000 00000 00000 00000.

□ □□□□ □□□ □□□□□?

A. □□□

B. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 80

□□□ □ □□□ □□ □□ □□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□ □□□.

□□□□ □□□□ □□□ □□□ □ □□□ □□□.

□□□□ □□□□ □□ □□□□□ □□□ □□□ □ □□□ □□□.

□□□ □□ □□□ □□ □□ □□□ □□□□ □□□.

□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Business requirement	Solution
Users in the human resources department must be able to create tasks.	▼ Assign only Create rights to activities. Assign Create and Read rights to activities. Assign user-level assign rights to the human resources case table. Assign organization-level rights to the human resources case table.
Users in the human resources department must be able to assign cases to other users.	▼ Assign only Create rights to activities. Assign Create and Read rights to activities. Assign user-level assign rights to the human resources case table. Assign organization-level assign rights to the human resources case table.

Answer:

Business requirement	Solution
Users in the human resources department must be able to create tasks.	▼ Assign only Create rights to activities. Assign Create and Read rights to activities. Assign user-level assign rights to the human resources case table. Assign organization-level rights to the human resources case table.
Users in the human resources department must be able to assign cases to other users.	▼ Assign only Create rights to activities. Assign Create and Read rights to activities. Assign user-level assign rights to the human resources case table. _ _ _ Assign organization-level assign rights to the human resources case table.

Explanation:

Business requirement

Users in the human resources department must be able to create tasks.

 Solution

▼

- Assign only Create rights to activities.
- Assign Create and Read rights to activities.
- Assign user-level assign rights to the human resources case table.
- Assign organization-level rights to the human resources case table.

Users in the human resources department must be able to assign cases to other users.

▼

- Assign only Create rights to activities.
- Assign Create and Read rights to activities.
- Assign user-level assign rights to the human resources case table.
- Assign organization-level assign rights to the human resources case table.

Box 1: Assign only Create rights to activities

You require the same set of Dataverse privileges and access rights to work with custom activities as those required to work with custom entities.

Task-based privileges, at the bottom of the form, give a user privileges to perform specific tasks, such as publish articles.

Box 2: Assign User-level assign rights to human resources case table.

Record-level privileges define which tasks a user with access to the record can do, such as Read, Create, Delete, Write, Assign, Share, Append, and Append To.

For user and team owned records, the access level choices for most privileges are tiered Organization, Business Unit, Business Unit and Child Business Unit or only the user's own records. That means for read privilege on contact, I could set user owned, and the user would only see their own records.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/security-roles-privileges>

<https://docs.microsoft.com/en-us/power-platform/admin/wp-security-cds>

NEW QUESTION: 81

□□□ □□ □□□ □□ □□□□□ □□□□ □□□□. □ □□□ □□□□□□□ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

□□□ □□□□□□□ □□ □□ □□ □□□□ □□□□ □□□□□.

□□□ □□ □□□ □□ □□□□ □□□□ □□□□□.

* □□□□ □□□ □□, □□ □□□ □□□□, □□ □□□ □□ □□□ □□ □ □□□ □□□.

* □□□ □□□□ □□□ □□□□ 24□□ □□ □□ □□□□ □□□.

* □□□ □□ □□ □□□ □□□□□.

□□□ □□□□ □□□ □□□□ □□□.

□ □□□□□ □□ □□□ □□□□ □□□? □□□ □□□□ □□□ □□□ □□ □□□□□□ □□□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□□. □□□□ □□□ □ □□□ □□ □ □

□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

NEW QUESTION: 83

Which of the following is a Microsoft Power Platform solution? Select all that apply. (Select three)

Options: A. Microsoft Dynamics 365 B. Microsoft Power BI C. Microsoft Power Apps D. Microsoft Power Automate E. Microsoft Project F. Microsoft Excel

Answer: A, B, C

Phases

Presales

Initiation

Analysis/design

Activities for project phases

Activity

Create a proof of concept.

Use a workshop to document current processes.

Assist with project team creation.

Phase

Answer:

Phases

Presales

Initiation

Analysis/design

Activities for project phases

Activity

Create a proof of concept.

Use a workshop to document current processes.

Assist with project team creation.

Phase

Presales

Initiation

Analysis/design

Explanation:

Phases

Presales

Initiation

Analysis/design

Activities for project phases

Activity

Create a proof of concept.

Use a workshop to document current processes.

Assist with project team creation.

Phase

Presales

Initiation

Analysis/design

NEW QUESTION: 84

Which of the following are Microsoft Dynamics 365 solutions? Select all that apply. (Select three)

Options: A. Microsoft Dynamics 365 B. Microsoft Power BI C. Microsoft Power Apps D. Microsoft Power Automate E. Microsoft Project F. Microsoft Excel

Answer: A, C, D

Answer: A,C (LEAVE A REPLY)

Scenario: The testing team reports that one of the canvas apps is not working as expected. An error message displays as specific pages load.

A: The App checker is now available to help provide a clear list of formula issues in your app, and to provide items to fix to make your app accessible. The App checker is an area that the PowerApps team will continue to invest in, and build on in order help to make debugging, performance and best practice decisions an easier and more guided experience.

C: With the solution checker feature, you can perform a rich static analysis check on your solutions against a set of best practice rules and quickly identify these problematic patterns. After the check completes, you receive a detailed report that lists the issues identified, the components and code affected, and links to documentation that describes how to resolve each issue.

Reference:

<https://powerapps.microsoft.com/en-us/blog/new-app-checker-helps-you-fix-errors-and-make-accessible-apps/>

Topic 1, First Up Consulting

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Background

First Up Consulting recruit's information technology (IT) workers for temporary or permanent positions at client companies. The company operates offices in multiple countries/regions.

First Up has both full-time and part-time employees. The company has a team of worker support agents that respond to inquiries from current and prospective workers. Some of the worker support agents are multilingual.

The company does not have a standardized tool used for reporting purposes. The organization engages you to implement a new Power Platform solution. Workers are managed by a dedicated team that includes one primary recruiter and a contract assistant. Many client companies live in areas that do not allow for mobile data connections.

Current environment

Existing systems and processes

First Up uses an on-premises system to manage current and historical patient data including medications and medical visits.

The company plans to reference historical data in the existing system. The records held in these systems will not be migrated to the new solution except for medication information.

Employee authentication with the existing system is provided by an on-premises Active Directory instance that is linked to Azure Active Directory.

An appointment record is created for each visit with a worker. The record includes worker contact information, preferred language, the date and time of the appointment, and other relevant data. This information is reviewed by the worker's primary recruiter.

First Up has no current capabilities for forecasting future worker needs based on the data held.

Client company visits

Before First Up signs a contract to place workers at a client company, a member of the audit team visits the company and interviews company management. Audit members use different types of devices including Android and iOS devices. First Up has no plans to require the use of a single type of device. Audit team members currently record information about workers on paper forms. Team members enter information from paper forms into the system when they return to the office.

First Up audits client companies at least once each year but may schedule additional visits based on feedback from workers that they place at a client company.

Requirements

General

There is no standardized communication tool across the company, and this causes communication issues between different teams.

First up employees must be able to contact each other by using a secure system to ask and answer questions about medical cases.

Workers must be able to communicate in near real-time with worker support agents.

Client company visits

Audit team records must be locked after they have been reviewed by a First Up manager. No further edits to the record can be carried out. This must be implemented using standard available system functionality.

Audit teams must be able to enter records of their visits to the companies where they have or may place workers. Audit teams must be able to update any necessary records with the latest information.

The solution must support tracking of security clearance information for a worker including the date, status, and certifying agency.

When a worker makes an appointment, the appointments must appear in the timeline for the worker's contact record.

Job history information

The solution must provide a worker appointment booking system that can access worker historical job placement data.

The solution must allow employees to associate a primary recruiter with each worker. The solution must also allow multiple secondary recruiters to be associated with each worker.

Every worker assessment performed must be validated and countersigned by the primary recruiter for a worker.

Job posting data from previous work engagements must be accessible by the Power Platform solution to ensure that new job postings are accurate.

First Up staff members must be able to view and update worker records. They must be able to see current and historical job placement data on the same form in the new solution.

Worker access

The solution must support workers that speak different languages. The solution must provide automatic translation capabilities.

The solution must support near real-time communications between workers and recruiters.

Workers must be able to view their records online. Workers must be able to enter any additional information that is required by or may be helpful to recruiters.

The solution must provide workers a way to search for general information about available positions.

Workers must be able to request copies of their records by using a chatbot. Workers must be able to provide information to a recruiter as needed.

Data platform

Audit teams must have the ability to view worker information on their mobile devices.

Audit teams must be able to record data during visits to locations where workers are placed.

The solution must support the ability for a corporate governance auditing team to periodically audit the organization's records, policies, and procedures.

Reporting and analytics

The reporting and analytics team must be able to create reports that include data from all facilities and all workers.

Management reports must present an overview of the entire organization. Other reports may be limited to specific offices.

You must create dashboards that show the status across all groups of workers. The dashboards must be embedded into the Power Platform apps. Updates to data must be displayed in near real time.

Security

Authentication for all user types must be managed by a single platform. IT teams must use PowerShell to apply security permissions for users.

Worker records must only be viewed by the recruiting office that the worker visits.

Worker still records must be archived after ten years and are then removed from the main system. Worker information must not be deleted from the system while skill and job placement history records for the worker exist in the system.

User security roles must be customized to ensure that users are able to interact only with the specific data in which they need access.

Workers must be able to sign into a portal by using their own email address. Workers must be required to use a secure method of authentication to be able to view their data.

Alerts regarding the number of recruited and placed at client companies must be updated as background processes.

Issues

The organization reports the following issues:

Recruiters report that they cannot see historical job placement data for workers.

API usage reports show that the number of API calls made exceeds limits. This causes delays saving data.

Users cannot view Power BI reports within the Power Platform apps.

Some security clearance information for workers not visible from within the Power Platform solution.
Audit teams report that they cannot view or edit worker data when the device on which they access the solution does not have network connectivity.
The testing ream reports that one of the canvas apps is not working as expected. An error message displays as specific pages load.

NEW QUESTION: 85

□□□ Microsoft Dataverse □□□ □□□□ □□□□□□□ □□□□ □□□□ □□□□ □□□□.
□□□ □□ API □□□□ □□ □□□□□□□ □□□□ □□□ □□□□ □□□ □□□□□ □ □□□.
□□□ □□ API □□□ □□ □□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.
A. □□□□ □□ □□□ □□□□ API □□ □□.
B. □ □□□ □□□ □ □□ □□ □□□□□.
C. □ □□□ API □□ □.
D. □□□ API □□ □.
E. □□□ □□□ □□ □□ □.

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 86

□□□□ □□□□□□□ □□ □□□□ □□□ □□ □□□□ □□□ □□ □□□□ □□ □□ □□□ □□□□□. □ □□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□□□.
□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□ □ □□□ □□□□□□□ □□□□□□ □□□ □□□□ □□□□□□.
□□ □□ □□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□□ □□□?
□□□□□, □□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□□□.

Actions

⋮

Publish the mobile offline profile.

⋮

Create a column of data type image in the investigation table.

⋮

Add only the Image Descriptor table to the profile.

⋮

Add only the FileAttachment table to the profile.

⋮

Create a new table to store the photos.

⋮

Set the maximum size.

⋮


Create a new mobile offline profile.

⋮

Add both the Image Descriptor and the FileAttachment tables to the profile.

Steps

Answer:



Explanation:



NEW QUESTION: 87

□□□ □ □□□ □□ □□□□□□ □□ □□□ □□□□ □□□□.
 □□□□□□ □□□ □□□ □□□□□ □□ □□□ □□□□□ □□□.
 □□□□□ □□□□ □□ □□□ □□□□ □□□.
 □□ □ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.
 □□: □□ □□□ 1□□□□.

- A. □□□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□□.
- B. □□ □□□□ □□ □□ □□□ □□□□ □□□□□.
- C. □□ □□□ □□□□ □□□□□.
- D. □□ □□ □ □□ □□□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□□ □□ □□□□□ □□ □□□□ □□□□□□ □□ □□□ □□□□□ □□□□ □□□. □ □□□ □□ □□□□□ □□ □□ □□□ □□ □□□□. □□□ □□□ □□□ □□□□□□ □□□ □□ □□ □□ □□ □□□□□. □□□ □□□□ □□ □□ □□□ □□□□ □□□. □□□ □□□□ □□ □□ □□□ □□□□ □□□. * □□ □□□□ □□□ □□□□□□. * □□□□□ □□□□ □□ □□ □□□ □□□□□□. * □ □□ □□□ □□□ □□□□□□ □□□ □ □□□ □□□□. * □□□□ □□□□□ □□□□ □□ □□□□□ □□□ □□ □□□ □□□□□. * □□□ □□□□ □□ □□□□ □ □□□ □□□ □ □□□ □□□□ □□□□□ □□□□□. □□□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□. □□ □□ □□□ □□□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□□□. □□: □□ □□□ 1□□□□□.

Answer Area

Business requirement

The system must delete all associated models when a user deletes a manufacturer.

The system must auto-populate information from the manufacturer when creating a new model from the model list on the manufacturer page.

Relationship

- Use a parental 1:N relationship between manufacturer and model.
 - Use a parental 1:N relationship between manufacturer and model.
 - Use a referential 1:N relationship between manufacturer and model.
 - Use field mappings in 1:N relationship between manufacturer and model.
 - Use an N:N relationship between manufacturer and model.
- Use field mappings in 1:N relationship between manufacturer and model.
 - Use a parental 1:N relationship between manufacturer and model.
 - Use a referential 1:N relationship between manufacturer and model.
 - Use field mappings in 1:N relationship between manufacturer and model.
 - Use an N:N relationship between manufacturer and model.

Answer:

Answer Area

Business requirement

The system must delete all associated models when a user deletes a manufacturer.

The system must auto-populate information from the manufacturer when creating a new model from the model list on the manufacturer page.

Relationship

- Use a parental 1:N relationship between manufacturer and model.
- Use a parental 1:N relationship between manufacturer and model.
- Use a referential 1:N relationship between manufacturer and model.
- Use field mappings in 1:N relationship between manufacturer and model.
- Use an N:N relationship between manufacturer and model.

- Use field mappings in 1:N relationship between manufacturer and model.
- Use a parental 1:N relationship between manufacturer and model.
- Use a referential 1:N relationship between manufacturer and model.
- Use field mappings in 1:N relationship between manufacturer and model.
- Use an N:N relationship between manufacturer and model.

Explanation:

Answer Area

Business requirement

The system must delete all associated models when a user deletes a manufacturer.

The system must auto-populate information from the manufacturer when creating a new model from the model list on the manufacturer page.

Relationship

Use a parental 1:N relationship between manufacturer and model.

Use field mappings in 1:N relationship between manufacturer and model.



NEW QUESTION: 89

□□: □ □□□ □□□ □□□□□ □□□□ □□ □□ □ □□□□□. □ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□□ □ □ □□□ □ □□□, □ □□ □□ □□ □□□ □□□□.

□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□ □ □□□□. □□□ □ □□□□ □□ □□□ □□□□ □□□□.

□ □□□ □□□□□□□ □□ □□□ □□□□□□□ □□□□□.

□□□□ □□ □□□□□□□ □ □ □□□ □□□□□□□.

□□□□ □□ □□□□□□□ □□□ □ □□□ □□ □□□.

□□ □□: □□ □□□ □□□ □□□□ □□□ □□□□□.

□ □□□□ □□□ □□□□□?

A. □

B. □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 90

□ □□□ □□□□□□□ □□ □□□□ □□□ □□□□□.

□ □□□ □□ □□□ □□□ □□□□□□ □□□. □□ □□ □□ □□ □ □□ □□□ □ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□□.

□□□□ □□□□ □□□.

□□ □□□□ □□□□□□□□□?

A. □ □□□

B. □□□□

C. □□□□□ □□□□

D. Power Apps □□ □□ □□□□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 91

□ □□□ □□□□□□□ '□□□□'□□ □□□ □□□□. □□□ □□ □□□□ □□ □□□ □□□□□. □□ □□□□ □□□□□ □ □□□ □□□□□. □□ □□□□ □□ □□□ □□□ □□ □□□□ □□ □□, □□ □□□ □□□□ □□□□□ □□ □□□□ □□□□□□□□.

□□ □□□□□ □□□□ □ □□ □□□□ □□□ □□□ □□□.

□□□ □□□□□□□□?

- A. Excel □□□ □□□
- B. Dynamics 365 □□ □□□□
- C. Dynamics 365 □□ □□□
- D. □□□□□ 365 □□□

Answer: D (LEAVE A REPLY)

Microsoft designed Customer Insights to allow organizations to map, match, merge, and enrich customerbased data from different sources. A classic scenario would be to merge data from customer service software, like Freshdesk, and online sales, such as Shopware, into one source for reporting and further data analysis.

Reference:

<https://msdynamicsworld.com/story/microsoft-dynamics-365-customer-insights-overview>

PL-600-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-600-KR □□! DumpTop □ □□ **PL-600-KR** □□ □□□ □□□□□□, DumpTop PL-600-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-600-KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/PL-600-KR-dump.html> (260 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 92

□□□□□ □□□□ □□ □ □□□□□ □□□□ □□□□. □□ □□ □□□□□ □□□□ □□□. □□□ □□□□ □□ □□□□□ □□□□ □□□ □□□. * 5□ □□□ □□□□□. □□□□□ □□ □□□□ □□ □□□□ □□□□□□ □□□. □□□ □□□□ □□□ □□□□ □□□. □□ □ □□ □□□□ □□□ □□□□□? □ □□□ □□□□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

- A. □□□
- B. □□□
- C. □□ □□
- D. □□□□
- E. □□

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 93

□□□ □ □□□ □□ □□□□ □□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□□. Power Apps □ Dynamics 365 □□□□□□ □□□ □□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □ □□ □□ □□□ □□□□ □□□. □□□ □□□□□□□□□?

- A. □□ □□
- □□ □□
- B. □□□ □□ □□
- C. □ □□

Answer: C (LEAVE A REPLY)

User and team management is the area of Microsoft Dataverse where you can create and maintain user accounts and profiles.

A user is any person who works for a business unit who uses Dataverse. Each user has a user account.

A team is a group of users. Teams let users across an organization collaborate and share information.

Note: Why use Dataverse?

Easy to secure - Data is securely stored so that users can see it only if you grant them access. Role-based security allows you to control access to tables for different users within your organization.

Data from your Dynamics 365 applications is also stored within Dataverse, allowing you to quickly build apps that use your Dynamics 365 data and extend your apps with Power Apps.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/user-team-entities>

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-intro>

NEW QUESTION: 94

□□□ □□□ □□□ □ □□□ □□ □□□ □□(fit gap analysis)□ □□□□ □□□□.

□□□ □□□□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□ □□□.

□□ □ □□ □□ □□□ □□□ □□, □□ □ □□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □ □□□ □□ □□ □□□□. □□ □□□ □□ □□□□ □□□□ □□□. □ □□ □□□ □□ □□ □□ □□□ □□□□ □□□?

A. □□ □□□□□ □□ □□ □□□ □□□□ □□□□.

B. □□□ □□□ □□□ □□ □□□□□□□

C. □□ □□□□□ □□ □□□ □□□□ □□□□□.

D. □□□□□ □□□□□ □□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

□ □□□ Microsoft Dataverse□ □□□□ □□ □□□ □□□□ □□□, Dataverse □□□ □□ □□ □□□ □□□□□. □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□.

* □□□ □ □□ □□ □□ □□□ □□ □□□□□ □□□□.

* □□ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□□.

□□□□ □□□□ □□□.

□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

ANSWER AREA

Requirement

Show or hide tabs in the main form based on the column value selected.

Add a discount code automatically when a new patient row is added.

Solution

Business process flow	▼
Plug-in	
Client script	
Business rule	
Business process flow	

Business rule	▼
Client script	
Business rule	
Classic workflow	
Business process flow	

Answer:

Answer Area

Requirement

Show or hide tabs in the main form based on the column value selected.

Add a discount code automatically when a new patient row is added.

Solution

Business process flow	▼
Plug-in	
Client script	
Business rule	
Business process flow	

Business rule	▼
Client script	
Business rule	
Classic workflow	
Business process flow	

Explanation:

Requirement

Show or hide tabs in the main form based on the column value selected.

Add a discount code automatically when a new patient row is added.

Solution

Business process flow	▼
-----------------------	---

Business rule	▼
---------------	---

NEW QUESTION: 96

□ □□□ □□□□□□ □□ □□□□ □□□□□□ □□□□□□ □□□ □□ □□□□ □□□ □□□□□□.

365□ □□□□ □□ □□□.

□ □□□□□ □□ □□□□ □□□□ □□□.

□□ □□□ □□ □□ □□□ □□□ □□□□□□□?

□□□□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□. □ □□□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □ □□□□.

Solutions

Custom API

Custom pages

Microsoft Power Virtual Agent

Answer Area

Requirement

Display information about the contact in the Omnichannel app.
Ensure only tables needed are exposed for integration purposes.
Display data hierarchy from other systems within Dynamics 365 without saving the data within Microsoft Dataverse.

Solution

Answer:

Solutions

Custom API

Custom pages

Microsoft Power Virtual Agent

Answer Area

Requirement

Display information about the contact in the Omnichannel app.
Ensure only tables needed are exposed for integration purposes.
Display data hierarchy from other systems within Dynamics 365 without saving the data within Microsoft Dataverse.

Solution

Microsoft Power Virtual Agent

Custom API

Custom pages

Explanation:

Solutions

Custom API

Custom pages

Microsoft Power Virtual Agent

Answer Area

Requirement

Display information about the contact in the Omnichannel app.
Ensure only tables needed are exposed for integration purposes.
Display data hierarchy from other systems within Dynamics 365 without saving the data within Microsoft Dataverse.

Solution

Microsoft Power Virtual Agent

Custom API

Custom pages

NEW QUESTION: 97

□□□ □□□ □□ □□ □□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□□.

□□□□□□ □□□ □□□□□ □□□□ □□□□□ □□□□ □□□.

□ □□□□□ □□□ □□□□ □□□? □□□□ □□□ □□□ □□ □□□□□□ □□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□.

□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Classifications	Requirement classifications	Classification
Functional Non-functional	Requirement Automatically back up data for disaster recovery. Attach photos and videos to the current job. Clear job tasks in an inspection record as they are completed. Maintain a response time of less than two seconds.	

Answer:

Classifications	Requirement classifications	Classification
Functional Non-functional	Requirement Automatically back up data for disaster recovery. Attach photos and videos to the current job. Clear job tasks in an inspection record as they are completed. Maintain a response time of less than two seconds.	Non-functional Functional Functional Non-functional

NEW QUESTION: 98

□□ □□□ □□□□ □□□ □□ □□□□□□ □□ □□□ □□□ □□□□ □□□□. □□ □ □□□ □□□□□□ □□□ □□□ CRM □□□□ □□□□ □□□□ □□□□.

□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□.

* □□ □□□□ □□□ □□□ □ □□ □□□ □□□ □□□

* □□□ □□ □□□ □□

* □□□□ □□□ □□ □□□ □□

□ □□□□□ □□ □□□ □□ □□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□? □□ □□□□ □□□ □□□ □□ □□□ □□ □□ □□□□ □□□□□□. □ □□□ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□□. □□□□ □□□ □ □

□□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Solution components	Microsoft Power Platform solution components	Solution component
Power Apps Power Automate Power BI Power Platform dataflows	Requirement Bidirectional data sync between outdated system and new custom app Improved efficiency of data transfers Comprehensive real-time sales data displays	

Answer:



Explanation:



NEW QUESTION: 99

A company is implementing Microsoft Dynamics 365 Field Service and Microsoft Dynamics 365 Supply Chain Management. The company wants to use Power Pages to create a customer portal. The portal will be used by customers to view and manage their service requests. The company wants to ensure that the portal is secure and that only authorized users can access it. The company wants to ensure that the portal is easy to use and that it provides a good user experience. The company wants to ensure that the portal is scalable and that it can handle a large number of users. The company wants to ensure that the portal is reliable and that it is available 24/7. The company wants to ensure that the portal is secure and that it complies with all applicable regulations. The company wants to ensure that the portal is easy to maintain and that it can be updated quickly. The company wants to ensure that the portal is cost-effective and that it provides a good return on investment. The company wants to ensure that the portal is a success.

Answer Area



Microsoft

Requirement

Retrieve data representing fresh produce details.

Expose the fresh produce details.

Mechanism

Custom connector	▼
Basic form	
Data gateway	
Advanced form	
Custom connector	
Portal Management app	
Portal Management app	
Customer Service Insights	
Microsoft Power Platform admin center	
Microsoft 365 Apps admin center	

Answer:

Answer Area

Requirement

Retrieve data representing fresh produce details.

Expose the fresh produce details.



Microsoft

Mechanism

Custom connector	▼
Basic form	
Data gateway	
Advanced form	
Custom connector	
Portal Management app	
Portal Management app	
Customer Service Insights	
Microsoft Power Platform admin center	
Microsoft 365 Apps admin center	

Explanation:

Answer Area

Data source

Third-party marketing system

Microsoft Dataverse environment

Connector type

Power BI connector

SharePoint connector

Custom connector

Microsoft Forms connector

SharePoint

Azure Data Factory

Microsoft Dataverse

Answer:
answer Area

Data source

Third-party marketing system

Microsoft Dataverse environment

Connector type

Power BI connector

SharePoint connector

Custom connector

Microsoft Forms connector

SharePoint

Azure Data Factory

Microsoft Dataverse

Explanation:

Data source

Third-party marketing system

Microsoft Dataverse environment

Connector type

Power BI connector

SharePoint connector

Custom connector

Microsoft Forms connector

SharePoint

Azure Data Factory

Microsoft Dataverse

Box 1: Custom connector

While Azure Logic Apps, Microsoft Power Automate, and Microsoft Power Apps offer over 325+ connectors to connect to Microsoft and non-Microsoft services, you may want to communicate with services that aren't available as prebuilt connectors.

Box 2: Microsoft Dataverse

The Microsoft Dataverse connector provides several triggers to start your flows and many actions that you can use to create or update data in Dataverse while your flows run. You can use Dataverse actions even if your flows don't use a trigger from the Dataverse connector.

Use the Microsoft Dataverse connector to create cloud flows that start when data changes in Dataverse tables and custom messages.

Reference:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/>

<https://docs.microsoft.com/en-us/power-automate/dataverse/overview>

NEW QUESTION: 103

□□□ □□□ □□□□□ □□ □□□□ □□□□ Microsoft Power Platform □□□□□□□. □ □□□□□ □□□ □□, □□ □ □□□ □□□ □□ □□□□ □□□□ □□□□. □□ □□□□ □□□ □□ □□, □□□ □ □□□ □□□□ □□ □□□□□ □□□ □□□ □□□ □□□ □□ □ □□□□□□□.

□□ □ □□□ □□□□ □□ □□□ □□□ □□ □□□□□ □□□ □□□□ □□ □□□□.

□□ □□□□ □□ □□□□ □□□□□□ □□□.

□ □□□ □□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□.

A. □□ □□□□□□ □□

B. Azure □□□ □□□

C. □□□ □□□□ □□□

D. □□ □

E. □□ □□□□□ □□

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□□ □□ □□□ □□ □□ □□□□ □□□□ □□ Microsoft Power Platform □□□□ □□□□ □□□□.

□□□ □□□□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□□□ □□□. □□□□ □□ □□□ □□□ □□□.

□□□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□□□ □□□□ □□□.

* □□□□ □□ □□□ □□□ □□ □□ □□ □□□ □□□□□ □□□.

* □□□□ □□ □□ □□□□ □□□□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□.

* □□□ □□ □□ □□ □□ □□□□ □□□ □□□□□ □□□□□□ □□ □□□□ □□□.

□□□ □□□ □□□ □□□□□ □□□□ □□□.

□□ □ □□ □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□□□? □□□ □□□□□, □□□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□□□.

□□: □□□ □□ □□□ □□ □ □□□□. □□ □□□ □□□□ □□□□ □□□□□.

Required testing

- go-live
- performance
- disaster recovery
- unit
- integration
- regression
- acceptance

Answer Area



Microsoft

Answer:

Required testing

- go-live
- performance
- disaster recovery
- unit
- integration
- regression
- acceptance

Answer Area

- unit
- integration
- regression
- acceptance



Microsoft

Explanation:

The diagram illustrates the four phases of the Microsoft testing process, arranged vertically. Each phase is represented by a colored square with a number and a label:

- 1 unit (Red square)
- 2 integration (Green square)
- 3 regression (Blue square)
- 4 acceptance (Orange square)

The word "Microsoft" is written in large, light gray letters across the bottom of the diagram.

NEW QUESTION: 105

[illegible]

- A.** Azure Event Hub
- B.** Azure Service Bus
- C.** ☐☐☐ ☐☐☐☐ ☐☐☐
- D.** Microsoft Power Platform ☐☐☐ ☐☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 106

□□ □□ □□□ □□□□ Power Platform □□□□ □□□□ □□□.

* □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.

* AI□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□□.

Power Platform □□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□□?

□□□□: □□ □ □□□ □□, □□□ □□□□ '□'□ □□□□, □□□ □□□ '□□□'□ □□□□□□.


□□: □□ □□□ 1□□□□.

Yes ☐

a row during deletion to be used in an automated process. ☐

forms and automate data entry from paper-based forms. ☐

Answer:



- A. ☐ ☐ A
 B. ☐ ☐ B
 C. ☐ ☐ C
 D. ☐ ☐ D

Answer: A ([LEAVE A REPLY](#))

Need a relationship table.

N:N (Many-to-Many): A table relationship that depends on a special Relationship table, sometimes called an Intersect table, so that many rows of one table can be related to many rows of another table.

When viewing rows of either table in a N:N relationship you can see a list of any rows of the other table that are related to it.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships>


NEW QUESTION: 108

□□□ □□□ □□□ □ □□ □□□□ □□□ □□□ □□□.


□□ □□ □□□□□□□□? □□□□□ □□□ □□□ □□ □□□□ □□□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□

□□□ □ □□ □□□□.


□□: □□ □□□ 1□□□□.



Answer:



Explanation:



Luggage: Custom activity table

An activity can be thought of as any action for which an entry can be made on a calendar. An activity has time dimensions (start time, stop time, due date, and duration) that help determine when the action occurred or will occur. Activities also contain data that helps determine what action the activity represents, for example, subject and description.

Passenger: Customer table

The account and contact tables in Microsoft Dataverse are essential for identifying and managing customers, selling products and services, and providing superior service to the customers. A customer address table is used to store address and shipping information for a customer.

Scenario: The company has a custom app for managing and tracking passenger luggage. The app uses Microsoft Dataverse.

Agents need to view which pieces of luggage match to each passenger, and then need to add the total on the passenger record.

NEW QUESTION: 109

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

- A. Which of the following is a valid use case for the Dynamics 365 Customer Voice data?
- B. Which of the following is a valid use case for the Dynamics 365 Customer Voice data?
- C. Which of the following is a valid use case for the Dynamics 365 Customer Voice data?
- D. Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Answer: (SHOW ANSWER)

The Dynamics 365 Customer Voice data is stored in Microsoft Dataverse.

Dynamics 365 Customer Voice is an enterprise feedback management application you can use to easily keep track of the customer metrics that matter the most to your business. ... It provides a personalized experience, enabling you to collect customer feedback and get relevant insights quickly and easily, all in a few clicks.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-voice/about>

<https://docs.microsoft.com/en-us/dynamics365/customer-voice/data-flow>

NEW QUESTION: 110

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Which of the following is a valid use case for the Dynamics 365 Customer Voice data?

Solutions

Power Query

Data Integrator

Data Import Wizard

Create alternate key

Import tables in correct order

Answer Area

Microsoft

Issue

Solution

Duplicate records are being migrated.

Orphaned data records are occurring.

Answer:

Solutions

- Power Query
- Data Integrator
- Data Import Wizard
- Create alternate key
- Import tables in correct order

Explanation:

Solutions

- Power Query
- Data Integrator
- Data Import Wizard
- Create alternate key
- Import tables in correct order

Answer Area

Issue	Solution
Duplicate records are being migrated	:: Create alternate key
Orphaned data records are occurring	:: Import tables in correct order



Microsoft

Answer Area

Issue	Solution
Duplicate records are being migrated.	Create alternate key
Orphaned data records are occurring.	Import tables in correct order

Microsoft

NEW QUESTION: 111

□ □□□ □□ □□□□ □□□□ □□□ □□□□□. □□ □□□ Microsoft Dataverse□ □□□□ □□□□□, □□ □□□ □□ Microsoft SharePoint □□□□□□ □□□□□. □ □□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□. □□□□□□ Microsoft Dataverse□□ □□□ □□□ □ □□ □□□ □□□□□. □ □□□ □□ □□□ □□□ □□□□.

* □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □ □□ □□ □□□□ □□□□□□ □□□ □□□ □□□ □□□ □□□.

* □□□ □□□□ □□□□ □□ □□□□ □□□□, □□ □□□ □□ □□□ □□□ □□ □□□□ □□□□.

☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐.

□□ □□□ □□□□ □□□?

□□: □□ □□□ 1□□□□.

Answer Area

Requirement	Option
Security configuration for reviewers	▼ Create a dedicated access team and add the reviewers to the team. Create a dedicated access team and add the reviewers to the team. Create a dedicated access team template and add it to the article record. Create a dedicated owner team in the Microsoft Dataverse environment and add the reviewers to the team. Create a dedicated Microsoft Teams channel with a security role for the article and add the reviewers as members.
Access to the app	▼ Embed app in Power Pages portal. Embed app in Power Pages portal. Share app through the Power Apps maker portal. Register app in Azure AD and email the registration link. Publish the app in Power Apps Studio and email the link to the app.

Answer:
Correct Answer

Requirement	Option
Security configuration for reviewers	▼ Create a dedicated access team and add the reviewers to the team. Create a dedicated access team and add the reviewers to the team. Create a dedicated access team template and add it to the article record. Create a dedicated owner team in the Microsoft Dataverse environment and add the reviewers to the team. Create a dedicated Microsoft Teams channel with a security role for the article and add the reviewers as members.
Access to the app	▼ Embed app in Power Pages portal. Embed app in Power Pages portal. Share app through the Power Apps maker portal. Register app in Azure AD and email the registration link. Publish the app in Power Apps Studio and email the link to the app.

Explanation:
Answer Area

Requirement	Option
Security configuration for reviewers	▼ Create a dedicated access team and add the reviewers to the team.
Access to the app	▼ Embed app in Power Pages portal.



NEW QUESTION: 112

□□□ □□□□□ □□ □□□ □□□□ □□□□ □□□.
□□ □□ □□□□□□□□? □□□□□ □□□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Requirement	Solution
Visual representation of gauge readings with minimum and maximum tolerances.	▼ Create and embed a Power BI radial gauge. Create and embed a custom visualization component. Create and embed a standard Power Apps donut chart.
Add visibility to the manufacturing inspection records for onsite technicians.	▼ Configure mobile offline synchronization. Add an inspection order to the work order form Modify the sitemap for Dynamics 365 Field Service.

Answer:

Requirement	Solution
Visual representation of gauge readings with minimum and maximum tolerances.	▼ Create and embed a Power BI radial gauge. Create and embed a custom visualization component. Create and embed a standard Power Apps donut chart.
Add visibility to the manufacturing inspection records for onsite technicians.	▼ Configure mobile offline synchronization. Add an inspection order to the work order form Modify the sitemap for Dynamics 365 Field Service.

Explanation:

Requirement



Solution

Visual representation of gauge readings with minimum and maximum tolerances.

Create and embed a Power BI radial gauge.
Create and embed a custom visualization component.
Create and embed a standard Power Apps donut chart.

Add visibility to the manufacturing inspection records for onsite technicians.

Configure mobile offline synchronization.
Add an inspection order to the work order form
Modify the sitemap for Dynamics 365 Field Service.

Box 1: Create and embed a Power BI radial gauge

A radial gauge chart has a circular arc and shows a single value that measures progress toward a goal or a Key Performance Indicator (KPI). The line (or needle) represents the goal or target value. The shading represents the progress toward that goal. The value inside the arc represents the progress value. Power BI spreads all possible values evenly along the arc, from the minimum (left-most value) to the maximum (right-most value).



In this example, you're a car retailer tracking the sales team's average sales per month. The needle represents a 140 cars sales goal. The minimum possible average sales is 0 and the maximum is 200. The blue shading shows that the team is averaging approximately 120 sales this month.

Box 2: Add an inspection order to the work order form

You can add inspections to work orders in Dynamics 365 Field Service.

Field Service inspections are digital forms that technicians use to quickly and easily answer a list of questions as part of a work order. The list of questions can include safety protocols, pass-and-fail tests for a customer asset, an interview with a customer, or other audits and assessments performed before, during, or after a work order.

Example:

