

Microsoft.PL-900-KR.v2026-03-10.q194

□□□□:	PL-900-KR
□□□□:	Microsoft Power Platform Fundamentals (PL-900 Korean Version)
□□□:	Microsoft
□□ □□ □□□:	194
□□:	v2026-03-10
# □□ □:	187
# □□ □□□:	1940
https://www.krdump.com/Microsoft.PL-900-KR.v2026-03-10.q194.html	

NEW QUESTION: 1

□□□ □ □□ □□

□ □□□□ Power BI □ □□□□.

□ □□□ Power BI □ AI Insights □ □□□ □□□ □□ □□ □□□□ □□□.

□ □□ □□□ □□ □□□ □□□ □□□□ □□□.

□□ □□□□ □□□ □□□□ □□□? □□ □□□□ □□□ □□□□ □□□ □□ □□ □□

□□ □□□□□□. □ □□□□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□

□□ □□□ □ □□□ □□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Insight types <input type="text" value="Anomalies"/> <input type="text" value="Key Performance Indicator (KPI) analysis"/> <input type="text" value="Trends"/>	Answer Area Requirement Evaluate the current value against a defined target. <input type="text"/> Identify data that is outside the boundary of normally expected values. <input type="text"/> Find patterns in time-series data. <input type="text"/>
--	--

Answer:

Insight types <input type="text" value="Anomalies"/> <input type="text" value="Key Performance Indicator (KPI) analysis"/> <input type="text" value="Trends"/>	Answer Area Requirement Evaluate the current value against a defined target. <input type="text"/> Identify data that is outside the boundary of normally expected values. <input type="text"/> Find patterns in time-series data. <input type="text"/>
--	--

NEW QUESTION: 2

□□□□ Dynamics 365 Sales □ □□□□□. □□□ □□□ □□□ Power Automate □□□ □□

□□ □□ □□□□□ □□□ □□□□ □□□□.

□□ □□□□ □□□ □□□□. □□ □□□□ □□ □□□ □□□□□□□□.

Answer Area



Step analysis

Which step is a trigger?

Result

Get response details
Start an approval
Send an email for approval
When a new response is submitted

Which step uses the same connector as Get response details?

Start an approval
Send an email for approval
When a new response is submitted

Answer:

ANSWER AREA



Step analysis

Which step is a trigger?

Result

Get response details
Start an approval
Send an email for approval
When a new response is submitted

Which step uses the same connector as Get response details?

Start an approval
Send an email for approval
When a new response is submitted

NEW QUESTION: 4

Common Data Model data is used to connect Power BI datasets to a data source.

Which two data sources can be used to connect Power BI datasets to a data source? (Select two.)

- A. Power Automate and Microsoft SQL Server
- B. Microsoft Excel and Microsoft SharePoint
- C. Microsoft Excel and Microsoft SharePoint
- D. Power BI and Microsoft SQL Server

Answer: A,B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-create-the-new-workspaces>

NEW QUESTION: 5

□□□ □□

□□□ □□□ Copilot Studio □□□□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□□ '□□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area



Statement

Yes **No**

You must create a custom action to display a knowledge base article that answers a common support question.

You can use Power Automate to retrieve a customer's contact number in order to verify they are an authorized user and their support plan SLA.

Answer:

Answer Area

Statement **Yes** **No**

You must create a custom action to display a knowledge base article that answers a common support question.

You can use Power Automate to retrieve a customer's contact number in order to verify they are an authorized user and their support plan SLA.

Explanation:

Box 1: No

Microsoft Copilot Studio, Add and manage knowledge for generative answers Generative answers in Copilot Studio allow your copilot to find and present information from multiple sources, internal or external, without created topics. Generative answers can be used as primary information sources or as a fallback source when authored topics can't answer a user's query. As a result, you can quickly create and deploy a functional copilot. Makers don't need to manually author multiple topics, which might not address all customer questions.

Box 2: Yes

Microsoft Copilot Studio, Configure end-user authentication for actions

* When creating a Copilot Studio action for an authenticated Copilot Studio project, you can enable end-user authentication, or supply a set of credentials for the copilot to use on behalf of the user.

* Select Copilot author authentication if access to the service associated with the action is implicit, or for low-risk use cases. For example, use this authentication setting to find the phone number

for the support team in a given zip code. OR when using a weather API to get the current forecast.

Select User authentication if you must restrict data access to specific groups or individuals in the user community. For example, use this authentication setting if the copilot is meant to retrieve data that only the end user has access to, or to perform work on their behalf.

Reference:

<https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-boost-conversations>

<https://learn.microsoft.com/en-us/microsoft-copilot-studio/configure-enduser-authentication>

NEW QUESTION: 6

□□□ □ □□ □□

□ □□□□ Power BI □ □□□ □□□□□.

□□□□□ Power BI □ □□□□ □□ □ □□ □□ □□□□ □□□□□ □□□.

□□□ □□ □□□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□ □□□ □□□□ □□□ □□ □□□ □□□□□□□. □ □□□

□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □

□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Solutions	Requirement	Solution
<input type="checkbox"/> Microsoft AppSource	Evaluate solutions that meet current gaps in Power BI capabilities. Evaluate the services of multiple companies to identify a partner that can assist in building a proof-of-concept solution.	<input type="text"/>
<input type="checkbox"/> Microsoft Lifecycle Services		<input type="text"/>
<input type="checkbox"/> Microsoft Azure Marketplace		

Answer:

Solutions	Requirement	Solution
<input type="checkbox"/> Microsoft Azure Marketplace	Evaluate solutions that meet current gaps in Power BI capabilities. Evaluate the services of multiple companies to identify a partner that can assist in building a proof-of-concept solution.	<input type="checkbox"/> Microsoft AppSource
<input type="checkbox"/> Microsoft Lifecycle Services		<input type="checkbox"/> Microsoft Lifecycle Services

NEW QUESTION: 7

□□□ □ □□ □□

□ □□□□□ □□ □□□ □□□ □ □ □□ □□□ □□ □□ □□□ □□□ □□□□□.

□□□ □□ □□□ □□□□ □□□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□□□□□. □

□□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□

□□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Components	Data source	Component
Connector	Microsoft Excel	
Expression	Azure Data Lake	
Formula	GitHub	

Answer:

Components	Data source	Component
Connector	Microsoft Excel	Connector
Expression	Azure Data Lake	Connector
Formula	GitHub	Connector

Explanation:

Microsoft Excel: Connector

"Use a connector to import data from a selection of many different sources, such as Microsoft Excel, Azure, SQL Server database, SharePoint, Access, OData, and more."

<https://docs.microsoft.com/en-us/power-apps/maker/data-platform/data-platform-import-export>

Data Lake: Connector

"Azure Data Lake Store connector allows you to read and add data to an Azure Data Lake account."

<https://docs.microsoft.com/en-us/connectors/azuredatalake/>

GitHub: Connector

"With GitHub Connector, you can create a GitHub repo, create a pull request, merge a pull request, compare commits, trigger a GitHub actions workflow and much more from Power Apps and Power Automate."

<https://powerapps.microsoft.com/en-us/blog/github-connector-features-for-power-platform/>

NEW QUESTION: 9

□□□ □ □□ □□
 □□ □□□□ □□□□ □ □□□□□. □□ □□□□ □□□□ □□□ □□□□□□.
 □□□ □□□□ □□□ □□□ □□□ □□ □□□□ □□ □□□□□□ □□□□□□. □□ □□ □
 □□□ □□ □□□□ □□□□ □□ □□□ PCI □□□ □□□□□□ □□□□□□.
 □□□□ □□ □□□ □□□□ □□□□.
 □□ □□□ □□□□□ □□□ □□□□□ □□□? □□□□ □□□ □□□□ □□□ □□ □□□ □□
 □□ □□□□ □□□□. □ □□□□ □ □, □□ □ □□□□□ □□ □□□□ □□ □ □□□□□. □
 □□ □□ □□□ □□□□□ □□□□□ □□□□ □□□□ □ □□ □□□□□.
 □□: □□ □□□ 1□□□□□.

Solutions	Requirement	Solution
Power Pages	Register and pay from mobile device.	
Power Automate		
Power Virtual Agents	Support PCI-compliant creation of user interface for payment processing.	

Answer:

Solutions	Requirement	Solution
	Register and pay from mobile device.	Power Automate
Power Virtual Agents	Support PCI-compliant creation of user interface for payment processing.	Power Pages

NEW QUESTION: 10

□□□ □ □□ □□
 □ □□□□ Power Apps □□□ □□□□ □□□□□.
 □□□ □□ □□□ □□□□ □□□□.
 □□ □□ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □□□ □□
 □□□□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□□. □□□□ □□
 □ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□□.
 □□: □□ □□□ 1□□□□□.

Components	Answer Area	Requirement	Component
list		Display a single record from Microsoft Dataverse.	Component
form		Display a list of records from a Microsoft SharePoint list.	Component
IFrame		Display a list of records from Microsoft Dataverse.	Component
connector			

Answer:
Components

Components	Answer Area	Requirement	Component
IFrame		Display a single record from Microsoft Dataverse.	form
		Display a list of records from a Microsoft SharePoint list.	connector
		Display a list of records from Microsoft Dataverse.	list

Explanation:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/compose-page>

<https://docs.microsoft.com/en-us/powerapps/maker/portals/compose-page#add-iframe>

NEW QUESTION: 11

□□□ □ □□ □□

□ □□□□□ Power Platform □□□□ Power Apps □ □□□ □□□□□.

□□ □□ □□ □□□ □□□□ □□□.

□ □□□ □□ □□□ □□□□□. □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □

□□ □□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□.

□□: □□□ □□ □□□ 1□□ □□□□□.

Answer Area

Products	Function	Product
Microsoft Azure	Implement user authentication.	
custom connector	Send data to a Microsoft OneNote notebook in the same tenant.	
Microsoft Flow		
model-driven app		
canvas app		

Answer:

Products

- Microsoft Azure
- model-driven app
- canvas app

Answer Area

Function

- Implement user authentication.
- Send data to a Microsoft OneNote notebook in the same tenant.

Product

- custom connector
- Microsoft Flow

Microsoft

Explanation:

Box 1: Custom connector

Register an app in the Azure Active Directory and request permission to use the right Graph API(s) and use this as custom connector.

Box 2: Microsoft Flow

The company already is implementing Power Apps in a Power Platform environment (which means model driven app will be there already), You need to implement other required components (other than model driven app so it would be Microsoft Flow aka Power Automate)

<https://powerapps.microsoft.com/en-us/blog/implementing-role-based-permission/>

<https://www.encorebusiness.com/blog/powerapps-flow-can/>

NEW QUESTION: 12

□□□ □ □□ □□

□ □□ □□□□□ Microsoft Dataverse□ □□□□ □□ □□ □□ □□□□.

□□□□ □□□ □□ □□□ □□□ □ □□ □□□ □□ □□□□□. □ □□□□□ □□□□ □

□ □□□ □□□□□ □□□ □ □□□ □□□.

- □□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □

□□□ □□ □□ □□□

- □□□ □□□□ □□□ □□ □□□ □□□ □ □□ □

- □□ □□□ □□ □□ □□□ □□□□ □□□ □ □□ □□

□□ □□□

□□□ □□□□ Microsoft Dataverse□ □□□□ □□□.

□□□□ □□□□ □ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □

□□ □□ □□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □

□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Options	Answer Area								
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Table</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Column</div> <div style="border: 1px solid black; padding: 5px;">Row</div>	<table border="1"> <thead> <tr> <th>Requirement</th> <th>Option</th> </tr> </thead> <tbody> <tr> <td>Store additional doctor profile data.</td> <td><div style="border: 1px solid black; height: 20px; width: 100%;"></div></td> </tr> <tr> <td>Store information about the doctor's specialty.</td> <td><div style="border: 1px solid black; height: 20px; width: 100%;"></div></td> </tr> <tr> <td>Store doctor profile information for many doctors.</td> <td><div style="border: 1px solid black; height: 20px; width: 100%;"></div></td> </tr> </tbody> </table>	Requirement	Option	Store additional doctor profile data.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>	Store information about the doctor's specialty.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>	Store doctor profile information for many doctors.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>
Requirement	Option								
Store additional doctor profile data.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>								
Store information about the doctor's specialty.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>								
Store doctor profile information for many doctors.	<div style="border: 1px solid black; height: 20px; width: 100%;"></div>								

Answer:

Options	Answer Area								
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Table</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Column</div> <div style="border: 1px solid black; padding: 5px;">Row</div>	<table border="1"> <thead> <tr> <th>Requirement</th> <th>Option</th> </tr> </thead> <tbody> <tr> <td>Store additional doctor profile data.</td> <td>Table</td> </tr> <tr> <td>Store information about the doctor's specialty.</td> <td>Column</td> </tr> <tr> <td>Store doctor profile information for many doctors.</td> <td>Row</td> </tr> </tbody> </table>	Requirement	Option	Store additional doctor profile data.	Table	Store information about the doctor's specialty.	Column	Store doctor profile information for many doctors.	Row
Requirement	Option								
Store additional doctor profile data.	Table								
Store information about the doctor's specialty.	Column								
Store doctor profile information for many doctors.	Row								

NEW QUESTION: 13

Power Apps Power Automate .

.

?

A.

B.

C.

D.

Answer: D ([LEAVE A REPLY](#))

The Concatenate function concatenates a mix of individual strings and a single-column table of strings. When you use this function with individual strings, it's equivalent to using the & operator.

Reference:

<https://learn.microsoft.com/en-us/power-platform/power-fx/reference/function-concatenate>

NEW QUESTION: 14

Microsoft Dynamics 365 and Power Automate. You can create a flow that triggers when a record is created, updated, or deleted in Dynamics 365. This flow can then perform actions such as sending an email or updating a record in another system.

Which of the following triggers can be used in a flow to trigger when a record is created, updated, or deleted in Dynamics 365?

When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

Answer: B, C, D (LEAVE A REPLY)

A. When a record is created

B. When a record is updated

C. When a record is deleted

D. When a record is deleted and then created

E. When a record is deleted

Triggers like When a record is created, When a record is updated, and When a record is deleted initiate your flow within a few minutes of the event occurring. In rare cases, your flow can take up to 2 hours to trigger.

Reference:
<https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

NEW QUESTION: 15

Power App lifecycle services are used to manage the lifecycle of a Power App. Which of the following lifecycle services are used to manage the lifecycle of a Power App?

When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

A. Lifecycle Services, When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

B. Lifecycle Services, When a record is updated, When a record is deleted, When a record is deleted and then created.

C. Lifecycle Services, When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

D. Lifecycle Services, When a record is updated, When a record is deleted, When a record is deleted and then created.

Answer: (SHOW ANSWER)

It states you need to determine the cause of the error. If you disable the custom error message, it will display the full error message and therefore allow you to determine the cause of the error.

<https://docs.microsoft.com/en-us/powerapps/maker/portals/admin/view-portal-error-log>

NEW QUESTION: 16

Power App lifecycle services are used to manage the lifecycle of a Power App. Which of the following lifecycle services are used to manage the lifecycle of a Power App?

When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

A. Lifecycle Services, When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

B. Lifecycle Services, When a record is updated, When a record is deleted, When a record is deleted and then created.

C. Lifecycle Services, When a record is created, When a record is updated, When a record is deleted, When a record is deleted and then created.

D. Lifecycle Services, When a record is updated, When a record is deleted, When a record is deleted and then created.

Components

Column

Table

Answer Area

Requirement

Hidden field appears

List of customers and fields displays

Component

Form

View

NEW QUESTION: 18

□□□ □ □□ □□

□ □□□□ Microsoft Teams□□ □□□ □□□ □□ □□ □□□□□.

□□□ □□ □□□ □□ □□□□ □□□□ □□□.

□□□□□ □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□□□. □ □□□□ □ □, □□

□ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□□ □

□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Platforms	Design consideration	Platform
Dataverse	Limit the number of rows to less than one million that can exist for an application in Teams.	
Dataverse for Teams	Ensure that professional developers have as many features available as possible, such as API access, plug-ins, and more, when developing applications for use within Teams.	

Answer:

Platforms	Design consideration	Platform
Dataverse	Limit the number of rows to less than one million that can exist for an application in Teams.	Dataverse for Teams
Dataverse for Teams	Ensure that professional developers have as many features available as possible, such as API access, plug-ins, and more, when developing applications for use within Teams.	Dataverse

Explanation:

Box 1: Dataverse for Teams

Over time, the data stored in the Dataverse for Teams environment will grow and eventually reach the capacity limit that these environments have (2 GB). At this point, existing apps will continue to operate but new applications won't be allowed to be created or installed. Customers

will be directed to contact a tenant admin to upgrade the Dataverse for Teams environments to Dataverse and obtain more capacity.

Box 2: Dataverse

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/about-teams-environment>

NEW QUESTION: 19

□□□ □ □□ □□

□ □□□□ Dynamics 365 Customer Service□ □□□□ □□ □□□ □□□□ □□□□ □□□

□. □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□□.

□□□□□ □□□ □□ □□ □□□ □□□□.

- □□□ □□ □□□□□ □□□□□ □□ □□□ □ □ □□□□.

□□ □□□ □□.

- □□ □□ □□□ □□ □□□ □□□□ □□□□□.

Microsoft Teams□□ □□□ □□.

- □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□.

Dynamics 365 □□ □□□ □.

□□□□ □□□□□ Microsoft Power Platform □□□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□ □□□□ □□□ □□□ □□□ □□ □□□□□

□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □

□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Technologies	Requirement	Technology
Power Apps portals	Customers can log on to a secure website and view the progress of customer service tickets.	<input type="text"/>
Power Automate	Refund requests over a certain value can be automatically sent for managerial approval in Microsoft Teams.	<input type="text"/>
Canvas apps	Create a custom page showing a gallery of pictures within the Dynamics 365 Customer Service app.	<input type="text"/>

Answer:

Answer Area



Microsoft

Technologies

Requirement

Technology

Customers can log on to a secure website and view the progress of customer service tickets.

Power Apps portals

Refund requests over a certain value can be automatically sent for managerial approval in Microsoft Teams.

Power Automate

Create a custom page showing a gallery of pictures within the Dynamics 365 Customer Service app.

Canvas apps

NEW QUESTION: 20

□□□ □□

□□ □□□□□□ Power Automate□ □□□ □ □□□?

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□ '□□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area

Statement

Yes

No

Notify team members when a response is recorded in a form in Microsoft Forms.

When email is received, save email attachments to OneDrive for Business.

Receive notifications when negative comments about the company are posted on Twitter.

Answer:

Answer Area

Statement

Yes

No

Notify team members when a response is recorded in a form in Microsoft Forms.

When email is received, save email attachments to OneDrive for Business.

Receive notifications when negative comments about the company are posted on Twitter.

Explanation:

[https://flow.microsoft.com/en-](https://flow.microsoft.com/en-us/galleries/public/templates/b923bbd04bda11e78896d10a96d3fac3/notify-the-team-when-a-new-response-is-submitted/)

[us/galleries/public/templates/b923bbd04bda11e78896d10a96d3fac3/notify-the-team-when-a-new-response-is-submitted/](https://flow.microsoft.com/en-us/galleries/public/templates/b923bbd04bda11e78896d10a96d3fac3/notify-the-team-when-a-new-response-is-submitted/)

[https://flow.microsoft.com/en-](https://flow.microsoft.com/en-us/galleries/public/templates/65ceb79430ef4956a0855fbe09249cdf/save-office-365-email-attachments-to-onedrive-for-business/)

[us/galleries/public/templates/65ceb79430ef4956a0855fbe09249cdf/save-office-365-email-attachments-to-onedrive-for-business/](https://flow.microsoft.com/en-us/galleries/public/templates/65ceb79430ef4956a0855fbe09249cdf/save-office-365-email-attachments-to-onedrive-for-business/)

<https://flow.microsoft.com/en-us/blog/get-notified-of-negative-posts/>

NEW QUESTION: 21

□□□ □□

□□□□ □□ □□□□ □□ □□ □□ □□ AI □□□□ □□□□ □□□□ □□□□□□.

□□ □ □□□ □□, □□□□ □□□□□□ '□'□ □□□□□□. □□□□ □□□□ '□□□□'□ □□□□□□.

□□: □□ □□□□ 1□□□□□.

Statement	Yes	No
The Business Card Reader model can be used with both Power Automate and Power Apps.	<input type="radio"/>	<input type="radio"/>
The Sentiment Analysis model can be used Power Automate only.	<input type="radio"/>	<input type="radio"/>

Answer:

Statement	Yes	No
The Business Card Reader model can be used with both Power Automate and Power Apps.	<input checked="" type="radio"/>	<input type="radio"/>
The Sentiment Analysis model can be used Power Automate only.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

You can see the way to use The Sentiment Analysis model in both Power Apps and Power Automate.

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-sentiment-analysis>

NEW QUESTION: 22

□□□ □□

Which of the following flow types can be used to trigger a flow when a button is selected?
 Select all that apply.
 UI Flow
 Automatic
 Business Process Flow
 Instant

Answer Area

Requirement

Flow type

Trigger a flow when a button is selected.



	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Trigger a flow when a record is created.

	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Guide a user through a series of steps in a model-driven app.

	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Answer:

Answer Area



Requirement

Flow type

Trigger a flow when a button is selected.

	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Trigger a flow when a record is created.

	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Guide a user through a series of steps in a model-driven app.

	▼
UI Flow	
Automatic	
Business Process Flow	
Instant	

Explanation:

<https://docs.microsoft.com/en-us/power-automate/triggers-introduction>

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview>

NEW QUESTION: 23

□□□ □□

Power BI □□ □□□□ □□□ □□□□ □□□□ □□□□. □□□□ □□ □□□□ □□□□ □□ □□ □□□□□. □□□ □□ □□□ □□ □□□□ □□□□ □ □ □□□ □□□ □□□ □□ □□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area

Statement	Yes	No
The Power BI published app is stored within the Team site so that others can install it.	<input type="radio"/>	<input type="radio"/>
One of the other project managers installs and modifies a dashboard within the Power BI published app. The changes are automatically made into the original published app.	<input type="radio"/>	<input type="radio"/>

Answer:

Statement	Yes	No
The Power BI published app is stored within the Team site so that others can install it.	<input checked="" type="radio"/>	<input type="radio"/>
One of the other project managers installs and modifies a dashboard within the Power BI published app. The changes are automatically made into the original published app.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-create-distribute-apps>

NEW QUESTION: 24

AI Builder is a cloud-based AI service that can be used to create custom AI models. AI Builder is available in the Microsoft Power Platform. AI Builder is a cloud-based AI service that can be used to create custom AI models. AI Builder is available in the Microsoft Power Platform. AI Builder is a cloud-based AI service that can be used to create custom AI models. AI Builder is available in the Microsoft Power Platform.

- A. AI Builder is available in the Microsoft Power Platform.
- B. AI Builder is a cloud-based AI service that can be used to create custom AI models.
- C. AI Builder is a cloud-based AI service that can be used to create custom AI models.
- D. AI Builder is available in the Microsoft Power Platform.
- E. AI Builder is a cloud-based AI service that can be used to create custom AI models.

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 25

AI Builder is a cloud-based AI service that can be used to create custom AI models. AI Builder is available in the Microsoft Power Platform. AI Builder is a cloud-based AI service that can be used to create custom AI models. AI Builder is available in the Microsoft Power Platform.

- □□

- □□

□□ □□□□ □□□ □□□ □□ □□□ □□□□□□, □□□□ □□□□ □□□□ □□□□□□
□□□ □□ □□ □□□ □□□□□□□□.

□□□□: □□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□□ □□□□ '□□□□'□ □
□□□□.

□□: □□ □□□ 1□□□□□.

Statements	Yes	No
You will not be able to access the app until the System Administrator security role is assigned to the app in the development environment.	<input type="radio"/>	<input type="radio"/>
You can delete records in the development environment.	<input type="radio"/>	<input type="radio"/>
You will not be able to access the app until the Project Team Member security role is assigned to the app in the production environment.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You will not be able to access the app until the System Administrator security role is assigned to the app in the development environment.	<input type="radio"/>	<input checked="" type="radio"/>
You can delete records in the development environment.	<input checked="" type="radio"/>	<input type="radio"/>
You will not be able to access the app until the Project Team Member security role is assigned to the app in the production environment.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: No

You already have this access as a System Administrator.

Users who have the Environment Maker, System Administrator, or System Customizer security role can access and edit all model-driven apps within the environment. This is because these security roles have create, read, and write privileges on the Model-driven App table.

Box 2: Yes

If you are the System Administrator role in your CDS (Common Data Service), you would have full permission to customize or administer the environment, including creating, modifying, and assigning security roles.

Currently, within PowerApps, there is no way to prevent CDS System Administrator role from deleting a record in an Entity.

Box 3: No

Other security options are available.

Also, there is no information on what the custom Project Team Member role entails.

Note: Apps can be viewed by valid users with appropriate privileges who sign into Power Apps, the Power Apps mobile app, or Dynamics 365 home page. For a user to view and access apps in an environment, the following privileges, security role, or team membership are required:

- A user who has the write or create privilege on the Model-driven App table makes the user a maker persona. That user can view and access all apps in the environment.
- A user who has only the read privilege on the Model-driven App table, must also have the associated security role(s) that are assigned to the app (or equivalent).

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/model-driven-apps/app-visibility-privileges>

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION: 26

□□□ □□

□ □□□□ Common Data Service □□□ □□□ □□□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Statement	Yes	No
You can create a Common Data Service environment in the Power Platform Admin center.	<input type="radio"/>	<input type="radio"/>
You must enable data encryption after you create a Common Data Service environment.	<input type="radio"/>	<input type="radio"/>
You can control security roles and privileges in a Common Data Service Environment from the Power Apps Admin center.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
You can create a Common Data Service environment in the Power Platform Admin center.	<input checked="" type="radio"/>	<input type="radio"/>
You must enable data encryption after you create a Common Data Service environment.	<input type="radio"/>	<input checked="" type="radio"/>
You can control security roles and privileges in a Common Data Service Environment from the Power Apps Admin center.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

<https://docs.microsoft.com/en-us/power-platform/admin/create-database>

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>


NEW QUESTION: 27

□□□ □□

□ □□□□ Power Apps□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□. □□□ □□ □□□□ □□□ □ □□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□ '□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□.

Answer Area  Microsoft

Statement	Yes	No
Custom connectors for customer-specific services do not require review and certification by Microsoft.	<input type="radio"/>	<input type="radio"/>
You can build a custom connector once and reuse the connector for Power Apps and Microsoft Flow.	<input type="radio"/>	<input type="radio"/>
You can make custom connectors publicly available for all Power Platform users without having Microsoft certify the connector.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
Custom connectors for customer-specific services do not require review and certification by Microsoft.	<input checked="" type="radio"/>	<input type="radio"/>
You can build a custom connector once and reuse the connector for Power Apps and Microsoft Flow.	<input checked="" type="radio"/>	<input type="radio"/>
You can make custom connectors publicly available for all Power Platform users without having Microsoft certify the connector.	<input type="radio"/>	<input checked="" type="radio"/>

 Microsoft

Explanation:

Box 1: Yes

Only if you would like to share your connector with all users of Logic Apps, Microsoft Flow, and PowerApps, you can submit your connector for Microsoft certification. Microsoft will review your connector.

Box 2: Yes

Connectors created in Microsoft Flow are available in PowerApps. Likewise, connectors created in PowerApps are available in Microsoft Flow.

Box 3: No

If you would like to share your connector with all users of Logic Apps, Microsoft Flow, and PowerApps, you can submit your connector for Microsoft certification. Microsoft will review your connector.

Reference:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/>

NEW QUESTION: 28

□□□ □□
□ □□□□□ □□ □□ □□ □□□□ □□□ □□□ □□□ □□□□□.
□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□□□□ □□□ □ □□ □□ □□□ □□
□ □□□□□.
□□□ □□□ □□□ □□ □□□□ □□□□ □□ Power Pages□ □□□□ □□ □□□ □□□
□ □□□.
□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□ '□□□'□ □□□□□□.
□□: □□ □□□ 1□□□□□.

Potential benefits of using Power Pages

Statement	Yes	No
Power Pages always requires the customer to sign in before viewing or adding any information.	<input type="radio"/>	<input type="radio"/>
The Power Pages site works seamlessly across browsers and mobile devices without configuration.	<input type="radio"/>	<input type="radio"/>
Power Pages can provide native connectivity to the same instance of Dataverse as the	<input type="radio"/>	<input type="radio"/>

Answer:

Potential benefits of using Power Pages

Statement	Yes	No
Power Pages always requires the customer to sign in before viewing or adding any information.	<input type="radio"/>	<input checked="" type="radio"/>
The Power Pages site works seamlessly across browsers and mobile devices without configuration.	<input checked="" type="radio"/>	<input type="radio"/>
Power Pages can provide native connectivity to the same instance of Dataverse as the	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: No

Power Pages allows anonymous access.

Box 2: Yes

No need for browser configuration.

Box 3: Yes

Power Pages connectivity to a Microsoft Dataverse

Microsoft Dataverse is a key component for any Power Pages website. It acts as both metadata store for the website storing all website configuration like webpages, content snippets, site settings, user metadata and the data store for business data.

Server to Server Connection

Power Pages connects to Dataverse utilizing a server to server (S2S) connection. This S2S connection is established utilizing a Microsoft Entra application that is created in the customer's Microsoft Entra when a website is created.

Reference:

<https://learn.microsoft.com/en-us/power-pages/admin/connectivity>

NEW QUESTION: 29

□□□ □ □□ □□

□ □□□□□ Microsoft Power Apps□ Microsoft Azure□ □□□□ □□□ □□ □□□ □□□□ □□.

□□□ □ □□ □□ □□□ □□ □□□□ □□□ □□□.

- □□□ □□ □□□□□□ □□□ □□□□□□ □□□□ □

□□□ □□ □□□ □□

- □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □

- Microsoft Dataverse □□□□, Microsoft Excel, Microsoft SharePoint□ □□□□ □□□□ □□ □□□ □□□□ □ □□□ □□□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□? □□□ □□□, □□ □ □□□ □□ □□□ □□□□□□.

□ □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

App types

- Logic
- Model-driven
- Canvas

Answer Area



App

- App to audit retail store displays
- App to create sales orders
- App to display product information

App type

- App types
- App types
- App types

Answer:



NEW QUESTION: 30

- Microsoft 365 Dynamics 365 Sales. Which app type is most specific to the business and their existing capabilities and helps demonstrate to leadership why Power Platform should be used?
- Power Platform app type options:
- A. Dynamics 365 Sales
 - B. Power Apps
 - C. Power Automate
 - D. Microsoft 365 Dynamics 365 Sales

Answer: (SHOW ANSWER)

B&C are most specific to the business and their existing capabilities and helps demonstrate to leadership why Power Platform should be used.

NEW QUESTION: 31

- Power BI report page can be pinned to a dashboard, which is called pinning a live tile. It's called a live tile because you can interact with the tile on the dashboard. Unlike with individual visualization tiles, changes made in the report are automatically synced with the dashboard.
- Reference:
- A. []
 - B. []
 - C. []
 - D. []

Answer: B (LEAVE A REPLY)

An entire report page can be pinned to a dashboard, which is called pinning a live tile. It's called a live tile because you can interact with the tile on the dashboard.

Unlike with individual visualization tiles, changes made in the report are automatically synced with the dashboard.

Reference:

PL-900-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-900-KR □□!
DumpTop □ □□ **PL-900-KR** □□ □□□ □□□□□□, DumpTop PL-900-KR □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-900-
KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/PL-900-KR-dump.html> (375 Q&As
Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□□□ □ □□ □□
□□ □□□□ Power BI □□□□ □ □□ □□□ □□□□□. □□□□□ □□ □□□□□□□
□□□□□.
□□□□ □□□□□ □□□ □□ □□□□ A□ □□□ □□□ □□□□□. □□□□ B□□ □□
□ □□□□ □□□□□.
□□□□□ □□□ □□□□ □□□.
□□ □□□ □□□? □□ □□□□ □□ □□□ □□ □□□□□ □□□□□□□. □ □□□ □ □,
□□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□
□ □□□□□ □ □□ □□□□.
□□: □□ □□□ 1□□□□.

Issues	Answer Area	Dashboard	Issue
Permissions on dataset		DashboardA	
Refresh has not run		DashboardB	
Incorrect datasets imported			

Answer:

Issues	Answer Area	Dashboard	Issue
Incorrect datasets imported		DashboardA	Permissions on dataset
		DashboardB	Refresh has not run

NEW QUESTION: 33

□□□ □□
□□□□ □ □□ Power Apps □□□ □□ □□□ □□□□.
□ □□□□□ □□ □□□ □□□□ □□□□ □□□□? □□ □□□□ □□□ □□□ □□□□ □
□□□□.
□□: □□ □□□ 1□□□□.

Answer Area

Scenario

Control

View the date, time, and location of upcoming internal meetings.

- Meeting-screen template
- Gallery
- List box

Send a meeting request from within the app.

- Function
- Gallery
- Intelligent control

Categorize a real-world item based on a photograph.

- Image
- Object detection
- Add picture

Answer:

Answer Area

Scenario

Control

View the date, time, and location of upcoming internal meetings.

- Meeting-screen template
- Gallery
- List box

Send a meeting request from within the app.

- Function
- Gallery
- Intelligent control

Categorize a real-world item based on a photograph.

- Image
- Object detection
- Add picture

NEW QUESTION: 34

□□□ □ □□ □□

Common Data Service (CDS) is a cloud-based data platform that provides a secure and scalable way to store and manage data. It is designed to be used with Microsoft Dynamics 365 and other Microsoft products. CDS is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Apps. CDS is used to store data for various business processes, such as sales, marketing, and customer service. It is a highly flexible and scalable data platform that can be used to store and manage data from a wide range of sources. CDS is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Apps. CDS is used to store data for various business processes, such as sales, marketing, and customer service. It is a highly flexible and scalable data platform that can be used to store and manage data from a wide range of sources.

- CDS is a cloud-based data platform that provides a secure and scalable way to store and manage data.
- CDS is designed to be used with Microsoft Dynamics 365 and other Microsoft products.
- CDS is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Apps.

Common Data Service (CDS) is a cloud-based data platform that provides a secure and scalable way to store and manage data. It is designed to be used with Microsoft Dynamics 365 and other Microsoft products. CDS is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Apps. CDS is used to store data for various business processes, such as sales, marketing, and customer service. It is a highly flexible and scalable data platform that can be used to store and manage data from a wide range of sources. CDS is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Apps. CDS is used to store data for various business processes, such as sales, marketing, and customer service. It is a highly flexible and scalable data platform that can be used to store and manage data from a wide range of sources.

Answer: CDS is a cloud-based data platform that provides a secure and scalable way to store and manage data.

The screenshot shows a Microsoft Dynamics 365 interface. On the left, there is a list of 'Options' with buttons for 'Entity', 'Field', 'Option set', and 'Record'. In the center, there is a 'Requirement' section with the text 'Store additional doctor profile data.', 'Store information about the doctor's specialty.', and 'Select an insurance company.'. On the right, there is an 'Option' section with three buttons labeled 'Option'.

Answer:

The screenshot shows a Microsoft Dynamics 365 interface. On the left, there is a list of 'Options' with a button for 'Entity'. In the center, there is a 'Requirement' section with the text 'Store additional doctor profile data.', 'Store information about the doctor's specialty.', and 'Select an insurance company.'. On the right, there is an 'Option' section with three buttons labeled 'Record', 'Field', and 'Option set'.

Explanation:

<https://docs.microsoft.com/en-us/power-apps/maker/data-platform/data-platform-intro#terminology-updates>

NEW QUESTION: 35

□□□ □ □□ □□

Power Apps □ □□ □□ □□ □□ □□□ □□ □□□ □□□□.

□ □□□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□? □□□□ □□ □□□ □□□ □□ □□□ □□ □□□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□ □□. □□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□. □□: □□ □□□ 1□□□□.

Privileges	Requirement	Privilege
Append	Allow users to grant access to a record they own to other users.	<input type="text"/>
Assign	Grant ownership of a record to another user.	<input type="text"/>
Share	Allow the users to associate the current record with another record.	<input type="text"/>

Answer:

Privileges	Requirement	Privilege
	Allow users to grant access to a record they own to other users.	Share
	Grant ownership of a record to another user.	Assign
	Allow the users to associate the current record with another record.	Append

Explanation:

Box 1: Share

Share - Required to give access to a record to another user while keeping your own access. Which records can be shared depends on the access level of the permission defined in your security role.

Box 2: Assign

Assign - Required to give ownership of a record to another user. Which records can be assigned depends on the access level of the permission defined in your security role.

Box 3: Append

Append - Required to associate the current record with another record. For example, a note can be attached to an opportunity if the user has Append rights on the note. The records that can be appended depend on the access level of the permission defined in your security role.

In case of many-to-many relationships, you must have Append privilege for both tables being associated or disassociated.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/security-roles-privileges#record-level-privileges>

NEW QUESTION: 36

Data□□ □□□□□ □□□ □□□□ □□□ □□ □□□□.

□. □□ □□□ □□□ □□□□□□□ □□□□□. □□ □□□ □□□□□□ □□□ □□□ □ □□□□□□.

□□□□ □□□□ □□□ □□□□ □□□.

□□ □□□□ □□□□ □□□?

A. □□ □□

B. □□□

C. □□

D. □□□

Answer: (SHOW ANSWER)

A Gallery control allows you to show multiple records from a data source (in this case, customer records from the connected spreadsheet).

NEW QUESTION: 37

□□□□□ □□□ □□□□□ □□□□ □□□ □□□ □□, □□ □ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □ □□□ □□□□ □ □□□ □□□?

A. □□□ □□ □□□□□□, □□ □□□ □□ □□□ □□ □□ □□□□□□.

B. □□ □□ □□□ □□□□□.

C. □□ □□□□ □□ □□□ □□□□ □ □□ □□□□.

D. □□ □□□□ □□ □□□ □ □□ □□□ □□□□ □□□□ □□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 38

Power BI □□ □□□ □□ □□□□ □□ Power BI □□□□ □□□□□.

□□□□ □□□ □□□□ □□ □□ □ □□□ □□□ □□ □□ □□ □□□□ □□□ □ □□□ □□□.

□□□ □□□□ □□□□ □□□□ □□□.

□□ □□□□ □□□□□?

A. □□ □□

B. □□□ □□ □□

C. □□ □□

D. □□□□□□(KPI) □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 39

□□□ □□

□□□□ □□□ □□ Microsoft Copilot Studio □□□□ □□□□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□□ '□□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area

Statement

Yes

No

You must create a topic to specify how a copilot responds to a user.

You can use prebuilt entities or custom defined entities.



Answer:

The screenshot shows the 'Answer Area' with the following content:

Statement	Yes	No
You must create a topic to specify how a copilot responds to a user.	<input type="radio"/>	<input checked="" type="radio"/>
You can use prebuilt entities or custom defined entities.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: No

Microsoft Copilot Studio, Add and manage knowledge for generative answers Generative answers in Copilot Studio allow your copilot to find and present information from multiple sources, internal or external, without created topics.

Box 2: Yes

Use entities and slot filling in copilots

An entity can be thought of as a unit of information that represents a certain type of a real-world subject, like a phone number, zip code, city, or even a person's name. With the knowledge granted by entities, a copilot can smartly recognize the relevant information from a user input and save it for later use.

Reference:

<https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-boost-conversations>

<https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-entities-slot-filling>

NEW QUESTION: 40

□□□ □ □□ □□

□□□□□ □□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□

□□□ □□□□□□□ □□□□ □□□.

□ □□□ □□ □□□ □□□□□.

□□: □□□□□ □□ □□□ □□ □ □□□ □□□ □□□ □□□□□□□. □ □ □□□ □ □, □

□ □ □□ □□ □□□□ □□ □ □□□□.

□□: □□□ □□ □□□ 1□□ □□□□□.

App types	Answer Area	Definition	App type
<input type="text" value="model-driven"/>	Quickly create apps for very complex business processes from data in Common Data Service with very little or no code.	Create simple apps with a highly customizable user interface layouts.	<input type="text" value="App type"/>
<input type="text" value="dashboard"/>			<input type="text" value="App type"/>
<input type="text" value="dataset"/>			
<input type="text" value="canvas"/>			

Answer:

App types

-
-
-
-

Answer Area

Definition

Quickly create apps for very complex business processes from data in Common Data Service with very little or no code.

Create simple apps with a highly customizable user interface layouts.

App type

-
-

Explanation:

Box 1: model-driven

Both model-driven and canvas apps allow you to easily build business apps. They both share access to the Common Data Service providing standard and custom entities. Model-driven apps start with your data model building up from the shape of your core business data and processes in the Common Data Service to model forms, views, and other components. Model-driven apps automatically generate great UI that is responsive across devices.

Box 2: canvas

Canvas apps start with your user experience, crafting a highly tailored interface with the power of a blank canvas and connecting it to 200 data sources. Canvas apps can be built for web, mobile, and tablet applications.

Reference:

<https://powerapps.microsoft.com/sv-se/blog/introducing-model-driven-apps/>

NEW QUESTION: 41

-
-
-
-

- A.
- B.
- C.
- D.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 42

-

Power BI .

.

'0' . '0000' .

Statement	Yes	No
You can export data from a visualization in the report.	<input type="checkbox"/>	<input type="checkbox"/>
You can access multiple datasets in the same report.	<input type="checkbox"/>	<input type="checkbox"/>
You can see the underlying data behind a visualization without exporting it.	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Statement	Yes	No
You can export data from a visualization in the report.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can access multiple datasets in the same report.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
You can see the underlying data behind a visualization without exporting it.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Explanation:

You can export data from a visualization in the report. You can export the summarized data used to build the visualization and the underlying data behind the visualization as CSV or Excel files.

You cannot access multiple datasets in the same report. Power BI reports are based on a single dataset with capabilities to interact with your visualizations, like applying filters and slices and exporting the data.

You cannot see the underlying data behind a visualization without exporting it. You can see the summarized data in a report visualization using the Show as Table option. To see the underlying data behind a visualization, you need to export it first.

NEW QUESTION: 43

Power Automate .

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□. □□: □□ □□□ 1□□□□.

Statement	Yes	No
You can create a new flow that is a copy of the original flow.	<input type="checkbox"/>	<input type="checkbox"/>
You can modify the original flow.	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Statement	Yes	No
You can create a new flow that is a copy of the original flow.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can modify the original flow.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION: 44

- Power Apps□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□□ □□□. □□□ AppSource□□ □□□ Microsoft □□ □□□ □□□□ □□ □ □□□□. □□□ □□ □□□□ □□□□ □□□. □□□ □□□□ □□□□?
- A. □□□ □□ □□□□ □□□□.
 - B. □□□□ □ □ □□ □□□ □□□□ □□□□□□ □□□□□□.
 - C. Microsoft Flow□ □□□□ □□□□□□□□ □□□□□.
 - D. Microsoft□□ □□□ □□ □ □□□□ □□□□□.
 - E. Microsoft Azure □□□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

There are 250 + predefined connectors that you can use in your PowerApps and in your Microsoft Flows. If you do not find any that suits your needs you have the possibility to create a Custom Connector.

Note: A Custom Connector is a wrapper around a REST API (Logic Apps also supports SOAP APIs) that allows Logic Apps, Microsoft Flow, or PowerApps to communicate with that REST or SOAP API.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-powerapps-and-flow/>

NEW QUESTION: 45

□□ □□□□□ Power Pages □ □□ □□□□ □□□ □□□ □□□ □ □□□ □□□□ □□□ □□ □□□□ □□□.

□□□□ □□□□ □□□.

□□□□ □□□ □ □□□□ □□□□□? □ □□□ □□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

- A. □□
- B. □□□□
- C. □□
- D. □□ □□
- E. □□□□

Answer: B,D,E (LEAVE A REPLY)

Pages

All starter layout templates contain the following pages.

- Home page - Customer homepage
- Subpages - Customer pages with standard components
- Contact us - Contains a feedback form
- Search results - Contains a keyword-based search

Reference:

<https://learn.microsoft.com/en-us/power-pages/templates/starter-layout>

NEW QUESTION: 46

□ □□□ □□ □ □□□□ □□□□ □□□ □□□□ □□□.

Power BI □□□□ 'RevReceived'□□ □□□□ □□□□. □ □□□□□ □□□ □□□ □□□□ □. □ □□ □□ □ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□. □ □□□ □□□□ □ 'RevReceived' □□□□ □□□□ □□□.

□□ □ □□□ □□ □□□□□. □□□ □□□ "□□□□ □□□ □□□□"□□ □□□□□□. □□ □ □□□ □□□ □□□ □□ □□ □□□□□.

- A. □□□ □□□□ □□□□.
- B. RevReceived □□□□ □□□□□.
- C. RevReceived □□□□ □□□□□.
- D. RevReceived□□ □□□ □□□ □ □□□□ □□□□□.

Answer: (SHOW ANSWER)

https://www.tutorialspoint.com/power_bi/power_bi_quick_guide.htm

PL-900-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-900-KR □□! DumpTop □ □□ **PL-900-KR** □□ □□□ □□□□□□, DumpTop PL-900-KR □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-900-

KR <https://www.dumptop.com/Microsoft/PL-900-KR-dump.html> (375 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

Which of the following reports is the default report seen by the logged in environment admin? It provides total app launches and daily active users across all apps in the environment. Admins can filter the view with attributes like device platform, player version, country, state, and city.

Options: A. Power Apps, Microsoft Flow, Common Data Service, Dynamics 365, Power Platform Analytics Usage

- A. Power Apps, Microsoft Flow, Common Data Service, Dynamics 365, Power Platform Analytics Usage
- B. Azure
- C. Power Platform Analytics Usage
- D. Dynamics 365

Answer: (SHOW ANSWER)

The Power Platform Analytics Usage report is the default reports seen by the logged in environment admin. It provides total app launches and daily active users across all apps in the environment. Admins can filter the view with attributes like device platform, player version, country, state, and city.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/analytics-powerapps>

NEW QUESTION: 48

Which of the following reports is the default report seen by the logged in environment admin? It provides total app launches and daily active users across all apps in the environment. Admins can filter the view with attributes like device platform, player version, country, state, and city.

Options: A. Power Apps, Microsoft Flow, Common Data Service, Dynamics 365, Power Platform Analytics Usage

- A. Power Apps, Microsoft Flow, Common Data Service, Dynamics 365, Power Platform Analytics Usage
- B. Microsoft Azure
- C. Common Data Service
- D. BI

Answer: B (LEAVE A REPLY)

https://docs.microsoft.com/en-gb/azure/cognitive-services/welcome?ocid=AID2339762_TWITTER_oo_spl100000827964250

<https://powerapps.microsoft.com/en-us/blog/cognitive-services-with-powerapps-using-custom-connectors/>

NEW QUESTION: 49

Which of the following reports is the default report seen by the logged in environment admin? It provides total app launches and daily active users across all apps in the environment. Admins can filter the view with attributes like device platform, player version, country, state, and city.

Options: A. Power Apps, Microsoft Flow, Common Data Service, Dynamics 365, Power Platform Analytics Usage

□□□□ □□ □□□□ □□ □□□ □□□□ □□□□?

A. □□

B. □□□

C. □□□□

Answer: B (LEAVE A REPLY)

Whenever a new user signs up for Power Apps, they're automatically added to the Maker role of the default environment.

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview#the-default-environment>

NEW QUESTION: 50

□□□□□□□□ □□ □□□□ □ □□□□ □□□□ □□□□□.

□□ □□□□ □□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□. □□ □□

□□ □□ □□□ □□ □□ □□□ □□□□□. □□ □□□□ □□□ □□□□.

□□ □□□□ □□□ □□□ □□□ □□□ □□□□□ □□□□ □□□.

□□□ □□□□ □□□?

A. □□□□ □□□□ □□

B. AI □□

C. □□□□ □□

D. □□ □□□□

Answer: A (LEAVE A REPLY)

You can help ensure that people enter data consistently and follow the same steps every time they work with a customer by creating a business process flow. For example, you might want to create a business process flow to have everyone handle customer service requests the same way, or to require that people get approval for an invoice before submitting an order. Business process flows use the same underlying technology as other processes, but the capabilities that they provide are very different from other features that use processes.

Reference:

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview>

NEW QUESTION: 51

□□□ □ □□ □□

□ □□□□□ Microsoft Excel □□ □□□ □□□□ □□ □□ □□□□ □□□□□. □□ □□□

□□□□□ OneDrive□ □□□□□.

□ Power BI □□□ □□ □□ □□□ □□□□□. □□□□ □□ □□□ □□ □□□ □□□□ □

□ □□□□ □□□ □□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□.

□□: □□□ □□ □□□ 1□□ □□□□□.

Features	Answer Area Requirement	Feature
Q&A		
Mobile apps	Enable user-friendly reporting on phones.	
Export to Excel		
Get data from files	Use natural language to query and aggregate data.	

Answer:

Features	Answer Area Requirement	Feature
	Enable user-friendly reporting on phones.	Mobile apps
Export to Excel		
Get data from files	Use natural language to query and aggregate data.	Q&A

Explanation:

<https://docs.microsoft.com/en-us/power-bi/consumer/mobile/mobile-reports-in-the-mobile-apps>

NEW QUESTION: 52

Microsoft Power Platform includes several tools. Which tool is used to create mobile apps for iOS and Android?

- A. Power BI
- B. Power Automate
- C. Power Apps
- D. Power Virtual Agents

Answer: C (LEAVE A REPLY)

NEW QUESTION: 53

Power Apps is a low-code development environment that allows users to create custom business applications. It is part of the Microsoft Power Platform. Power Apps can be used to create mobile apps, web apps, and desktop apps. It can be used to create apps that connect to various data sources and use a variety of controls and components. Power Apps is available as a cloud-based service and can be used on a variety of devices, including smartphones, tablets, and desktop computers. Power Apps is a key component of the Microsoft Power Platform, which also includes Power BI, Power Automate, and Power Virtual Agents.

Answer Area	Scenario	Control
View the date, time, and location of upcoming internal meetings.		<ul style="list-style-type: none"> Meeting-screen template Gallery List box
Create a meeting request from within the app.		<ul style="list-style-type: none"> Meeting-screen template Gallery List box
Drill down into customer contact records in Dynamics 365 Sales to view a photo of a customer you are meeting.		<ul style="list-style-type: none"> Image People-screen template Add picture

Answer:

Answer Area	Scenario	Control
View the date, time, and location of upcoming internal meetings.		<ul style="list-style-type: none"> Meeting-screen template Gallery List box
Create a meeting request from within the app.		<ul style="list-style-type: none"> Meeting-screen template Gallery List box
Drill down into customer contact records in Dynamics 365 Sales to view a photo of a customer you are meeting.		<ul style="list-style-type: none"> Image People-screen template Add picture

Explanation:

Box 1: Gallery

A Gallery control can show multiple records from a data source, and each record can contain multiple types of data. For example, a Gallery control can show multiple contacts with each item showing contact information that includes a name, an address, and a phone number for each contact.

Box 2: Meeting-screen template

In a canvas app, add a meeting screen that lets users create and send meeting requests from their Office 365 Outlook accounts. Users can search for attendees in their org and add external email addresses. If your tenant has meeting rooms built into Outlook, users can select a location as well.

Box 3: Image

If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.

Incorrect Answers:

List box: A list in which the user can select one or multiple items.

With the Add picture control in PowerApps users can take photos or upload image files from their device and update the data source with this content. On a mobile device the user is presented with the device's choice dialog to choose between taking a photo or selecting one already available.


Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/screen-templates/meeting-screen-overview>

NEW QUESTION: 54

□□□ □□
 □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.
 □□: □□ □□□ 1□□□□.

Answer Area

Statement	Yes	No
 You can trigger a Power Automate flow when you upload a Microsoft Excel or Word file to a SharePoint site.	<input type="radio"/>	<input type="radio"/>
You can use a Power Automate desktop flow to open a cloud-based application and perform an action that creates a file.	<input type="radio"/>	<input type="radio"/>
You can use a connector in a Power Automate cloud flow to insert data into a Power Apps app data source from a third-party data source.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
You can trigger a Power Automate flow when you upload a Microsoft Excel or Word file to a SharePoint site.	<input checked="" type="radio"/>	<input type="radio"/>
You can use a Power Automate desktop flow to open a cloud-based application and perform an action that creates a file.	<input type="radio"/>	<input checked="" type="radio"/>
You can use a connector in a Power Automate cloud flow to insert data into a Power Apps app data source from a third-party data source.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 55

□□□ □□
 □ □□□ Power Virtual Agents □□□ □□□ □□□□□.
 □□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□□'□ □
 □□□□.
 □□: □□ □□□ 1□□□□.

Answer Area	Microsoft	Statements	Yes	No
		A topic in a chatbot can have several trigger phrases.	<input type="checkbox"/>	<input type="checkbox"/>
		A chatbot can call a Power Automate flow in a different Microsoft Power Platform environment.	<input type="checkbox"/>	<input type="checkbox"/>
		You must publish a chatbot after making modifications for the changes to be visible by users.	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Answer Area	Statements	Yes	No
	A topic in a chatbot can have several trigger phrases.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	A chatbot can call a Power Automate flow in a different Microsoft Power Platform environment.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	You must publish a chatbot after making modifications for the changes to be visible by users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Explanation:

Box 1: Yes

A topic has trigger phrases and conversation nodes. Trigger phrases are phrases, keywords, and questions that a user is likely to type that are related to a specific issue. Conversation nodes define how a bot should respond to a trigger phrase and what it should do.

Box 2: No

A flow can only be called from a topic located in the same Microsoft Dataverse environment as your bot.

Box 3: Yes

Once you're satisfied with your bot's content and quality, you can publish your bot to allow users to engage with your bot. You must publish your bot at least once for the user to chat with the bot in Microsoft Teams.

Each time you want to update your bot's content, you publish it again from within the Power Virtual Agents app in Microsoft Teams. This will update the bot's content with the latest changes you have made.

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/authoring-create-edit-topics>

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-flow>

<https://docs.microsoft.com/en-us/power-virtual-agents/teams/publication-fundamentals-publish-channels-teams>

NEW QUESTION: 56

□□□□ □□ □□□ □□□□ □□ Power Pages □□□□□ □□□ □□□□□.

Copilot □□□ □□□□ □□□ □□ □□□□ □□□ □□□□□.

Power Pages □□□ □□□□□□ □□□□ Copilot □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □□□ □□ □□□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and who can modify and even re-share it.

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION: 60

□□□ □□

□ □□□ □□□ □□ □□□ □□ □□ □□ □□ □□□ □□ □□□□ □□□□□ □

□□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□□'□ □ □□□□.

□□: □□ □□□ 1□□□□□.

Statements	Yes	No
Teachers can access the canvas app by using desktops and mobile devices.	<input type="radio"/>	<input type="radio"/>
Only assignments of security roles are required for canvas app access.	<input type="radio"/>	<input type="radio"/>
Administration staff can create personal views and dashboards in the model-driven app.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Teachers can access the canvas app by using desktops and mobile devices.	<input checked="" type="radio"/>	<input type="radio"/>
Only assignments of security roles are required for canvas app access.	<input type="radio"/>	<input checked="" type="radio"/>
Administration staff can create personal views and dashboards in the model-driven app.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

Canvas offers two ways to access your courses a mobile app or web browser. Accessing the Canvas website on a desktop or laptop with a compatible browser will give you the best overall experience.

Box 2: No

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and who can modify and even re-share it.

Specify each user by name, or specify a security group in Azure Active Directory (Azure AD). If everyone would benefit from your app, specify that your entire organization can run it.

Note: If your app connects to data for which users need access permissions, specify security roles as appropriate.

Box 3: Yes

Users may want to view data in relation to a table in a range of ways. A drop-down list of views is frequently displayed in the application so these can be selected.

Personal views are included above the list of system or public views that are available in the app. This makes it easier for users to find the data that is important to them.

Note: Personal view - Personal views are owned by individuals and only visible to that person unless they share their personal views with others.

Any user can create dashboards visible only to them in their work area, such as sales, service, or marketing. An administrator or customizer creates or customises system dashboards that, when published, are visible to everyone in the organization. A user can choose to set their user dashboard as their default dashboard and override the system dashboard.

Reference:

<https://docs.microsoft.com/en-us/power-apps/maker/canvas-apps/share-app>

<https://www.futurelearn.com/info/courses/cloudswyft-msft-dynamics-365-using-power-platform-ap/0/steps/208105>

NEW QUESTION: 61

□□□ □□

Power BI □□□□□ □□□□ □□□. □□ □ □□□□ □□ □□ □□□□ □□□ "□"□ □□ □□, □□□ □□□ "□□□"□ □□□□□.

□□: □□ □□□ 1□□□□.

Pinning process in Power BI service		Yes	No
Statement			
You must create your dashboard before pinning a visual.	<input type="radio"/>	<input type="radio"/>	
Dashboards are created inside workspaces.	<input type="radio"/>	<input type="radio"/>	
You can choose to pin an entire report page to your dashboard.	<input type="radio"/>	<input type="radio"/>	

Answer:

Pinning process in Power BI service		Yes	No
Statement			
You must create your dashboard before pinning a visual.	<input checked="" type="radio"/>	<input type="radio"/>	
Dashboards are created inside workspaces.	<input checked="" type="radio"/>	<input type="radio"/>	
You can choose to pin an entire report page to your dashboard.	<input checked="" type="radio"/>	<input type="radio"/>	

PL-900-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-900-KR □□!
DumpTop □ □□ PL-900-KR □□ □□□ □□□□□□, DumpTop PL-900-KR □□ □□□

B. □□ □□

C. Dynamics 365 for Fin & Ops

D. □□□□□ 365

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64


□□□ □ □□ □□

□□□□ □□□□ □□□ □□□□□. □□ □□□□ □□□□□ □□ □□□ □□□□□ □□ □.


□□□ □□□□□ □□ □□□ □□□□□ □□□ □□□□ □□□.

□□ □□ □□ □□□□□ □□□□ □□□? □□ □□□□ □□□ □□□ □□ □□□ □ □□□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Tools	Requirement	Tool
Test	Check the new flow for any errors or warnings. Run the flow using previously processed data.  Monitor the flow as it is running.	Tool
Flow Checker		Tool
		Tool

Answer:

Tools	Requirement	Tool
Test	Check the new flow for any errors or warnings. Run the flow using previously processed data.  Monitor the flow as it is running.	Flow Checker
Flow Checker		Test
		Test

Explanation:

Box 1: Flow Checker

The Flow checker feature will promote higher quality flows by ensuring you follow best practices. By running the checker, you will be able to get answers to questions like: which areas of my flow implementation pose a performance or reliability risk?

For each issue identified, the Flow checker points to specific occurrences within the flow where improvements may be required. And more importantly, you learn how to implement these improvements by following detailed guidance.

Box 2: Test

Box 3: Test

Reference:

<https://flow.microsoft.com/en-us/blog/flow-checker-four-connectors/>

<https://docs.microsoft.com/en-us/power-automate/modern-approvals>

NEW QUESTION: 65

□□□ □ □□ □□

Power BI □□□□□ □□□□.

□ □□□ □□ □□□ □□□□□. □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □

□□ □□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□.

□□: □□□ □□ □□□ 1□□ □□□□□.

PRODUCTS	Requirement	Product
Share	Ensure that coworkers can see the dashboard.	
Embed	Display data from Microsoft Excel in the dashboard.	
Get Data	Add a report tile to the dashboard.	
Pin		
Import		

Answer:
Products

Requirement	Product
Ensure that coworkers can see the dashboard.	Share
Display data from Microsoft Excel in the dashboard.	Get Data
Add a report tile to the dashboard.	Pin

Explanation:

<https://docs.microsoft.com/en-us/power-bi/service-set-data-alerts>

<https://docs.microsoft.com/en-us/power-bi/service-analyze-in-excel>

<https://docs.microsoft.com/en-us/power-bi/service-dashboard-pin-tile-from-report>

□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□
 □□□ □□□□□□ □□□□□ □ □□ □□□□.
 □□: □□ □□□ 1□□□□.

Tools	Answer Area Requirement	Tool
Business rule	If a customer is travelling with a person under the age of 18, a field must display to collect date of birth for the under 18 traveler only. Ensure that all travel agents use the same process with all customers. Send a confirmation email to customers after reservations are complete.	
Business process flow		
Power Automate		
Power BI		

Answer:

Tools	Answer Area Requirement	Tool
	If a customer is travelling with a person under the age of 18, a field must display to collect date of birth for the under 18 traveler only. Ensure that all travel agents use the same process with all customers. Send a confirmation email to customers after reservations are complete.	Business rule
Power BI		Business process flow
		Power Automate

Explanation:

<https://docs.microsoft.com/en-us/power-automate/getting-started>

NEW QUESTION: 69

□□□ □□
 □□ □□□ □□□□ □□□ □□ Power Virtual Agents □□ □□□□ □□□□.
 □□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□ '□□□'□ □□□□□□.
 □□: □□ □□□ 1□□□□.

Answer Area

Statement	Yes	No
You can use the prebuilt Postal Code entity to recommend plants that will work within a customer's growing zone.	<input type="radio"/>	<input type="radio"/>
You can create a custom entity to offer color and plant choices for landscaping options that can be made available for customer orders.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
You can use the prebuilt Postal Code entity to recommend plants that will work within a customer's growing zone.	<input checked="" type="radio"/>	<input type="radio"/>
You can create a custom entity to offer color and plant choices for landscaping options that can be made available for customer orders.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

Chatbots built with Power Virtual Agents will understand and display content that's locally relevant to the user. Localized handling and formatting are based on the user's browser locale setting, and include the following elements within a chat conversation:

- Date and time
- Numbers
- ZIP or postal code
- Currency
- Speed

Box 2: Yes

Custom entities:

The prebuilt entities cover commonly used information types, but on some occasions, such as when building a bot that serves a specific purpose, you'll need to teach the bot's language understanding model some domain-specific knowledge.

For instance, let's say you want to build a bot for an outdoor store. In this case, you'll need to teach the bot to acknowledge the "outdoor gears product" category in a dialog.

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/data-location>

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>


NEW QUESTION: 70

□□□ □□

□□ □□ □□ □□□□. □□□ □□□ □□ □□□ □□□ □□□ □ □□□ □□□□ □□□.


□□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□□'□ □□□□.

□□: □□ □□□ 1□□□□.

Answer Area  Microsoft

Statements	Yes	No
A form can be made visible only to users who have been assigned a specific security role.	<input type="radio"/>	<input type="radio"/>
The label of a column on a form can be different than the column display name.	<input type="radio"/>	<input type="radio"/>
You can edit the system view named Quick Find to change the title and subtitle displayed for records in a look-up column.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area  Microsoft

Statements	Yes	No
A form can be made visible only to users who have been assigned a specific security role.	<input checked="" type="radio"/>	<input type="radio"/>
The label of a column on a form can be different than the column display name.	<input checked="" type="radio"/>	<input type="radio"/>
You can edit the system view named Quick Find to change the title and subtitle displayed for records in a look-up column.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 71

□□□ □□

□□□ □□ Power Pages □□□□ □□□ □□□□. □ □□□□ □□ □□□ □□ □□ □□□

□□ □□□ □□□□ □□□ □□□ □□□ □ □□□□.


Power Pages □□□□ □□□ □□□ □□□ □□□□ □□□.

□□□ □□□□ □□□□ □□ □□□□□.

Support request data source



Answer:



Explanation:

Box: Dataverse

Power Pages runs on Dataverse.

While Power Pages is an official standalone member of the Power Platform, it cannot be decoupled from Dataverse.

Reference:

<https://community.dynamics.com/blogs/post/?postid=1e934f94-726b-43aa-badf-0601eba4d8a7>

NEW QUESTION: 72

□□□ □ □□ □□

Power Pages □□□□□ □□□ □□□□□.

□□□□□ □ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□.


□□ □□□ □□□□ □□□□ □□□? □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□

□□□□□□. □ □□□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□

□ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.


□□: □□ □□□ 1□□□□□.

Templates	Answer Area	Template
Blank page	Requirement Provide building blocks for the site. Create a site that allows users to submit applications online. Create a site for Microsoft Dynamics 365 customers to access knowledge and support resources. Create a site with a single home page.	
Scenario-based		
Customer self-service		
Site design		



Answer:

Templates	Answer Area	Template
	Requirement Provide building blocks for the site. Create a site that allows users to submit applications online. Create a site for Microsoft Dynamics 365 customers to access knowledge and support resources. Create a site with a single home page.	Site design
		Scenario-based
		Customer self-service
		Blank page



Explanation:

Box 1: Site design

If your business scenario doesn't align with any of the scenario-based templates, you can select one of the site design templates. They provide building blocks for you to create custom sites. There are multiple variations of this template, each with different layout, images, and colors that can be used as-is or customized to meet your needs. You can see the full list of the available site design templates available by selecting the Site designs tab during the site provisioning process.

Box 2: Scenario-based

You can accelerate Power Pages site development by choosing a scenario-based template if your business requirements align with the solution included in the template.

You can select one of the following templates:

The after school program registration template if your scenario requires a registration site to create events and allow stakeholders to register.

The schedule meetings with a financial institution template if your site requires scheduling capabilities, view availability and schedule a meeting online.

*-> The building permit application template if you need to build a site to allow customers to submit applications and receive email notifications on the status of their application.

Box 3: Customer self-service

This template provides the ability for your customers to access self-service support resources, including a searchable knowledge base, activity updates, and feedback options.

Box 4: Blank page

Reference:

<https://learn.microsoft.com/en-us/training/modules/power-pages-templates/generic>

<https://learn.microsoft.com/en-us/training/modules/power-pages-templates/scenario>
<https://learn.microsoft.com/en-us/training/modules/power-pages-templates/dynamics-365>

NEW QUESTION: 73

□ □□□ Dynamics 365 Supply Chain Management □ □□□ □□□□.
□□ □□□□ □□□□ □□ □ □□□ □□ □□ □□□ □□□□ □□□□ □□□ □□ □□
□ □□□□□ □□□□□ Microsoft Outlook □□□ □□□□ □□□.
Outlook □□□ □□□□ □□□ □□□□ □□□.
□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.

- A. AI □□
- B. □□ □
- C. □□□□ □□□
- D. □□ □□□□□
- E. □□ □□□ □□□


Answer: C,D (LEAVE A REPLY)

Business events in Microsoft Power Automate
Business events can be consumed in Microsoft Power Automate via the application connector. The connector has a trigger that is named when a business event occurs. This trigger can be used to subscribe to any of the business events that are available in the target instance of the application.


Reference:
<https://docs.microsoft.com/en-us/dynamics365/fin-ops-core/dev-itpro/business-events/business-events-flow>

NEW QUESTION: 74

□□□ □ □□ □□
□ □□□□ Microsoft Power Platform □ Microsoft Power Apps □ □□□□□.
□□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□ □□ □□ □□□ □□□□ □□□.
□□ □□ □□□ □□□□ □□□ Microsoft Excel □□□ □□□ □□ □□□□□ □ □□□ □□
□.
□ □□□□□ □□ Power Apps □ □□□ □□□□ □□□.
□□ □□□ □□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□□ □□□□.
□ □□ □ □, □□ □, □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □
□□ □□□ □□□ □□□□□ □ □□ □□□□□.
□□: □□ □□□ 1□□□□.



Answer:



NEW QUESTION: 75

Power Automate is a cloud-based workflow automation tool that can be used to create custom business processes. It can be used to automate a wide range of tasks, from simple data entry to complex multi-step workflows. Power Automate is available as a standalone application or as part of the Microsoft 365 suite of products. It can be used to automate tasks in a variety of applications, including Microsoft Office, Microsoft Dynamics 365, and third-party applications. Power Automate is a powerful tool for businesses of all sizes, and it can help to improve productivity and reduce costs.

- A. Microsoft Dynamics 365
- B. Microsoft 365
- C. Microsoft Office
- D. Microsoft Dynamics 365 and Microsoft 365
- E. Microsoft Windows

Answer: (SHOW ANSWER)

Lifecycle Services (LCS) for Microsoft Dynamics is a collaboration portal that provides an environment and a set of regularly updated services that can help you manage the application lifecycle of your implementations of the Dynamics 365 Finance and Operations apps.

<https://docs.microsoft.com/en-us/power-automate/email-triggers>

<https://docs.microsoft.com/en-us/power-automate/connection-cds>

<https://dynamics365.wordpress.com/category/powerapps/>

NEW QUESTION: 76

Power Automate is a cloud-based workflow automation tool that can be used to create custom business processes. It can be used to automate a wide range of tasks, from simple data entry to complex multi-step workflows. Power Automate is available as a standalone application or as part of the Microsoft 365 suite of products. It can be used to automate tasks in a variety of applications, including Microsoft Office, Microsoft Dynamics 365, and third-party applications. Power Automate is a powerful tool for businesses of all sizes, and it can help to improve productivity and reduce costs.

□□: □□ □□□ 1□□□□.

Statements	Yes	No
Sharing a model-driven app with a user is the only security required for users to access the app.	<input type="radio"/>	<input type="radio"/>
You can change the order of the columns in a view once you have created and published a view.	<input type="radio"/>	<input type="radio"/>
System views must be shared for everyone to view them.	<input type="radio"/>	<input type="radio"/>


Answer:

Statements	Yes	No
Sharing a model-driven app with a user is the only security required for users to access the app.	<input checked="" type="radio"/>	<input type="radio"/>
You can change the order of the columns in a view once you have created and published a view.	<input type="radio"/>	<input checked="" type="radio"/>
System views must be shared for everyone to view them.	<input type="radio"/>	<input checked="" type="radio"/>


PL-900-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-900-KR □□!
DumpTop □ □□ **PL-900-KR** □□ □□□ □□□□□□, DumpTop PL-900-KR □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-900-
KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/PL-900-KR-dump.html> (375 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□□ □□
□□□ □□ □□□ □□□□□ Power Apps □ □□□□ □□□.
□ □□□ □□ PowerApps □□□ □□□□ □□□? □□□ □□□ □□□□ □□□□ □□□ □
□□ □□□□□.

Task	
Create customized apps with full control over the user interface.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals
Create apps for complex business logic involving Common Data Service.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals
Create customer-facing apps that can interact with users.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals

Answer:

Task	
Create customized apps with full control over the user interface.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals
Create apps for complex business logic involving Common Data Service.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals
Create customer-facing apps that can interact with users.	<ul style="list-style-type: none"> Canvas apps Model-driven apps Power Apps portals

Explanation:

You should use canvas apps for highly customizable layouts. Canvas apps provide full control over user interface and how screens can interact with each other.

You should use model-driven apps for implementing complex business logic. Model-driven apps take care of the user interface part, so you only need to focus on business rules, forms, and views.

You should use Power Apps portals for a customer facing website. Power Apps portals allow you to create a customer engagement website using pre-built templates.

NEW QUESTION: 78

□□□□ AI Builder □ □□□ □□□□ □□□ □□□ □□□□□.

□□□ □ □□ AI □□□ □□□□ □□□.

□□ □ □□ □□□ □□□ □□□ □ □□□□? □ □□□ □□□ □□□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□
- E. □□□ □□

Answer: B,C,E (LEAVE A REPLY)

<https://powerapps.microsoft.com/en-us/blog/introducing-ai-builder-for-powerplatform/>

NEW QUESTION: 79

□□□ □ □□ □□

□ □□□□ □□ □□□ □□□□ □□ Microsoft Dataverse□ □□□ □□□□□ □□□□.

□□ □□□ □□□□□ Dataverse □□□□ □□ □□□□ □□ □□□ 3□ □□ □□□ □□ □□

□□□. □□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□ □□ □□□□ □□ □□□ □□ □□□

□ □□ □□□ □□□□ □□□□□.

The screenshot shows a Microsoft Power Apps interface with two main sections: 'Actions' and 'Answer Area'. The 'Actions' section contains five steps: 1. 'Choose whether to connect directly or through an on-premises data gateway.', 2. 'Select Dataverse from the Start from section.', 3. 'Create a Dataverse connection.', 4. 'Choose a table.', and 5. 'Switch to the environment with Dataverse.' The 'Answer Area' contains four empty text boxes numbered 1 through 4. Navigation arrows are visible on the right side of the answer area. The Microsoft logo is at the bottom right.

Answer:


Actions

Choose whether to connect directly or through an on-premises data gateway.



Answer Area

- 1 Select **Data**verse from the Start from section.
- 2 Create a Dataverse connection.
- 3 Switch to the environment with Dataverse.
- 4 Choose a table.



NEW QUESTION: 80

□□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

□ □□□ □□ □□ □□ □ □□ □□□□ □□□ □ □□□□□. □□ □□ □□□ Microsoft Teams□□ □□ □□□□ □□□ □□□□. □□□ □□□ □□□□ □□□ □□ □□□□ □□ □ □□□□ □□□□□□ □ □□□ □□□ □□ □□□□ □□□□.

□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□□.

□□ □□□□ □□□□ □□□□?

- A. □□
- B. Microsoft Dataverse
- C. Microsoft 365 Outlook
- D. Microsoft □

Answer: B (LEAVE A REPLY)

Integrate Power Automate flows with Dataverse

The Microsoft Dataverse connector provides several triggers to start your flows and many actions that you can use to create or update data in Dataverse while your flows run.

Overview of triggers

The Microsoft Dataverse connector provides the following triggers to help you define when your flows start:

- *-> When a row is created, updated, or deleted
- When an action is performed
- When a flow step is run from a business process flow

Reference:

<https://learn.microsoft.com/en-us/power-automate/dataverse/overview>

NEW QUESTION: 81

□□□ □□

Common Data Service□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□. □□: □□ □□□ 1□□□□.

Answer Area



Statement

Yes

No

You can change the entity ownership from User to Organization-owned.

You can create a business rule for a custom entity that can be used in a Flow.

Answer:

Answer Area

Statement	Yes	No
You can change the entity ownership from User to Organization-owned.	<input type="radio"/>	<input checked="" type="radio"/>
You can create a business rule for a custom entity that can be used in a Flow.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: No

Common Data Service supports two types of record ownership. Organization owned, and User or Team owned. This is a choice that happens at the time the entity is created and can't be changed.

Box 2: Yes

By combining conditions and actions, you can do any of the following with business rules:

Set field values

Clear field values

Set field requirement levels

Show or hide fields

Enable or disable fields

Validate data and show error messages

Create business recommendations based on business intelligence.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/wp-security-cds>

NEW QUESTION: 82

□□□ □□

Microsoft Power Automate □□□ □□□□.

Which of the following statements are true? Select all that apply.
 Answer: 10000.

Statement	Yes	No
A Power Automate flow button requires a user to provide input before clicking a flow button.	<input type="radio"/>	<input type="radio"/>
A Power Automate flow can only be triggered from virtual buttons in software.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
A Power Automate flow button requires a user to provide input before clicking a flow button.	<input type="radio"/>	<input checked="" type="radio"/>
A Power Automate flow can only be triggered from virtual buttons in software.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 83

Which of the following are valid use cases for Microsoft Power Platform? Select all that apply.
 Answer: 10000.

Copilot can be used to create a Power Automate flow.

Copilot can be used to create a Power App.

Answer: 10000.

- A. Copilot can be used to create a Power Automate flow.
- B. Copilot can be used to create a Power App.
- C. Copilot can be used to create a Power BI report.
- D. Copilot can be used to create a Power Virtual Agent chatbot.
- E. Copilot can be used to create a Power BI dashboard.

Answer: A,B,E ([LEAVE A REPLY](#))

Connector components Each connector offers a set of operations classified as actions and triggers. Once you connect to the underlying service, these operations can be easily leveraged within your apps and workflows.

<https://learn.microsoft.com/en-us/connectors/connectors#connector-components>

NEW QUESTION: 87

□□□ □ □□ □□


□□□ □□ Copilot Studio □□□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □□□ □□


□□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□

□ □ □□□ □□ □□□ □□□□□□ □□□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.



Answer:



Explanation:

Box 1: Trigger phrase

Identify keywords or questions and relate them to issue.

What are trigger phrases in Copilot Studio

Trigger phrases train your copilot's natural language understanding (NLU) model.

Trigger phrases are configured at the topic level and indicate to the copilot for what typical user utterances a specific topic should be triggered.

Trigger phrases typically capture the way an end-user would ask about a problem or issue. For example, "problem with weeds in lawn" Box 2: Variable Store a response that a user enters for later use.

Box 3: Entity

Identify a specific type of information from a user response.

Reference:

NEW QUESTION: 88

□□□ □□ Power Virtual Agents □□□ □□□□ □□□□.
□□ □□□ □□□ □□□ □□□ □□□□ □□□□.
□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A. Power Virtual Agent □□□
- B. □□ BI
- C. □□ □
- D. □□ □□□□□

Answer: ([SHOW ANSWER](#))

https://docs.microsoft.com/en-us/power-virtual-agents/advanced-flow

NEW QUESTION: 89

□□□ □□
□ □□□□□ Power BI□ □□□□ □□□□ □□□□ □□□□ □□□□□.
□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□ '□□□□'□ □□□□□□.
□□: □□ □□□ 1□□□□□.

Answer Area

Statement	Yes	No
You can display data aggregates and raw data in a Power BI report.	<input type="radio"/>	<input type="radio"/>
You can display related data from multiple sources in the same Power BI report.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statement	Yes	No
You can display data aggregates and raw data in a Power BI report.	<input checked="" type="radio"/>	<input type="radio"/>
You can display related data from multiple sources in the same Power BI report.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

The following list provides advantages to using aggregations:

Query performance over big data - as users interact with visuals on Power BI reports, DAX queries are submitted to the dataset. Boost query speeds by caching data at the aggregated level, using a fraction of the resources required at the detail level. Unlock big data in a way that would otherwise be impossible.

Box 2: Yes

With Power BI Desktop, you can connect to many different types of data sources, then shape the data to meet your needs, enabling you to create visual reports to share with others. Shaping data means transforming the data: renaming columns or tables, changing text to numbers, removing rows, setting the first row as headers, and so on. Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query.

Reference:

<https://docs.microsoft.com/en-us/power-bi/desktop-aggregations>

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION: 90

□□□ □ □□ □□

□□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□.

□□□ □□ □□□□ □□ □□□ □□□□ □□□ □ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□

□□□ □□ □□ □□□ □□ □□□ □ □□□□ □□□□ □□□□ □□□.

□□□ □□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□□? □□ □□□□ □□□ □□□ □□□ □□ □□□□ □□ □□□□□

□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □

□ □□□ □□□□□□ □□□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Tools	Answer Area										
Power Apps portal	<table border="1"><thead><tr><th>Requirement</th><th>Tool</th></tr></thead><tbody><tr><td>Customers must be able to submit support requests by using a website.</td><td><input type="text"/></td></tr><tr><td>Support requests must be created and stored.</td><td><input type="text"/></td></tr><tr><td>Support technicians must be notified when a new support request is entered.</td><td><input type="text"/></td></tr><tr><td>Support technicians must be able to enter a status report for work completed during the previous week by using a mobile app.</td><td><input type="text"/></td></tr></tbody></table>	Requirement	Tool	Customers must be able to submit support requests by using a website.	<input type="text"/>	Support requests must be created and stored.	<input type="text"/>	Support technicians must be notified when a new support request is entered.	<input type="text"/>	Support technicians must be able to enter a status report for work completed during the previous week by using a mobile app.	<input type="text"/>
Requirement	Tool										
Customers must be able to submit support requests by using a website.	<input type="text"/>										
Support requests must be created and stored.	<input type="text"/>										
Support technicians must be notified when a new support request is entered.	<input type="text"/>										
Support technicians must be able to enter a status report for work completed during the previous week by using a mobile app.	<input type="text"/>										
Power Automate											
Power BI											
Common Data Service											

Answer:

Tools

Answer Area

Requirement

Tool

Customers must be able to submit support requests by using a website.

Power Apps portal

Support requests must be created and stored.

Common Data Service

Support technicians must be notified when a new support request is entered.

Power Automate

Support technicians must be able to enter a status report for work completed during the previous week by using a mobile app.

Power BI



NEW QUESTION: 91

□□□ □□

Power Apps □ □□□ □□ □□□ □□ □□□□□.

□□ □□□ □□□□ □□□? □□□□ □□ □□□□ □□□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area  Microsoft

Statement	Component
When a condition is met, Power Apps app can trigger a	<input type="text" value="connector."/> <input type="text" value="Power Automate flow."/> <input type="text" value="gateway."/> <input type="text" value="solution."/>
Actions and triggers are properties of a	<input type="text" value="connector."/> <input type="text" value="gateway."/> <input type="text" value="solution."/>

Answer:

□□□ □□

□ □□□□ AI Builder□ □□□□ □□□□.

□□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□□'□ □□□□.

□□: □□ □□□ 1□□□□□.

Answer Area		Yes	No
Prebuilt AI Builder models are pretrained and are ready to interpret business data immediately.		<input type="radio"/>	<input type="radio"/>
Prebuilt AI Builder models exist for both Power Automate and Power Apps.		<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area		Yes	No
Prebuilt AI Builder models are pretrained and are ready to interpret business data immediately.		<input checked="" type="radio"/>	<input type="radio"/>
Prebuilt AI Builder models exist for both Power Automate and Power Apps.		<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

AI Builder prebuilt models help you add intelligence to apps and flows without having to gather data and then build, train, and publish your own models.

Prebuilt models are available in Power Automate and depending on the model- in Power Apps.

<https://learn.microsoft.com/en-us/ai-builder/prebuilt-overview>

NEW QUESTION: 94

□□□ □□

□ □□□□ Power BI□ □□□ □□□□□.

□□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□□'□ □□□□.

□□: □□ □□□ 1□□□□□.

Answer Area		Yes	No
Statements			
Power BI Report Builder is the only tool used to create reports to be published to the Power BI service.		<input type="radio"/>	<input type="radio"/>
Power BI service can include calculated columns.		<input type="radio"/>	<input type="radio"/>
Power BI Desktop can include calculated columns.		<input type="radio"/>	<input type="radio"/>

Answer:

□ □□□□□□ □□ □□□ □□□ □□□?

- A. □□
- B. □□
- C. □□□ □□ □□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

□□□ □□ □□ □□□□ □□□ Power BI □□□□ □□□□.
 □□□ □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□ □ □ □□□ □□ □
 □□.
 □□□□ □□ □□□ □□□□□ □□□.
 □□□ □□□□ □□□?

- A. Microsoft □□ □□
- B. □ □□ □□
- C. □□□ □□ □□ □□
- D. □□□ □□□
- E. Microsoft Azure Active Directory

Answer: **B** ([LEAVE A REPLY](#))

Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.

You can configure RLS for data models imported into Power BI with Power BI Desktop. You can also configure RLS on datasets that are using DirectQuery, such as SQL Server. For Analysis Services or Azure Analysis Services lives connections, you configure Row-level security in the model, not in Power BI Desktop.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

NEW QUESTION: 97

□□□ □□
 □□ □□□ □□□□□ □□ □□ □□□□□□. □□ □□□ □□□ □□□ □□ □□□ □□□
 □ □□ Power BI □□□□ □□□□□ □□□□□.
 □□□□ □□□ □□□□ □□□□.
 □□□ □□□□ □□□□ □□□ □□□□, □□ □□□□□ □□□□ □□ □□□□ □□□□
 □□ □□□ □□ □□□ □□□□ □□□.
 □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
 □□: □□ □□□ 1□□□□.

Answer Area



Send an email to the sales associates on a predetermined schedule.


- ▼
- Subscribe
- Share
- Favorites
- Publisher

Quantify the adoption usage from the sales associates.

- ▼
- Explore
- Favorites
- Usage metrics
- Performance inspector

Answer:

Answer Area



Send an email to the sales associates on a predetermined schedule.

- ▼
- Subscribe
- Share
- Favorites
- Publisher

Quantify the adoption usage from the sales associates.

- ▼
- Explore
- Favorites
- Usage metrics
- Performance inspector

Explanation:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-subscribe>

<https://docs.microsoft.com/en-us/power-bi/service-usage-metrics>

NEW QUESTION: 98

Power Automate, Microsoft Planner, and Microsoft Teams are all part of the Microsoft 365 ecosystem.

Power Automate, Microsoft Planner, and Microsoft Teams are all part of the Microsoft 365 ecosystem.

Which of the following is a feature of Microsoft Planner?

Ability to create and manage tasks and sub-tasks.

A. Ability to create and manage tasks and sub-tasks.

B. Ability to create and manage tasks and sub-tasks.

Answer Area

Power BI allows users to create and consume visualizations in one view by using data from several different sources.

Yes

No

Power Platform uses Microsoft SharePoint Online lists to securely store and manage data used by business applications.



NEW QUESTION: 100

Power Pages is a model-driven Power App that you can use to create and manage your organization's external-facing web pages. Power Pages is a model-driven Power App that you can use to create and manage your organization's external-facing web pages. Power Pages is a model-driven Power App that you can use to create and manage your organization's external-facing web pages.

- A. Power Automate
- B. Power Virtual Agents
- C. Power Apps
- D. Power Automate

Answer: D (LEAVE A REPLY)

You can use the Portal Management app, a model-driven Power App, for advanced configuration of your Power Pages sites.

Reference:

<https://learn.microsoft.com/en-us/power-pages/configure/portal-management-app>

NEW QUESTION: 101

AI Builder is a model-driven Power App that you can use to create and manage your organization's external-facing web pages. AI Builder is a model-driven Power App that you can use to create and manage your organization's external-facing web pages. AI Builder is a model-driven Power App that you can use to create and manage your organization's external-facing web pages.

- A. AI Builder
- B. Power Automate
- C. Power Apps
- D. Power Automate
- E. Power Apps

Answer: (SHOW ANSWER)

<https://powerapps.microsoft.com/en-us/blog/introducing-ai-builder-for-powerplatform/>

NEW QUESTION: 102

Microsoft 365 Dynamics 365 is a model-driven Power App that you can use to create and manage your organization's external-facing web pages.

- A. Microsoft 365 Dynamics 365

Answer Area

Statement	Yes	No
You can use a text classification model in AI Builder to retrieve text and perform sentiment analysis for ServiceNow incidents.	<input checked="" type="radio"/>	<input type="radio"/>
You can tag Instagram posts that mention your new product.	<input checked="" type="radio"/>	<input type="radio"/>
You can send results about the number of mentions of your new product in Instagram to Power BI for inclusion on a dashboard.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

Core feature of AI builder

Box 2: Yes

AI Builder actions

Box 3: Yes

AI Builder actions

Power Automate offers "AI Builder actions" that enable usage of all model types in flows. Adding AI Builder actions in your flow allows you to:

- 1) Perform model inference by using outputs of upstream actions (email attachments received, SharePoint files dropped, created records in a Common Data Service entity, and so on).
- 2) Process model inference results in downstream actions (send by email, store in Common Data Service records, message in Teams, and so on).

NEW QUESTION: 105

□□□ □□

□ □□□□□ Power BI □ □□□□ □□ □□ □□(KPI) □ □□□□□.

□□□□□ KPI □ □ □□ □□□□□ □□ □□□□□.

- □□ □□□□ □□ □□

- □□ □□□ □□□ □□□

Power BI □□ □□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

Power BI components

Requirement	Power BI component
Multiple widgets in a single canvas	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #ccc; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Dashboard</p> <p>Dataset</p> <p>Report</p> </div> </div>
Visualization of data in a line chart	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #ccc; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Dashboard</p> <p>Dataset</p> <p>Report</p> <p>Template app</p> </div> </div>

Answer:

Power BI components

Requirement	Power BI component
Multiple widgets in a single canvas	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #ccc; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p style="background-color: #d9ead3;">Dashboard</p> <p>Dataset</p> <p>Report</p> </div> </div>
Visualization of data in a line chart	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #ccc; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Dashboard</p> <p>Dataset</p> <p>Report</p> <p style="background-color: #d9ead3;">Template app</p> </div> </div>

NEW QUESTION: 106

□□□ □□

□□□ □□□□ □□ □□ □□, □□□ □□ □□, □□ □□ □□ □□ □□□□ □□□ □□ □

□□ □□□□ □□ Power Virtual Agents □□□ □□□□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□□. □□□ □□□ '□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

- B. Power Platform Center of Excellence □□□ □□
- C. Power Virtual Agents
- D. □□ BI

Answer: (SHOW ANSWER)

Power BI is a business intelligence and data visualization tool that allows you to connect to various data sources, including Microsoft Excel, Microsoft Dataverse, and Azure SQL databases. It allows you to create interactive, visually appealing reports and dashboards without having to move the data out of its source location. Power Automate, Power Platform Center of Excellence Starter Kit, and Power Virtual Agents are all different tools that are not specifically designed for creating data visuals in the way that Power BI is.

NEW QUESTION: 108

□□□ □ □□ □□
 □ □□□□ Power Apps □□□ □□□□ □□□□.
 □□□ □□ □□□ □□□□□ □□ □□ □□□ □□ □□□ □□□□ □□□.
 □□ □□ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □□□ □□
 □□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□
 □ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.
 □□: □□ □□□ 1□□□□.

Portal types	Requirement	Portal type
partner portal	Collaboratively onboard new suppliers and distributors.	Portal type
community portal	Publish a blog post announcing new suppliers.	Portal type
portal from blank		
customer self-service portal		

Answer:

Portal types	Requirement	Portal type
portal from blank	Collaboratively onboard new suppliers and distributors.	partner portal
customer self-service portal	Publish a blog post announcing new suppliers.	community portal

Explanation:

Box 1: Partner portal

A partner portal allows every organization with resellers, distributors, suppliers, or partners to have real-time access to every stage of shared activities.

Box 2: Community portal

A community portal leverages peer-to-peer interactions between customers and experts to organically grow the catalog of available knowledge from knowledge base articles, forums, and blogs as well as providing feedback through comments and ratings.

Incorrect Answers:

Portal from blank: Create a website to share data with external and internal users. This template comes with sample pages to get you quickly started.

Customer self-service portal: A customer self-service portal enables customers to access self-service knowledge, support resources, view the progress of their cases, and provide feedback.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/portal-templates>

NEW QUESTION: 109

□ □□□ □□ □ □□□□ □□□□ □□□ □□□□ □□□.

Power Apps □□ □□□□. □□ □ □□□ □□ □ □□□□□. □□□ □□ □□□ □□ □□□

□ □□□ □□□□. □□ '□□' □□□ □ □□ □□□ □□ □□□□□.

□□ □ □□□ □□ □□□□□. □□□ □□□ "□□ □□ □□"□ □□□□□□. □□□ □□□□

□□□ □□□ □□ □□ □□□□□.

A. □□□ □□□□ □□□□.

B. □□


C. □ □

D. □

Answer: C (LEAVE A REPLY)

Restore a canvas app to a previous version in PowerApps.

1. Open powerapps.com, and then click or tap Apps in the left navigation bar.
2. Near the right edge, click or tap the info icon for the app that you want to restore.
3. Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.



4. In the confirmation dialog box, click or tap Restore.

A new version is added to your list.

Details • Share • **Versions** • Settings • Analytics (preview)

PowerApps keeps a version history of your apps.

VERSION	MODIFIED	MODIFIED BY	POWERAPPS RELEASE	PUBLISHED	COMMENT
3	8/20/2018 2:41:30 PM	Firstname Lastname	3.18071.36		↑ Publish this version
2	8/20/2018 2:24:29 PM	Firstname Lastname	3.18081.19	Live	Restore Delete
1	7/9/2018 10:55:48 AM	Firstname Lastname	3.18071.36		Restore Delete

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>

NEW QUESTION: 110

□□□ □□

□ □□□□□ □□□ □□□ AI Builder □ □□□ □□ □□□ □□□ □□□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□□. □□□ □□□ '□□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area Microsoft

Statements	Yes	No
Receipt processing requires a photo taken by using the camera control in the canvas app.	<input type="radio"/>	<input type="radio"/>
Receipt processing can extract data from printed text on a receipt.	<input type="radio"/>	<input type="radio"/>
Receipt processing can extract data from handwritten text on a receipt.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area Microsoft

Statements	Yes	No
Receipt processing requires a photo taken by using the camera control in the canvas app.	<input type="radio"/>	<input checked="" type="radio"/>
Receipt processing can extract data from printed text on a receipt.	<input checked="" type="radio"/>	<input type="radio"/>
Receipt processing can extract data from handwritten text on a receipt.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 111

- □□□□□ Power Apps □□□ □□ □□□□□.
- □□□□□□ Power Apps Studio □ □□ '□□□□ □ □□ □'□ □□□□ □□□□ □□ □□ □□□□ □□□□.
- □□ □ □ □□ □□□ □□□□ □□□.
- □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.
- : □□ □□□ 1□□□□.
- A. □□□□ □□□ Power Apps □□□ □□□□□□.
- B. □□□□□ □□□ □□□ □□□ □□□ □□□□ □□□□□.
- C. □□□□ □ □□ □□□□ □□□□ □□□□□.
- D. □□ □□□□ □□□□ □□□□□.
- E. □□ □□□ Common Data Service □□□□□□□□ □□□□.

Answer: A,C,D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/edit-app>

NEW QUESTION: 112

- □ □□ □□
- □□□ □□□□ □□ Microsoft □□□ □□□□□.
- □□□ Microsoft Excel □ □□□□ □□ □□□□□ □□ □□ □□□ □□□□□.
- □□□ □□□□ □ □□□ □□□□□ Microsoft SharePoint □□□ □□ □□□ □□□□ □□□ □□□ □□□□□.
- □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□ □ □□ □□□□□ □□□□ □□□.
- □□□ □□□□ □□□ □□□□ □□□.
- □□□ □□□□ □□□? □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□□□□.
- □□□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□□□□ □□□□□ □ □□ □□□□.
- : □□ □□□ 1□□□□.

Answer Area




Solutions	Requirement	Solution
Microsoft Forms	Create and maintain potential customers by using a custom user interface application for trade shows.	<input type="text"/>
Microsoft Power BI	Create and maintain customers by using an interface application for the list in SharePoint.	<input type="text"/>
Microsoft Power Apps	View a reporting dashboard that includes metrics on converted customers.	<input type="text"/>

Answer:


□□□ □□□□ □□□? □□□□ □□□ □□ □□□□□ □□□ □□ □□□ □□ □□□□□
 □. □ □□ □□□□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □
 □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.
 □□: □□ □□□ 1□□□□.

Answer Area

Implementation Mechanisms	Action	Implementation Mechanism
Business process flows	Automatically send a text message based on the report submission.	
Cloud flows		
AI Builder	Automatically send a reminder at 8 PM based on a missing status report.	<input type="text"/>
Power BI		

Answer:

Answer Area

Implementation Mechanisms	Action	Implementation Mechanism
	Automatically send a text message based on the report submission.	<input type="text" value="Cloud flows"/>
<input type="text" value="AI Builder"/> <input type="text" value="Power BI"/>	Automatically send a reminder at 8 PM based on a missing status report.	<input type="text" value="Business process flows"/>

NEW QUESTION: 115

□□□ □□ □□□ □□□□□□.
 □□□ □□□ □□□ □ □□ Power Apps □□□ □□□□ □□□.
 □□ □□□ □□□ □□□ □□□□□□?

- A. Dynamics 365 □□□
- B. □□□□□□□ □□□□□□
- C. Microsoft Azure □□□
- D. □□ □□□ □□□

Answer: (SHOW ANSWER)


PowerApps Portals, the ability to build low-code, responsive websites which allow external users to interact with the data stored in the Common Data Service.

<https://powerapps.microsoft.com/en-us/blog/introducing-powerapps-portals-powerful-low-code-websites-for-external-users/>

NEW QUESTION: 116

□□□ □□
□□□□□ □□ □□□ □□□□□ □□ □□ □□ □□□□□ □□□□□□□□ □□□□ □□□.
□□□ □□□□□ □□ □□□□□□□ □□□□ □□□□ □□□.
□□ □□□□□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.

Answer Area




Scenario

Scenario	Application
Create no-code workflows that use different systems.	<input type="text"/> Azure Logic Apps Power Apps Power Automate
Build no-code mobile application.	<input type="text"/> Azure Logic Apps Power Apps Power Automate
Build a mobile application by using Microsoft Dataverse.	<input type="text"/> Azure Logic Apps Power Apps Power Automate

Answer:
Answer Area

Scenario	Application
Create no-code workflows that use different systems.	<input type="text"/> Azure Logic Apps Power Apps Power Automate
Build no-code mobile application.	<input type="text"/> Azure Logic Apps Power Apps Power Automate
Build a mobile application by using Microsoft Dataverse.	<input type="text"/> Azure Logic Apps Power Apps Power Automate



Explanation:
<https://docs.microsoft.com/en-us/power-automate/getting-started>
<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-overview>
<https://powerapps.microsoft.com/pl-pl/blog/business-model-may/>

NEW QUESTION: 117

□□□ □ □□ □□

Power Automate □ □□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□□ □□□ □□.

□□□ □□ □ □□ □□□□ □□□□ □□□□□.

□□□□ □□□ Power Automate □□ □□□ □□□□ □□□.

□□□□□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□□□□□. □ □□ □□□ □ □, □ □ □ □□ □□ □□□□ □□ □ □□□□. □□□ Car □ □ □□□ □□□□□□ □□□□□ □ □□□ □□□□ □ □□ □□□□.

□□: □□□ □□□ □□ 1□□□□□.

Components	Answer Area	Requirement	Component
<input type="text" value="action"/>			<input type="text"/>
<input type="text" value="expression"/>		Retrieve the top five posts from your company's Facebook page.	<input type="text"/>
<input type="text" value="service"/>		Enter the resulting posts into the product database.	<input type="text"/>
<input type="text" value="trigger"/>		Combine author and link fields into a single field.	<input type="text"/>
<input type="text" value="flow type"/>		Run flow every hour.	<input type="text"/>



Answer:

Components	Answer Area	Requirement	Component
<input type="text" value="action"/>			<input type="text" value="action"/>
<input type="text" value="expression"/>		Retrieve the top five posts from your company's Facebook page.	<input type="text" value="action"/>
<input type="text" value="service"/>		Enter the resulting posts into the product database.	<input type="text" value="expression"/>
<input type="text" value="trigger"/>		Combine author and link fields into a single field.	<input type="text" value="trigger"/>
<input type="text" value="flow type"/>		Run flow every hour.	



Explanation:

Box 1: Action

An action is something that occurs as a result of the workflow. For example, send an email or copy a file. In this case, the action is to retrieve the top five posts from a Facebook page.

Box 2: Action

An action is something that occurs as a result of the workflow. For example, send an email or copy a file. In this case, the action is to insert records into a database.

Box 3: Expression

Sometimes users just need to do basic operations like getting the current time, adding numbers together, or replacing a part of a string of text. That's possible inline in any flow action. Microsoft Flow leverages the same Workflow Definition Language used by Azure Logic apps. For new

users who are unfamiliar with the expression language, there is an inline help experience that shows how to use each expression as they build out their flow.

Box 4: Trigger

A trigger is something that triggers or starts the workflow. It could be a new file uploaded to a document library, a new item created in the list or an email sent to your Inbox something that will start (kick-off the workflow).

There are two types of triggers:

- Automatic trigger is pre-programmed into the workflow based on a certain rule (i.e. new document or item created, email sent, etc.)
- Manual Trigger is a trigger initiated by a user. Unlike with automatic trigger above, the workflow will only start when initiated manually by the end user (for example, from the Document Library for a selected file). Manual trigger is only supported for certain types of workflows (i.e. Get feedback from your manager for the selected file) Reference:

<https://sharepointmaven.com/3-major-components-microsoft-flow/>
<https://www.avepoint.com/blog/office-365/office-365-automation/>
<https://flow.microsoft.com/de-de/blog/use-expressions-in-actions/>
<https://docs.microsoft.com/en-us/power-automate/getting-started>

NEW QUESTION: 118

Which of the following is a trigger for a Microsoft Power Platform flow?
A. A new file is uploaded to a document library.
B. A new item is created in a list.
C. An email is sent to your inbox.
D. A user is assigned to a task.
* A. A new file is uploaded to a document library.
* B. A new item is created in a list.
* C. An email is sent to your inbox.
D. A user is assigned to a task.

- A. Power Pages
- B. Canvas app
- C. Power BI
- D. Model-driven app

Answer: (SHOW ANSWER)

NEW QUESTION: 119

Which of the following is a trigger for a Microsoft Power Platform flow?
A. A new file is uploaded to a document library.
B. A new item is created in a list.
C. An email is sent to your inbox.
D. A user is assigned to a task.
* A. A new file is uploaded to a document library.
* B. A new item is created in a list.
* C. An email is sent to your inbox.
D. A user is assigned to a task.

□□: □□ □□□ 1□□□□.

Tools

- Power Apps
- Power Automate
- Power BI
- Microsoft Dataverse

Answer Area

Requirement	Tool
Support technicians must be able to submit support requests by using an app.	
Customer data must be stored and synchronized with Dynamics 365 Finance.	
Support technicians must be notified when a new support request is entered.	

Answer:

Tools

- Power BI

Answer Area

Requirement	Tool
Support technicians must be able to submit support requests by using an app.	Power Apps
Customer data must be stored and synchronized with Dynamics 365 Finance.	Microsoft Dataverse
Support technicians must be notified when a new support request is entered.	Power Automate

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/help-desk-install>

<https://docs.microsoft.com/en-us/power-platform/admin/data-integrator>

<https://docs.microsoft.com/en-us/power-automate/getting-started>

NEW QUESTION: 120

Microsoft Excel □□□□□□□□ □□□ □□□ □□□□ □□□ □□ □□□□.

□□□□□□□□ □□□□ □□□ □□□□ □□□□. □□□□□□□□ □ □□ □□□□□ □□ □□ □□□□□.

□□□□ □ □□□□ □□□ □□□□□□□□ □□□ □ □□□ □□□□□□ □□□□ □□□.

□□□□□□ □□□ □□ □□□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□□: □□ □□ □□□
- B. 4□□ □□□: □□□ □□ □□□, □□ □□ □□□, □□ □□ □□□ □ □□ □□□
- C. □ □□ □□□: □□□ □□ □□□, □□ □□ □□□ □ □□ □□ □□□
- D. □ □□ □□□: □□ □□ □□□□ □□ □□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 121

□□□ □ □□ □□

□ □□□ □□ □□□ □□□ □□ □□□□. □ □□□ Power Apps□ Power Automate□ □□□ □ □□□□ □□□□□.

□□□ □□□□ □□□ □□□□ □□□.

Statements	Yes	No
Teachers can access the canvas app by using desktops and mobile devices.	<input type="radio"/>	<input type="radio"/>
To access the model-driven app, users must be assigned a security role.	<input type="radio"/>	<input type="radio"/>
Administration staff can create personal views and dashboards in the model-driven app.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Teachers can access the canvas app by using desktops and mobile devices.	<input checked="" type="radio"/>	<input type="radio"/>
To access the model-driven app, users must be assigned a security role.	<input checked="" type="radio"/>	<input type="radio"/>
Administration staff can create personal views and dashboards in the model-driven app.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 123

□□□ □□

□□: □□ □ □□□ □□, □□□ □□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Statements	Yes	No
You can connect to external resources with Power BI Desktop but not with the Power BI service.	<input type="radio"/>	<input type="radio"/>
You can build and edit Power BI reports by using Power BI Desktop or the Power BI service.	<input type="radio"/>	<input type="radio"/>
The only way to distribute a Power BI Desktop report is by sending the PBIX file to others.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
You can connect to external resources with Power BI Desktop but not with the Power BI service.	<input type="radio"/>	<input checked="" type="radio"/>
You can build and edit Power BI reports by using Power BI Desktop or the Power BI service.	<input checked="" type="radio"/>	<input type="radio"/>
The only way to distribute a Power BI Desktop report is by sending the PBIX file to others.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: No

Box 2: Yes

Power BI Desktop includes a Report view, where you can create any number of report pages with visualizations.

Can you create reports in Power BI service?

In the navigation pane in the Power BI service, you can select the Create button that opens a page where you can select your data source. It's also accessible from the New report button on Home. Currently, we only support creating a report based on an existing dataset, or typing or pasting data directly in a table.

Box 3: No

Can you share Power BI desktop report with others?

Basic Sharing for Dashboards and Reports

You can simply click on the Share button in the dashboard or report, and then share it with other users. By default when you share a Power BI dashboard with this method, then the report and the data set will be shared as well.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-get-data>

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-report-view>

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-quick-create-report>

<https://radacad.com/power-bi-sharing-methods-comparison-all-in-one-review>

NEW QUESTION: 124

□□□ □□

□□□□ Power Apps□ □□□□ □□ □□□□ □□□ □□□□ □□□□□ □□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□□. □□□ □□□ '□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area



Statement

Yes

No

You can embed canvas apps in model-driven apps.

A Power Apps portal can use only one data source.

You must use Power BI to create reports in model-driven apps.

Answer:

Answer Area



Statement	Yes	No
You can embed canvas apps in model-driven apps.	<input checked="" type="radio"/>	<input type="radio"/>
A Power Apps portal can use only one data source.	<input type="radio"/>	<input checked="" type="radio"/>
You must use Power BI to create reports in model-driven apps.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: Yes

You can create a canvas app and then embed that within a model driven app.

Box 2: No

With the capability to build a portal in PowerApps, you can create a website for external and internal users enabling them to interact with data stored in Common Data Service.

Box 3: No

You can use Power BI or use the report feature in Power App without power bi.

Reference:

<https://carldesouza.com/how-to-embed-a-canvas-app-in-a-model-driven-app-in-powerapps/>

<https://docs.microsoft.com/en-us/powerapps/maker/portals/create-portal>

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-intro>

NEW QUESTION: 125

□□□□ □□ □□ □□ □□□□ □□ □□□□.

□□□□ □□□ □□□□ □□□ □□ □□□□.

□□□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□□□

B. □□/□□□

C. □□□□

D. □□

E. □□

Answer: B,C,D (LEAVE A REPLY)

The Edit/Create screen allows users to add new records or edit existing records in the data source.

The Browse screen displays a list of records in the data source and allows users to filter and sort the records.

The Details screen displays the details of a specific record in the data source.

NEW QUESTION: 126

□□□ □□

□ □□□□ Dynamics 365 Supply Chain Management□ Dynamics 365 Sales □□ □□□□ □ □□□ □□□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□□ '□□□'□ □□□□□. □□: □□ □□□ 1□□□□.

Answer Area	Statement	Yes	No
	You can implement a process-based integration by using the Data Integration feature.	<input type="radio"/>	<input type="radio"/>
	You can use Microsoft Azure Data Migration to synchronize data between the apps.	<input type="radio"/>	<input checked="" type="radio"/>

Answer:

Answer Area	Statement	Yes	No
	You can implement a process-based integration by using the Data Integration feature.	<input checked="" type="radio"/>	<input type="radio"/>
	You can use Microsoft Azure Data Migration to synchronize data between the apps.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: Yes

Box 2: No

Microsoft Azure Data Migration is used to migrate from On-Prem SQL server to Cloud.

<https://docs.microsoft.com/en-us/power-platform/admin/data-integrator>

NEW QUESTION: 127

Power Apps□ □□□□ □□ Dynamics 365 Sales□ Microsoft 365□ □□□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□□. "SSO(Single Sign-On)□ □□□□□ Dynamic 365 Sales□ Microsoft 365□ □□□ □□□□ □□□ □□□□."

A. □□□ □□□□□□□□

B. □□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 128

□□□ □□

Power BI □□□□ □□□ □□□□.

□□□□ □ □□□ □□□ □ □□ □□□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Requirement

Solution

Make decisions by analyzing high-level KPIs.



- Power BI service
- Power BI Desktop
- Power BI dashboards

Drill down into the details of a visual.

- Power BI reports
- Power BI Desktop
- Power BI dashboards

Answer:

Answer Area

Requirement

Solution



Make decisions by analyzing high-level KPIs.

- Power BI service
- Power BI Desktop
- Power BI dashboards

Drill down into the details of a visual.

- Power BI reports
- Power BI Desktop
- Power BI dashboards

NEW QUESTION: 129

□□□□ □□□ □□□ □ □□□ □□□ □□ □□□□ □□□□. □ □□ □□ □□□ □□ □□ □□ □□ □□□ □□□□□.

□□□ □□ □□ □□□ □□□□.

* □□□□ □□□ □□□□ □□□ □□□□□□.

* □ □□□ □□ □□□ □□□□ □□□ □□□□□□.

□□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□□□ □□□?

A. □□ □□□

B. Microsoft □□ □□

C. Microsoft Power Platform □□ □□

D. □□□ □□□

Answer: (SHOW ANSWER)

The Accessibility Checker is specifically designed to identify potential accessibility issues within apps and provides suggestions for modifying the app to ensure accessibility for users with disabilities, including those who use screen readers. This tool helps developers ensure that their canvas apps are accessible to users with visual impairments, meeting the requirements outlined in the scenario.

<https://learn.microsoft.com/en-us/power-apps/maker/canvas-apps/accessibility-checker>

NEW QUESTION: 130

□□□ □□

□ □□□ Dataverse□ □□□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Dataverse capabilities		Microsoft	
Statement	Yes	No	
Dataverse can be hosted in the cloud and on-premises.	<input type="radio"/>	<input type="radio"/>	
Dataverse includes a common schema of business objects by default.	<input type="radio"/>	<input type="radio"/>	
Dataverse can support up to 8 TB of storage per instance.	<input type="radio"/>	<input type="radio"/>	

Answer:

Dataverse capabilities

Statement

Dataverse can be hosted in the cloud and on-premises.

Yes

No

Dataverse includes a common schema of business objects by default.

Dataverse can support up to 8 TB of storage per instance.

NEW QUESTION: 131

Which of the following is a standard and extensible collection of schemas, including entities, attributes and relationships that represents business concepts and activities with well-defined semantics? Microsoft publishes this standard and partners to facilitate data interoperability.

A. Common Data Model (CDM)
B. Dynamics 365 Business Central
C. Common Data Services (CDS)
D. Business Process Flow

Answer: (SHOW ANSWER)

The Common Data Model (CDM) is a standard and extensible collection of schemas, including entities, attributes and relationships that represents business concepts and activities with well-defined semantics. It consists of a set of standardized, extensible data schemas published by Microsoft and partners to facilitate data interoperability.

You should not change to Common Data Services (CDS). CDS is used to store and manage data used by business applications. The data is stored within a set of entities. CDS uses the CDM to provide a set of standardized entities used by your applications.

You should not change to Dynamics 365 Business Central. This is an end-to-end solution for finance, sales, services, and operations for small and mid-sized companies.

You should not change to business process flow. This is a type of Power Automate flow that configures a set of steps to be followed by users, resulting in a standard business process. For example, you might need a business process flow to handle customer service requests similarly.

NEW QUESTION: 132

Which of the following is a type of Power Automate flow that configures a set of steps to be followed by users, resulting in a standard business process? For example, you might need a business process flow to handle customer service requests similarly.

- □□□ □□
- □□□ □
- □□□ □□□ □□
- □□□ □□□□
- □□□□ □□
- □□□□ □□
- □□□□ □□

□□ □□ □□□ □□□□ □□□? □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□ □□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □ □□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□. □□: □□□ □□□ 1□□□□.

Answer Area		
Components	Data	Component
Standard Dataverse table	The owner object	
Custom Dataverse table	The pet object	
Column	The owner's email address	
Relationship	Reference a pet record as belonging to an owner record	

Answer:

Answer Area		
Components	Data	Component
Standard Dataverse table	The owner object	Standard Dataverse table
Custom Dataverse table	The pet object	Custom Dataverse table
Column	The owner's email address	Column
Relationship	Reference a pet record as belonging to an owner record	Relationship

Explanation:

Box 1: Standard Dataverse table

Standard: Several standard tables, also known as out-of-box tables, are included with a Dataverse environment. Account, business unit, contact, task, and user tables are examples of standard tables in Dataverse. Most of the standard tables included with Dataverse can be customized.

Box 2: Custom Dataverse table

□□: □□ □□□ 1□□□□.

A. Power BI □□□

B. □□□□□

C. □□□ □□

D. □□□

E. □□ □

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 138

□□□ □□

□ □□□□□ Power Platform□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □.

□□□□: □□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □ □□□□.

□□: □□ □□□ 1□□□□□.



Microsoft

You can add a custom Microsoft Dataverse entity to the Dynamics 365 Sales Hub navigation.

Yes

No

You can embed a Power Platform canvas app in your organization's Microsoft Teams channel.

Answer:



Microsoft

You can add a custom Microsoft Dataverse entity to the Dynamics 365 Sales Hub navigation.

Yes

No

You can embed a Power Platform canvas app in your organization's Microsoft Teams channel.

NEW QUESTION: 139

□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□□.

□ □□□ □□ □□ □, □□ □□□ □ □□□□□□□ □□□ □□□ □□□□□. □□□ □□ □ □□ □□□ □ □ □□ □□ □□□ □□□□□ □□□□ □□□.

□□□ □□ □□□□ □□□□ □□□.

□□ Power Platform □□□ □□□□ □□□?

A. □□ □□□□□

B. AI □□

C. □□ BI

D. □□ □

Answer: (SHOW ANSWER)


NEW QUESTION: 140

□□□ □□
□□□ □□□□□ □□□□□□ □□ □□□□ □□ □□ □□□ □□□□□ □□□□□. □□□
□□ □□□□ □□ □□□□ □□□□ □□□.
□□□□ □□□□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□□□. □□□□ □□ □□
□□ □□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□.
□□□ □□□□□ □□ □□□□ □□ □□□ □ □□□□ □□□ □□ □□□ □□□ □□ □□□
□□ □□□□□.
□□□□ □□ □□□ □□□□ Microsoft Power Platform □□□□ □□□□ □□□.
□□□ □□□□ □□□□ □□ □□□□□.

Microsoft Power Platform service solution

A digital version of the defect sheet with rules to ensure pre-submission completion can be created by using

- an AI Builder Model.
- a Power Apps app.
- a Power Automate cloud flow.
- a Power BI report.




Answer:

Microsoft Power Platform service solution

A digital version of the defect sheet with rules to ensure pre-submission completion can be created by using

- an AI Builder Model.
- a Power Apps app.
- a Power Automate cloud flow.
- a Power BI report.



NEW QUESTION: 141

□□□□□ □□ □ □□□□ □□□□ □□ □□□□ □□□□.

□□□ □□□□ □□□□ □□□ □, □□□□ □□□□ Microsoft Outlook□□ □□ □□□□□ □□□□ □□□□. □□ □□□□ □ □□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□.

□ □□□ □□□□ □□□□ □□ □□ □□ □□□□□ □□□□ □□ □□□□ □□□

Microsoft Power Automate □□□ □□□□□.

□□□□□□□□ □□ □□ Power Automate □□□ □□□ □ □□□ □□ □□ □□□ □□□□ □□□ .

□□ □□□□□ □□□□ □□□?

A. □□□□

B. □□□

C. AI □□

D. □□ BI

Answer: B (LEAVE A REPLY)

Power Automate, Create flows to manage email

Here are some of the most frequently used ways to create flows to manage your email.

Power Automate offers many templates for you to create flows. You can use these templates "as is" or you can make any adjustments that your scenario needs. If you don't find a template that matches your scenario, you can create a cloud flow without a template. You can also create a flow from connectors.

*-> Create a cloud flow from a connector: In Power Automate, select Connectors from the left side of the screen, search for the connector you want, and then select it to create your flow. For example, search for outlook to find connectors for Outlook for Microsoft 365.

Two of the most popular connectors used in flows to send or receive email are the Outlook.com connector and the Office 365 Outlook connector. Both connectors offer similar operations that you can use to manage your mail, calendars, and contacts. You can perform actions such as send mail, schedule meetings, add contacts, and more with either of these connectors.

Triggers

A trigger is an event that starts a cloud flow. For example, When a new email arrives (V3) is a trigger that starts a cloud flow when an email arrives into an inbox.

Reference:

<https://learn.microsoft.com/en-us/power-automate/create-email-flows>

<https://learn.microsoft.com/en-us/power-automate/email-overview>

NEW QUESTION: 142

□□ □ □□□□ □□□□ □□□□ □□□□□ □□ Power BI□ □□□□□ TPT Limited□ □□ □□ □□□ □□□□□?

A. Dynamic 365 Customer Engagement□ Excel□ □□ □□□□ □□□ Power BI □□□□ □□ □□ □□□□.

B. Dynamic 365 Customer Engagement□ Excel□ □□ □□□□ □□□ Power BI □□□□ □□ □□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 143

Desktop flows is the Robotic Process Automation (RPA) solution within Power Automate. Desktop flows provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Desktop flows is the Robotic Process Automation (RPA) solution within Power Automate. Desktop flows provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Desktop flows is the Robotic Process Automation (RPA) solution within Power Automate. Desktop flows provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Desktop flows is the Robotic Process Automation (RPA) solution within Power Automate. Desktop flows provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

- A. Desktop flows
- B. Power Automate
- C. Power BI
- D. Power Apps

Answer: (SHOW ANSWER)

Desktop flows is the Robotic Process Automation (RPA) solution within Power Automate. Desktop flows provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Reference:

<https://learn.microsoft.com/en-us/power-platform-release-plan/2022wave2/power-automate/desktop-flows>

NEW QUESTION: 144

Power Automate is a cloud-based Robotic Process Automation (RPA) solution within Power Platform. Power Automate provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Power Automate is a cloud-based Robotic Process Automation (RPA) solution within Power Platform. Power Automate provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Power Automate is a cloud-based Robotic Process Automation (RPA) solution within Power Platform. Power Automate provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

Power Automate is a cloud-based Robotic Process Automation (RPA) solution within Power Platform. Power Automate provides automation for Windows desktop applications, services, and experiences for orchestration and deployment within Power Platform.

- A. Power BI
- B. Power Automate
- C. Power BI

Answer: A (LEAVE A REPLY)

NEW QUESTION: 145

Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations. Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations.

Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations. Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations.

Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations. Power BI is a cloud-based Business Intelligence (BI) solution within Power Platform. Power BI provides data visualization and reporting capabilities for organizations.

- A. Power BI
- B. Power Automate

Answer Area

Statement	Yes	No
You must certify custom connectors before users in other departments within your organization can use the connectors.	<input type="radio"/>	<input checked="" type="radio"/>
You must use Microsoft Azure API apps to create a public custom connector.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/define-blank>

<https://docs.microsoft.com/en-us/connectors/custom-connectors/>

NEW QUESTION: 148

□□□ □□

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Statements	Yes	No
Security roles are modified in Microsoft Azure Active Directory.	<input type="radio"/>	<input type="radio"/>
Security Roles are assigned to each table.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area Microsoft

Statements	Yes	No
Security roles are modified in Microsoft Azure Active Directory.	<input checked="" type="radio"/>	<input type="radio"/>
Security Roles are assigned to each table.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: Yes

You can't modify the built-in security roles, other than add administrative users. You can copy the role, make changes, and then save these changes as a new custom security role.

Note: A security role defines how different users, such as salespeople, access different types of records. To control access to data, you can modify existing security roles, create new security roles, or change which security roles are assigned to each user.

Box 2: No

Security roles are assigned to users and to groups, not to tables.

Reference:

<https://docs.microsoft.com/en-us/mem/configmgr/core/understand/fundamentals-of-role-based-administration#security-roles>

NEW QUESTION: 149

□□□□ □□ □□□ OneDrive for Business □ □□□□ Power Automate □□□ □□□□. □□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□□ □ □□ □ □□ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□. □□: □□ □□□ 1□□□□.

- A. Power Automate □□ □□□ □□□□ □□□□□ □□□□□.
- B. Power Automate □□□ □□ □□ □□□□ □□□□□.
- C. □□□ □□ □□ □□ □□□□□□.
- D. □□□□ □□□□ □□ □□□ □□□□□.
- E. Power Automate □ □□□ □□□□ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

"Action configuration

Flows also fail if a setting in an action of the flow doesn't function as expected. In this case, the error message contains Bad request or Not found, or an error code of 400 or 404 appears. The error details should specify how to correct the failure. You'll need to click or tap the Edit button and then correct the problem inside the flow definition. Save the updated flow, and then click or tap Resubmit to try the run again with the updated configuration."

NEW QUESTION: 150

□□□ □□ □□□□ □□□□ □□□□. □□ □□□□ □□□□ □□□□ □□□□ □□□. □□ ERP(Enterprise Resource Planning) □□□□ □□□ Microsoft Dataverse Microsoft Excel □□ □□□□□ □□□□□□ □□ □□ □ □□□□ □□ □□□□ □□□□□ □□□. □□□□ □□□□ □□□. □□□ □□□□ □□□?

- A. □□ □□□□□
- B. □□□
- C. □
- D. □□□□

Answer: (SHOW ANSWER)

A Power BI dashboard is a single page, often called a canvas, that tells a story through visualizations.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboards>

NEW QUESTION: 151

Which of the following is a feature of Microsoft Dynamics 365 Remote Assist?
A. AI Builder
B. Power Virtual Agents
C. Microsoft Azure Cognitive Services
D. Microsoft Dynamics 365 Remote Assist

- A. AI Builder
- B. Power Virtual Agents
- C. Microsoft Azure Cognitive Services
- D. Microsoft Dynamics 365 Remote Assist

Answer: (SHOW ANSWER)

PL-900-KR Microsoft PL-900-KR DumpTop PL-900-KR! DumpTop PL-900-KR, DumpTop PL-900-KR. <https://www.dumptop.com/Microsoft/PL-900-KR-dump.html> (375 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 152

Which of the following is a feature of Microsoft Power BI?
A. AI Builder
B. Power Virtual Agents
C. Microsoft Azure Cognitive Services
D. Microsoft Dynamics 365 Remote Assist

- A. AI Builder
- B. Power Virtual Agents
- C. Microsoft Azure Cognitive Services
- D. Microsoft Dynamics 365 Remote Assist

Answer: (SHOW ANSWER)

You can display the Power BI report in the dashboard.

You can set the environment for the dashboard.

Reference:

<https://docs.microsoft.com/en-us/power-platform/guidance/coe/setup-powerbi>

NEW QUESTION: 153

Which of the following is a feature of Microsoft Power BI?
A. AI Builder
B. Power Virtual Agents
C. Microsoft Azure Cognitive Services
D. Microsoft Dynamics 365 Remote Assist

□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.

Answer Area



Scenario

Application

Build automatic workflows that access multiple data sources.

	▼
AI Builder	
Power Apps	
Power Automate	
Azure Functions	
Power BI	


Create custom apps that address specific business needs.

	▼
AI Builder	
Power Apps	
Power Automate	
Azure Functions	
Power BI	

Design insightful data visualizations.

	▼
AI Builder	
Power Apps	
Power Automate	
Azure Functions	
Power BI	

Answer:

Answer Area	Scenario	Application
	Build automatic workflows that access multiple data sources.	<ul style="list-style-type: none"> AI Builder Power Apps Power Automate Azure Functions Power BI
	Create custom apps that address specific business needs.	<ul style="list-style-type: none"> AI Builder Power Apps Power Automate Azure Functions Power BI
 Design insightful data visualizations.		<ul style="list-style-type: none"> AI Builder Power Apps Power Automate Azure Functions Power BI

Explanation:

Box 1: Power Automate

Power Automate, formerly known as Microsoft Flow, is cloud-based software that allows employees to create and automate workflows and tasks across multiple applications and services without help from developers.

Box 2: Power Apps

PowerApps is a suite of apps, services, connectors and data platform that provides a rapid application development environment to build custom apps for your business needs.

Box 3: Power BI

Power BI is a business analytics solution that lets lets you visualize your data and share insights across your organization, or embed them in your app or website.

Connect to hundreds of data sources and bring your data to life with live dashboards and reports.

Reference:

<https://docs.microsoft.com/en-us/powerapps/powerapps-overview>

NEW QUESTION: 154

Microsoft Power Microsoft Business Applications .

Power Microsoft ? .

: 1 .

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/environment-strategy-alm>

NEW QUESTION: 158

Which of the following is a cloud-based data integration tool that can be used to connect Microsoft SQL Server Integration Services (SSIS) to a cloud-based data warehouse? ERP (Enterprise Resource Planning) is a software system that helps organizations manage their business operations. SSIS is a data integration tool that can be used to connect on-premise data sources to a cloud-based data warehouse. Which of the following is a cloud-based data integration tool that can be used to connect Microsoft SQL Server Integration Services (SSIS) to a cloud-based data warehouse?

- A. Power Platform
- B. Microsoft Azure
- C. Power Virtual Agents
- D. Microsoft Dynamics 365

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/dynamics365/fin-ops-core/dev-itpro/data-entities/data-entities-data-packages>

NEW QUESTION: 159

Which of the following is a cloud-based data integration tool that can be used to connect Microsoft SQL Server Integration Services (SSIS) to a cloud-based data warehouse? Power Platform is a cloud-based data integration tool that can be used to connect Microsoft SQL Server Integration Services (SSIS) to a cloud-based data warehouse. Dataverse is a cloud-based data warehouse. Which of the following is a cloud-based data integration tool that can be used to connect Microsoft SQL Server Integration Services (SSIS) to a cloud-based data warehouse?

Create a Power Automate automation

- Generate the flow.
- Open the Power Automate maker portal.
- Review the flow connections and test the automation.
- Describe the automation to Copilot.
- Select and use a template.
- Approve the automation.
- Open the Power Automate for desktop app.

Answer Area

- 1
- 2
- 3
- 4
- 5

Answer:

Create a Power Automate automation



Select and use a template.

Open the Power Automate for desktop app.

Answer Area

- 1 Open the Power Automate maker portal.
- 2 Describe the automation to Copilot.
- 3 Generate the flow.
- 4 Review the flow connections and test the automation.
- 5 Approve the automation.

Explanation:

Reference:

<https://learn.microsoft.com/en-us/power-automate/create-cloud-flow-using-copilot>

NEW QUESTION: 160

□□□ □ □□ □□
 □□□□ □□□□ □□□□ □□□□. □□□□ □□□□ □□ □□□□ □□ □□□ □□□ □
 □□ □□□□□.
 □□□□□ □□□□□□ Power Automate□ □□□□ □□□.
 □□ □□□ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ □
 □□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□
 □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.
 □□: □□ □□□ 1□□□□□.

Flow types	Requirement	Flow type
automated	Ensure that all of the steps for completing tasks are consistently followed by all team members.	<input type="text"/>
instant	Allow users to send an email to the project lead whenever a task is completed.	<input type="text"/>
scheduled	Automatically send a list of completed tasks at the end of each week.	<input type="text"/>
business process		

Answer:

Flow types	Answer Area	Requirement	Flow type
<input type="checkbox"/> automated <input type="checkbox"/> business process <input type="checkbox"/> instant <input type="checkbox"/> scheduled		<p>Ensure that all of the steps for completing tasks are consistently followed by all team members.</p> <p>Allow users to send an email to the project lead whenever a task is completed.</p> <p>Automatically send a list of completed tasks at the end of each week.</p>	<input type="checkbox"/> business process <input type="checkbox"/> instant <input type="checkbox"/> scheduled

Explanation:

Automated flows Create an automation that is triggered by an event such as arrival of an email from a specific person, or a mention of your company in social media.

Instant flows Start an automation with a click of a button. You can automate for repetitive tasks from your Desktop or Mobile devices. For example, instantly send a reminder to the team with a push of a button from your mobile device.

Scheduled flows Schedule an automation such as daily data upload to SharePoint or a database.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind.

NEW QUESTION: 161

□□□ □□

□ □□□□ IT □□□ □□ □□□□ □□ □□□□ □□□□. □ □□□ □□□ □□ □□ □□□□ □□□ □ □□ □□ API□ □□□□.

Power Automate□ □□□□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□.

□□□ □□ □□□ □□□ □□□□ □□□□ □□□.

□□□ □□□□ □□□□ □□ □□□□□.

Answer Area

Use a connector to trigger the Power Automate cloud flow.

- custom
- premium
- standard

Answer:



NEW QUESTION: 162

□□□ □□□ Power Platform □□□□□□.
 □ □□□□ □□□□ □□□□ □□□ □□□□ □□□□. □□□ □□□ □□□□□ □□□ □
 □ □□□ □□□□ □□□. □□□ □□□□ □□□?

- A. Microsoft 365 □□ □□
- B. Power Apps □□ □□
- C. Power Platform □□ □□
- D. Dynamics 365 □□ □□

Answer: (SHOW ANSWER)

You should use the Microsoft 365 admin center to create new users and manage their license assignment. You can also manage billing and payment methods in this admin center. You should not use the Power Platform admin center. You can use this admin center to manage Common Data Service (CDS) environments and consult your environment analytics and capacity. You should not use the Power Apps admin center. You can use this admin center to manage environments, including the apps and flows within a environment. You should not use the Dynamics 365 admin center. You can use this admin center to rename, reset and delete a CDS environment.

NEW QUESTION: 163

Power BI□□ □□□ □□□ □□□□ □□□□.
 □□ □□□□ □□□□ □□ □□, □□ □□ □ □□□ □□□ □□□□.
 □□□ □□ □□□□□ □□□ □□□□ □□□.
 □□□ □□□ □ □□ □ □□□ □□□□□? □ □□□ □□□ □□□□ □□□□□.
 □□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. Power BI □□□
- B. Power BI □□□
- C. Power BI □□□□
- D. Power BI □□□□

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

NEW QUESTION: 164

□□□ □□

Power Platform Power Platform. Power Platform, Power Platform 'Power Platform'. Power Platform 'Power Platform'.

Answer Area			
Statement	Yes	No	
Power Virtual Agents chat data is saved unless it is deleted by the customer after a chat session.	<input type="radio"/>	<input type="radio"/>	
Power Automate flows operate with administrative privileges at all times.	<input type="radio"/>	<input type="radio"/>	

Answer:

Answer Area			
Statement	Yes	No	
Power Virtual Agents chat data is saved unless it is deleted by the customer after a chat session.	<input type="radio"/>	<input checked="" type="radio"/>	
Power Automate flows operate with administrative privileges at all times.	<input checked="" type="radio"/>	<input type="radio"/>	

Explanation:

Box 1: No

As chat data will be removed after 30 days, so the data will be temporary. Customers cannot delete the chat data. You can delete the chat data by manually removing the chatbot as it will erase all the data after deletion.

Box 2: Yes

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/gdpr-delete#delete-power-virtual-agents-bot-chat-logs>

NEW QUESTION: 165

TPT Limited Dynamics 365 Sales Sales-Hub. Dynamics 365 Sales Sales-Hub? Dynamics 365 Sales Sales-Hub?

- A. Dynamics 365 Sales
- B. Dynamics 365 for Phones
- C. Dynamics 365 Business Central
- D. Dynamics 365 Finance

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 166

□□□ □□

□ □□□□□ Microsoft Power Platform □ □□□□ □□ □□□ □□□ □□□□ □□ □□ □□□□□.

Microsoft Power Platform □ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □ □□□□ □ □□□ □□□.

Microsoft Power Platform □□ □□□ □□□□ □□□ □□□□ □□□□□ □□□.

□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area

Requirement

Update data in an API hosted in Azure.

Component

- Custom connector
- Microsoft Dataverse
- Power Query

Update files in SharePoint document library folders.

- Microsoft Teams connector
- Microsoft Dataverse
- Power Query
- Standard connector

Ingest and transform data into Microsoft Dataverse by using dataflows.

- Microsoft Dataverse
- Power Query
- Standard connector



Answer:

NEW QUESTION: 168

□□□ □□□□□□□. Microsoft Excel □□ □□□ □□□□ □□□□□ □□ Power BI □□□ □ □□□□.

□□□□ □□□□ □□ □□□ □ □□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□□ □□□□□ □□□□□.

B. □□□□ □□□□□.

C. □□□□□ □□□□□.

D. □□□□□ □□□□□.

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-live-tile-from-report>

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards#limitations-and-considerations>

NEW QUESTION: 169

□□□ □□□ Power Apps□ □□□□ □□□□.

□□□ □□ □□ □□□□ □□□□ □□ □□ 4□□□□ Microsoft Dataverse□ □□□□ □□□ □□□□ □□□.

4□□□□ □□□□ □□□□□ □□□ □□□□ □□□.

□□□ □□ □□□?

A. □□□ □□ □□□□ □□□□.

B. □□□□ □□□□ □□□□ Cloud □□□ □□□□.

C. □□ □□□□ Azure Blob □□□□ □□□□□.

Answer: B (LEAVE A REPLY)

<https://powerapps.microsoft.com/en-us/blog/announcing-power-platform-dataflows-general-availability/>

NEW QUESTION: 170

□□□ □ □□ □□

□□□ □□ □□ □□□ □□ □□□□□□.

□□ □□□□□ □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□ □□□.

□□ □□□□ □□□ □ □□ Power BI □□□□□ □□□ □□□□ □□□.

□□ □□□ □□□ □ □□□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □□□ □□ □ □□□□□.

□□ □□□ □□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□□.

Reporting types

- Power BI Service only
- Power BI Desktop only
- Power BI Desktop or Power BI Service

Answer Area

Requirement

Create Power BI dashboards that contain a single store's sales information.

Share that dashboard with your retail managers.

Reporting type

[Empty box]

[Empty box]

Answer:

Reporting types

- Power BI Service only
- Power BI Desktop only
- Power BI Desktop or Power BI Service

Answer Area

Requirement

Create Power BI dashboards that contain a single store's sales information.

Share that dashboard with your retail managers.

Reporting type

Power BI Desktop only

Power BI Desktop only

Explanation:

Dashboards are a feature of the Power BI service only. They're not available in Power BI Desktop. Although you can't create dashboards on mobile devices, you can view and share them there.

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboards>

NEW QUESTION: 171

□□□ □□
 □□□ Power Apps □□ □□ 1.0.0.0□ □□□□.
 □ □□ 2.0.0.0□ □□□ □□□□□. □□□ □□ □□ □□□ □□□□ □□□ □□□□.
 □□ '□□' □□□ □ □□ □ □□□ □□□□□? □□□□ □□ □□□□ □□□ □□□ □□□
 □□.

Answer Area

You will see  versions of the app.

 Microsoft

Answer:

Answer Area

You will see

	▼
1	
2	
3	
4	

versions of the app.



Microsoft

Explanation:

Provided versions 1.0.0.0 and 2.0.0.0 are both less than 6 months, the version restored by the customer will be saved as version 3.0.0.0 which means there will now be 3 versions.

Reference:

<https://learn.microsoft.com/en-us/power-apps/maker/canvas-apps/restore-an-app>

NEW QUESTION: 172

□□□ □□

□□□ AI Builder □□ □□ □□□ □□□□ □□□□□.

□□□ □□ □□□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□□ □□□□□.

□□□ □□ □□□ □□□□ □□□ □□□.

□□□ □□□□ □□□□ □□ □□□□□.

Answer Area


You can increase the accuracy of the prebuilt model by

adding data to the model
adding Microsoft Dataverse to the environment
building a custom model
inserting the AI Builder control for the model into a canvas app

Answer:


Answer Area

Requirement	Feature
Improve performance by reducing table size.	<input type="text"/> Aggregations Formulas Modeling view
Cache data locally on a user's device.	<input type="text"/> Import Dual



Answer:

Requirement	Feature
Improve performance by reducing table size.	<input type="text"/> Aggregations Formulas Modeling view
Cache data locally on a user's device.	<input type="text"/> Import Dual



Explanation:

Box 1: Aggregations

Automatic aggregations are both self-training and self-optimizing. They enable dataset owners of any skill level to improve query performance, providing faster report visualizations for even the largest datasets.

Box 2: Import

<https://docs.microsoft.com/en-us/power-bi/admin/aggregations-auto#requirements>


NEW QUESTION: 176

□□□ □□

□□ □□ Power BI □□□□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□□ '□'□ □□□□□□. □□□ □□□□ '□□□□'□ □□□□□□.

□□: □□ □□□ 1□□□□.

Answer Area		Yes	No
Statements		Yes	No
 Power BI can only retrieve data from up to two different sources for each dashboard.	<input type="radio"/>	<input type="radio"/>	
Power BI visualizations can be used in canvas apps and model driven apps.	<input type="radio"/>	<input type="radio"/>	
Power BI can display charts and list boxes on dashboards.	<input type="radio"/>	<input type="radio"/>	

Answer:

Statements	Yes	No
Power BI can only retrieve data from up to two different sources for each dashboard.	<input type="radio"/>	<input checked="" type="radio"/>
Power BI visualizations can be used in canvas apps and model driven apps.	<input checked="" type="radio"/>	<input type="radio"/>
Power BI can display charts and list boxes on dashboards.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Multiple Datasources can be used in a dashboard

<https://community.powerbi.com/t5/Service/Workspace-dashboards-with-multiple-data-sources-Workspaces/m-p/1231679#M102872> Embedding PowerBI in Canvas app

<https://www.youtube.com/watch?v=s5Vlp7gr1H4>

Adding PowerBi in model driven app

Adding PowerBi in model driven app

<https://knowledgefrommanish.com/dynamics365/add-power-bi-embedded-as-system-dashboard-in-model-driven-apps/#:~:text=Add%20a%20Power%20BI%20embedded%20dashboard%20to%20a%20model%20driven,Add%20the%20relevant%20dashboards.>

Types of visuals can be implemented in PowerBI

Types of visuals can be implemented in PowerBI

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-visual-type>

NEW QUESTION: 177

Microsoft Dynamics 365 uses triggers to start a flow. Triggers are events that occur in your data source. Microsoft Flow uses triggers to start a flow. Triggers are events that occur in your data source. Triggers like When a record is created, When a record is updated, and When a record is deleted initiate your flow within a few minutes of the event occurring. In rare cases, your flow can take up to 2 hours to trigger. Reference: <https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

- A. When a record is created
- B. When a record is updated
- C. When a record is deleted
- D. When a record is created, updated, or deleted
- E. When a record is created or updated

Answer: B,C,D (LEAVE A REPLY)

Triggers like When a record is created, When a record is updated, and When a record is deleted initiate your flow within a few minutes of the event occurring. In rare cases, your flow can take up to 2 hours to trigger.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

NEW QUESTION: 178

Microsoft Dynamics 365 uses triggers to start a flow. Triggers are events that occur in your data source. Microsoft Flow uses triggers to start a flow. Triggers are events that occur in your data source. Triggers like When a record is created, When a record is updated, and When a record is deleted initiate your flow within a few minutes of the event occurring. In rare cases, your flow can take up to 2 hours to trigger. Reference: <https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

Features	Answer Area	Feature
business rules	Validate data across multiple fields and entities regardless of the app used to create data.	Feature
business process flows	Create visual guides to ensure that users enter data and perform tasks in a consistent manner.	Feature
Common Data Model	Accelerate development by using a standard set of entities for the most common scenarios.	Feature

Answer:

Features	Requirement	Feature
	Validate data across multiple fields and entities regardless of the app used to create data.	business rules
	Create visual guides to ensure that users enter data and perform tasks in a consistent manner.	business process flows
	Accelerate development by using a standard set of entities for the most common scenarios.	Common Data Model

Explanation:

Box 1: business rules

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Box 2: business process flows

Flows Power Automate includes several types of processes, each designed for a different purpose:

Automated flows. Create a flow that performs one or more tasks automatically after it's triggered by an event.

Button flows. Perform repetitive tasks simply by tapping a button on your mobile device.

Scheduled flows. Create a flow that performs one or more tasks on a schedule such as once a day, on a specific date, or after a certain time.

Business process flows. Ensure that people enter data consistently and follow the same steps every time they work in an app by creating a business process flow. Workflows and actions.

Dynamics 365 customizers may be familiar with the classic Common Data Service processes, which are workflows and actions.

Box 3: Common Data Model

Model-driven app design is a component-focused approach to app development. Model-driven app design doesn't require code and the apps you make can be simple or very complex. Unlike canvas app development where the designer has complete control over app layout, with model-driven apps much of the layout is determined for you and largely designated by the components you add to the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/guide-staff-through-common-tasks-processes>

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/model-driven-app-overview>

NEW QUESTION: 179

□□□ □ □□ □□

Power Automate □□□□ □□□ □□□ □□□□□.

□□□ □□ □□ □□□ □□□□ □□□.

- □□□□□□□ □□ □□□□ □□□ □□□□ □□□□ □□□.

- □□□□□ □□□□ □□ □□□□□ □□□□□.

□□.

□□□ □□□ □□□□□ □□□.

□□ □□□□ □□□ □□□ □□□□ □□□? □□ □□□□ □□□ □□□□ □□□ □□□ □ □□ □□ □□□ □□ □□□□ □□□. □ □□□□ □□□ □□□ □ □, □□ □ □□□□□ □ □□□□ □□ □ □□□□. □□□□ □□□ □ □□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.



Answer:




NEW QUESTION: 180

□□□ □□

□□□ □□□ □□ Power Virtual Agents □□□ □□□□ □□□□.

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area 		Microsoft	
Statements	Yes	No	
You must create a custom action to display a knowledge base article that answers a common support question.	<input type="radio"/>	<input type="radio"/>	
You can use Power Automate to retrieve a customer's contact number in order to verify they are an authorized user and their support plan SLA.	<input type="radio"/>	<input type="radio"/>	

Answer:

Answer Area		
Statements	Yes	No
You must create a custom action to display a knowledge base article that answers a common support question.	<input type="radio"/>	<input checked="" type="radio"/>
You can use Power Automate to retrieve a customer's contact number in order to verify they are an authorized user and their support plan SLA.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/tutorials/integrate-with-power-virtual-assistant-fallback-topic>

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-flow>

NEW QUESTION: 181

□□□ □ □□ □□
 □ □□□ □□□ □□ □□ □□□□□.
 □□□ □□ □□□ □□ □ □□□□? □□□ □□□□ □□□ □□□ □□□□ □□ □□ □□□
 □□ □□□□□□. □ □□□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □
 □□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.
 □□: □□ □□□ 1□□□□□.

Number of connectors	Answer Area	Number of connectors
0		
1		
2		
3	<p>Scenario</p> <p>Synchronize data with three data sources that use different proprietary database formats.</p> <p>Create three Power Apps apps that each display data from a Microsoft SharePoint list.</p> <p>Create three Flows that each copy data to Microsoft Azure Data Lake on different schedules.</p>	

Answer:

Solutions

- Object detector
- Text recognition
- Power Automate
- Sentiment analysis

Solutions

Requirement

Identify negative language within the text of a review.
 Send an email notification.

Solution

Answer:

<p>Solutions</p> <ul style="list-style-type: none"> Object detector Text recognition 	<p>Solutions</p> <p>Requirement</p> <p>Identify negative language within the text of a review. Send an email notification.</p>	<p>Solution</p> <ul style="list-style-type: none"> Sentiment analysis Power Automate
---	---	---

NEW QUESTION: 185

□□□ □ □□ □□

□ □□ □□□□□ Microsoft Dataverse □ □□□□ □□ □□ □□ □□□□.

□□□□ □□□ □□ □□□ □□□ □ □□ □□□ □□ □□□□□. □ □□□□□ □□□□ □

□ □□□ □□□□□ □□□ □ □□□ □□□.

- □□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □

□□□ □□ □□ □□□

- □□□ □□□□ □□□ □□ □□□ □□□ □ □□ □

- 10□□ □□□ □□□ □□□ □ □□ □□□ □□

□□ □□□

□□□ □□□□ Microsoft Dataverse □ □□□□ □□□.

□□□□ □□□□ □ □□□ □□□□ □□□? □□ □□□□ □□□ □□ □□□ □□□ □□ □

□□ □□ □□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □

□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Options

Table

Column

Choice

Row

Answer Area Microsoft

Requirement

Store additional doctor profile data.

Store information about the doctor's specialty.

Select an insurance company.

Option

Option

Option

Option

Answer:

Options

Row

Answer Area Microsoft

Requirement

Store additional doctor profile data.

Store information about the doctor's specialty.

Select an insurance company.

Option

Table

Column

Choice

NEW QUESTION: 186

□□□ □ □□ □□

□ Microsoft Power Automate □□ □□ □□□□□□. □□□□ □□ □□□ □□ Power Automate □□ □□□ □□ □□□□ □□□□. □ Power Automate □□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□.

□□: □□□ □□ □□□ 1□□ □□□□□.

Power Automate apps

Power Automate for Desktop

Power Automate Mobile

Power Automate Portal

Power Automate app capabilities

Capability

Create and monitor all types of Power Automate cloud flows and initiate process mining.

Start Power Automate instant flows in the field and manage notifications.

Create robotic process automation.

Power Automate app

Answer:

Power Automate apps

Power Automate app capabilities

Capability

Create and monitor all types of Power Automate cloud flows and initiate process mining.

Start Power Automate instant flows in the field and manage notifications.

Create robotic process automation.

Power Automate app

Power Automate Portal

Power Automate Mobile

Power Automate for Desktop

Explanation:

Box 1: Power Automate Portal

Create and monitor all types of Power Automate cloud flows and initiate process mining.

From the Power Automate portal, you can associate automated and scheduled flows with apps in Power Apps and with Dynamics 365 apps. You can then manage flows and apps together and more easily keep track of dependencies. If the associated app is missing in any environment, the flow alerts you about the missing dependency. This feature also ensures that apps are always up to date.

Box 2: Power Automate Mobile

With the Power Automate mobile app you can:

Create flows

Manage cloud flows

Create widgets

Manage approvals

Receive notifications

-all from your mobile device.

Box 3: Power Automate for Desktop

Create robotic process automation.

Automate routine tasks, eliminate the chance for errors, and free up time for more important work with robotic process automation (RPA) and Power Automate for desktop.

Reference:

<https://learn.microsoft.com/en-us/power-automate/associate-flow-to-app>

<https://learn.microsoft.com/en-us/power-automate/mobile/overview-mobile>

NEW QUESTION: 187

□□□ □ □□ □□

□ □□□□□ Power BI □ □□□□ □□ □□ □□□□ □□□ □□□□□.

□□□ □□ □□□□ □□□□ □□□.

□□□□□ □□ Power BI □□ □□□ □□□□ □□□? □□ □□□□ □□□ Power BI □□ □

□□ □□□ □□ □□□ □□ □□□□□□. □ Power BI □□ □□□ □ □, □□ □ □□ □□ □

□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □

□ □□□□.

□□: □□ □□□ 1□□□□□.

Power BI components

- reports
- workspaces
- dashboards
- dataset

Answer Area

Requirement	Power BI component
Allow users to set and receive alerts when data changes beyond specified limits.	
View and filter data and export data to Microsoft Excel for further manipulation and analysis.	

Answer:

Power BI components

- workspaces
- dataset

Answer Area

Requirement	Power BI component
Allow users to set and receive alerts when data changes beyond specified limits.	dashboards
View and filter data and export data to Microsoft Excel for further manipulation and analysis.	reports

Explanation:

Box 1: Dashboard

Set alerts to notify you when data in your dashboards changes beyond limits you set.

Box 2: Report

The reports allow you to view and export the data to excel.

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION: 188

Which of the following are components of the Microsoft Dynamics 365 Sales application? (Select all that apply.)

AI Insights
 Customer Insights
 Customer Journey Analytics
 Customer Relationship Management (CRM)
 Power Platform
 Sales Hub
 Sales Insights
 Sales Process Automation
 Sales Reporting

- A. AI Insights
- B. Customer Insights
- C. Customer Journey Analytics
- D. CRM

Answer: B,C (LEAVE A REPLY)

<https://www.powerobjects.com/blog/2019/04/05/flow-approval-process/>

<https://www.microsoftpressstore.com/articles/article.aspx?p=3100067>

NEW QUESTION: 189

Power Automate, Microsoft Planner, Microsoft Teams, and Microsoft Copilot. The correct answer is D. Copilot.


Which of the following buttons is available when editing a cloud flow created from a solution-aware cloud flow?

- A. Save draft
- B. Publish
- C. Test
- D. Copilot

Answer: D (LEAVE A REPLY)

If you open the editing of a cloud flow that you created from a solution (solution-aware cloud flows), you have the following buttons available:

- Save draft
- Publish



Save draft

Save a draft of a flow whenever you want, even with errors. Make changes to your flow with confidence at your own pace.

Publish a flow

When you're ready for changes to a flow to have an effect at runtime, the flow can be published. The state of the flow (Draft or Published) shows beside the flow title to indicate if that version of the flow was published, or if the flow has draft changes.

NEW QUESTION: 190

Which of the following is a solution-aware cloud flow? The correct answer is D. Copilot.

Features that assist with Microsoft Power Platform configuration

To assist business users with the creation of apps and automations by using natural language in Microsoft Power Platform, they can use

- Copilot.
- AI Builder.
- Microsoft 365.
- Power Automate.

Answer:

Features that assist with Microsoft Power Platform configuration

To assist business users with the creation of apps and automations by using natural language in Microsoft Power Platform, they can use

- Copilot.
- AI Builder.
- Microsoft 365.
- Power Automate.

Explanation:

Box: Copilot

Use Copilot to create and understand Power Fx as well as rich data models Some developers want to use low-code to automate the mundane aspects of building an app.

Others inherit low-code apps from colleagues and need to quickly get up to speed. Regardless of the circumstance, Copilot in Microsoft Power Apps is now your intelligent companion that explains any formula you select, right in the formula bar.

Coders can copy and insert the explanation as a code comment or share it with others who are working on the same app.

Developers can also write comments in natural language and have Copilot suggest a formula in Power Fx directly in the typing loop, in a similar fashion to GitHub Copilot.

Reference:

<https://learn.microsoft.com/en-us/ai-builder/use-in-powerapps-overview>

<https://www.microsoft.com/en-us/power-platform/blog/power-apps/power-apps-is-making-it-easier-for-developers-to-build-with-microsoft-copilot-and-each-other/#Copilot-PowerFx>

NEW QUESTION: 191

□□□ □□

□□ □ □□□ □□, □□□ □□□□□ '□'□ □□□□□. □□□ □□□ '□□□'□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area	Statement	Yes	No
	Power Apps apps can run only mobile devices.	<input type="radio"/>	<input type="radio"/>
	Power Apps can run only with Dynamic 365 products.	<input type="radio"/>	<input type="radio"/>
	If a user runs a Power Apps app that accesses information to which the user does not have access, the app grants the user permissions.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Statement	Yes	No
	Power Apps apps can run only mobile devices.	<input type="radio"/>	<input checked="" type="radio"/>
	Power Apps can run only with Dynamic 365 products.	<input type="radio"/>	<input checked="" type="radio"/>
	If a user runs a Power Apps app that accesses information to which the user does not have access, the app grants the user permissions.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: No

You can run apps in a browser or on mobile devices.

Box 2: No

On-premises versions of Microsoft Office can also be used.

Box 3: No

You must ensure that the users you share the app with have the appropriate permissions.

Reference:

<https://docs.microsoft.com/en-us/powerapps/powerapps-overview>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

<https://docs.microsoft.com/en-us/power-platform/admin/online-requirements>

NEW QUESTION: 192

□□□ □□

Power Platform can connect to external systems. However, PowerApps connectors cannot connect to third-party databases. Power Automate flows can connect to external systems, but they cannot connect to third-party databases. Power Automate flows can connect to external systems, but they cannot connect to third-party databases.

Statement	Yes	No
You can synchronize account information from Dynamics 365 Sales with a third-party database.	<input type="radio"/>	<input type="radio"/>
You can create invoices from orders and then send the invoices to the customer by using a Power Automate flow.	<input type="radio"/>	<input type="radio"/>

Answer:

Statement	Yes	No
You can synchronize account information from Dynamics 365 Sales with a third-party database.	<input type="radio"/>	<input checked="" type="radio"/>
You can create invoices from orders and then send the invoices to the customer by using a Power Automate flow.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: No

To connect external system you need to use code. PowerApps connector can not connect third-party DB.

Box 2: Yes

Reference:

<https://docs.microsoft.com/en-us/learn/powerplatform/>

NEW QUESTION: 193

Power Platform can connect to external systems. However, PowerApps connectors cannot connect to third-party databases. Power Automate flows can connect to external systems, but they cannot connect to third-party databases. Power Automate flows can connect to external systems, but they cannot connect to third-party databases.

□□: □□ □□□ 1□□□□.

View Types

- personal
- public
- system

Model-driven app views

- Requirement
- Sales manager
- IT manager

View Type

-
-



Answer:

View Types

- system

Model-driven app views

- Requirement
- Sales manager
- IT manager

View Type

- personal
- public



NEW QUESTION: 194

□ □□□□ Dynamics 365 Sales □ □□□□ □□□□. □ □□□ Sales Hub □□ □□□□ □□ □□□□□.

□□□□ □□□ □□□ □□□□ Sales Hub □ □□□□ □□□□ □ □□□ □□ □□□.

□□□□ □□ □□ □□□□ □□□?

- A. Dynamics 365 for Phones
- B. Dynamics 365 Finance
- C. Dynamics 365 □□ □□
- D. Dynamics 365 Business Central

Answer: A (LEAVE A REPLY)

PL-900-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PL-900-KR □□!
DumpTop □ □□ **PL-900-KR** □□ □□□ □□□□□□, DumpTop PL-900-KR □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop PL-900-
KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/PL-900-KR-dump.html> (375 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)