

Components	Answer Area
<input type="text" value="A data loss prevention (DLP) policy"/>	User accounts that were potentially compromised: <input type="text"/>
<input type="text" value="Azure Active Directory (Azure AD) Conditional Access"/>	Users performing bulk file downloads from SharePoint Online: <input type="text"/>
<input type="text" value="Azure Active Directory (Azure AD) Identity Protection"/>	
<input type="text" value="Microsoft Defender for Cloud"/>	
<input type="text" value="Microsoft Defender for Cloud Apps"/>	

Answer:

Components	Answer Area
<input type="text" value="A data loss prevention (DLP) policy"/>	User accounts that were potentially compromised: <input type="text" value="Azure Active Directory (Azure AD) Identity Protection"/>
<input type="text" value="Azure Active Directory (Azure AD) Conditional Access"/>	Users performing bulk file downloads from SharePoint Online: <input type="text" value="Microsoft Defender for Cloud"/>
<input type="text" value="Azure Active Directory (Azure AD) Identity Protection"/>	
<input type="text" value="Microsoft Defender for Cloud"/>	
<input type="text" value="Microsoft Defender for Cloud Apps"/>	

NEW QUESTION: 3

100 VMs are deployed in Azure. The security requirement is that the secure host must be provisioned from a custom operating system image. Which Azure service should be used to meet this requirement?

- A. Azure Bastion
- B. Azure Network Security Group (NSG)
- C. JIT (Just-in-Time) VM
- D. Azure Virtual Desktop

Answer: (SHOW ANSWER)

The security requirement this question wants us to meet is "The secure host must be provisioned from a custom operating system image." <https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-golden-image>

NEW QUESTION: 4

100 VMs are deployed in Azure. The security requirement is that the secure host must be provisioned from a custom operating system image. Which Azure service should be used to meet this requirement?

The security requirement this question wants us to meet is "The secure host must be provisioned from a custom operating system image." Which Azure service should be used to meet this requirement?

* JIT (Just-In-Time) VM

* JIT VM

Microsoft


100 VMs



NEW QUESTION: 6

Microsoft Defender for Cloud Azure .

Azure Security Benchmark V3 .



□□□ □□□□ □□□?

- A. Azure □□□
- B. Azure □□
- C. Azure □□ □□ □□□ □□(Azure RBAC)
- D. Defender for Cloud □ □□ □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Microsoft 365 □□□□ □□□□.

□□□ Azure AD □□□□ □□□ App1□□□□ □□ SaaS(Software as a Service) □□ □□□□ □. □□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.

* □□□□ □□ □□□ □□□ □□□□ App1□ □□ □□□□ □□□ □ □□□ □□□.

* □□□□ App1□ □□ □□□□ □□□□ □□, □□□ □□ □□ □□□ □□□□□ □□□□ □□□□□ □□□.

* □□□□ 3□□□□ □□□□ □□□ App1□ □□□□□ □□□ □□□□ □□□. □□□□ □□□ □□□□ □□□?

- A. □□□□ □□ Microsoft Defender □ □□□ □
- B. Azure AD □□□□□□ □□□
- C. Microsoft Entra Identity □□□□
- D. □□□□ □□ Microsoft Defender □ □□□ □□

Answer: C ([LEAVE A REPLY](#))


NEW QUESTION: 9

□□□ Microsoft 365 □□, Azure □□ □ Amazon Web Services(AWS) □□□ □□□□ □□ □ □□□ □□□□ □□□□. □□ □□ □□□ □□ □□ □□□ □□ □□□□ □□□□ □□□ □□.


* Azure IoT Edge □□□□

* AWS EC2 □□□□

□□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□: □ □□□ 1□□□□.



Answer:



NEW QUESTION: 10

Which Microsoft Defender for Cloud solution should you use to protect your Azure Active Directory (Azure AD) tenant? (Select two.)

- A. Microsoft Defender for Cloud
- B. Azure AD Identity Protection
- C. Microsoft Endpoint Manager
- D. Azure AD Conditional Access
- E. Azure AD Identity Protection

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-location>

<https://docs.microsoft.com/en-us/power-platform/admin/restrict-access-online-trusted-ip-rules>

NEW QUESTION: 11


Which Microsoft Defender for Cloud solution should you use to protect your Azure Active Directory (Azure AD) tenant? (Select two.)

- A. Microsoft Defender for Cloud (TDE)
- B. Azure AD Identity Protection
- C. Microsoft Endpoint Manager (RLS)
- D. Azure AD Conditional Access
- E. Azure AD Identity Protection

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/protect-data-transit-rest/4-explain-object-encryption-secure-enclaves>

NEW QUESTION: 12



NEW QUESTION: 14

Microsoft SharePoint Online, Microsoft Purview, Microsoft 365, Microsoft Purview, SharePoint Online, Label1, Microsoft Purview (DLP), * Microsoft OneDrive for Business, DLP

- A. SharePoint
- B. OneDrive
- C.
- D. Microsoft Defender

Answer: C (LEAVE A REPLY)

NEW QUESTION: 15

Azure, Microsoft Defender for Containers, Defender for Containers, 1

- A. Azure Container Registry Linux
- B. Azure Kubernetes Service(AKS) Linux
- C. Azure Container Registry Windows
- D. Azure Kubernetes Service(AKS) Windows
- E. Azure Container Instances Linux

Answer: A,C (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/design-strategy-for-secure-paas-iaas-saas-services/9-specify-security-requirements-for-containers>

□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□.

* □□ □□□ □□□ □□□□□.

* □□ □□□ □□ □□□ □□□□ □□□□□.

□□□ □□□□ □□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□. □□: □

□□□ 1□□□□□.



Answer:



NEW QUESTION: 18

Microsoft 365 □□□ Azure □□□ □□□□. Microsoft 365 Defender □ Microsoft Defender for Cloud □ □□□□□ □□□□.

Azure □□□□ 50□□ □□ □□□ □□□□ □□□□. □ □□ □□□ Windows Server 2019 □ □ □□ □□□□□□□ □□□□□.

□□ □□□□ □□□ □□□□□□□ □□□ □ □□□ □□ □□□□ □□□□ □□□□. □□□ □ □□ □□□□□□□ □□□□□ □□□□□ □□ □□□□ □□□□□□□ □□□ □□□ □□ □□□□□□□ □□□□ □□□□.

□□ □□ □□□ □□□□ □□□□ □□□.

□□ □□ □□□ □□□□ □□□?

A. □□□□ □□ Microsoft Defender □ □ □□ □□ □□ □□

B. □□□□□ Defender □ □□□ □□□□□□ □□

C. Azure Security Benchmark □□ □□ □□□ m Defender for Cloud

D. Microsoft Endpoint Manager □ □ □□ □□

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/recommendations-reference#compute-recommendations>


NEW QUESTION: 19

□□ □□ □□□ Azure □□□ □□□□. □□ Azure DevOps □□ □□□□ □□ □ □□□□ □ □□□□□□ □□□□□□ □□□□□□□□.

Azure Microsoft Defender for Cloud Microsoft Defender for Cloud CI/CD pipeline
 Microsoft Defender for Cloud DevSecOps pipeline.
 Microsoft Defender for Cloud pipeline? Microsoft Defender for Cloud pipeline
 Microsoft Defender for Cloud pipeline.
 Microsoft Defender for Cloud pipeline.



Answer:



NEW QUESTION: 20

Microsoft Defender for Cloud Microsoft Defender for Cloud
 Defender for Cloud Microsoft Defender for Cloud.
 * Microsoft Defender for Cloud Microsoft Defender for Cloud.
 * Microsoft Defender for Cloud Microsoft Defender for Cloud.
 * Microsoft Defender for Cloud Microsoft Defender for Cloud.
 * Microsoft Defender for Cloud Microsoft Defender for Cloud.
 Microsoft Defender for Cloud Microsoft Defender for Cloud. Microsoft Defender for Cloud
 Microsoft Defender for Cloud?

- A. Azure Storage
- B. Azure Microsoft Defender for Cloud
- C. Microsoft Sentinel
- D. Azure Microsoft Defender for Cloud

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/security-policy-concept>

<https://docs.microsoft.com/en-us/security/benchmark/azure/baselines/storage-security-baseline>

NEW QUESTION: 21

Which Azure App Service configuration can be used to protect an Azure App Service from malicious traffic?
 A. Azure Firewall
 B. Azure Front Door
 C. Azure DDoS Protection
 D. Azure Traffic Manager

- A. Azure Firewall
- B. Azure Front Door (WAF)
- C. Azure DDoS Protection (NSG)
- D. Azure Traffic Manager

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/bot-protection>

NEW QUESTION: 22

Which Zero Trust architecture component is used to protect Microsoft 365 data?
 Tier 1 Microsoft Security Operations Center (SOC)
 A. Azure Policy
 B. Microsoft 365 Defender
 C. Microsoft 365 Defender
 D. Microsoft 365 Defender

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

Which Azure App Service configuration can be used to protect an Azure App Service from malicious traffic?
 Microsoft Threat Modeling Tool
 A. Azure Firewall
 B. Azure Front Door
 C. Azure DDoS Protection
 D. Azure Traffic Manager

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/tm-create-a-threat-model-using-foundational-data-flow-diagram-elements/1b-elements>

<https://docs.microsoft.com/en-us/azure/security/develop/threat-modeling-tool-getting-started?source=recommendations>

NEW QUESTION: 24

NEW QUESTION: 27

Azure Storage is used to store Azure VM images.

Which Azure Storage account type should be used to store VM images? The images are stored in a container named 'vm-images'.

- A. Premium Block Blob (CMK) storage account
- B. Standard Blob storage account (SAS) storage account
- C. Standard Block Blob storage account
- D. Premium Block Blob storage account

Answer: (SHOW ANSWER)

NEW QUESTION: 28

Azure SQL Database DB1 is used to store application data.

Which Azure SQL Database security feature should be used to protect the data?

The application App1 is used to connect to the database. The application is running on a virtual machine.

DB1 is used to store application data. Which Azure SQL Database security feature should be used to protect the data?

* Which Azure SQL Database security feature should be used to protect the data? The application App1 is used to connect to the database. The application is running on a virtual machine.

* Which Azure SQL Database security feature should be used to protect the data? The application App1 is used to connect to the database. The application is running on a virtual machine.

Which Azure SQL Database security feature should be used to protect the data? The application App1 is used to connect to the database. The application is running on a virtual machine.

Answer Area

For the database administrators:

- Always Encrypted
- Always Encrypted
- Dynamic data masking
- Row-level security (RLS)
- Transparent Data Encryption (TDE)

For the operators:

- Row-level security (RLS)
- Always Encrypted
- Dynamic data masking
- Row-level security (RLS)
- Transparent Data Encryption (TDE)




Answer:
Answer Area

For the database administrators:

- Always Encrypted
- Always Encrypted
- Dynamic data masking
- Row-level security (RLS)
- Transparent Data Encryption (TDE)

For the operators:

- Row-level security (RLS)
- Always Encrypted
- Dynamic data masking
- Row-level security (RLS)
- Transparent Data Encryption (TDE)



MSW1 Microsoft Sentinel Azure 50


Microsoft Sentinel (SOAR) .

* .

* .

Microsoft Sentinel

10000.



Answer: Answer Area



SC-100-KR DumpTop SC-100-KR!
 DumpTop **SC-100-KR**, DumpTop SC-100-KR
 . DumpTop SC-100-KR
<https://www.dumptop.com/Microsoft/SC-100-KR-dump.html> (335 Q&As
 Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

Angular Node.js MongoDB Azure



Which of the following services can be used to ensure that data exchanges are over the private IP space and the traffic never leaves the Microsoft network?

A. Azure Web Application Firewall (WAF) B. Azure Application Gateway C. Azure Front Door D. Azure Private Link

Correct answer: D

A.

B.

Answer: B (LEAVE A REPLY)

When using Azure-provided PaaS services (e.g., Azure Storage, Azure Cosmos DB, or Azure Web App), use the PrivateLink connectivity option to ensure all data exchanges are over the private IP space and the traffic never leaves the Microsoft network.

NEW QUESTION: 33

Microsoft 365 Defender for Cloud Apps can be used to:

A. Identify data exfiltration attempts B. Block Teams messages C. Identify suspicious user behavior D. Block suspicious user behavior

* Microsoft SharePoint Online can be used to:

A. Identify data exfiltration attempts B. Block Teams messages C. Identify suspicious user behavior D. Block suspicious user behavior

Correct answer: A



Answer:

□ □□□ □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□ □□□
 □□.
 □□□□: □□ □□□ 1□□□□.



Answer:



NEW QUESTION: 37

Active Directory Domain Services(AD DS) □□□□ □□□□□ Azure AD □□□□ □□□□. □
 □□□□ □□□□ Windows □ □□□□ Azure AD □ □□□□□□ □□□□□.
 □□□□□□□ □□□□□□ □□□□ □□ □□□ □□□□ □□□□. □ □□□ Microsoft □□
 □□ □□□ □□□□.

Windows □□□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□□.
 □□□□ □□□ □□ □□□□□ Windows □□□□ □□ □□□ □□□ □□□ □□□□ □□□
 □ □□□□ □□□. □□□□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□ □□ □□□
 □□□□□ □□□.

□□□□□ □□□ □□□□ □□□?

- A. Azure AD ID □□
- B. □□ □□□ □□□□ □□□(LAPS)
- C. □□ □□□ □□□□□□(PAW)
- D. Azure AD □□ □□ ID □□(PIM)

Answer: B (LEAVE A REPLY)

NEW QUESTION: 38

□□□□ □□□□□ Active Directory □□□ □□□(AD DS) □□□□, Microsoft B65 □□, Azure
 □□□ □□□ □□□□□ □□□□ □□□□ □□□□.

□□□ □□□□□ □□□□□□□ Kerberos □□□ □□□□ □□ □ □□ □□□□ □□□□□. □
 □ □ □□ □□□□□□□ □□□□ □ □□□□□.

Windows 11 □ □□□□ □□ □□□ □□□ □□ □□□□ □□□□□.



Answer:



NEW QUESTION: 42

Microsoft 365 E5 Azure Active Directory (AAD) is used to manage user identities and access to resources. A security administrator needs to ensure that only authorized users can access sensitive data in Microsoft Sentinel. Which two actions should the administrator take?

Microsoft Sentinel uses Role-Based Access Control (RBAC) to manage permissions. The administrator should ensure that only users with the necessary permissions can access the data. The administrator should also ensure that the data is encrypted at rest and in transit.

* IT should ensure that the data is encrypted at rest and in transit.

* IT should ensure that the data is encrypted at rest and in transit.

Which two actions should the administrator take?

- A. Azure Active Directory(Azure AD) RBAC
- B. Log Analytics RBAC
- C. RBAC
- D. Azure Monitor RBAC

Answer: C,D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/azure-monitor/agents/log-analytics-agent>

NEW QUESTION: 43

Microsoft 365 Zero Trust architecture is used to protect sensitive data. Which two actions should the administrator take?

Zero Trust □□□□ □□□ □□ □ □□ □□ □□□□ □□□? □ □□□ □□□□ □□ □□□.

□□□□: □□□ □□ 1□□□□.

- A. □ □ □□ □□□□□ □□ □□□ □□□□□.
- B. □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□.
- C. □□ □□□□□ □□□□□□□ □□□ □□□□□.
- D. □□□ □□□ □□ □□ □□ □□□□□ □□□ □□□□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 44

Microsoft 365 Defender □ □□□□ □□□□□ Microsoft 365 □□□ □□□□□. Microsoft Sentinel □ □□□□ Microsoft 365 □ Microsoft 365 Defender □ □□□□ □□□□□□ □□ □□ □□□ □□□□ □□□□□. □□ □□ □□□ □□□□ □□□□ □□□□ □□□□.

* □□□ □□□□ □□ □□□ □□□□□ □□ □□ □□ □□□□□ Microsoft Sentinel □ □□ □□□.

* □□□□□ □□ □ □□ □□□ IP □□□ □□□□ □□□□ □□□□□ □□□□□. □ □□ □□□ □□□□ □□ Microsoft Sentinel □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□□.

Answer Area



Answer:


Answer Area



NEW QUESTION: 45


NEW QUESTION: 47

Which Azure Backup encryption policy is supported for Azure Storage?
 Azure Backup encryption policies include:
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Which Azure Storage encryption policy is supported for Azure Backup?
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Answer: Encryption by using platform-managed keys



Answer:

Answer Area



NEW QUESTION: 48

Which Azure Backup encryption policy is supported for Azure Storage?
 Azure Backup encryption policies include:
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Which Azure Storage encryption policy is supported for Azure Backup?
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Answer: Encryption by using platform-managed keys

- A. Azure Active Directory(Azure AD) ID (PIM)
- B. Azure Active Directory(Azure AD)
- C. Microsoft Defender
- D. Azure
- E. Microsoft Defender

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/supported-machines-endpoint-solutions-clouds-containers?tabs=aws-eks>

NEW QUESTION: 49

Which Azure Backup encryption policy is supported for Azure Storage?
 Azure Backup encryption policies include:
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Which Azure Storage encryption policy is supported for Azure Backup?
 - Encryption by using platform-managed keys
 - Access policies
 - Access tiers
 - Encryption by using platform-managed keys
 - Immutable storage
 - A security PIN
 Answer: Encryption by using platform-managed keys

□□□□□, □□□□□□□, □□, □□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□ □□
□□□ □□□ □□ □□□□ □□□□ □□□□.

□□□□□ □□□ □□□□ □□□□?

- A. □□□ □□ □□
- B. Microsoft Cloud Security Benchmark □ □□ □□
- C. □□□□ □□
- D. □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

App1□□□ Azure App Service □□□ □□ □□ □□ □□□ □□□□□.


App1□ □□□ □□□ □□□□□.

* □□□□ My Apps □□□ □□ App1□ □□ □□□□ □□□□□□□□. □□ □□□□ □□□ □□□ □□.

* □□□□ Azure Active Directory(Azure AD) □□□ □□□ □□□□ □□□□□□.

App1□ □□ □□□ □□ □□□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□□. □□: □ □□□ 1□□□□□.



Answer:



NEW QUESTION: 51

□□ □□, □□□□ □□, Azure SQL □□□□□□□□ □□□ Azure □□□ □□□□□. □□ □□ □□ Azure Backup□ □□□□ □□□ □□ □ □□□□□□□. □□□□ □□□□□□□ □□□□ □ □□□ □□□□ □□□□.

□□□□ □□□ □□□ □□ Azure Backup□ □□□□ □□□□ □□□ □ □□□ □□□ □□ □□□□ □□□□□ □□□ □□□□ □□□.

Which of the following are controls that can be used to ensure that Azure Backup can be used to restore the resources in the event of a successful ransomware attack? (Select all that apply.)

- A. Azure Monitor
- B. PIN
- C. Azure Data Box
- D. CMK
- E. Azure Backup

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/security/fundamentals/backup-plan-to-protect-against-ransomware>

'You need to recommend which CONTROLS must be enabled to ENSURE that Azure Backup can be used to RESTORE the resources in the event of a successful ransomware attack.' Whilst helpful for auditing purposes and detection of a malicious attack, monitoring configuration changes and alerting after a change is made does not represent a CONTROL which ENSURES Azure Backup can be used to RESTORE the resources.

NEW QUESTION: 52

Which of the following are controls that can be used to ensure that Azure Backup can be used to restore the resources in the event of a successful ransomware attack? (Select all that apply.)

The screenshot shows an 'Answer Area' with the Microsoft logo. It lists security controls for two categories:

- For the AWS EC2 instances:**
 - Azure Blueprints
 - Defender for Cloud
 - Microsoft Defender for Cloud Apps
 - Microsoft Defender for servers
 - Microsoft Endpoint Manager
 - Microsoft Sentinel
- For the AWS service logs:**
 - Azure Blueprints
 - Defender for Cloud
 - Microsoft Defender for Cloud Apps
 - Microsoft Defender for servers
 - Microsoft Endpoint Manager
 - Microsoft Sentinel

Answer:

NEW QUESTION: 54

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

Which Azure service can be used to protect a virtual machine from network-based attacks? Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

A. IP address ranges Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

B. Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

C. Multi-Factor Authentication (MFA) Azure Active Directory (Azure AD) Azure Security Center Azure Key Vault

D. Azure Virtual Desktop Azure Security Center Azure Key Vault Azure Active Directory

E. Azure Key Vault Azure Security Center Azure Active Directory Azure Firewall

Answer: B,C,D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/firewall/protect-azure-virtual-desktop>

NEW QUESTION: 55

Which Azure service can be used to protect data at rest in Azure SQL Database? Azure Key Vault Azure Firewall Azure Security Center Azure Active Directory

Which Azure service can be used to protect data at rest in Azure SQL Database? Azure Key Vault Azure Firewall Azure Security Center Azure Active Directory

Which Azure service can be used to protect data at rest in Azure SQL Database? Azure Key Vault Azure Firewall Azure Security Center Azure Active Directory

A.

B.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 56

Which Azure Storage service can be used to store data in a highly available and durable manner? Azure Blob Storage Azure File Storage Azure Queue Storage Azure Table Storage

Which Azure Storage service can be used to store data in a highly available and durable manner? Azure Blob Storage Azure File Storage Azure Queue Storage Azure Table Storage

A. Azure Firewall Azure Security Center Azure Key Vault Azure Active Directory

- B. Azure Firewall
- C. Azure Firewall (WAF)
- D. Azure Firewall
- E. Azure Firewall (NSG)

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 57

Microsoft Defender for Endpoint (MDE) is a cloud-based endpoint protection solution. Microsoft Defender for Endpoint (MDE) is a cloud-based endpoint protection solution. Microsoft Defender for Endpoint (MDE) is a cloud-based endpoint protection solution. Microsoft Defender for Endpoint (MDE) is a cloud-based endpoint protection solution. Microsoft Defender for Endpoint (MDE) is a cloud-based endpoint protection solution.

- A. Microsoft Defender for Endpoint
- B. Microsoft Defender for Endpoint
- C. Microsoft Defender for Endpoint
- D. Microsoft Defender for Endpoint
- E. Microsoft Defender for Endpoint

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 58

Microsoft 365 Compliance Center is a cloud-based compliance solution. Microsoft 365 Compliance Center is a cloud-based compliance solution. Microsoft 365 Compliance Center is a cloud-based compliance solution. Microsoft 365 Compliance Center is a cloud-based compliance solution. Microsoft 365 Compliance Center is a cloud-based compliance solution.

- A. Microsoft 365 Compliance Center
- B. Microsoft 365 Compliance Center
- C. Microsoft 365 Compliance Center
- D. Microsoft 365 Compliance Center

Answer: [D \(LEAVE A REPLY\)](#)

<https://docs.microsoft.com/en-us/mem/intune/protect/compliance-policy-monitor#open-the-compliance-dashboard>

NEW QUESTION: 59

Azure Security Center is a cloud-based security solution. Azure Security Center is a cloud-based security solution. Azure Security Center is a cloud-based security solution. Azure Security Center is a cloud-based security solution. Azure Security Center is a cloud-based security solution.

- A. Azure Security Center
- B. Azure Security Center

- C. Microsoft Sentinel
- D. Microsoft Purview

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

Which Azure service can be used to monitor and respond to security threats across your organization's cloud environment?

Azure Security Center provides a unified view of your security posture across all Azure resources. It offers built-in security baselines, threat protection, and incident response capabilities. It also integrates with other Microsoft security products like Microsoft Defender for Cloud and Microsoft Sentinel.

- A. Azure Security Center
- B. Azure Firewall (WAF)
- C. Microsoft Defender for Cloud
- D. Azure Active Directory (Azure AD) Identity Protection (PIM)
- E. Microsoft Sentinel

Answer: D,E ([LEAVE A REPLY](#))

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls>

NEW QUESTION: 61

Which Azure service is used to analyze and monitor data from Microsoft SQL Server instances in the cloud?

Azure Synapse Analytics provides a unified data platform for analytics. It includes Azure SQL Database, Azure Synapse SQL Pool, and Azure Synapse Analytics. It allows you to analyze data from various sources, including Microsoft SQL Server instances in the cloud.

- A. Azure Synapse Analytics SQL Pool
- B. Azure SQL Database
- C. Azure Synapse Analytics SQL Server
- D. Azure SQL Database

Answer: ([SHOW ANSWER](#))

SC-100-KR dump top SC-100-KR! DumpTop SC-100-KR, DumpTop SC-100-KR, DumpTop SC-100-KR. DumpTop SC-100-KR. <https://www.dumptop.com/Microsoft/SC-100-KR-dump.html> (335 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Which Azure service is used to manage and secure your identity resources in the cloud?

Azure Active Directory (Azure AD) is used to manage and secure your identity resources in the cloud. It provides a central location for managing users, groups, and applications. It also offers advanced security features like Conditional Access and Multi-Factor Authentication.

Which features are supported by the Microsoft Entra ID Password Protection feature?
 Select all that apply. (3 correct answers)
 Answer: Azure AD Password Protection, Extranet Smart Lockout (ESL), Password hash synchronization.

Features	Answer Area
<input type="checkbox"/> Azure AD Password Protection	For brute force password attacks: <input type="checkbox"/>
<input type="checkbox"/> Extranet Smart Lockout (ESL)	For leaked credentials: <input type="checkbox"/>
<input type="checkbox"/> Password hash synchronization	

Answer:
 features

features	Answer Area
<input checked="" type="checkbox"/> Azure AD Password Protection	For brute force password attacks: <input checked="" type="checkbox"/> Azure AD Password Protection
<input checked="" type="checkbox"/> Extranet Smart Lockout (ESL)	For leaked credentials: <input checked="" type="checkbox"/> Extranet Smart Lockout (ESL)
<input checked="" type="checkbox"/> Password hash synchronization	

NEW QUESTION: 63

Which IT solutions are part of the Zero Trust Rapid Modernization Plan (RaMP)?
 Select all that apply. (3 correct answers)
 Answer: Microsoft Defender for Cloud, Microsoft Defender for Cloud for IoT, Microsoft Defender for Cloud for IoT (OT), Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT.

- A. Microsoft Defender for Cloud (OT) IoT
- B. Microsoft Defender for Cloud
- C. Microsoft Defender for Cloud, Microsoft Defender for Cloud for IoT
- D. Microsoft Defender for Cloud for IoT
- E. Microsoft Defender for Cloud for IoT (OT) IoT

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 64

Which Microsoft Defender for Cloud security controls are included in the Azure Security Benchmark V3?
 Select all that apply. (8 correct answers)
 Answer: Microsoft Defender for Cloud for IoT, Microsoft Defender for Cloud for IoT (OT), Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT, Microsoft Defender for Cloud for IoT (OT) IoT.

- A. Microsoft Defender for Cloud
- B. Microsoft Defender for Cloud for IoT

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/security/benchmark/azure/security-controls-v3-privileged-access#pa-2-avoid-standing-access-for-user-accounts-and-permissions>

NEW QUESTION: 65

4 Azure 10 Azure Kubernetes Service(AKS) Docker

AKS Microsoft Defender for Cloud

Microsoft Defender for Cloud


- A. Defender
- B.
- C.
- D.
- E. Defender

Answer: A,E (LEAVE A REPLY)

https://docs.microsoft.com/en-us/azure/defender-for-cloud/update-regulatory-compliance-packages https://docs.microsoft.com/en-us/azure/defender-for-cloud/workflow-automation

NEW QUESTION: 73

Microsoft Defender for Cloud



Microsoft Defender for Cloud

- A. Azure Key Vault HSM
- B. Azure Key Vault HSM
- C.
- D.

Answer: A (LEAVE A REPLY)

https://docs.microsoft.com/en-us/azure/storage/blobs/anonymous-read-access-prevent

NEW QUESTION: 74

corpcontoso.com Active Directory (AD DS) App1 AD DS Windows Server Server1 contoso.com Microsoft Entra corp.contoso.com

Microsoft Entra Private Access App1 Microsoft Entra Server1 Kerberos App1 (SSO) Server1 Windows Defender

* Microsoft Entra Private Access App1

* Microsoft Entra Server1

* Kerberos App1 (SSO)

* Server1 Windows Defender

o 1: Azure URL TCP 443

o 2: Azure URL TCP 443

o 3: Azure URL TCP 80

o 4: corp.contoso.com TCP 389

Which of the following is the correct configuration for the App1 application?

Which of the following is the correct configuration for the App1 application?

- A. 4
B. 1
C. 3
D. 2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

100 RBAC Azure 90 Microsoft Entra ID (PIM) Microsoft Defender

90 Microsoft Entra ID (PIM) Microsoft Defender

Which of the following is the correct configuration for the App1 application?

- A. Microsoft Entra ID
B. Microsoft Entra ID (PIM)
C. Microsoft Entra ID
D. Microsoft Defender

Answer: C (LEAVE A REPLY)

NEW QUESTION: 76

Active Directory Domain Services(AD DS) Azure AD CI/CD Azure DevOps

CI/CD Azure DevOps

□□□ □□□ □□ □□ □□□ □□□ ID □□□ □□□□ □□□. □□□□ Azure □ Microsoft Cloud Adoption Framework □ DevSecOps □□ □□□ □□□ □□□.

□□□ □□□□ □□□?

A. □□ □□ □□□ □□(gMSA)

B. Azure AD Privileged Identity Management(PIM) □□ □□ □□□ □□ Azure AD □□□ □□

C. Azure Key Vault □ □□□ □□□ Azure AD □□□ □□

D. Azure □ □□□□ ID

Answer: ([SHOW ANSWER](#))

SC-100-KR □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SC-100-KR □□! DumpTop □ □□ **SC-100-KR** □□ □□□ □□□□□□□, DumpTop SC-100-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SC-100-KR □□□ □□□□□. <https://www.dumptop.com/Microsoft/SC-100-KR-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□□□ Microsoft 365 E5 □□, Azure □□, □□□□□ □□□□□□ □ AD DS(Active Directory Domain Services) □ □□□□.

□□ □□ □□□ □□□□ ID □□ □□□ □□□□ □□□.

* □□□ Facebook □□ □□□ □□□□ Azure App Service □□□□□ □□□ □ □□□ □□□ □□.

* □□□ □□□ □□□ □□□□□ Microsoft SharePoint Online □□□□ □□□□ □ □□□ □ □□. □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□. □□ □□□□ □□ □□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

□□□□: □□ □□□ 1□□□□.

Answer Area

For the customers:	Azure AD B2B authentication with access package assignments Azure AD B2C authentication Federation in Azure AD Connect with Active Directory Federation Services Pass-through authentication in Azure AD Connect Password hash synchronization in Azure AD Connect
For the partners:	Azure AD B2B authentication with access package assignments Azure AD B2C authentication Federation in Azure AD Connect with Active Directory Federation Services Pass-through authentication in Azure AD Connect Password hash synchronization in Azure AD Connect

Answer:

Azure Front Door □□□□□ □□ Azure App Service □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□.

□ □□ Front Door □□□□□ □□□□ □□□□ □□□□□ □□ □□□□ □□□□ □□□□. □□□: Front Door □□□□□ □□□ IP □□□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□.

□□□ □□□ □□□□□?

A. □□□

B. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□□ □□□ Azure App Service □□□ □□□□ □□□□. □□□ □□□ □□□ □□□□ □ □□□ □□□ □□□□ □□□□.

□□□□ □□ □□ □□, □□□ □□□ □□□□(XSS), SQL □□□ □□ □□□□ □□ □ □□ □□□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□?

A. □□□ □□□□□□ □□ □□□(IAST)

B. □□ □□□□□□ □□ □□□(SAST)

C. □□□ □□□□□□ □□ □□(RASP)

D. □□ □□□□□□ □□ □□□(DAST)

Answer: D ([LEAVE A REPLY](#))

<https://docs.microsoft.com/en-us/azure/security/develop/secure-develop#test-your-application-in-an-operating-state>

NEW QUESTION: 82

Azure□ Microsoft Cloud Adoption Framework□ □□ □□ □□□ □□□□ □□□□ Azure □□□ □□□□ □□□□. □ □□□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□□□□□□ □□ □□ □□ □ □□ □□□□□.

□□□□ □□ □□(NSG) Azure Key Vault □ Azure Bastion□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□ Azure□ Microsoft Cloud Adoption Framework□ □□ □□ □□□ □□□ □□□□.

□□□□□ □□□ □□□□ □□□□?

A. Azure □□ □ □□□

B. Azure □□□□□

C. Azure Will-Architected □□□□□

D. Azure □□ □□□□ v3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□□ □□□□ Microsoft 365 E5 □□□ □□□□.

