

Microsoft.SC-100.v2023-05-23.q108

□□□□:	SC-100
□□□□:	Microsoft Cybersecurity Architect
□□□:	Microsoft
□□ □□ □□□:	108
□□:	v2023-05-23
# □□ □:	986
# □□ □□□:	1080
https://www.krdump.com/Microsoft.SC-100.v2023-05-23.q108.html	

NEW QUESTION: 1

□□□□□ Microsoft Defender□ □□□□ Azure □□□ □□□□. AWS(Amazon Web Services) □□□ □□□□.

Azure □□ □□□ AWS □□□□ □□□ □□□□□. □□□□ Azure Arc□ □□□□ □□□□. AWS □□□□ □□ □□□ □□□□ □□ □□□ □ □□ □ □□ □□□□ □□□□□? □ □□ □ □□□ □□□□ □□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. Azure □□
- B. □□□ Microsoft Defender
- C. Azure AD(Azure Active Directory) PIM(Privileged Identity Management)
- D. □□□□□ Microsoft Defender
- E. Azure AD(Azure Active Directory) □□□ □□□


Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 2


Litware□ Azure AD □□□□ □□ ID □□ □□□□ □□□□ □□□. □□□□ ID □□ □□ □ □□ □□ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:



NEW QUESTION: 3

Which of the following is a Microsoft 365 security tool? Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management, SOAR (Security Orchestration, Automation and Response) tool.

- * Microsoft 365 Security Center
- * Microsoft Teams Waging

Which of the following is a Microsoft 365 security tool?

- A. Microsoft 365 Security Center
- B. Microsoft Teams Waging
- C. Microsoft 365 Security Center
- D. KQL

Answer: C (LEAVE A REPLY)


<https://docs.microsoft.com/en-us/azure/sentinel/tutorial-respond-threats-playbook?tabs=LAC>

NEW QUESTION: 4

Which of the following is a Microsoft 365 security tool? Azure IoT, Amazon Web Services(AWS) IoT, Microsoft 365 Security Center, Microsoft Sentinel.

- * Azure IoT
- * AWS EC2

Which of the following is a Microsoft 365 security tool? Microsoft Sentinel, Microsoft Defender for Cloud, Microsoft Defender for Cloud Apps, Microsoft Defender for Endpoint, Microsoft Defender for IoT.



Answer:

Answer Area

For the IoT Edge devices:

For the AWS EC2 instances:

For the AWS EC2 instances:

- Azure Arc
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps
- Microsoft Defender for Endpoint
- Microsoft Defender for IoT

- Azure Arc only
- Microsoft Defender for Cloud and Azure Arc
- Microsoft Defender for Cloud Apps only
- Microsoft Defender for Cloud only
- Microsoft Defender for Endpoint and Azure Arc
- Microsoft Defender for Endpoint only

For the IoT Edge devices: Microsoft Defender for IoT

For the AWS EC2 instances: Microsoft Defender for Cloud and Azure Arc

NEW QUESTION: 5

□□□ □□□□ Azure□ □□□□□□□□ □□□□. □□□□□ □□ □□ □□(PII)□ □□□□ □□□□. □ □□□ Azure□ PII □□□ □□□□ Microsoft Information Protection□ □□□ □□ □□□. Azure □□□□□ □□□ □□ PII □□□□ □□□□ □□□□ □□□□ □□□□. □□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□□. □□: □ □ □□ □□□ □□□ □□□□ □□□□.

To connect the Azure data sources to Microsoft Information Protection:

- Azure Purview
- Endpoint data loss prevention
- Microsoft Defender for Cloud Apps
- Microsoft Information Protection

To triage security alerts related to resources that contain PII data:

- Azure Monitor
- Endpoint data loss prevention
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps

Answer:

NEW QUESTION: 9

□□□□ □□□□ □□□ □□□□ □□□□.

Azure □□ □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□ □□ □□□ □ □□ □ □□ □□ □□□□ □□□□□? □ □□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. Azure □□□
- B. Azure □ □□□□□□ □□□(WAF)
- C. □□□□□ Microsoft Defender □□
- D. Azure Active Directory(Azure AD PIM(Privileged Identity Management))
- E. □□□□□□□ □□□

Answer: ([SHOW ANSWER](#))

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls>

NEW QUESTION: 10

□□□□ □□□□ □□□ □□□□ □□□□.

Azure □□ □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□ □□ □□□ □ □□ □ □□ □□ □□□□ □□□□□? □ □□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. Azure Active Directory(Azure AD PIM(Privileged Identity Management))
- B. Azure □ □□□□□□ □□□(WAF)
- C. □□□□□□□ □□□
- D. □□□□□ Microsoft Defender □□
- E. Azure □□□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Azure Repos□ □□ Azure Pipelines□ □□□□ CI/CO(□□□□ □□ □ □□□□ □□) □□□ □□ □□□□□.

Azure□ Microsoft □□□□ □□ □□□□□□ □□□□ CI/CD □□□□□ □□□ □□□□ □□ □□ □□□□ □□□.

□ □□□ □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:

Answer Area



NEW QUESTION: 12

□□□ □□□□□ □□□□ □□□□ □□□□.

□□□ □□□□ □□ □□ □□□□ □□□ □□□ □□□□□. □□ □□□ □□ □□ □□□□

□ □□□□□□□ □□□□ □□□□□ □□□.

□□□ □□ □□□ □□ □□□ □ □□□□□□□□ □□□□□ □□ □□ □□□ □□□□ □□ □□□□□.

□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□□ □□ □□□ □ □□□ □□□.

□□□□ □□□ □□□□ □□□?

A. □□□□□ □□□□□□□□ □□□□ □□ □□□□□□□□□ □□□□□□□□□□.

B. □□ □□ □□□ □□□□ VPN □□□□ □□□□□□.

C. Microsoft Endpoint Manager □ Azure AD(Azure Active Directory) □□□ □□□□ □□□□ □.

D. Azure Virtual Desktop, Azure AD(Azure Active Directory) □□□ □□□ □ Cloud Apps□ Microsoft Defender□ □□□□□.

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/security-guide>

<https://techcommunity.microsoft.com/t5/security-compliance-and-identity/announcing-microsoft-defender-for-cloud-apps/ba-p/2835842>

NEW QUESTION: 13

□□□□□ Microsoft 365 E5 □□□ Azure □□□ □□□ □□□□□ □□□□ □□□□ □□□ □.

□□ □□□□□ □□ □□□□□ □□□ □□□□ □□ □□□ □ □□□□.

□□□ □□□ □□□□ □□□□□□ □□□□□□□.

□□□ Microsoft Sentinel□ □□□ □□□□□.

□□ □□ □□□ □□□□□ □□□ □□□□□ □□□.

* □□ □□□□ □□ □□ □ □□ □□□ □□□□ □ □□□ □□□□□□.

* IT □□ □□ □□ □□□□□ □□ □□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □ □□□ □□□.

* □□ □□□ □□□□□.

* □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

Microsoft Sentinel □□ □□

Litware□ Microsoft Sentinel□ SIEM(□□ □□ □ □□□ □□) □ SOAK(□□ □□□□□□□ □ □□ □□) □□□ □□□ □□□□□. □ □□□ Microsoft Sentinel□ □□□□ □□ □□ □□ (SOQ)□ □□ □□□□□□ □□□.

□□ □□

Litware□ □□ ID □□ □□□ □□□□□.

* AD DS □□□ □□□ □□ □□□□ □□ □□□ □□ □□ □□□ □□□□□.

* Litware□ Azure AD □□□□□ □□□ □□ □□ □□□ □□□□□.

* Azure AD □□□ □□□ □□□□ □□ □□□ □□ □□□□ AD DS □□□ □□□ □□□ □ □□□□□.

* Litware□ Azure AD □□□□□ □□□ □ □□□ □□ □□□ □□□□ □□□ □□□ □□□□ □.

* □□ □□, □□□, □□□□ □□ □□□ □□, □□□□, □□□□ □□

* □□ □□□ □□ □□□ □□ □□.

□□ □□ □□ □□

Litware□ □□ □□ □□ □□ □□□ □□□□□.

* □□ □ □□□□ □□□ □ □ □□□□ □□□ □□, □□ □□ □ □□□□ □□□ □ □□□ □□ □□□ □□□□□.

* □□ □□ Azure Policy □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□□.

* □□ □□ □□□ □□□□□.

Azure □□ □□ □□ □□

Litware□ □□ □□ □□ □□ □□□ □□□□□.

* □□ □□□ □□ Azure □□□ Azure Firewall□ □□ □□ □□□ □□□ □□□□ □□□□□ □.

* □□ □□□ □□□ □□□ □□ □□□ □□□□□.

* □ □□ □□□ Azure □□ □□□ □□ □□□□□□ □□ Microsoft □□ □□□□□ □□ □□ □ □□□ Azure App Service □□□ □□□□□ □□□□□.

* □□□ □□ □□□□ □□□□□□.

* □□□□ □□□□ □□□□□□.

□□ □□ □□□□□□ □□□ □ □□□□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□ □□□.


* □□ □□□□ □□□□□.

* litware.com□ DNS □□□□□□□ □□□□□.

□□□□□□ □□ □□ □□

Litware□ □□ □□□□□□ □□ □□ □□□ □□□□□.

* Azure AD □□□□□□ □□□□ □□□□ SSO(Single Sign-On)□ □□□ □□ □□□□□□ □ □□□□□.



NEW QUESTION: 18

- □□ □□ □□□ □□□□ □□ □□□□□□□ □□□□ □□ □ □□ □□ □□
- □□□□□? □ □□□ □□□ □□□□ □□□□□.
- : □ □□□ □□□ 1□□ □□□ □□□□.
- A. SAML(Security Assertion Markup Language)
 - B. NTLMv2
 - C. □□□ □□ □□
 - D. □□□□□

Answer: A,C (LEAVE A REPLY)

□□ 1, (□)□□□□

□□ □□

Litware□□ Utvware.com□□□ AD D%(Active Directory Domain Services) □□□□□ □□□□

□ 20□□ Azure □□□ □□□□ Azure AD(Azure Active Directory) □□□□ □□□□. Azure AD Connect□ □□ □□□ □□□□ □ □□□□□. □□ □□ □□□□ □□□□□□ □□ □□ □□□□□□□□. □□ Litware □□□□□□ Microsoft 365 E5 □□□□□□ □□□□. □□ □□□□ □□ AD DS □□□□, Azure AD □□□ □ Litware □□□□ □□□ □□ □□ Azure □□□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ □□□ □□□□□.

* □ Azure AD □□□□ □□ □□ □□ □□ □□□ □□□□.

* □□ □ □□□ □□□□ Litware□ □□ Azure □□□ □□□□□□ □□ □□ Azure □□□□ □ □□□□□.

* □□ VPN□ □□□□ □□□□□ □□ □□□□□□□ □□ □□ □□□□ □□□□□ Azure AD □□□□□□ □□□□ □□□□□.

□□□□ □□ □□

Litware□ □□□ □□ □□□□ □□ □□□ □□□□□.

* □□ □□□□□ □□□□ □□□□□□□.

* □□ □□□□□ □□□ □□ □□□ □□□□□□□.

□□□□□ □□ □□

Litware□ □□□ □□ □□□□□ □□□□ □□ □□□ □□□□□.

* □□□ □□□□ Azure□□ □□□□□ □□□ □□□ □□□□□□.

* □□ □ □□ □□ □□□ □□ Azure Policy□ □□□□□.

* □□ □□ □ □□ □□□□□ □□□□□.

* □□ □□□ □□□□□.

* □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

Microsoft Sentinel □□ □□

Litware□ Microsoft Sentinel□ SIEM(□□ □□ □ □□□ □□) □ SOAK(□□ □□□□□□□ □ □□ □□) □□□ □□□ □□□□□. □ □□□ Microsoft Sentinel□ □□□□ □□ □□ □□ (SOQ)□ □□ □□□□□□ □□□.

□□ □□

Litware□ □□ ID □□ □□□ □□□□□.

* AD DS □□□ □□□ □□ □□□□ □□ □□□ □□ □□ □□□ □□□□□.

* Litware□ Azure AD □□□□□ □□□ □□ □□ □□□ □□□□□.

* Azure AD □□□ □□□ □□□□ □□ □□□ □□ □□□□ AD DS □□□ □□□ □□□ □ □□□□□.

* Litware□ Azure AD □□□□□ □□□ □ □□□ □□ □□□ □□□□ □□□ □□□ □□□□ □.

* □□ □□, □□□ □ □□□□ □□, □□□□ □□, □□□□ □ □□□□ □□

* □□ □□□ □□ □□□ □□ □□.

□□ □□ □□ □□

Litware□ □□ □□ □□ □□ □□□ □□□□□.

* □□ □ □□□□ □□□ □ □ □□□□ □□□ □□, □□ □□ □ □□□□ □□□ □ □□□ □□ □□□ □□□□□.

* □□ □□ Azure Policy □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□□.

* □□ □□ □□□ □□□□□.

Azure □□ □□ □□ □□

Litware□ □□ □□ □□ □□ □□□ □□□□□.

* □□ □□□ □□ Azure □□□ Azure Firewall□ □□ □□ □□□ □□□ □□□□ □□□□□ □.

* □□ □□□ □□□ □□□ □□ □□□ □□□□□.

* □ □□ □□□ Azure □□ □□□ □□ □□□□□□ □□ Microsoft □□ □□□□□ □□ □□ □ □□□ Azure App Service □□□ □□□□□ □□□□□.

* □□□□ □□ □□□□ □□□□□□.

* □□□□ □□□□ □□□□□□.

□□ □□ □□□□□□ □□□ □ □□□□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□.

* □□ □□□□ □□□□□.

* litware.com□ DNS □□□□□□□ □□□□□.

□□□□□□ □□ □□ □□

Litware□ □□ □□□□□□ □□ □□ □□□ □□□□□.

* Azure AD □□□□□□ □□□□ □□□□ SSO(Single Sign-On)□ □□□ □□ □□□□□□ □ □□□□□.

* □□□□□ Microsoft SharePoint Online □ Exchange Online □□□□ □□ □□□□ □□□□ □□ □□□□□□.

NEW QUESTION: 19

Microsoft 365 □□□ □□□□.

□□ □□□ □□□□□□□□ □□ □□□□ □□□□ □□□.

* □□□□□□ □□□ □□□ □□


* Microsoft SharePoint Online□□ □□ □□ □□□□□ □□□□ □□□

□ □□□ □□ □□ □□□ □□□ □□□□ □□□□ □□□? □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□□□□□□. □ □□ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□ □□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.

□□: □□□ □□□ □□□ 1□□ □□□ □□□□.



Answer:



NEW QUESTION: 20

□□□ □□□ □□□□ □□□ □□ ASE(Azure App Service Environment) □□□ □□□□□□ □□□□□ □□□□ □□□□. (□□ □□ □□□□□.)

Answer Area

For the delegated management of users and groups, use:

- AD DS organizational units
- Azure AD administrative units
- Custom Azure AD roles

To ensure that you can perform leaked credential detection:

- Enable password hash synchronization in the Azure AD Connect deployment
- Enable Security defaults in the Azure AD tenant of Litware
- Replace pass-through authentication with Active Directory Federation Services

NEW QUESTION: 22

□□□ ClaimsApp □□□ □□□□ □□□□.

□□ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□□□.

□□; □□□□ □□□ 1□□ □□□ □□□□.

Answer Area

Statements

	Yes	No
FD1 can be used to protect all the instances of ClaimsApp.	<input type="radio"/>	<input type="radio"/>
FD1 must be configured to have a certificate for claims.fabrikam.com.	<input type="radio"/>	<input type="radio"/>
To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements

	Yes	No
FD1 can be used to protect all the instances of ClaimsApp.	<input type="radio"/>	<input checked="" type="radio"/>
FD1 must be configured to have a certificate for claims.fabrikam.com.	<input checked="" type="radio"/>	<input type="radio"/>
To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 23

□□□ □□□□ Azure □□□□□□□□□ □□□□. □□□□□ □□ □□ □□(PII) □□□□ □□□□.

□ □□□ Azure □ PII □□□ □□□□ Microsoft Information Protection □□□□ □□ □□□□.

Azure □□□□□ □□□ □□ PII □□□□ □□□□ □□□□ □□□□ □□□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□□. □□: □ □□ □□ □□□ 1□□ □□□ □□□□.

Answer Area


To connect the Azure data sources to Microsoft Information Protection:

- Azure Purview
- Endpoint data loss prevention
- Microsoft Defender for Cloud Apps
- Microsoft Information Protection

To triage security alerts related to resources that contain PII data:

- Azure Monitor
- Endpoint data loss prevention
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps

Answer:



Which of the following is the correct answer?

* Google, Facebook or Microsoft OAuth ID providers.

* OAuth 2.0 protocol.

* OAuth 2.0 protocol.

Which of the following is the correct answer?

A. Azure AD

B. Azure AD(Azure Active Directory) B2C

C. Azure AD(Azure Active Directory) B2B

D. Azure Active Directory (Azure AD DS)

Answer: (SHOW ANSWER)

NEW QUESTION: 26

Microsoft 365 Defender for Cloud is a Microsoft Defender for Cloud extension that provides protection for Microsoft 365 services.


Azure Sentinel is a Microsoft Sentinel cloud-native security solution that provides protection for Microsoft 365, Microsoft 365 Defender, Defender for Cloud, Azure, Windows Server, and Azure IoT Hub.

Windows Server is a Microsoft Windows operating system for servers.


Microsoft Sentinel is a cloud-native security solution that provides protection for Microsoft 365, Microsoft 365 Defender, Defender for Cloud, Azure, Windows Server, and Azure IoT Hub.

Which of the following is the correct answer?

Answer: B




Answer:



NEW QUESTION: 27

□□□□□ Microsoft Defender □ □□□□ Azure □□□ □□□□.

□□ □□□ □□ Azure Security Benchmark V3 □□□□ □□□□ □□□□.



For Azure AD-targeted threats:

Azure AD Identity Protection
Azure AD Password Protection
Microsoft Defender for Cloud

For AD DS-targeted threats:

An account lockout policy in AD DS
Microsoft Defender for Endpoint
Microsoft Defender for Identity

Answer:

For Azure AD-targeted threats:

Azure AD Identity Protection
Azure AD Password Protection
Microsoft Defender for Cloud

For AD DS-targeted threats:

An account lockout policy in AD DS
Microsoft Defender for Endpoint
Microsoft Defender for Identity

NEW QUESTION: 29

Microsoft Defender for Cloud is a cloud-native security solution that helps protect your Azure resources. Azure Security Benchmark V3 is a security benchmark that provides a set of security controls to help you assess and improve the security of your Azure environment.

Microsoft Defender for Cloud is a cloud-native security solution that helps protect your Azure resources. Azure Security Benchmark V3 is a security benchmark that provides a set of security controls to help you assess and improve the security of your Azure environment.

Microsoft Defender for Cloud is a cloud-native security solution that helps protect your Azure resources. Azure Security Benchmark V3 is a security benchmark that provides a set of security controls to help you assess and improve the security of your Azure environment.

A.

B.

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls>

NEW QUESTION: 30

Azure Container Registry is a fully managed service that makes it easy to create, store, and manage Docker containers. Azure Container Registry is a fully managed service that makes it easy to create, store, and manage Docker containers.

Azure Container Registry is a fully managed service that makes it easy to create, store, and manage Docker containers. Azure Container Registry is a fully managed service that makes it easy to create, store, and manage Docker containers.

A. Azure Container Registry Linux

B. AKS(Azure Kubernetes Service) Linux

C. Azure Container Registry Windows

D. AKS(Azure Kubernetes Service) Windows

E. Azure Container Instances Linux

Answer: A,B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/design-strategy-for-secure-paas-iaas-saas-services/9-specify-secu>


<https://docs.microsoft.com/en-us/azure/defender-for-cloud/defender-for-containers-introduction#view-vulnerabil>

NEW QUESTION: 31

Microsoft Defender Azure .

Azure Security Benchmark V3 .






Answer:



NEW QUESTION: 35

Which Microsoft Sentinel connectors can be used to monitor Microsoft Defender for Cloud alerts? (Select two.)




Which Microsoft Sentinel connectors can be used to monitor Microsoft Defender for Cloud alerts? (Select two.)


* Azure WAF (Microsoft Sentinel connector) can be used to monitor Microsoft Defender for Cloud alerts.

* Defender for Cloud connector can be used to monitor Microsoft Defender for Cloud alerts.

Which Microsoft Sentinel connectors can be used to monitor Microsoft Defender for Cloud alerts? (Select two.)



Answer:




NEW QUESTION: 36

□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□.


□□□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:



□□



NEW QUESTION: 37

□□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □ □□□□□ □□ □□□

□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area



Microsoft

To centralize subscription management:

- Azure AD B2B
- Azure AD B2C
- Azure Lighthouse

To enable the management of on-premises resources:

- Azure Arc
- Azure Stack Edge
- Azure Stack Hub

Answer:

Answer Area

To centralize subscription management:

- Azure AD B2B
- Azure AD B2C
- Azure Lighthouse

To enable the management of on-premises resources:

- Azure Arc
- Azure Stack Edge
- Azure Stack Hub



Microsoft

NEW QUESTION: 38

litware.com □□□□□ □□□□ □□ □□□ □□□□ □□□□. □□□□ ID □□ □□□ □□□ □□□□. □□□□ □□□ □□□□ □□□□? □□□□□ □□□□ □□□ □□□□□□□□. □□; □ □□□ □□□ 1□□ □□□ □□□□□.


Answer Area

For Azure AD-targeted threats:

- Azure AD Identity Protection
- Azure AD Password Protection
- Microsoft Defender for Cloud

For AD DS-targeted threats:

- An account lockout policy in AD DS
- Microsoft Defender for Endpoint
- Microsoft Defender for Identity



Microsoft

Answer:

Answer Area

For Azure AD-targeted threats:

- Azure AD Identity Protection
- Azure AD Password Protection
- Microsoft Defender for Cloud

For AD DS-targeted threats:

- An account lockout policy in AD DS
- Microsoft Defender for Endpoint
- Microsoft Defender for Identity



Microsoft

NEW QUESTION: 39

□ Azure □□□ □□ □□ □□□□ □□□□□. □□ □□□□ □□□ □□□□ □□ □□ ID □□□ □□□□ □□□□. □□□□ □□□ □□ □□ □□□□□□□ □□□ □□□□?

Answer Area

To enforce compliance to the regulatory standard, create:

- An Azure Automation account
- A blueprint
- A managed identity
- Workflow automation

To exclude TestRG from the compliance assessment:

- Edit an Azure blueprint
- Modify a Defender for Cloud workflow automation
- Modify an Azure policy definition
- Update an Azure policy assignment

NEW QUESTION: 43

Which of the following Microsoft Defender for Cloud configurations can be used to enforce compliance to the regulatory standard, create a workflow automation, and exclude TestRG from the compliance assessment?

- A. Defender for Cloud with Defender for Cloud workflow automation.
- B. Defender for Cloud with Defender for Cloud workflow automation and a managed identity.
- C. Defender for Cloud with a managed identity, an Azure Automation account, and a workflow automation.
- D. Defender for Cloud with a managed identity, an Azure Automation account, and a workflow automation.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 44

Which of the following virtual network configurations can be used to connect a Linux virtual machine scale set to a Windows virtual machine scale set?

Virtual network name	Description	Peering connection
Hub VNet	Linux and Windows virtual machines	VNet1, VNet2
VNet1	Windows virtual machines	Hub VNet
VNet2	Linux virtual machines	Hub VNet
VNet3	Windows virtual machine scale sets	VNet4
VNet4	Linux virtual machine scale sets	VNet3

Which of the following virtual network configurations can be used to connect a Linux virtual machine scale set to a Windows virtual machine scale set?


- A. 1
- B. 2
- C. 3
- D. 5
- E. 4

Answer: (SHOW ANSWER)

NEW QUESTION: 45

Azure Automation Runbook. Runbook Azure Data Lake Storage Gen2.

Access keys stored in Azure Key Vault. Automation Contributor built-in role. Azure Private Link with network service tags. Azure Web Application Firewall rules with network service tags.



Answer:



NEW QUESTION: 46

Microsoft 365 E5. Azure. Access keys stored in Azure Key Vault. Automation Contributor built-in role. Azure Private Link with network service tags. Azure Web Application Firewall rules with network service tags.

* Microsoft Intune. Windows 11.

* Azure.

* Azure.

Access keys stored in Azure Key Vault. Automation Contributor built-in role. Azure Private Link with network service tags. Azure Web Application Firewall rules with network service tags.

Windows 11 devices:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure virtual machines:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

 Azure Storage accounts:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Answer:

Windows 11 devices:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure virtual machines:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure Storage accounts:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

SC-100 <https://www.dumptop.com/Microsoft/SC-100-dump.html> (217 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 47

- A. Azure AD Connect (ESAE)
- B. Microsoft SDL (Secure Development Lifecycle)
- C. Azure AD Connect (RaMP)

D. Microsoft (OSA)

Answer: (SHOW ANSWER)

https://docs.microsoft.com/en-us/security/compass/security-rapid-modernization-plan (RAMP) Microsoft

NEW QUESTION: 48

Azure Front Door Azure App Service

Front Door

Front Door

Front Door

A.

B.

Answer: (SHOW ANSWER)

NEW QUESTION: 49

To enforce compliance to the regulatory standard, create:

To exclude TestRG from the compliance assessment:

1



Answer:



NEW QUESTION: 50

Microsoft 365



Answer:



NEW QUESTION: 53

5000 Azure 000 0000.

ISO 27001:2013 00 000 00 000 0000 000000 000. 0000 000 00 00000 00 00 0000 0000 0 000 000 000000 000.

00: 0 000 000 100 000 0000.

- A. 00 000 000000 00000.
- B. 0 000 000 00000.
- C. 00 000 000 00000.
- D. 0 000 000000 00000.
- E. 0 000 0000 00000.
- F. 00 000 0000 00000.

Answer: A,F (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/governance/management-groups/overview>

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview>

<https://docs.microsoft.com/en-us/azure/governance/policy/samples/iso-27001>

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage>

NEW QUESTION: 54

00000 Microsoft 365 E5 0000 Azure 000 0000.

000 00 000 0000 0000, 000 0000, 000 0000, 000 00 0000 0 0000 000 000000 0000.

000 00 0000 0000 000. 0000 000 000000 000.

0000 000 0000 000?


- A. 00000000 000
- B. 00000000 365 000
- C. 0000 00 Microsoft Defender

D. Microsoft Defender


Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

Contoso Azure AD ?



Answer:



NEW QUESTION: 56

Microsoft 365 E5 .

Microsoft Teams, Exchange Online, SharePoint Online

OneDrive . (PHI)

. PHI ?

A.

B. (DLP)

C.

D.

Answer: B ([LEAVE A REPLY](#))

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-test-tune-dlp-policy?view=o365-worldwide>

NEW QUESTION: 57

Azure Repos Azure Pipelines Azure

(O/CD) . Azure Microsoft Cloud Adoption Framework

Answer Area

Evaluate regulatory compliance of cloud resources by assigning:

- Azure Policy definitions to management groups
- Azure Policy initiatives to management groups
- Azure Policy initiatives to subscriptions

Evaluate regulatory compliance of on-premises resources by using:

- Azure Arc
- Group Policy
- PowerShell Desired State Configuration (DSC)

NEW QUESTION: 60

□□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□□ □□□ □□□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □ □□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

NEW QUESTION: 61

Azure Front Door □□□□□ □□ Azure App Service □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□.

□□□ Front Door □□□□□ □□□□ □□□□ □□□□□ □□ □□□□ □□□□ □□□.

□□□: □□□□□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□□.

□□□ □□□ □□□□□?

A. □□□

B. □

Answer: B ([LEAVE A REPLY](#))


SC-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SC-100 □□! DumpTop □ □□ **SC-100** □□ □□□ □□□□□□, DumpTop SC-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SC-100 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/SC-100-dump.html> (217 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 62

litware.com □□□□□ □□□□ □□ □□□ □□□□ □□□. □□□□ ID □□ □□□ □□□ □ □□□. □□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□. □□; □ □□□ □□□ 100 □□□ □□□□.



Answer:




NEW QUESTION: 63

□□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□ □□□ □□□□□.



Answer:



NEW QUESTION: 65

Azure Automation Runbook. Runbook Azure Data Lake Storage Gen2.
 . Runbook Azure Data Lake Storage Gen2.
 .
 .
 .
 .
 .



Answer:



NEW QUESTION: 66

Microsoft Sentinel. Microsoft Defender.
 .
 .
 .
 .
 .



□□□ □□□□□ □□ □□ □ □□ □□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □□□ □□□.

* Azure WAF(□ □□□□□□ □□□) □□□ Microsoft Sentinel□ □□□□□.

* Defender for Cloud□ □□□□ □□ □□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□□□□□.

□. □□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

Answer:

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors**
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension**
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

NEW QUESTION: 67

□□□□ □□□□ □□□ □□□□ □□□□.

Azure □□ □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□ □□ □□□ □ □□ □ □□ □□ □□□□ □□□□□? □ □□: □ □□□ □□□ □□□ 1□□ □□□ □□□□.

- A. Azure Active Directory(Azure AD PIM(Privileged Identity Management))
- B. Azure □ □□□□□□ □□□(WAF)
- C. □□□□□ Microsoft Defender □□
- D. □□□□□□□ □□□
- E. Azure □□□


Answer: (SHOW ANSWER)

□□

https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls

NEW QUESTION: 68

□□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □ □□□□□ □□ □□□
□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:



NEW QUESTION: 69

Microsoft 365 E5 □□□ □□□□.
□□ □ □□□ □□□ □□□ Microsoft SharePoint Online □□□□ □□ □□□□ □□□□ □□
□□ □□□□ □□□□.
□□ □□ □□(PII)□ □□□□ □□□ □□□□ □□□□ □□□□ □□□.
□□ □□□ □□□□ □□ □ □□ □□ □□□ □□□□□? □ □□□ □□□□ □□□ □□□□
□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

- A. □□ □□□ □□
- B. □□□ □□□ □□
- C. eDiscovery □□
- D. □□□ □□ □□(DLP) □□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 70

Which protocol is used for authentication in a SAML-based application?
A. SAML (Security Assertion Markup Language)
B. NTLMv2
C. Kerberos
D. OAuth

- A. SAML (Security Assertion Markup Language)
- B. NTLMv2
- C. Kerberos
- D. OAuth

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-configure-single-sign-on-on-premises-apps>

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-configure-single-sign-on-with-kcd>

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-configure-custom-domain>

NEW QUESTION: 71

Which Microsoft Defender for Cloud Azure Security Benchmark V3 control is related to the configuration of the Azure Security Benchmark V3 control? The control is related to the configuration of the Azure Security Benchmark V3 control. The control is related to the configuration of the Azure Security Benchmark V3 control. The control is related to the configuration of the Azure Security Benchmark V3 control. The control is related to the configuration of the Azure Security Benchmark V3 control.

- A. Control 1
- B. Control 2

Answer: B (LEAVE A REPLY)

NEW QUESTION: 72

Which Azure service is used for monitoring and alerting on Azure resources?
A. Azure Monitor
B. Azure Alerts
C. Azure Log Analytics
D. Azure Service Health
E. Azure Security Center
F. Azure Defender

- A. Azure Monitor
- B. Azure Alerts
- C. Azure Log Analytics
- D. Azure Service Health
- E. Azure Security Center
- F. Azure Defender

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 73

Which Azure service is used for monitoring and alerting on Azure resources?

Operation system	Location	Number of virtual machines	Hypervisor
Linux	On-premises	100	VMWare vSphere
Windows Server	On-premises	100	Hyper-V

Which of the following is a valid configuration for a Microsoft Azure Backup Server (MABS)?

Options:

- On-premises, 100 VMs, VMWare vSphere
- On-premises, 100 VMs, Hyper-V
- Cloud, 100 VMs, VMWare vSphere
- Cloud, 100 VMs, Hyper-V

Which of the following is a valid configuration for a Microsoft Azure Backup Server (MABS)?

- A. On-premises, 100 VMs, VMWare vSphere
- B. On-premises, 100 VMs, Hyper-V
- C. Azure, 100 VMs, VMWare vSphere
- D. Azure, 100 VMs, Hyper-V (CMK)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 74

Which of the following is a valid configuration for a Microsoft Azure Backup Server (MABS)?

- A. Azure AD B2C, ROPC, 100 VMs, VMWare vSphere
- B. Identity Governance, 100 VMs, VMWare vSphere
- C. Azure AD, 100 VMs, VMWare vSphere
- D. Azure AD B2C, 100 VMs, VMWare vSphere
- E. Azure AD, 100 VMs, VMWare vSphere

Answer: (SHOW ANSWER)

NEW QUESTION: 75

Which of the following is a valid configuration for a Microsoft Azure Backup Server (MABS)?

The screenshot shows an 'Answer Area' with the following text:

To enforce compliance to the regulatory standard, create:

- An Azure Automation account
- A blueprint
- A managed identity
- Workflow automation

 To exclude TestRG from the compliance assessment:

- Edit an Azure blueprint
- Modify a Defender for Cloud workflow automation
- Modify an Azure policy definition
- Update an Azure policy assignment

Answer:

NEW QUESTION: 78

Which Azure service can be used to connect an on-premise application server with a public IP (196.168.x.x) to an Azure App Service Environment (ASE) in a resource group? (Select two.)



Which Azure service can be used to connect an on-premise application server with a public IP (196.168.x.x) to an Azure App Service Environment (ASE) in a resource group? (Select two.)

- A. UDR (User Defined Route) and Azure Application Gateway v2.
- B. Azure WAF (Web Application Firewall) and Azure Front Door
- C. Azure Traffic Manager
- D. Azure Firewall

Answer: (SHOW ANSWER)

NEW QUESTION: 79

Microsoft Azure Lockbox is a security feature that allows you to control access to your Azure resources. Which of the following is a valid use case for Azure Lockbox? (Select one.)

- A. Microsoft Azure Lockbox
- B. Azure Policy (PAW)
- C. Azure Key Vault
- D. Azure Firewall

Answer: D (LEAVE A REPLY)

NEW QUESTION: 80


Microsoft 365 Defender for Cloud is a security solution that provides protection for Azure resources. Which of the following is a valid use case for Microsoft 365 Defender for Cloud? (Select one.)

- A. Microsoft Sentinel
- B. Microsoft 365, Microsoft 365 Defender, Defender for Cloud, Azure Firewall, Windows Server
- C. Azure Firewall
- D. Azure Key Vault

Microsoft Sentinel EDR () SOAR (,)
)
)
)
)




Answer:




NEW QUESTION: 81

Microsoft Defender)

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.
 □□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:



NEW QUESTION: 83

Microsoft 365 □□□ Azure □□□ □□□□. Microsoft 365 Defender □ Microsoft Defender for Cloud □ □□□□□□.

Azure □□□□ Microsoft Sentinel □□ □□□ □□□□ □□□□. Microsoft Sentinel □□□ □ □□□ Microsoft 365, Microsoft 365 Defender, Defender for Cloud □ Azure □□□ □□□□□.

Windows Server □ □□□ Azure □□ □□□ □□□ □□□□□.


Microsoft Sentinel □ □□ EDR(□□ □□ □ □□) □ SOAR(□□ □□□□□□□, □□□ □ □ □) □□□ □□□□□ □□□□ □□□.

□ □□□ □□□□□ □□□□ □□□ □□□□□? □□□□□ □□ □□□□ □□□ □□□ □ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:



NEW QUESTION: 84

App Service □□ □□□ □□ □□□ □□□□ □□□. □□□□ □□ □□ □□ □□□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□. □□ □ □□ □ □□□ 1□□ □□□ □□□□.




Answer:



NEW QUESTION: 85

□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□. □□□□ □□ □□ □ □ □□□ □□□□ □□ □□□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□.



Answer:

Answer Area

Evaluate regulatory compliance of cloud resources by assigning:

- Azure Policy definitions to management groups
- Azure Policy initiatives to management groups
- Azure Policy initiatives to subscriptions

Evaluate regulatory compliance of on-premises resources by using:

- Azure Arc
- Group Policy
- PowerShell Desired State Configuration (DSC)

NEW QUESTION: 86

App Service □□ □□□ □□ □□□ □□□□ □□□. □□□□ □□ □□ □□ □□□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□. □. □□ □ □□□ □□□ 1□□ □□□ □□□□□.

Answer Area

For connectivity from App Service web apps to virtual machines, use:

- Private endpoints
- Service endpoints
- Virtual network integration

For connectivity from virtual machines to App Service web apps, use:

- Private endpoints
- Service endpoints
- Virtual network integration

Answer:

Answer Area

For connectivity from App Service web apps to virtual machines, use:

- Private endpoints
- Service endpoints
- Virtual network integration

For connectivity from virtual machines to App Service web apps, use:

- Private endpoints
- Service endpoints
- Virtual network integration

NEW QUESTION: 87


□□□□□ □□□□ □□□□ □□□□□. □□ □□ □□□ Azure □□□□□□□□ □□□ □□□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□ □□□□□. □□: □ □□□ □□□ 1□□ □□□ □□□□□.



Answer:



NEW QUESTION: 88

500 Azure 100 1000.

ISO 27001:2013 10 100 100 1000 10000 100000 1000000. 10000 1000 1000000 10000000 100000000.

10: 1 1000 1000 1000 10000.

A. 10 1000 1000000 1000000.

B. 1 1000 1000 1000000.

C. 10 1000 1000 1000000.

D. 1 1000 1000000 1000000.

E. 1 1000 10000 1000000.

F. 10 1000 10000 1000000.

Answer: A,F (LEAVE A REPLY)

10

<https://docs.microsoft.com/en-us/azure/governance/management-groups/overview>

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview>

<https://docs.microsoft.com/en-us/azure/governance/policy/samples/iso-27001>

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage>

NEW QUESTION: 89

□□□ □□□□ □ Microsoft Sentinel □ Microsoft Defender □ □□□□□. □□□ □□ □□□□ □□□ □□□□□ □□□□ □□□□□□□ □□□□ □□□□.



□□□ □□□□□ □□ □□ □ □□ □□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □□□ □□□.

* Azure WAF(□ □□□□□□ □□□) □□□ Microsoft Sentinel □ □□□□□.

* Defender for Cloud □ □□□□ □□ □□□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□□□ □□□ □□□ □□□□□□□. □□: □ □ □□ □□□ 1□□ □□□ □□□□□.

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

Answer:

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

NEW QUESTION: 90

□□□□□ Microsoft Defender □ □□□□ Azure □□□ □□□□.

Azure Security Benchmark V3 □□□□ □□□□ □□□□.

□□ □□ □□ □□□□□ □□□□ 8□ □□□ □ 0□ □□□□ □□□ □□□□□□□.

□□ □□ □□ □□□□ □□□ □□□□ □□□ □□□□ □□□.

□□ □□: □□ □□ □□□□ JIT(Just-In-Time) VM □□□□ □□□□□ □□ □□□□.

□□□□ □□□ □□□□□□?

NEW QUESTION: 95

□□□□ □□ □□, Microsoft Sentinel □□ □□ □ □□ □□ □□ □□□ □□□□ SIEM □
SOAR □□□ □□□□ □□□.
□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Segment Microsoft Sentinel workspaces by:

- Azure AD tenant
- Enterprise
- Region and Azure AD tenant

Integrate Azure subscriptions by using:

- Self-service sign-up user flows for Azure AD B2B
- Self-service sign-up user flows for Azure AD B2C
- The Azure Lighthouse subscription onboarding process

Answer:

Segment Microsoft Sentinel workspaces by:

- Azure AD tenant
- Enterprise
- Region and Azure AD tenant

Integrate Azure subscriptions by using:

- Self-service sign-up user flows for Azure AD B2B
- Self-service sign-up user flows for Azure AD B2C
- The Azure Lighthouse subscription onboarding process

NEW QUESTION: 96

□□□ Microsoft 365 E5 □□□□□ Azure □□□ □□□□.
□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□.
* □□□□□□□ □□□□□ □□□
* □□□□□□□ □□□□□ □□□
* □□□□□□□ □□
□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□.
□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□? □□□□□ □□□ □□□ □□□ □□
□ □□□□□□□. □ □□□ □ □, □ □ □□ □□□□□ □□ □□□□ □□ □ □□□□. □□
□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □ □□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Scopes

- Files and emails
- Groups and sites
- Schematized data assets

Answer Area

- SharePoint Online: Scope
- Microsoft Teams: Scope
- Exchange Online: Scope

Answer:



NEW QUESTION: 97

You are configuring an Azure Backup vault. You need to ensure that the vault is configured to use platform-managed keys for encryption. Which configuration option should you select for the Azure Backup vault?




Answer:




NEW QUESTION: 98

You are configuring an Azure Backup vault. You need to ensure that the vault is configured to use platform-managed keys for encryption. Which configuration option should you select for the Azure Backup vault?

You are configuring an Azure Backup vault. You need to ensure that the vault is configured to use platform-managed keys for encryption. Which configuration option should you select for the Azure Backup vault?



Answer:



NEW QUESTION: 99

□□□ □□□□ □□□□□ □□□□□ □□ Azure □□□ □□□□. □□□□□ □□□□□□□□ □□ □□□□ □□□ □□□□ □□□□.

□□□ □□□□ □□ □□ □□□ □□□□ Azure □□□□ □□□□□ □□ □□□ □□□□ □ □□□ □□□□□.

□□ □□□ □□ □□□□ □□□ □□ RDP □□□ □□□□□. □□ □□□□ □□□□ □□□ □□ □□□□ □□□ □□□ □□□ □□ □□ □□ □□ □□□ □□□□ Azure□□ □□□□□ □□ □□ □□□□ □ □□□□. □□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□□□□□ □□□□ □□ □□□ □□□□□.

□□ □□□□ □□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□. □□□□ □□□□ □ □□□ □□□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. IP □□ □□□ □□ □□□ □□□□□ □□□□ □□□□□ NSG(□□□□ □□ □□)□ □□ □□□.

B. Azure Firewall□ □□□□ □□□ □ □□□□□ □□□□ □□□□□.

C. MFA(□□□ □□) □ □□□ □□□ □□□□ Azure AD(Azure Active Directory) □□□ □□□ □□□□□.

D. □□ □□□□ □□□□ Azure Virtual Desktop□□ □□□□□□□□□.

E. □□□□ □□□ Azure □□□ □□ □□□□ □□□ □□□□□.

Answer: B,C,D (LEAVE A REPLY)

□□

<https://docs.microsoft.com/en-us/azure/firewall/protect-azure-virtual-desktop>

NEW QUESTION: 100

ClaimsApp can be used to protect all the instances of ClaimsApp.
 FD1 must be configured to have a certificate for claims.fabrikam.com.
 To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.



Answer:



NEW QUESTION: 101

Microsoft 365 can be used to protect all the instances of ClaimsApp.
 Microsoft MCRA(Cybersecurity Reference Architectures) must be configured to have a certificate for claims.fabrikam.com.
 Microsoft Exchange Online can be used to protect all the instances of ClaimsApp.
 SharePoint Online, Teams, Azure AD, and NRT(Near-Real-Time) can be used to protect all the instances of ClaimsApp.
 * Microsoft 365 can be used to protect all the instances of ClaimsApp.
 * Microsoft MCRA(Cybersecurity Reference Architectures) must be configured to have a certificate for claims.fabrikam.com.
 * Microsoft Exchange Online can be used to protect all the instances of ClaimsApp.
 * Microsoft 365 can be used to protect all the instances of ClaimsApp.
 To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.
 To: Microsoft 365 can be used to protect all the instances of ClaimsApp.

- A. Azure AD PIM(Privileged Identity Management)
- B. Azure AD Privileged Identity Management
- C. Microsoft 365
- D. Microsoft Exchange Online
- E. Microsoft Teams

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 102

ClaimsApp can be used to protect all the instances of ClaimsApp.
 Microsoft MCRA(Cybersecurity Reference Architectures) must be configured to have a certificate for claims.fabrikam.com.
 Microsoft Exchange Online can be used to protect all the instances of ClaimsApp.
 SharePoint Online, Teams, Azure AD, and NRT(Near-Real-Time) can be used to protect all the instances of ClaimsApp.
 To: Microsoft 365 can be used to protect all the instances of ClaimsApp.

Answer Area

Statements

FD1 can be used to protect all the instances of ClaimsApp.	Yes	No
FD1 must be configured to have a certificate for claims.fabrikam.com.		
To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.		

Answer:

Answer Area

Statements

FD1 can be used to protect all the instances of ClaimsApp.	Yes	No
FD1 must be configured to have a certificate for claims.fabrikam.com.		
To block connections from North Korea to ClaimsApp, you require a custom rule in FD1.		

NEW QUESTION: 103

AWS □□ □□ □□□ □□□ □□□ □□□.

□□□ □□ □□□ □□□? □□□□ □ □□□ □□ □□ □□□□□.

□□: □ □□ □□ 1□□ □□ □□□.

Answer Area

For the AWS EC2 instances:

- Azure Blueprints
- Defender for Cloud
- Microsoft Defender for Cloud Apps
- Microsoft Defender for servers
- Microsoft Endpoint Manager
- Microsoft Sentinel

For the AWS service logs:

- Azure Blueprints
- Defender for Cloud
- Microsoft Defender for Cloud Apps
- Microsoft Defender for servers
- Microsoft Endpoint Manager
- Microsoft Sentinel

Answer:

Scopes

Files and emails

Groups and sites

Schematized data assets

Answer Area

SharePoint Online:

Scope

Microsoft Teams:

Scope

Exchange Online:

Scope

Answer:

Scopes

Files and emails

Groups and sites

Schematized data assets

Answer Area

SharePoint Online:

Groups and sites

Microsoft Teams:

Groups and sites

Exchange Online:

Files and emails

NEW QUESTION: 106

litware.com □□□□□ □□□□ □□ □□□ □□□□ □□□. □□□□ ID □□ □□□ □□□ □ □□□. □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□ □□. □□; □ □□□ □□□ 1□□ □□□ □□□□.

Answer Area

For Azure AD-targeted threats:

Azure AD Identity Protection
Azure AD Password Protection
Microsoft Defender for Cloud

For AD DS-targeted threats:

An account lockout policy in AD DS
Microsoft Defender for Endpoint
Microsoft Defender for Identity

Answer:



NEW QUESTION: 108

App1 is an Azure App Service application. You need to ensure that App1 can access Azure AD resources.


App1 must be able to access Azure AD resources.

* You need to configure App1 to access Azure AD resources. Which two actions should you perform?

* You need to configure App1 to access Azure AD resources. Which two actions should you perform?

App1 must be able to access Azure AD resources.

Which two actions should you perform? (Select two.)



Answer:



SC-100 questions and answers are available at <https://www.dumptop.com/Microsoft/SC-100-dump.html> (217 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

SC-100 questions and answers are available at <https://www.dumptop.com/Microsoft/SC-100-dump.html> (217 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)