

Microsoft.SC-100.v2026-02-24.q191

□□□□:	SC-100
□□□□:	Microsoft Cybersecurity Architect
□□□:	Microsoft
□□ □□ □□□:	191
□□:	v2026-02-24
# □□ □:	116
# □□ □□□:	1910
https://www.krdump.com/Microsoft.SC-100.v2026-02-24.q191.html	

NEW QUESTION: 1

□□□ □ □□ □□

□□□ Zero Trust □□□□□□ □□□□ □□ □□ □□□ □□□□ □□□□.

Microsoft □□ □□ □□(SOC)□ □□ □□□□ □□□ □□□.

□□ □□□□ □□□□□□ □□□□, □□ □ □□ □□ □□□ □□□□□□□□ □□

□? □□□□ □□ □□□□ □□ □□□ □□ □□□□ □□□ □□□□ □□□□□.

Actions

- Establish ransomware recovery readiness.
- Enable additional protection and detection controls.
- Establish visibility.
- Implement disaster recovery.
- Enable automation.

Answer Area

Microsoft

Answer:

Actions

- Establish ransomware recovery readiness.
- Implement disaster recovery.

Answer Area

- Establish visibility.
- Enable automation.
- Enable additional protection and detection controls.

Microsoft

NEW QUESTION: 2

□□□ Zero Trust □□□ □□□ □□ □□□□□□□□ □□□□□□ □□ □□□ □□□□□ □□□□.

□□□ □□ □□□□□□ □□□□ □□□□□□ □□□□□. □□□ □□□ □□□□□□□□ □□ □□□ □□□□□.

□□□□□ □□□□□□□ □□□□□.

□□□□□ □□□□ □□□ □□□□□□□ □□ □□□□□□ □□ □ □□ □□□ □□□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

- A. Microsoft Defender for Endpoint □ □□□□□□ □□□ □□□□ □□□ □□□□□.
- B. Microsoft Intune □ □□□□□□ □□□ □□□□□ □□□□□.

NEW QUESTION: 4

Microsoft 365 □□□ □□□□.

□□ □□□ □□□□□□ □□ □□ □□□□ □□□□ □□□.

* □□□□□ □□□□□ □ □□ □□□ □□

* Microsoft SharePoint Online□□ □□ □□ □□□□□ □□□□ □□□ □ □□□ □□ □□ □□ □□□ □□□ □□□□ □□□? □□□□ □□ □□ □□□ □□ □□□ □□□ □□□□. □ □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□ □ □□ □□□□.

□□: □□ 1□□ 1□□ □□□ □□□□.

The screenshot shows a Microsoft 365 security dashboard. On the left, under 'Components', there are five input fields: 'A data loss prevention (DLP) policy', 'Azure Active Directory (Azure AD) Conditional Access', 'Azure Active Directory (Azure AD) Identity Protection', 'Microsoft Defender for Cloud', and 'Microsoft Defender for Cloud Apps'. On the right, under 'Answer Area', there are two input fields: 'User accounts that were potentially compromised:' and 'Users performing bulk file downloads from SharePoint Online:'. The Microsoft logo is visible at the bottom.

Answer:

This screenshot is identical to the one above, but with the correct answers highlighted in red boxes. In the 'Components' section, the first four fields are highlighted: 'A data loss prevention (DLP) policy', 'Azure Active Directory (Azure AD) Conditional Access', 'Azure Active Directory (Azure AD) Identity Protection', and 'Microsoft Defender for Cloud'. In the 'Answer Area', the first field is highlighted with 'Azure Active Directory (Azure AD) Identity Protection' and the second field is highlighted with 'Microsoft Defender for Cloud'.

NEW QUESTION: 5

□□□ □□

□□ □□ □□□ □□□□ □□□ Azure □□□ □□□□.

Name	Type	Description
VNet1	Virtual network	Contains two subnets named Subnet1 and Subnet2
VM1	Virtual machine	Runs an app named App1 and is connected to Subnet1
DB1	Azure SQL Database	Contains data for App1 and is accessible from the internet

App1□ □□□ □□□□ □□ □□□□ □□□ □□□. □□□□ □□ □□ □□□ □□□□ □□ □.

- Subnet1□ □□□ □□ □□□ □□□□ □□□.

DB1□ □□□□□.

- DB1□ □□□□□ □□□ □ □□□ □□□.

- □□□ □□□□□ □□□.

□□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□□.


Answer Area

To ensure that only VM1 can access DB1:

- A private endpoint
- Azure Application Gateway
- Azure Private Link


To enforce network security restrictions for DB1:

- Azure Firewall rules
- Network security groups (NSGs)
- Virtual network rules



Answer:

Answer Area



To ensure that only VM1 can access DB1:

- A private endpoint
- Azure Application Gateway
- Azure Private Link

To enforce network security restrictions for DB1:

- Azure Firewall rules
- Network security groups (NSGs)
- Virtual network rules

□□:

VM1□ DB1□ □□□□ □ □□□ □□□ - □□ □□□□□□

□□ □□□□□□ □□ □□□□(□, Subnet1□ □□□ □□ □□□□)□□□ □□□□ □ □□

□□ IP □□□ □□□□ Azure SQL Database□ □□ □□ □□□ □□□□□ □□□□ □□□

□□□□ □□□□ □ □□□□.

DB1□ □□ □□□□ □□ □□ □□ - □□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□

□□□□ □□□□ □ □□ □□□ □□ IP □□□ □□ □□ □□□ □□□□ Azure SQL

Database□ □□ □□□□ □□□ □ □□□□. □ □□□ □□□□ DB1□ □□ □□□□ VM1□

□□□□ □□ □□□□ □□□□□□ □□□□ □ □□□□.

NEW QUESTION: 6

□□□□ Microsoft 365 E5 □□□□ Azure □□□□ □□□□.

□□□□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□□□, □□□□ □□□□, □□□□ □□□

□, □□□ □□□ □□□□ □□□□□.

□□□□ □□□□ □□□□ □□□.

Microsoft Defender for Cloud is a cloud-native security solution that provides comprehensive protection for your cloud workloads. It is designed to detect and respond to threats in real-time, helping you secure your cloud environment.

- A. Microsoft 365 Defender
- B. Microsoft Defender for Cloud
- C. Microsoft Defender for Endpoint
- D. Microsoft Sentinel

Answer: D (LEAVE A REPLY)

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Microsoft Sentinel is a cloud-native SIEM (Security Information and Event Management) and SOAR (Security Orchestration, Automation, and Response) solution.

Answer:

<https://docs.microsoft.com/en-us/azure/sentinel/overview>

NEW QUESTION: 7

Azure Automation runs scripts and workflows in the cloud. It is designed to help you automate repetitive tasks and manage your infrastructure. It is a cloud-native solution that provides comprehensive automation capabilities.

Azure Automation runs scripts and workflows in the cloud. It is designed to help you automate repetitive tasks and manage your infrastructure. It is a cloud-native solution that provides comprehensive automation capabilities.

Azure Automation runs scripts and workflows in the cloud. It is designed to help you automate repetitive tasks and manage your infrastructure. It is a cloud-native solution that provides comprehensive automation capabilities.



Answer:

Answer Area

Data security:

- Access keys stored in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags

Network access control:

- Access keys store in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags

NEW QUESTION: 8

□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□□ □□□ □□□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□□□ □□□ □□□□ □□□? □□□ □□□□□ □□ □□□□ □□

□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

□□:

□□ □□□□ □□ □□□□ □□□□ □□

App1: Azure Application Gateway Web Application Firewall policies ▼

App2: Azure AD B2C custom policies with Conditional Access ▼

NEW QUESTION: 9

□□□ □□

Azure □□□ □□□□.

Azure Synapse Analytics SQL □□ □□ SQL □□□□ □□ □□□ □□□□□□.

□ □□□ □□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□. □

□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□.

□ □□□ □□□ □□ □□□ □□□□ □□□? □□□ □□□□ □□ □□□ □□□ □□□ □□

□□□ □□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□□. □□□

□□□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Serverless SQL pool: Azure Storage infrastructure encryption and Microsoft-managed keys ▼

Transparent Data Encryption (TDE) and customer-managed keys

Transparent Data Encryption (TDE) and Microsoft-managed keys

Dedicated SQL pool: Azure Storage infrastructure encryption and Microsoft-managed keys ▼

Transparent Data Encryption (TDE) and customer-managed keys

Transparent Data Encryption (TDE) and Microsoft-managed keys

Answer:

Answer Area

Serverless SQL pool: Azure Storage infrastructure encryption and Microsoft-managed keys ▼

Transparent Data Encryption (TDE) and customer-managed keys

Transparent Data Encryption (TDE) and Microsoft-managed keys

Dedicated SQL pool: Azure Storage infrastructure encryption and Microsoft-managed keys ▼

Transparent Data Encryption (TDE) and customer-managed keys

Transparent Data Encryption (TDE) and Microsoft-managed keys

□□:

□□ 1: □□□ □□□ □□□(TDE □ □□ □□ □)

SQL □□□□ □

□□ □□ □□□□ □□□

□□□ □□ □□□ □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□ □□□□ □.

□□ □□□□ □□□□ □□□□□ □ □□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□ □ □□□ □□□ □ □□□□. Azure Synapse Analytics □ □□ □□ □□ □□□□ □□ □□□ □□□□ □□ □ □□ □□□ □□□ □□□□□. □ □□ Azure Key Vault □ □□□□ □□□□ □ □ □□ □ □□□ □□ □□□ □ □□□□.

□□ Synapse □□ □□□ □□□□ □□ □□ □□□□ □□□ □□ □□ □□ □□□□□□.

SQL □

*-> □□ SQL □

*-> □□□□ SQL □

□□□ □□□ □

Apache Spark □

Azure Data Factory □□ □□□, □□□□□, □□□□ □□.

□□ 2: □□□ □□□ □□□(TDE □ □□ □□ □)

Azure Synapse Analytics SQL □□ □

Azure Synapse Analytics □□ □□ SQL □(□□ SQL DW) □□ □□□ □□□ □□□ □□□ (TDE) □ □□□ □□□□ □□□□□ □□□□□ □□□□□ □□□□ □ □□□ □ □□. □□□□□□□ □□□□□ □□□□□□□□ □□□□ □□□ □□ □□ □ □□□□ □□ □□□ □□□□□□. TDE □ □□□□□□ □□□ □□□ □□ □□ □□□□ □□ □□□□□□ □ □□□□ □□□□□□.

□□ □□□ □□□ □□□ □□□ - BYOD(Bring Your Own Key)

□□ □□ TDE □ TDE □ □□ BYOK(Bring Your Own Key) □□□□□□ □□□. □ □□□□□ □ DEK □ □□□□□ TDE Protector □ □□ □□ □□□ □□□, □□□ □□□□ □□□□

Azure Key Vault(Azure □ □□□□ □□ □□ □ □□ □□□) □ □□□□ □ □□□□ □□□□ □□□□.

□□:

<https://learn.microsoft.com/en-us/azure/synapse-analytics/security/workspaces-encryption>

<https://learn.microsoft.com/en-us/azure/synapse-analytics/sql-data-warehouse/sql-data-warehouse-encryption-overview> □□ □□ □□

<https://learn.microsoft.com/en-us/azure/azure-sql/database/transparent-data-encryption-tde-overview> □□

NEW QUESTION: 10

□□□□□ Active Directory □□□ □□□(AD DS) □□□□ □□□□ □□□□.

□□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□ □□□ □□□□□ □□□ □ □□□ □□ □□□.


□□□ □□□□ □□□?

- A. □□□ □□ □□ □□ □□ □□
- B. □□ □□
- C. □□□ □□□ □□
- D. □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□ □□□□ □ □ □□□, □ □□□ Azure□ □□□□ □□ □□□□ □□□ □□□ □□ □□ □□□.




□□ □□ □□□□□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

- Google, Facebook □ □□ ID □□ □□
- Microsoft □□.
- □□□ ID □□□□ □□□ □□□□□.
- □ □□ □□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.
- □□□□ □□ □□ □□□□ □□□□ □□□□?

- A. Azure Active Directory(Azure AD) B2C
- B. Azure Active Directory(Azure AD) B2B
- C. Azure AD □□
- D. Azure Active Directory □□□ □□□(Azure AD DS)

Answer: ([SHOW ANSWER](#))

Azure Active Directory B2C(Azure AD B2C)□ ID □□□□, □□□□ iOS, Android, .NET, □□ □□ □□ (SPA) □ □□ □□□□□□□ □□□ □ □□, □□□□ □ □□□ □□ □□□ □□□□ □□□□ □ □□ ID □□ □□□□□□□.



NEW QUESTION: 13

Which tool is the best SIEM (SIEM) tool for Microsoft Sentinel? Microsoft Sentinel or Splunk?

- A. Microsoft Sentinel
- B. Azure Arc
- C. Azure Log Analytics
- D. Microsoft Sentinel

Answer: A (LEAVE A REPLY)

<https://techcommunity.microsoft.com/t5/microsoft-sentinel-blog/azure-sentinel-side-by-side-with-splunk-via-eventhub/ba-p/2307029>

NEW QUESTION: 14

How can you integrate Microsoft 365 Defender for Identity with Microsoft Defender for Identity? Microsoft Defender for Identity.

- A. Microsoft 365
- B. Microsoft Defender for Identity
- C. Microsoft Defender for Cloud
- D. Microsoft Defender for Cloud

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/advanced-threat-analytics/suspicious-activity-guide#honeytoken-activity> Microsoft Defender for Identity and Microsoft Defender for Cloud. Microsoft Defender for Cloud and Microsoft Defender for Cloud. Microsoft Defender for Cloud and Microsoft Defender for Cloud.

NEW QUESTION: 15

□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□□ □□□ □□□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their Office 365 account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□□□□□. □□: □□ □□□ 1□□□□□.

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

□□:

□□ □□□□ □□ □□□ □□□ □□

App1: Azure Application Gateway Web Application Firewall policies

App2: Azure AD B2C custom policies with Conditional Access



NEW QUESTION: 16

Microsoft 365 .

Microsoft 365 Defender . .

* Microsoft SharePoint Online .

* (ZAP) Microsoft Teams .

? .

: 1.

Answer Area



Answer:

Answer Area



:

krdump.com

SC-100 [blurred] DumpTop [blurred] SC-100 [blurred]! DumpTop [blurred] **SC-100** [blurred], DumpTop SC-100 [blurred] [blurred] [blurred]. [blurred] [blurred] DumpTop SC-100 [blurred] [blurred].
<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

SharePoint Online [blurred] Exchange Online [blurred] [blurred] [blurred] [blurred] [blurred]. [blurred] [blurred] [blurred] [blurred] [blurred] [blurred].
 [blurred] [blurred] [blurred] [blurred] [blurred] [blurred]? [blurred] [blurred] [blurred] [blurred] [blurred].
 [blurred]: [blurred] 1 [blurred] 1 [blurred].

- A. Azure AD [blurred] [blurred]
- B. [blurred] [blurred] Microsoft Defender
- C. [blurred] [blurred] Microsoft Defender
- D. [blurred] [blurred] Microsoft Defender
- E. Azure AD [blurred] [blurred] [blurred]

Answer: B,E (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/active-directory/...>
<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-integrate-with-microsoft-cl>

NEW QUESTION: 18

[blurred] Microsoft 365 E5 [blurred] Azure [blurred] [blurred].
 [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred].
 * [blurred] [blurred] [blurred]
 * [blurred] [blurred] [blurred]
 * [blurred] [blurred]
 [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred].
 [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred]? [blurred] [blurred] [blurred] [blurred] [blurred] [blurred]
 [blurred]. [blurred] [blurred] [blurred], [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred]. [blurred] [blurred] [blurred] [blurred]
 [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred] [blurred].
 [blurred]: [blurred] [blurred] 1 [blurred].



Answer:



NEW QUESTION: 19

Which of the following is a cloud-based security solution for protecting data in Microsoft 365? (Select two)

- A. Azure Information Protection
- B. Microsoft Defender for Office 365 (NSG)
- C. JIT(Just-In-Time) VM Protection
- D. Azure Bastion

Answer: (SHOW ANSWER)

NEW QUESTION: 20

Which of the following is a cloud-based security solution for protecting data in Microsoft 365? (Select two)

Microsoft Defender for Office 365 (NSG)

Microsoft Defender for Office 365 (DLP)

Microsoft Defender for Office 365 (JIT)

Microsoft Defender for Office 365 (AV)

Microsoft Defender for Office 365 (ATP)

Microsoft Defender for Office 365 (SIEM)

Microsoft Defender for Office 365 (SIEM) is a cloud-based security solution for protecting data in Microsoft 365. It provides a comprehensive view of security events across the organization, enabling security teams to detect and respond to threats in real-time.

Microsoft Defender for Office 365 (SIEM) is a cloud-based security solution for protecting data in Microsoft 365. It provides a comprehensive view of security events across the organization, enabling security teams to detect and respond to threats in real-time.

- A. Microsoft Defender for Endpoint
- B. Microsoft Intune
- C. Azure Active Directory(Azure AD) Connect
- D. Microsoft Defender for Office 365 (SIEM)

Answer: (SHOW ANSWER)

SIEM

<https://www.microsoft.com/security/blog/2022/02/17/4-best-practices-to-implement-a-comprehensive-zero-trust->

<https://docs.microsoft.com/en-us/azure/active-directory/develop/refresh-tokens>

NEW QUESTION: 21

Which of the following is a cloud-based security solution for protecting data in Microsoft 365?

□□ □□□□ □□□□□ □□□□ □□□□. □□ □□□□ □□ □□ 100□□ □□□□ □□□ □.

Azure □□□□ □ □□ □□□ □□□□ □□□ □□□□□□.

□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□.

□□□□ □□ □ □□ □□□□ □□□□ □□□□? □ □□□ □□□□ □□□ □□□□□□.

- A. □□ □□
- B. Microsoft Sentinel
- C. □□□□□□ Microsoft Defender
- D. Azure Arc
- E. □□□□□ Microsoft Defender

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 22

□□□ □□□□□ Azure App Service □□□□ □□□□ □□ □□□□□□□□ □□□□ □□□ □.

Microsoft □□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□.

- A. □□□ □□
- B. □□□ □□
- C. □□□□ □□
- D. □□□□ □□

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/learn/modules/tm-create-a-threat-model-using-foundational-data-flow-diagram-elements/1b-elements>

NEW QUESTION: 23

□□□ □□□ □ □□□□□ VM□ Azure□ □□□□ □□□, Azure Backup□ □□□□ □□□ VM □ □□□□ □□□□.

□□□□□□□□ □□□□ □□□ □□ □□□□ □□□, □□□□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □ □□ Azure □□ □□ □□□□ □□□□ □□□□□□.

□□ □□ □□□ □□□ □ □□□?

- A. Azure Data Box□ □□
- B. Veeam □□ □□□
- C. □□□ □□□ PIN□ □□□□□.
- D. □□□ □□ □□□

Answer: C,D (LEAVE A REPLY)

□□ A□ □□ □□□□ □□□□ □□□ □□□ □□□□□□.

□□ B□ □□ Azure □□□□ □□ □□□ □□□ □□□□□□.

□□ C□ □□□ □□□ □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□□ □□ □ □□ □□□ □□ □□ □□□ □□□ □ □□ PIN□ □□□□□ □□□□ □□□□ □□□ □□□

□□. □□ D□ □□□ □□□ □ □□ □□□ □□□□□ □□□ □□ □ □□□□ □□□□□ □
□□□ □□ □□□ □□□□ □□□□□.

□□:

[https://docs.microsoft.com/en-us/azure/security/fundamentals/□□□□□□□ □□□□ □□ □
□ □□](https://docs.microsoft.com/en-us/azure/security/fundamentals/□□□□□□□ □□□□ □□ □
□ □□)

NEW QUESTION: 24

□□ □□ 2 - Litware, inc.

□□

Litware, Inc. □ □□□ □□□□□□□ □□□ □ □□ □□□ □□□□□. Litware □ □□ □□□
30□□ □□□ □□ □□□, □□ □□ □□□ □□□□. □□ □□ □□□ VPN□ □□□□ □□
□ □□□□□.

Litware □ □□ 2□□ □□□□□ □□ □□ □□□□□□. □□ □□□□ □□□□ □□□ □ □
□ □□□ □□□□□.

□□ □□

Litware □□ litware.com □□□ Active Directory □□□ □□□(AD DS) □□□□□ □□□□□ 20
□□ Azure □□□ □□□ Microsoft Entra □□□□ □□□□. Microsoft Entra Connect □ □□ □
□□ □□□□ □ □□□□□. □□ □□ □□□□ □□□□□□ □□ □□ □□□ □□□□□□.

□□ Litware □□□□ Microsoft 365 E5 □□□□□ □□□□□.

□ □□□□ Litware □ □□□□ □□□ □□ AD DS □□□□, Microsoft Entra □□□ □ □□ □
□ Azure □□□ □□□□□.

□□ □□. □□□ □□ □□

Litware □ □□□ □□ □□ □□□ □□□ □□□□□.

- □ Microsoft Entra □□□□ □□ □□ □□ □□□ □□□□.

- Litware □ □□ Azure □□□ □□□□□□ □□ □□ Azure □□□□□ □□□□ □□ □□ □
□□□ □□□□□.

- VPN□ □□□□ □□ □□□□□ □□ □□□□□□□ □□ □□ □□□□ □□□□ □□

Microsoft Entra Application Proxy □ □□□□□.

□□ □□. □□□□ □□ □□

Litware □ □□□ □□ □□□□ □□ □□□ □□□□□.

- □□□□ □□□□□ □□□□ □□□□□□.

- □□□□□ □□□ □□□□□ □□□□□□.

□□ □□. □□□□□ □□ □□

Litware □ □□□ □□ □□□□□ □□□□ □□ □□□ □□□□□.

- □□□ □□□□ Azure □□ □ □□□□ □□□□ □□□ □ □□□□.

o Azure Policy □ □□□□ □□ □ □□ □□ □□□ □□□□□.

o □□ □□ □□ □ □□ □□□□□ □□□□□.

- □□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

□□ □□. Microsoft Sentinel □□ □□

Litware Microsoft Sentinel (SIEM) (SOAR) Microsoft Sentinel (SOC)

Litware

Litware

- AD DS
- Litware Microsoft Entra
- Microsoft Entra AD DS
- Litware Microsoft Entra

- o
- o
- o

Litware

-
- Azure Policy
-

Azure Landing Zone

Litware

- Azure Firewall
-
- Azure Microsoft
- Azure App Service
-
-

litware.com DNS

Litware

- Microsoft Entra Application Proxy SSO(Single Sign-On)
- Microsoft SharePoint Online Exchange Online

Which of the following is a cloud-based security solution?

- A. Azure DDoS Protection
- B. Azure DNS Private
- C. Microsoft Defender for Cloud
- D. ExpressRoute

Answer: (SHOW ANSWER)

VM DNS records are stored in Azure DNS Private zones. Azure DNS Private zones are private DNS zones that are used to resolve DNS queries for resources in a virtual network. For more information, see <https://docs.microsoft.com/en-us/azure/dns/private-dns-overview>.

NEW QUESTION: 25

Which of the following is a cloud-based security solution that provides a unified view of security across your organization's cloud resources? Microsoft Sentinel is a cloud-based SIEM (Security Information and Event Management) solution that provides a unified view of security across your organization's cloud resources. Microsoft Sentinel integrates with Splunk to provide a unified view of security across your organization's cloud resources.

- A. Azure Security Center
- B. Azure Sentinel
- C. Microsoft Sentinel
- D. Microsoft Sentinel and Splunk

Answer: (SHOW ANSWER)

<https://techcommunity.microsoft.com/t5/microsoft-sentinel-blog/azure-sentinel-side-by-side-with-splunk-via-eventhub/ba-p/2307029>

NEW QUESTION: 26

Which of the following is a cloud-based security solution that provides a unified view of security across your organization's cloud resources? Microsoft Defender for Cloud provides a unified view of security across your organization's cloud resources. Microsoft Defender for Cloud is a cloud-based security solution that provides a unified view of security across your organization's cloud resources. NIST 800-53 is a framework for information security. Microsoft Defender for Cloud Apps is a cloud-based security solution that provides a unified view of security across your organization's cloud resources.

- A. Microsoft Defender for Cloud Apps
- B. Defender for Cloud
- C. Defender for Cloud and Azure Policy
- D. Azure Policy

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

Which of the following is a cloud-based security solution that provides a unified view of security across your organization's cloud resources? Microsoft Defender for Cloud provides a unified view of security across your organization's cloud resources. Microsoft Defender for Cloud is a cloud-based security solution that provides a unified view of security across your organization's cloud resources.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

Which of the following is a requirement for App1?
 a. Azure AD B2B authentication with Conditional Access

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

Answer Area

App1:


- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections


NEW QUESTION: 28

Which of the following is a requirement for App1?
 a. Microsoft Defender for Cloud



Answer:

Answer Area



□□:

□□ 1: □□ □□□ □□

□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□?

□□□ □□ □□□ □□□□□ □□□ □□□ □□ □□□□□ □□□□ □□ □□□ □ □□□ □

□□□ □□□ □□□ □□ □ □□□□ □ □□□ □□□□□. □□□ □□□ □□ □□□□ 14□ □□ □□□□ □□ □□□□ □□□□□ □□□□ □□ □□□ □ □□□ □□□.

□□ 2: Resource Guard □ □□□ □□ □□□ □□ □□

□□ □□ □□□ □□ □□ □□□ □□(□□□) □ □□□□□ □□□ □□□□□.

Azure Backup □ □□□ □ □□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□□, □□ □□ □ □□, □□ □□ □□ □□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□□□.


□□:

<https://learn.microsoft.com/en-us/azure/backup/□□□□□□□ □□ □□-faq>

□ □□□□ □□□□ □□ □□ □□ □□□ "□□ □□□□ □□□ □□ □□ □□ □□□□□ □
□□□□□□□ □□□."□□□. <https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-golden-image>

NEW QUESTION: 35

□□ □□□□ □ □ □□□, □ □□□ Azure□ □□□□ □□ □□□□ □□□ □□□ □□ □□ □□□.



□□ □□ □□□□□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□□.

- * Google, Facebook, Microsoft □□ □ □□ ID □□□ □□□□□□□.
 - * □□□ ID □□□□ □□□ □□□□□□.
 - * □ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□□□□□.
- □□□□ □□ □□ □□□□ □□□□ □□□□?

- A. Azure Active Directory(Azure AD) B2C
- B. Azure Active Directory(Azure AD) B2B
- C. Azure AD □□
- D. Azure Active Directory □□□ □□□(Azure AD DS)

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/active-directory-b2c/identity-provider-facebook?pivots=b2c-user-flow>

[https://docs.microsoft.com/en-us/azure/active-directory-b2c/ui-with-html □□□ □□?pivots=b2c-user-flow](https://docs.microsoft.com/en-us/azure/active-directory-b2c/ui-with-html-□□□ □□?pivots=b2c-user-flow)

NEW QUESTION: 36

Azure□ Microsoft □□□□ □□ □□□□□□ □□□□ DevOps □□ □□□□□ □□ □□ □
□□□ □□□□ □□□.

□□□ □□ □ □□□ □□(CI/CD) DevOps □□□□□ □□ □□□□ □ □□ □□ □□□ □□
□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □□□ □□□□ 1□□ □□□ □□□□.

Answer Area



Threat modeling: Plan and develop
Build and test
Commit the code
Go to production
Operate
Plan and develop

Actionable intelligence: Operate
Build and test
Commit the code
Go to production
Operate
Plan and develop

Dynamic application security testing (DAST): Build and test
Build and test
Commit the code
Go to production
Operate
Plan and develop

Answer:
ANSWER AREA



Threat modeling: Plan and develop
Build and test
Commit the code
Go to production
Operate
Plan and develop

Actionable intelligence: Operate
Build and test
Commit the code
Go to production
Operate
Plan and develop

Dynamic application security testing (DAST): Build and test
Build and test
Commit the code
Go to production
Operate
Plan and develop

□□:

Answer Area

Threat modeling: Plan and develop

Actionable intelligence: Operate


Dynamic application security testing (DAST): Build and test

NEW QUESTION: 37


AWS □□ □□□ □□□□ □□□□ □□□□ □□□.

□□□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.



Answer:



NEW QUESTION: 38

Which Azure services can be used to protect your Azure SQL database instances?

- * Azure SQL Database
- * Azure SQL Managed Instance
- * Azure SQL Elastic Pool
- * App Service

Which Azure services can be used to protect your Azure App Service instances?

- * Azure SQL Database
- * Azure SQL Managed Instance
- * Azure SQL Elastic Pool
- * App Service

Which Azure services can be used to protect your Azure Virtual Machines instances?

- a. Azure: Azure SQL Database

Answer Area Microsoft

For the SQL audit logs:

- A Log Analytics workspace
- Azure Application Insights
- Microsoft Defender for SQL
- Microsoft Sentinel

For the Security logs:

- A Log Analytics workspace
- Application Insights
- Microsoft Defender for servers
- Microsoft Sentinel

For the App Service audit logs:

- A Log Analytics workspace
- Application Insights
- Microsoft Defender for App Service
- Microsoft Sentinel

Answer:

Answer Area

For the SQL audit logs:

- A Log Analytics workspace
- Azure Application Insights
- Microsoft Defender for SQL
- Microsoft Sentinel

For the Security logs:

- A Log Analytics workspace
- Application Insights
- Microsoft Defender for servers
- Microsoft Sentinel

For the App Service audit logs:

- A Log Analytics workspace
- Application Insights
- Microsoft Defender for App Service
- Microsoft Sentinel

NEW QUESTION: 39

Zero Trust .

Microsoft (SOC) .

, , .

? .

- Actions** Microsoft
- Establish ransomware recovery readiness.
 - Implement disaster recovery.
 - Establish visibility.
 - Enable additional protection and detection controls.
 - Enable automation.

Answer Area

Answer:

Which of the following are valid Microsoft 365 sensitivity labels? (Select all that apply.)

 A. Confidential

 B. Secret

 C. Restricted

 D. Internal

 E. Public

 F. Confidential - Law Enforcement

 G. Confidential - Government

 H. Confidential - Government - Law Enforcement

 I. Confidential - Government - Law Enforcement - Government

 J. Confidential - Government - Law Enforcement - Government - Law Enforcement

Scopes	Answer Area
Files and emails	SharePoint Online: Scope
Groups and sites	Microsoft Teams: Scope
Schematized data assets	Exchange Online: Scope

Answer:

Scopes	Answer Area
Files and emails	SharePoint Online: Groups and sites
Groups and sites	Microsoft Teams: Groups and sites
Schematized data assets	Exchange Online: Files and emails

- 1: Confidential
- 2: Secret
- 3: Confidential - Law Enforcement

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION: 42

Which of the following are valid Azure Virtual Machine Scale Set configurations? (Select all that apply.)

 A. Linux, Azure Virtual Machine Scale Set, 10 VMs, 100 GB OS disk, 100 GB data disk

 B. Linux, Azure Virtual Machine Scale Set, 10 VMs, 100 GB OS disk, 100 GB data disk, 100 GB data disk

 C. Linux, Azure Virtual Machine Scale Set, 10 VMs, 100 GB OS disk, 100 GB data disk, 100 GB data disk, 100 GB data disk

 D. Linux, Azure Virtual Machine Scale Set, 10 VMs, 100 GB OS disk, 100 GB data disk, 100 GB data disk, 100 GB data disk, 100 GB data disk

- * □□ □□□ □□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□.
 - * □□□ □□ □□ □□□ □□ □□□ SSH □□□ □□□ □ □□□ □□□.
 - * □□ □□□□□ □□□□□□□□□ □□□ □□ □□□□□□ □□□ □□□□□□□.
 - * □□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□ □□□.
 - * □□□ □□ □□□
- □□□ □□□□ □□□? □□□□ □□ □□□□ □□□ □□□ □□□□□□.
- : □□ □□□ 1□□□□.

Answer Area

Answer:

Answer Area

NEW QUESTION: 43

- Azure □□□ Amazon Web Services(AWS) □□□ □□□ □□ □□□□ □□□ □□□□.
- □□□ □□□□ □□□□□ Azure□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □ □□ □□ □□□□ □□□.
- * AWS CloudTrail □□□□□□ □□□ □□□ □□□□ □□□□□□.
 - * Azure □□□ □□□□ AWS □□ □□□□ □□ □□□ □□□□□□.
- □□ □□□ □□ □□□□□ □□□ □□□□ □□□? □□□□□□ □□ □□□□ □□□ □□ □ □□□□□. □□: □□□ 1□□□□.

Answer Area

Answer:

E. Azure AD B2C

Answer: (SHOW ANSWER)

https://docs.microsoft.com/en-us/azure/active-directory-b2c/

https://docs.microsoft.com/en-us/azure/active-directory-b2c/

pivots=b2c-

SC-100 DumpTop SC-100! DumpTop SC-100, DumpTop SC-100, DumpTop SC-100. DumpTop SC-100. <https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

Contoso Azure AD

Account type for the developers:

- A guest account in the contoso.onmicrosoft.com tenant
- A guest account in the fabrikam.onmicrosoft.com tenant
- A synced user account in the corp.fabrikam.com domain
- A user account in the fabrikam.onmicrosoft.com tenant

Component in Identity Governance:

- A connected organization
- An access package
- An access review
- An Azure AD role
- An Azure resource role


Answer:

Account type for the developers:

- A guest account in the contoso.onmicrosoft.com tenant
- A guest account in the fabrikam.onmicrosoft.com tenant
- A synced user account in the corp.fabrikam.com domain
- A user account in the fabrikam.onmicrosoft.com tenant

Component in Identity Governance:

- A connected organization
- An access package
- An access review
- An Azure AD role
- An Azure resource role



NEW QUESTION: 51

Linux □□□ □□□□□ Azure Kubernetes Service(AKS) □□□□□ □□□□.

□□□ □□ □□□ □□ □□ □□□□□ □□□□□ □□ □□□□ □□□□ □□□. □ □□□

□ □□ □□□ □□□□□ □□□.

□□□ □□□□ □□□?

A. □□□□□ □□□ □ □□□ □□ □□□□ □□□.

B. AKS □□□□ □□□ □□□□□□□□ □□□.

C. □□□□□ □□ □□ □□□□□□□ □□□ □□□□ □□□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52


□□□□ □□ □□□ □□□□□ □□ □□□ □□ □□□□ □□ □□□ □ □□□□□ □□ □

□□□ □□□□ □□□. □□□ □□□□ □□□? □□ □ □□□ □□□ □□□□ □□□□□.

a. □□: □□□ 1□□□□□.



Answer:



NEW QUESTION: 53

□□□□ Splunk□ Microsoft Sentinel□ □□□□ □□ □□ □□ □□□□ □□(SIEM) □□□□ □□□□. Microsoft Sentinel□ Splunk□ □□□ □□□□□.

Microsoft Sentinel□□ Splunk□ □□ □□□□ □□□□ □□□□ □□□□ □□□□. □□ □□□ □□ □□□ □□□□ □□□□?

- A. Azure □□□ □□
- B. Azure □□□ □□
- C. Microsoft Sentinel □□ □□
- D. Microsoft Sentinel □□□ □□□

Answer: D (LEAVE A REPLY)

<https://techcommunity.microsoft.com/t5/microsoft-sentinel-blog/azure-sentinel-side-by-side-with-splunk-via-eve>

NEW QUESTION: 54


Microsoft 365 □□□ Azure □□□ □□□□. Microsoft 365 Defender□ Microsoft Defender for Cloud□ □□□□□ □□□□.

Azure □□□□ Microsoft Sentinel □□ □□□ □□□□ □□□□. Microsoft Sentinel □□□ □□□□ Microsoft 365, Microsoft 365 Defender, Defender for Cloud □ Azure□ □□ □□□□ □□ □□.


Windows Server□ □□□ Azure □□ □□□ □□□ □□□□□.

Microsoft Sentinel□ □□ □□□ □□ □□□(EDR)□ □□ □□□□□□□□, □□□ □□□ (SOAR) □□□ □□□□□ □□□.

□ □□□ □□□ □□□□□ □□ □□□□? □□ □□□□ □□□ □□□ □□□□ □□□□□. □□: □□ □□□ 1□□□□□.



Answer:



NEW QUESTION: 55

Microsoft Entra ID is used to manage identities in Azure AD.

Which of the following is a valid identity type in Azure AD?

System-assigned managed identity, User-assigned managed identity, Service principal, or Device platform?

Correct answer: Service principal.



Answer:



Correct answer:

Answer Area



NEW QUESTION: 56

Microsoft Exchange Online is used to manage email in Microsoft 365 E5.

Which of the following is a valid identity type in Exchange Online?

System-assigned managed identity, User-assigned managed identity, Service principal, or Device platform?

□□: □□ □□□ 1□□□□.

Answer Area




Microsoft

Service: Microsoft Defender for Office 365
 Azure AD Identity Protection
 Microsoft Defender for DNS
 Microsoft Defender for Office 365
 Microsoft Purview

Policy type: Anti-phishing
 Anti-phishing
 Anti-spam
 Data loss prevention (DLP)
 Insider risk management

Answer:

Answer Area



Microsoft

Service: Microsoft Defender for Office 365
 Azure AD Identity Protection
 Microsoft Defender for DNS
 Microsoft Defender for Office 365
 Microsoft Purview

Policy type: Anti-phishing
 Anti-phishing
 Anti-spam
 Data loss prevention (DLP)
 Insider risk management

NEW QUESTION: 57

Active Directory Domain Services(AD DS) □□□□ □□□□□ Azure AD □□□□ □□□□.
 CI/CD(□□□□ □□ □ □□□□ □□) □□□□□□ □□□□ Azure □□□ □□□□□□□ □
 □□□ Azure DevOps □□□□ □□□□□ □□□□.
 □□□ □□□ □□ □□ □□□ □□□ ID □□□ □□□□ □□□. □□□□ Azure□ Microsoft
 □□□□ □□ □□□□□□□ DevSecOps □□ □□□ □□□ □□□.
 □□□ □□□□ □□□?

- A. Azure□ □□□□ ID
- B. Azure AD Privileged Identity Management(PIM)□□ □□ □□□ □□ Azure AD □□□ □□
- C. □□ □□ □□□ □□(gMSA)
- D. Azure Key Vault□ □□□ □□□ Azure AD □□□ □□

Answer: A (LEAVE A REPLY)

<https://learn.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION: 58

□□□□□ Azure□ Microsoft □□□□ □□ □□□□□□□ DevSecOps □□ □□□ □□
 DevSecOps □□□□□ □□□□ □□ □ □□□□ □□(CI/CD) DevOps □□□□□□ □□□ □
 □□□□. DevOps □□□□□□□ □ □□□ □□□ □□ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.



Answer:



NEW QUESTION: 59

□□□□□ Azure□ Microsoft □□□□ □□ □□□□□□ DevSecOps □□ □□□ □□
DevSecOps □□□□□ □□□□ □□ □ □□□□ □□(CI/CD) DevOps □□□□□□ □□□ □
□□□□. DevOps □□□□□□ □ □□□ □□□ □□ □□ □□□ □□□□ □□□.
□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.
□□: □□ □□□ 1□□□□.



Answer:




☐☐:



NEW QUESTION: 63

☐☐☐ ☐☐ Microsoft Defender for Cloud ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐. ('☐☐' ☐☐ ☐☐☐☐☐.)



☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐?

- A. ☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐☐.
- B. Azure Key Vault ☐☐☐ HSM☐☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐.
- C. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐.
- D. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐.

Answer: A (LEAVE A REPLY)

☐☐

<https://docs.microsoft.com/en-us/azure/storage/blobs/☐☐☐☐☐☐☐☐☐☐>

NEW QUESTION: 64

VDI (Virtual Desktop Infrastructure) and Active Directory (AD DS) are both cloud services. VDI is a cloud service that allows you to run a virtual desktop in the cloud. AD DS is a cloud service that allows you to manage users and groups in the cloud.

Azure Virtual Desktop is a cloud service that allows you to run a virtual desktop in the cloud. It is a cloud service that allows you to run a virtual desktop in the cloud. Azure Virtual Desktop is a cloud service that allows you to run a virtual desktop in the cloud. Azure Active Directory Domain Services (Azure AD DS) is a cloud service that allows you to manage users and groups in the cloud.

Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints. It is a cloud service that allows you to protect your endpoints. Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints.


* Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints.

* Microsoft Defender 365 is a cloud service that allows you to protect your endpoints. It is a cloud service that allows you to protect your endpoints. Microsoft Defender 365 is a cloud service that allows you to protect your endpoints.


* Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints.

Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints. It is a cloud service that allows you to protect your endpoints. Microsoft Defender for Endpoint is a cloud service that allows you to protect your endpoints.

Answer Area



Answer:



NEW QUESTION: 65

Azure, Amazon Web Services (AWS), Google Cloud Platform (GCP) are all cloud services. Microsoft Defender for Cloud is a cloud service that allows you to protect your cloud resources.

Microsoft Defender for Cloud is a cloud service that allows you to protect your cloud resources. It is a cloud service that allows you to protect your cloud resources. Microsoft Defender for Cloud is a cloud service that allows you to protect your cloud resources.

Microsoft Defender for Cloud is a cloud service that allows you to protect your cloud resources.

A. Microsoft Defender for Cloud

B. Microsoft Defender for Endpoint (Defender EASM)

C. Microsoft Defender for Cloud

D. Microsoft Defender for Cloud (MCSB)

Answer: (SHOW ANSWER)

Defender CSPM □□□ Defender □□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□□
Defender for Cloud □□ □□□ □□□ □□ □□□ □□□□□.

- □□□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□□□□.
 - □□□□ □□□ IP□□ □□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□.
 - □□□□ □□ □□□□□ □□ □□□ □□ IP□ Defender for Cloud□ □□□ □□□□ □□□□ □□ □□□ □□ □□□□□.
- :

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/concept-easm>

NEW QUESTION: 66

Microsoft Defender for Cloud□ □□□□ Azure □□□ □□□□. Azure □□ □□□□ V3 □□□□ □ □□□□ □□□□□.

□□ □□ □□ □□□□ □□ 8□ □ 0□□ □□□□□. □□ □□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□□. □□□: □□□ □□□□ □□□ □□□□□ □□ □□□□.

□□□ □□□ □□□□□?

- A. □
- B. □□□

Answer: A (LEAVE A REPLY)

JIT: <https://docs.microsoft.com/en-us/security/benchmark/azure/security-controls-v3-privileged-access#pa-2-avoid-standing-access-for-user-accounts-and-permissions> □□□ □□□□ □□:

<https://docs.microsoft.com/en-us/security/benchmark/azure/security-controls-v3-network-security#ns-7-simplify-network-security-configuration>

NEW QUESTION: 67

□□□ Zero Trust □□□ □□□ □□ □□□□□□□ □□□□□□ □□ □□□ □□□□□ □ □□□□.

□□□ □□ □□□□□□ □□□□ □□□□□□ □□□□□.

□□□ □□□ □□□□□□□□ □□□ □□□ □□□□□.

□□□□□ □□□□□□□ □□□□□.

□□□□□ □□□□ □□□ □□□□□□□ □□ □□□□□□ □□ □ □□ □□□ □□□□□ □□□□.

□□□? □ □□□ □□□□ □□□ □□□□□.


□□: □□ □□□ 1□□□□.

- A. □□□□□ □□□ □□□ □□ □□□□□.
- B. Microsoft Intune□ □□□□□□ □□□ □□□□□ □□□□□.
- C. Microsoft Defender for Endpoint□ □□□□□□ □□□ □□□□ □□□ □□□□□.
- D. □□□ Azure Active Directory(Azure AD) □□□ □□□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 68

□□□ □□ Microsoft Defender for Cloud□□ □□ □□□ □□□□□. ('□□' □□ □□□□□.)



□□□ □□□ □ □□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□?

- A. □□□ □□ □□ □□□□□□ □ □□□.
- B. □□□ □□ □□ □□□□ □□□□ □□□ □□□.
- C. □□□ □□□ □□ □ □□□□ □□□□ □□□.
- D. Azure Key Vault □□□ HSM□□ □□ □□□ □□□□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

□□□□□ □□□□ □□□□ □□□□.
 □□ □□ □□□ Azure □□□□□□□ □□□ □□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□? □□□□ □□□□ □□□ □□□ □□ □□
 □□□. a. □□: □□□ 1□□□□.

Answer Area

App1:

Azure AD B2B authentication with Conditional Access
Azure AD B2C custom policies with Conditional Access
Azure Application Gateway Web Application Firewall policies
Azure Firewall
Azure VPN Gateway with network security group rules
Azure VPN Point-to-Site connections

App2:

Azure AD B2B authentication with Conditional Access
Azure AD B2C custom policies with Conditional Access
Azure Application Gateway Web Application Firewall policies
Azure Firewall
Azure VPN Gateway with network security group rules
Azure VPN Point-to-Site connections

Answer:

Answer Area

App1:

Azure AD B2B authentication with Conditional Access
Azure AD B2C custom policies with Conditional Access
Azure Application Gateway Web Application Firewall policies
Azure Firewall
Azure VPN Gateway with network security group rules
Azure VPN Point-to-Site connections

App2:

Azure AD B2B authentication with Conditional Access
Azure AD B2C custom policies with Conditional Access
Azure Application Gateway Web Application Firewall policies
Azure Firewall
Azure VPN Gateway with network security group rules
Azure VPN Point-to-Site connections

NEW QUESTION: 70

Microsoft 365 □□□ □□□□.

Microsoft □□□ □□ □□ □□□□(MCRA)□ Zero Trust □□□ □□□ □□□ □□□ □□□□ □□□□.

□□ Azure AD □□□□ □□ □□□□ Microsoft Exchange Online, SharePoint Online □ Teams

□ □□ □□□□ □□ □□□(NRT)□□ □□□□ □□□□ □□□□ □□□□ □□□.

- □□□ □□□ □□□□□□□□ □□□□□□□□.

- □□□□ □□□□□□ □□□□□□ □□□□□□□□.

- □□□□ □□ □□ □□ □□ □□□□□□.

- □□□□ □□ □□ □□ □□(MFA)□ □□□□□□ □□□□.

□□□□ □□ □ □□ □□□ □□□□ □□□□? □ □□□ □□□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□□.

A. □□□□ □□ □□

B. Azure AD □□□□□□□ □□□

C. □□□ □□ □□

D. Azure AD □□ □□ ID □□(PIM)


E. □□□ □□□

Answer: (SHOW ANSWER)

https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/concept-continuous-□□□ □□

NEW QUESTION: 71

App Service □□ □□□ □□ □□□ □□□□ □□□. □□□□ □□ □ □□ □□□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□. □□: □ □□ 1□□□□.



Answer:



□□:

□□ 1: □□ □□□□ □□ - □□□

□□ □□□□ □□□ □□ □□ □□ □□□□□ □□□□ □□□□ □ □□□, □□ □□□□□ □ □□□□ □□□□ □□ □□□□ □□□□ □□□□.

□□ 2: □□ □□□□□. - □□□

Azure □ □□ Private Endpoint□ □□□□ □□ □□□□□ □□ □□□□□□□ Private Link□ □ □□ □□□□ □□□□ □ □□□□.

Answer Area

Microsoft
To centralize subscription management:

- Azure AD B2B
- Azure AD B2C
- Azure Lighthouse

To enable the management of on-premises resources:

- Azure Arc
- Azure Stack Edge
- Azure Stack Hub

□□

Microsoft
To centralize subscription management: Azure AD B2C

To enable the management of on-premises resources: Azure Arc

NEW QUESTION: 74

□□□ □□

Windows Server □ □□□□ Server1 □ Server2 □□ □ □□ □□□□□ □□□ □□□□.

Server1 □□ App1 □□□□ □□ □□□□ □□□ □□□□□ □□□□ □□□□.

Microsoft Entra □□□□ □□□□.

App1 □ □□ □□ □□□□ □□□□ □□ Global Secure Access □ □□□ □□□□□.

□□□ □□□ □□□□□ □□□□□ Server2 □ □□□□ □□□. □□□□ □□□□□ App1 □ □□

□□□□ □ □□ Microsoft Entra □□ □□□ □□□□ □□□□□ □□ □□□.

□□□□ □□□ □□□□ □□, Server2 □ □□□ □□□□ □□□? □□ □□□□ □□□ □□

□ □□□□ □□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area

Tenant:

- An access package
- An app registration
- An enterprise application
- A managed identity

Server2:

- The Azure Connected Machine agent
- Microsoft Entra Connect
- Microsoft Entra private network connector

Answer:

Answer Area

Tenant:

▼

- An access package
- An app registration
- An enterprise application
- A managed identity

Server2:

▼

- The Azure Connected Machine agent
- Microsoft Entra Connect
- Microsoft Entra private network connector

□□:

□□ 1: □□□□□□ □□□□□□

□□ □□□ □ □□□ □□ □□□ □

□□ □□□ □ □□□ □□ □□□ □□ □□□ □ □ □□□□□□ □□□□□□□ □□□□. □

□□ □□□□□ □□ □□□□ □□□□ □□□ □□□. □ □□□□□□□□ □□□□ □□ □

□□ □□ □□□ □□□□ □□ Microsoft Entra □□ □□□□ □□□□ □□□□. □□ □□□□

□□□□ □□□ □ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□□ □ □□□□.

□□ 2: Microsoft Entra □□ □□□□ □□□

Global Secure Access, Microsoft Entra Private Access □ Microsoft Entra □□□□□□ □□□□

□□ □□□□ □□□ □□ □□ □□□□ □□ □□□□□ □□□ □□□□ Global Secure

Access □□□□□□ □□□□□□ □□□ □□□□ □□ □□□□□□□□. □□□□ □□□ □□□

□ □□□□□□□□ □□□□ □ □□ Windows Server□ □□□□ □□□. □□□□ □□□ □□

□□ □□□□ □ □□□ □□ □□□□□□□□□□ □□□□ □□□ □ □□□□.

□□□ ID□ □□□□□□ □□□□□□□ □□□□□□□ Microsoft Entra □□□ □□□ □□ □□□

□ □□□. ID □□□□□ □□ Microsoft Entra ID□ □□□□□□ □□□□ □□□ □□□□□□□□

□□ □□□ □□□ □□□□ □□ □□□□ □□ □□□□□, SSO(Single Sign-On)□ □□□□ □

□□□ □□□ □□□ □□□ □□□ □ □□□□.

□□:

<https://learn.microsoft.com/en-us/entra/global-secure-access/concept-private-access>

<https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-configure-connectors>

NEW QUESTION: 75

Microsoft 365 □□□ □□, Azure □□□□ □□□□.

Microsoft Teams □ Yammer□ □□ Microsoft Purview □□□□□□ □□ □□ □□□□ □□□

□ □□□. □□ □□□□ □□ □□ □□□ □□□□ □□□.

* Which of the following Microsoft Exchange Online services is not part of Microsoft 365 Defender? (Select all that apply)

* Microsoft Defender for Office 365

* Microsoft Defender for Cloud

* Microsoft Defender for Endpoint

A. Microsoft 365 Defender (Select all that apply)

B. Microsoft Defender for Office 365

C. Microsoft Defender for Cloud

D. Azure AD (Select all that apply)

Answer: (SHOW ANSWER)

NEW QUESTION: 76

Azure Cosmos DB Core(SQL) API is a fully managed database service. Azure Cosmos DB is a globally distributed, multi-model database service. Which of the following is not a feature of Azure Cosmos DB? (Select all that apply)

A. Microsoft Defender for Identity (Select all that apply)

B. Azure Cosmos DB (Select all that apply) Log Analytics (Select all that apply)

C. Cosmos DB (Select all that apply) Microsoft Defender (Select all that apply)

D. Azure Active Directory(Azure AD) (Select all that apply) Log Analytics (Select all that apply)

E. Azure Cosmos DB (Select all that apply) (Select all that apply)

Answer: A,C (LEAVE A REPLY)

SC-100 questions and answers DumpTop SC-100! DumpTop SC-100 questions and answers, DumpTop SC-100 questions and answers. <https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

Which of the following Microsoft 365 E5 services is not part of Azure AD? (Select all that apply)

Microsoft Defender for Office 365 (Select all that apply)

* Microsoft Defender for Cloud (Select all that apply)

* Microsoft Defender for Endpoint (Select all that apply)

* Microsoft Defender for Identity (Select all that apply)

Microsoft 365 Defender (Select all that apply)

Microsoft Defender for Office 365 (Select all that apply)? Microsoft Defender for Cloud (Select all that apply). Microsoft Defender for Endpoint (Select all that apply), Microsoft Defender for Identity (Select all that apply). Microsoft Defender for Office 365 (Select all that apply)

□□: □□ □□□ 1□□□□.

Scopes

- Files and emails
- Groups and sites
- Schematized data assets

Answer Area

- SharePoint Online:
- Microsoft Teams:
- Exchange Online:

Answer:

Scopes	Answer Area
<input checked="" type="checkbox"/> Files and emails	SharePoint Online: <input type="text" value="Groups and sites"/>
<input checked="" type="checkbox"/> Groups and sites	Microsoft Teams: <input type="text" value="Groups and sites"/>
<input checked="" type="checkbox"/> Schematized data assets	Exchange Online: <input type="text" value="Files and emails"/>

NEW QUESTION: 78

□□□ Office1□ Office2□□ □ □□ □□□□ □□□□ □□□□. □ □□□□□ Microsoft Entra □ □□□ □□□□□ Windows 11 □□ 1,000□□ □□□□.

Microsoft 365 □□□ □□ Microsoft Intune□ □□□□ □□□□.

□□□□□ Microsoft 365□ Microsoft Entra Internet Access□ □□□ □□□□□.

Microsoft 365 □□□□ □□□□□ □□□ □□□□□.

- * □□ Microsoft 365 □□□□ □□ □□□ □□
- * □□ □□□ □□ □□□ □□□ □□□ □□:
- * □□ □□□□□ □□□□□
- * □□□ □□□□ □□□□ □□□ □□□□□.

o □□ □□ □□□□ Microsoft 365 □□□□ □□□□□.

- * □□ □□□ □□ □□
- * Office1□ □□□ □□ □□□□□ □□ □□

Office2□ □□ □□□ Global Secure Access □□□□□□ □□□□ □□□ □□□□□.

Microsoft 365 E5, Global Secure Access v2, Microsoft 365 apps, Microsoft SharePoint Online and Exchange Online only.

Answer Area

Compliant devices: Office1 and Office2
Office1 only
Office2 only
Office1 and Office2
Office1 only

Noncompliant devices: Office1 only
Office2 only
Office1 and Office2

Answer:

Answer Area

Compliant devices: Office1 and Office2
Office1 only
Office2 only
Office1 and Office2

Noncompliant devices: Office1 only
Office2 only
Office1 and Office2

NEW QUESTION: 79

Microsoft 365 E5, Global Secure Access v2, Microsoft 365 apps, Microsoft SharePoint Online and Exchange Online only.

Answer Area

Authentication plane resources: All Microsoft Entra ID integrated apps, including third-party apps
All Microsoft Entra ID integrated apps, including third-party apps
All Microsoft 365 apps
Microsoft SharePoint Online and Exchange Online only

Data plane resources: All Microsoft 365 apps
All Microsoft Entra ID integrated apps, including third-party apps
All Microsoft 365 apps
Microsoft SharePoint Online and Exchange Online only

Answer:



NEW QUESTION: 80

□□ □□□□ □□□(VDI)□ □□□ Active Directory □□□ □□□(AD DS) □□□□ □□□□. VDI□ □□□ □□□□ □□□ □□ □□ □□□□ □□□□□□. VDI □□□ □□ □□□□ □□□ □□□□.

Azure Virtual Desktop □□□ □□□ Azure □□□ □□□□□. □ □□□□ □□□ □□ □□ □□ □□□□ □□□ □□ □□□□ □□□□. □□ Azure Virtual Desktop □□□ □□ Azure Active Directory Domain Services(Azure AD DS) □□□□ □□□□□□.


□□□□ Microsoft Defender for Endpoint□ □□□ □□□□ □□□□ □□□□. □□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□.

* □ □□ □□ □□□ □□ □□□□□ Defender for Endpoint□ □□□□□□□□ □□□□□□.


* Microsoft Defender 365 □□□ □□□ □ VDI □□□□□ □□ □□ □□□ □□□□ □□□□ □□□ □□□□.

* □□□ □□□ □□□□□□□□.


□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□□ □□□□□□. □□: □□ □□ □□ 1□□□□□.



Answer:



□□:



Which of the following is a valid identity type for a managed identity?
 A. System-assigned managed identity
 B. User-assigned managed identity
 C. Service principal
 D. Microsoft Entra ID protection

Answer Area

Identity type:

Service principal
System-assigned managed identity
User-assigned managed identity

Signal source:

Client app
Device platform
Microsoft Entra ID Protection

Answer:

Answer Area

Identity type:

Service principal
System-assigned managed identity
User-assigned managed identity

Signal source:

Client app
Device platform
Microsoft Entra ID Protection

Which of the following is a valid identity type for a managed identity?
 A. System-assigned managed identity
 B. User-assigned managed identity
 C. Service principal
 D. Microsoft Entra ID protection

Q2: Microsoft Entra ID

Microsoft Entra ID is a cloud-based identity management solution. It provides a secure and scalable way to manage user identities and access to resources. Microsoft Entra ID Protection, a part of Microsoft Entra ID, helps protect user identities by detecting and responding to risky sign-in events. It uses machine learning to analyze sign-in patterns and identify anomalies that could indicate a security threat.

Q:

<https://learn.microsoft.com/en-us/entra/id-protection/howto-identity-protection-configure-risk-policies>

NEW QUESTION: 84

Q: A company is using Microsoft Defender for Cloud to monitor its Azure environment. The company wants to ensure that its Azure environment is secure and compliant with industry standards. Which of the following is a recommended security benchmark for Azure environments?

A. Microsoft Defender for Cloud Azure Security Benchmark V3
B. Azure Security Benchmark V3
C. Microsoft Defender for Cloud Azure Security Benchmark V2
D. Microsoft Defender for Cloud Azure Security Benchmark V1

Microsoft Defender for Cloud Azure Security Benchmark V3

Azure Security Benchmark V3 is a set of security controls that help protect your Azure environment. It is based on industry best practices and provides a comprehensive set of security controls that you can use to assess and improve the security of your Azure environment.

Q: A company is using Microsoft Defender for Cloud to monitor its Azure environment. The company wants to ensure that its Azure environment is secure and compliant with industry standards. Which of the following is a recommended security benchmark for Azure environments?

A. Microsoft Defender for Cloud Azure Security Benchmark V3
B. Azure Security Benchmark V3
C. Microsoft Defender for Cloud Azure Security Benchmark V2
D. Microsoft Defender for Cloud Azure Security Benchmark V1

Q: A company is using Microsoft Defender for Cloud to monitor its Azure environment. The company wants to ensure that its Azure environment is secure and compliant with industry standards. Which of the following is a recommended security benchmark for Azure environments?

A. Microsoft Defender for Cloud Azure Security Benchmark V3
B. Azure Security Benchmark V3
C. Microsoft Defender for Cloud Azure Security Benchmark V2
D. Microsoft Defender for Cloud Azure Security Benchmark V1

A. Microsoft Defender for Cloud Azure Security Benchmark V3

B. Azure Security Benchmark V3

Answer: B (LEAVE A REPLY)

Q: A company is using Microsoft Defender for Cloud to monitor its Azure environment. The company wants to ensure that its Azure environment is secure and compliant with industry standards. Which of the following is a recommended security benchmark for Azure environments?

Q:

Microsoft Defender for Cloud - Azure Security Benchmark V3 is a set of security controls that help protect your Azure environment. It is based on industry best practices and provides a comprehensive set of security controls that you can use to assess and improve the security of your Azure environment. JIT(Just-In-Time) VM is a security control that helps protect your Azure environment by restricting network access to virtual machines. It allows you to configure network access rules that are only active when a virtual machine is running.

Q:

- Microsoft Defender for Cloud Azure Security Benchmark V3
- Azure Security Benchmark V3
- Microsoft Defender for Cloud Azure Security Benchmark V2

Q:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls>

NEW QUESTION: 85

App Service is a cloud-based platform for building and running web applications. It provides a secure and scalable way to manage web applications. App Service is a part of Microsoft Azure and provides a comprehensive set of security controls that you can use to assess and improve the security of your App Service environment. a. Microsoft Defender for Cloud Azure Security Benchmark V3

Windows 11 devices:

Microsoft 365 compliance center
Microsoft 365 Defender
Microsoft Defender for Cloud
Microsoft Sentinel

Azure virtual machines:

Microsoft 365 compliance center
Microsoft 365 Defender
Microsoft Defender for Cloud
Microsoft Sentinel

Azure Storage accounts:

Microsoft 365 compliance center
Microsoft 365 Defender
Microsoft Defender for Cloud
Microsoft Sentinel



Answer:

Windows 11 devices:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure virtual machines:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure Storage accounts:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

NEW QUESTION: 87

Microsoft 365 □□□ □□□□.

□□ □□□ □□□□□□ □□ □□ □□□□ □□□□ □□□.

* □□□□□ □□□□□ □ □□ □□□ □□

* Microsoft SharePoint Online□□ □□ □□ □□□□□ □□□□ □□□

□ □□□ □□ □□ □□□□ □□□ □□□□ □□□? □□□□ □□□ □□ □□□ □□ □□□

□□□□□□. □ □□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□

□ □ □□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ 1□□ 1□□ □□□ □□□□.

Components	Answer Area
A data loss prevention (DLP) policy	User accounts that were potentially compromised: <input type="text"/> Component
Azure Active Directory (Azure AD) Conditional Access	
Azure Active Directory (Azure AD) Identity Protection	Users performing bulk file downloads from SharePoint Online: <input type="text"/> Component
Microsoft Defender for Cloud	
Microsoft Defender for Cloud Apps	

Answer:

Components	Answer Area
A data loss prevention (DLP) policy	User accounts that were potentially compromised: Azure Active Directory (Azure AD) Identity Protection
Azure Active Directory (Azure AD) Conditional Access	
Azure Active Directory (Azure AD) Identity Protection	Users performing bulk file downloads from SharePoint Online: Microsoft Defender for Cloud Apps
Microsoft Defender for Cloud	
Microsoft Defender for Cloud Apps	

NEW QUESTION: 88

Which Microsoft 365, Azure, and Amazon Web Services (AWS) services can be used to protect IoT Edge devices and AWS EC2 instances? Select three.

* Azure IoT Edge

* AWS EC2

Which Microsoft 365, Azure, and Amazon Web Services (AWS) services can be used to protect IoT Edge devices and AWS EC2 instances? Select three.

Answer Area	
For the IoT Edge devices:	Azure Arc Microsoft Defender for Cloud Microsoft Defender for Cloud Apps Microsoft Defender for Endpoint Microsoft Defender for IoT
For the AWS EC2 instances:	Azure Arc only Microsoft Defender for Cloud and Azure Arc Microsoft Defender for Cloud Apps only Microsoft Defender for Cloud only Microsoft Defender for Endpoint and Azure Arc Microsoft Defender for Endpoint only

Answer:

Answer Area	
For the IoT Edge devices:	Azure Arc Microsoft Defender for Cloud Microsoft Defender for Cloud Apps Microsoft Defender for Endpoint Microsoft Defender for IoT
For the AWS EC2 instances:	Azure Arc only Microsoft Defender for Cloud and Azure Arc Microsoft Defender for Cloud Apps only Microsoft Defender for Cloud only Microsoft Defender for Endpoint and Azure Arc Microsoft Defender for Endpoint only

☐☐:



<https://docs.microsoft.com/en-us/azure/defender-for-iot/organizations/architecture>

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/quickstart-onboard-aws?pivot=env-settings>

<https://docs.microsoft.com/en-us/azure/azure-arc/servers/overview#supported-cloud-operations>


NEW QUESTION: 89

□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□.


□□□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.


□□: □□ □□□ 1□□□□.



Answer:



□□:



NEW QUESTION: 90

□□ □□ □□□ □□ □□□□ □□□□ □□□. □□□□ □□ □□ □□ □□□ □□□□ □□

□□□ □□ □□□□ □□□.

Which of the following is a cloud-based security solution?

- A. Azure DDoS Protection
- B. Azure DNS
- C. Microsoft Defender
- D. ExpressRoute

Answer: D (LEAVE A REPLY)

ExpressRoute is a dedicated network path between Azure and your on-premises data center. It provides a faster, more reliable connection than the public internet.

Which of the following is a cloud-based security solution?

- 1) "litware.com DNS records"
- 2) "Azure App Service logs"

NEW QUESTION: 91

Which of the following is a cloud-based security solution? Select all that apply. (Multiple choice)

- A. Azure Active Directory (Azure AD) B2C
- B. Azure Active Directory (Azure AD)
- C. Active Directory (AD DS)

- A. Azure Active Directory (Azure AD DS)
- B. Azure Active Directory (Azure AD) B2C
- C. Azure Active Directory (Azure AD)
- D. Active Directory (AD DS)

Answer: A (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/>

SC-100 questions and answers. DumpTop SC-100! DumpTop SC-100 questions and answers, DumpTop SC-100 questions and answers. DumpTop SC-100 questions and answers. <https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 92

Which of the following is a cloud-based security solution? Select all that apply. (Multiple choice)



Which of the following is the correct order of the components in the architecture?
A. Client Browser, Azure App Service Web App, Azure Cosmos DB, Azure Cognitive Search
B. Azure App Service Web App, Azure Cosmos DB, Azure Cognitive Search, Client Browser

- A. Client Browser
- B. Azure App Service Web App

Answer: B (LEAVE A REPLY)

NEW QUESTION: 93

WS1 is a Microsoft Sentinel workspace. You need to configure WS1 to connect to Azure Front Door.

Which of the following is the correct configuration for WS1?

* Microsoft Sentinel workspace must be configured with the following settings:
- Custom dashboards: Workbooks

* Microsoft Sentinel workspace must be configured with the following settings:
- Automated responses: Playbooks

Which of the following is the correct configuration for WS1?

Answer: B (LEAVE A REPLY)

Answer Area

Custom dashboards: Workbooks, Notebooks, Playbooks, Workbooks

Automated responses: Playbooks, Notebooks, Playbooks, Workbooks

Answer:

Custom dashboards: Workbooks, Notebooks, Playbooks, Workbooks

Automated responses: Playbooks, Notebooks, Playbooks, Workbooks

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

NEW QUESTION: 96

Zero Trust is a security model that requires continuous verification of users, devices, and applications.

Microsoft Security Center (SOC) provides a centralized view of your organization's security posture.

Microsoft Security Center provides a centralized view of your organization's security posture, including alerts, recommendations, and compliance.

Which of the following actions are recommended by Microsoft Security Center to improve your organization's security posture?

- Actions**
- Establish ransomware recovery readiness.
 - Implement disaster recovery.
 - Establish visibility.
 - Enable additional protection and detection controls.
 - Enable automation.

Answer Area

- Establish visibility.
- Enable additional protection and detection controls.
- Enable automation.

Answer:

Actions

- Establish ransomware recovery readiness.
- Implement disaster recovery.
- Establish visibility.
- Enable additional protection and detection controls.
- Enable automation.

Answer Area

- Establish visibility.
- Enable additional protection and detection controls.
- Enable automation.

00:

Actions

- Establish ransomware recovery readiness.
- Implement disaster recovery.

Answer Area

- Establish visibility.
- Enable additional protection and detection controls.
- Enable automation.

NEW QUESTION: 97

SharePoint Online and Exchange Online are cloud-based services that provide collaboration and communication capabilities.

These services are managed through the Microsoft 365 admin center.

Which of the following actions are recommended by Microsoft to improve the security of your Microsoft 365 environment?

0000: 00 100 10000.

A. Azure AD Connect

- B. Microsoft Defender
- C. Microsoft Defender
- D. Microsoft Defender
- E. Azure AD

Answer: B,E (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session#conditional-access-application-control>

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-integrate-with-microsoft-cloud-application-security>

NEW QUESTION: 98

Azure Key Vault Managed HSM provides a secure storage for cryptographic keys. It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys. It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

- It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

- It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys. It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

- A. Azure Blob storage
- B. Azure Key Vault Managed HSM
- C. Azure Key Vault Managed HSM
- D. Microsoft Azure SQL Database

Answer: (SHOW ANSWER)

It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys. It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

<https://azure.microsoft.com/en-us/blog/azure-storage-service>

NEW QUESTION: 99

It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys. It is used to protect sensitive data and applications. It is a cloud-based service that provides a secure storage for cryptographic keys.

Answer:

Answer Area

To enforce compliance to the regulatory standard, create:

- An Azure Automation account
- A blueprint
- A managed identity
- Workflow automation

To exclude TestRG from the compliance assessment:

- Edit an Azure blueprint
- Modify a Defender for Cloud workflow automation
- Modify an Azure policy definition
- Update an Azure policy assignment

To enforce compliance to the regulatory standard, create:

To exclude TestRG from the compliance assessment:

NEW QUESTION: 100

ClaimsDB must be accessible only from Azure virtual networks.

The app services permission for ClaimsApp must be assigned to ClaimsDB.

Answer Area

ClaimsDB must be accessible only from Azure virtual networks:

- A NAT gateway
- A network security group
- A private endpoint
- A service endpoint

The app services permission for ClaimsApp must be assigned to ClaimsDB:

- A custom role-based access control (RBAC) role
- A managed identity
- An access package
- Azure AD Privileged Identity Management (PIM)

Answer:

Answer Area

ClaimsDB must be accessible only from Azure virtual networks:

- A NAT gateway
- A network security group
- A private endpoint
- A service endpoint

The app services permission for ClaimsApp must be assigned to ClaimsDB:

- A custom role-based access control (RBAC) role
- A managed identity
- An access package
- Azure AD Privileged Identity Management (PIM)

NEW QUESTION: 101

Microsoft 365 E5 includes Microsoft Teams, Exchange Online, SharePoint Online, OneDrive

Microsoft Teams, Exchange Online, SharePoint Online, OneDrive

Microsoft Teams, Exchange Online, SharePoint Online, OneDrive (PHI)

Microsoft Teams, Exchange Online, SharePoint Online, OneDrive (PHI)?

A. Microsoft Teams, Exchange Online, SharePoint Online, OneDrive

B. Microsoft Teams, Exchange Online, SharePoint Online, OneDrive (DLP)

C. Microsoft Teams, Exchange Online, SharePoint Online, OneDrive

D. Microsoft Teams, Exchange Online, SharePoint Online, OneDrive

Answer: B (LEAVE A REPLY)

Microsoft Teams, Exchange Online, SharePoint Online, OneDrive (PHI). DLP Microsoft Teams, Exchange Online, SharePoint Online, OneDrive (PHI).

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-test-tune-dlp-policy?view=o365-worldwide>

NEW QUESTION: 102

Microsoft 365 E5 includes Azure AD, Microsoft Entra ID DSV (Active Directory Domain Services) and Microsoft Entra ID Connect. Microsoft Entra ID Connect is used to connect Microsoft 365 E5 to Microsoft Entra ID Connect.

* Microsoft Entra ID Connect is used to connect Microsoft 365 E5 to Microsoft Entra ID Connect.

* Microsoft Entra ID Connect is used to connect Microsoft 365 E5 to Microsoft Entra ID Connect.

Answer: Microsoft Entra ID Connect.

Answer Area

For the customers:

- Azure AD B2B authentication with access package assignments
- Azure AD B2C authentication
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

For the partners:

- Azure AD B2B authentication with access package assignments
- Azure AD B2C authentication
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

Answer:

Answer Area

Microsoft

For the customers:

- Azure AD B2B authentication with access package assignments
- Azure AD B2C authentication**
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

For the partners:

- Azure AD B2B authentication with access package assignments**
- Azure AD B2C authentication
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

NEW QUESTION: 103

App Service □□ □□□ □□ □□□ □□□□ □□□. □□□□ □□ □ □□ □□□□ □□□□ □□□. □□□ □□□□ □□□? □□□□□ □□ □ □□□ □□□ □□□□□□. a. □□: □□□□ 1□□□□.

For connectivity from App Service web apps to virtual machines, use:

- Private endpoints
- Service endpoints
- Virtual network integration**

For connectivity from virtual machines to App Service web apps, use:

- Private endpoints
- Service endpoints
- Virtual network integration

Answer:

For connectivity from App Service web apps to virtual machines, use:

- Private endpoints
- Service endpoints
- Virtual network integration**

For connectivity from virtual machines to App Service web apps, use:

- Private endpoints**
- Service endpoints
- Virtual network integration

Microsoft

NEW QUESTION: 104

Azure □□□ □□□□. □□□□ Azure WAF(□ □□□□□□ □□□)□ □□□□ Azure □□□ □□□ □□□□□□ □□□□ □□□□.

Azure App Services . DNS .

.

* .

* .

? . :

100 .



Answer:



:



NEW QUESTION: 105

Microsoft 365 . App1 SaaS(Software as a Service)

. App1 Azure AD .

Azure AD App1 .

?

A. Azure AD

B. Azure AD B2C

C. Azure AD

D. Active Directory Federation Services(AD FS)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 106

Active Directory (AD DS) .

Windows 11 500 .

Microsoft 365 □□□ Azure □□□ □□□□.

□□□□ □□□□□ □□□ □□□ Microsoft Entra □□□□ □□□□. □□ □□□ Microsoft Entra □□□□□□ □□□□ □□□□.

□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□. □ □□□□□ □□□ □ □□ □□ □□ □□□ □□□□ Microsoft Sentinel □□□ □□□□□.

□□□□□ □□□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□.

□□□ □□□□ □□□?

- A. Endpoint□ Microsoft Defender□ □□ □□
- B. Microsoft Defender for Identity□ Honeytoken □□
- C. Microsoft Entra ID Protection□ □□□ □□ □□
- D. Microsoft Sentinel□ □□□ □ □□□ □□ □□(UEBA)

Answer: A (LEAVE A REPLY)

SC-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SC-100 □□! DumpTop □ □□ **SC-100** □□ □□□ □□□□□□□, DumpTop SC-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SC-100 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107


□□□□ Microsoft 365 E5 □□, Azure □□, □-□□□□ □□□□□□□ □ AD DS(Active Directory Domain Services)□ □□□□.

□□ □□ □□□ □□□□ ID □□ □□□ □□□□ □□□.

* □□□ Facebook □□ □□□ □□□□ Azure App Service □□□□□ □□□ □ □□□ □□□ □□.

* □□□ □□□ □□□ □□□□□ Microsoft SharePoint Online □□□□ □□□□ □ □□□ □ □□□□. □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□. □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.

□□: □□ □□□ 1□□□□.



Answer:

Answer Area

For the customers:

- Azure AD B2B authentication with access package assignments
- Azure AD B2C authentication
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

For the partners:

- Azure AD B2B authentication with access package assignments
- Azure AD B2C authentication
- Federation in Azure AD Connect with Active Directory Federation Services
- Pass-through authentication in Azure AD Connect
- Password hash synchronization in Azure AD Connect

□□:

□□□ □□□ □□□□□, □□ □□□□ □□ □□ □□

Microsoft

For the customers: Azure AD B2C authentication

For the partners: Azure AD B2B authentication with access package assignments

□□ 1 --> <https://docs.microsoft.com/en-us/azure/active-directory-b2c/overview> □□ 2 -->

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/identity-providers>

NEW QUESTION: 108

□□□ □□

Microsoft □□□□ □□□ □□ Microsoft □□□ □□ □□ □□□□(MCRA)□ □□□□ □□ □□ □□□□ □□□□ □□□□.

□□□ □□ □□ □□ □□ □□□□□□ □□□□ □□□.

- □□□□ □□ □□□□□ □□□□ □□□□□ □□□□□.

- □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□□.

□ □□□ □□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□.

□□: □□ □□□ 1□□□□□.

Answer Area

An attacker attempts to exfiltrate data to external websites:

- Microsoft Defender for Cloud Apps
- Microsoft Defender for Identity
- Microsoft Defender for Office 365

An attacker attempts lateral movement across domain-joined computers:

- Microsoft Defender for Cloud Apps
- Microsoft Defender for Identity
- Microsoft Defender for Office 365

Answer:

Answer Area

An attacker attempts to exfiltrate data to external websites:

An attacker attempts lateral movement across domain-joined computers:

Microsoft

- Microsoft Defender for Cloud Apps
- Microsoft Defender for Identity
- Microsoft Defender for Office 365

- Microsoft Defender for Cloud Apps
- Microsoft Defender for Identity
- Microsoft Defender for Office 365

□□:

□□□□ □□□□ □□ □□□□ □□□□□□□□ □□□□ □□□ □□ □□□□ □□□□□, □□ □□ □□□ □□□ □□□ □□□□□□ □□ □ □□□□. □□□ □□□ Microsoft Defender for Cloud Apps □ □□ □□□ □ □□□□.

<https://learn.microsoft.com/en-us/compliance/assurance/assurance-data-exfiltration-access-controls>

NEW QUESTION: 109

□□□ □□□□□□ □□□ □□□□ □ □□□□ Azure App Service □□□ □□□□ □□□□. App Service □□□ □□□ □□□□ □□ □□□□ DevOps □□□ □□□□ □□□□. □□ □□ □ □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□. □□□ □□ □ □□□□ □□□□ □□□.

□□□□ □□ □□□ □□□□ □□

□ □□□ □□ □□□□ □□□ □□□□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□.

Answer Area

Uploading code to repositories:

- Azure Boards
- Azure Pipelines
- GitHub Enterprise
- Microsoft Defender for Cloud

Building containers:

- Azure Boards
- Azure Pipelines
- GitHub Enterprise
- Microsoft Defender for Cloud

Microsoft

Answer:

Answer Area

Uploading code to repositories:

- Azure Boards
- Azure Pipelines
- GitHub Enterprise
- Microsoft Defender for Cloud

Building containers:


- Azure Boards
- Azure Pipelines
- GitHub Enterprise
- Microsoft Defender for Cloud

Microsoft


NEW QUESTION: 110

□□□□□ □□ □□, Microsoft Sentinel □□ □□ □ □□ □□ □□ □□□□ □□□□ SIEM □ SOAR □□□ □□□□ □□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
 □□: □□ □□□ 1□□□□□.



Answer:



□□ 2, Fabrikam, Inc
 □□□□□ □□
 □□□□□ □□□□□□ corp.fabrikam.com□□□ □□ Active Directory □□□ □□□(AD DS)
 □□□□ □□□□ □□□□.

Azure □□

Fabrikam□ □□□ □□ Azure □□□□ □□□□ □□□□.

* corp.fabunkam.com□ □□□□□ fabrikam.onmicrosoft.com□□□ Azure Active Directory(Azure AD) □□□

* Sub1□□□□ □□ Azure □□

* □□ □□ Azure □□□ Vnet1□□□□ □□ □□□□

* □□□ Azure □□□ Vnet2□□ □□ □□□□

* Azure □ □□□□□□ □□□(WAR)□ □□□□ FD1□□□□ Azure Front Door □□□□

* Microsoft Sentinel □□ □□

* ClaimDetails□□ □□□□ □□□ ClaimsDB□□ Azure SQL □□□□□□

* □□□□□□ □□□ □□□□ Microsoft Defender for Cloud□ □□□□□ □□ 20□□ □□ □□

* □□□ □□□□□□ □□□□ TestRG□□ □□□ □□

* □□□ □□□ □□ □□□□ □□□ Azure Virtual Desktop □□□ □ Sub1□ □□ □□□□ □□

□□□

Fabrikam□ Contoso, Ltd.□□ □□□ □□□□□□ □□□ □□ □□□ □□□□□□. Contoso

* contoso.onmicrosoft.com□□□ Azure AD □□□

* ContosoAWS1□□□ Amazon Web Services(AWS) □□□ Fabrikam □□□ □□□□□□□ □□

Fabrikam onmicrosoft.com Contoso Developers Sub1

ContosoDevelopers ClaimsDB db.owner

Fabrikam

* Defender for Cloud Sub1 HIPAA HITRUST

* HIPAA HITRUST

* Qualys

Defender for Cloud

Defender for Cloud

ClaimApp

Fabrikam ClaimsApp

* ClaimsApp Vnet1 Vnet2 Azure App Service

* https://claims.fabrikam.com URL ClaimsApp

* ClaimsApp ClaimsDB

* ClaimsDB Azure

* ClaimsApp ClaimsDB

Fabrikam

* Azure DevTest

* GitHub Enterprise

* Azure Pipelines

* AWS

Fabrikam

* AWS

* InfraSec (NSG) Azure Firewall, VJM, Sub1 Front Door

* AWS

AWS

Fabrikam ContosoAWSV


Answer Area

To enforce compliance to the regulatory standard, create:

- An Azure Automation account
- A blueprint
- A managed identity
- Workflow automation

To exclude TestRG from the compliance assessment:

- Edit an Azure blueprint
- Modify a Defender for Cloud workflow automation
- Modify an Azure policy definition
- Update an Azure policy assignment



Answer:


Answer Area

For Azure AD-targeted threats:

- Azure AD Identity Protection
- Azure AD Password Protection
- Microsoft Defender for Cloud

For AD DS-targeted threats:

- An account lockout policy in AD DS
- Microsoft Defender for Endpoint
- Microsoft Defender for Identity



NEW QUESTION: 113

□□□□□ □□□□□□□□ □□□□ □□□□ □□ Azure□ □□□□□□ □□□□.

□□□□ □□□□□□ □□ □□□ □□ □□□ □□□□ Azure Backup □ Azure Storage □□

□ □□□□ □□□□. □□□□□ Microsoft □□ □□ □□□ □□□□ □□□□.

□□□ □□□□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ 1□□□□□.

Answer Area



Azure Backup:


- Encryption by using platform-managed keys
- Access policies
- Access tiers
- Encryption by using platform-managed keys
- Immutable storage
- A security PIN

Azure Storage:

- Immutable storage
- Access policies
- Access tiers
- Encryption by using platform-managed keys
- Immutable storage
- A security PIN

Answer:

Answer Area



Azure Backup:

- Encryption by using platform-managed keys
- Access policies
- Access tiers
- Encryption by using platform-managed keys
- Immutable storage
- A security PIN

Azure Storage:

- Immutable storage
- Access policies
- Access tiers
- Encryption by using platform-managed keys
- Immutable storage
- A security PIN

NEW QUESTION: 114

Which Azure storage service supports the following features?
 - 99.999999999% availability
 - 11 TB of data per blob

- * Azure Storage Blob (99.999999999% availability)
- * Azure Storage Gen2 (11 TB of data per blob)
- * Azure Storage (99.999999999% availability)
- * Azure Storage (11 TB of data per blob)

Azure Active Directory (Azure AD) is a cloud-based directory service that provides a secure and scalable way to manage users and resources in your organization. It is a managed service that integrates with other Microsoft services and provides a single sign-on experience for users.

Which Azure storage service supports the following features?
 - 99.999999999% availability
 - 11 TB of data per blob

- A. Azure Storage Gen2
- B. Azure Storage
- C. Azure Storage Blob
- D. Azure Storage (99.999999999% availability)

Answer: (SHOW ANSWER)

NEW QUESTION: 115

Which Azure service can be used to manage on-premises resources in the cloud?
 - Azure Arc
 - Azure Stack Edge
 - Azure Stack Hub
 - Azure Lighthouse

Answer Area

To centralize subscription management:

- Azure AD B2B
- Azure AD B2C
- Azure Lighthouse

To enable the management of on-premises resources:

- Azure Arc
- Azure Stack Edge
- Azure Stack Hub

Microsoft

Answer:

Answer Area

To centralize subscription management:

- Azure AD B2B
- Azure AD B2C
- Azure Lighthouse

To enable the management of on-premises resources:

- Azure Arc
- Azure Stack Edge
- Azure Stack Hub

Microsoft

NEW QUESTION: 116

SharePoint Online □ Exchange Online □□□ □□□ □□ □□□ □□□□ □□□. □□□□ □ □□□□ □□ □□ □□□ □□□□ □□□. □□□□ □□ □ □□ □□□□ □□□□ □□□? □□□ □□□□ □□□ □□□□□. □□: □ □□□ 1□□□□.

- A. Azure AD □□□ □□□
- B. □□□□ □□ Microsoft Defender
- C. □□□□□ Microsoft Defender
- D. □□□□□□ Microsoft Defender
- E. Azure AD□□ □□□ □□□

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session#conditional-access-application-control>

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-integrate-with-microsoft-cloud-application-security>

NEW QUESTION: 117

□□□ IT □□□ Zero Trust Rapid Modernization Plan(RaMP)□ □□□ □□□□□. □□□ □□□ □□□□□ □□ □□ 3□□ □□□ □□□ □□□□ □□□. RaMP□ □□□□ □□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□. □□: □□ □□□ 1□□□□.

- A. □□□, □□ □□ □ □□□□
- B. □□□ □□□ □ □□□
- C. □□ □□ □□
- D. □□□ □ □□
- E. □□ □□(OT) □ IoT

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 118

□□□ Microsoft Defender for Cloud□ Microsoft Sentinel□ □□□□ □□□□□. □□□ □□ □□ □ □□ □□□□□ □□ □□□□□□□□ □□□□ □□□□□.




□□□ □□□□□ □□ □□ □ □□ □□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □ □□□ □□□.

* Azure (WAF) Microsoft Sentinel .

* Defender for Cloud .

? . :
 1 .



Answer:



NEW QUESTION: 119

. ? ()

- A. Endpoint Microsoft Defender .
- B. Azure Arc .
- C. Microsoft Endpoint Manager .
- D. Defender for Cloud Qualys .

Answer: A,B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/switch-to-mde-phase-3?view=o365-worldwide>

NEW QUESTION: 120

Azure Automation . Azure Data Lake Storage Gen2 .

.

? .

a. : 1 .


Answer Area

Data security:

- Access keys stored in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags

Network access control:

- Access keys store in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags



Answer:


Answer Area

Data security:

- Access keys stored in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags

Network access control:

- Access keys store in Azure Key Vault
- Automation Contributor built-in role
- Azure Private Link with network service tags
- Azure Web Application Firewall rules with network service tags



NEW QUESTION: 121

litware.com □□□□ □□ □□□ □□□□ □□□. □□□□ □□ □□□ □□□□ □□□. □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □ □□□ □□□ □□□□□□. □□: □□□ 1 □□□□.

Answer Area

For Azure AD-targeted threats:

- Azure AD Identity Protection
- Azure AD Password Protection
- Microsoft Defender for Cloud

For AD DS-targeted threats:

- An account lockout policy in AD DS
- Microsoft Defender for Endpoint
- Microsoft Defender for Identity

Answer:

Answer Area

For Azure AD-targeted threats:

- Azure AD Identity Protection
- Azure AD Password Protection
- Microsoft Defender for Cloud

For AD DS-targeted threats:

- An account lockout policy in AD DS
- Microsoft Defender for Endpoint
- Microsoft Defender for Identity

SC-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SC-100 □□! DumpTop □ □□ SC-100 □□ □□□ □□□□□□□, DumpTop SC-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SC-100 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 122

□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□.
□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□. □□□□ Microsoft □□□□ □□
□□ □□□□(MCRA)□ □□ □□ □□□ □□□□ □□□□.
□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□□? □□□□□ □□ □□□□ □□□□ □□□□ □□
□□□□.
□□: □□ □□□□ 1□□□□□.




Answer:
Answer Area



NEW QUESTION: 123

□□□ Microsoft Defender for Cloud□ Microsoft Sentinel□ □□□□ □□□□□. □□□□ □□ □□
□ □□ □□□□□□ □□ □□□□□□□□ □□□□ □□□□□.



□□□ □□□□□ □□ □□ □ □□ □□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □□ □□□.

* Azure □ □□□□□□ □□□(WAF) □□□ Microsoft Sentinel□ □□□□□.

* Defender for Cloud□ □□□□ □□ □□□ □□□□□.

□□□ □□□ □□□□ □□□? □□□□ □□ □□□□ □□□ □□□□□□. □□:

□□□ □□ □□□ □□□ 1□□ □□□□□.

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

Answer:

Answer Area

For WAF:

- The Azure Diagnostics extension
- Azure Network Watcher
- Data connectors
- Workflow automation

For the virtual machines:

- The Azure Diagnostics extension
- Azure Storage Analytics
- Data connectors
- The Log Analytics agent
- Workflow automation

□□:

□□□ □□□ □□□□□ □□ □□ □□

Microsoft

For WAF: Data connectors

For the virtual machines: The Log Analytics agent

NEW QUESTION: 124

Contoso □□□ □□ □□□ □□□□□ Azure AD□□ □□□ □□□□ □□□?

Account type for the developers:

- A guest account in the contoso.onmicrosoft.com tenant
- A guest account in the fabrikam.onmicrosoft.com tenant
- A synced user account in the corp.fabrikam.com domain
- A user account in the fabrikam.onmicrosoft.com tenant

Component in Identity Governance:

- A connected organization
- An access package
- An access review
- An Azure AD role
- An Azure resource role



Answer:

Account type for the developers:



Microsoft

- A guest account in the contoso.onmicrosoft.com tenant
- A guest account in the fabrikam.onmicrosoft.com tenant
- A synced user account in the corp.fabrikam.com domain
- A user account in the fabrikam.onmicrosoft.com tenant

Component in Identity Governance:

- A connected organization
- An access package
- An access review
- An Azure AD role
- An Azure resource role

□□ 2, Litware, inc. □□ □□ 2
□□

Litware, Inc. □ □□□ □□□□□□□□ □□□ □ □□ □□□ □□□□□. Litware □ □□ □□□
30□□ □□□ □□ □□□, □□ □□ □□□ □□□□. □□ □□ □□□ VPN□ □□□□ □□
□ □□□□□.

Litware □ □□ 2□□ □□□□□ □□ □□ □□□□□□. □□ □□□□ □□□□ □□□ □ □
□ □□□ □□□□□.

□□ □□
Litware □□ Utvare.com □□□ Active Directory Domain Services(AD D%) □□□□□ □□□□
□ 20□□ Azure □□□ □□□ Azure Active Directory(Azure AD) □□□□ □□□□. Azure AD
Connect □ □□ □□□ □□□□ □ □□□□□. □□ □□ □□□□ □□□□□□ □□ □□ □
□□ □□□□□□. □□ Litware □□□□ Microsoft 365 E5 □□□□□ □□□□□.

□□□□ Litware □ □□□□ □□□ □□ AD DS □□□□, Azure AD □□□□ □ □□ □□
Azure □□□ □□□□□.

□□□ □□ □□
Litware □ □□□ □□ □□ □□□ □□□ □□□□□.

* □ Azure AD □□□□□ □□ □□ □□ □□ □□□ □□□□□.

- * Azure App Service Microsoft Azure App Service.
- * Azure AD Microsoft Azure AD.
- * Azure DevOps Microsoft Azure DevOps.
- * Azure Exchange Online Microsoft Exchange Online.
- * Azure SharePoint Online Microsoft SharePoint Online.
- * Azure DNS Microsoft Azure DNS.
- * Azure Litware Microsoft Azure Litware.
- * Azure AD SSO(Single Sign-On) Microsoft Azure AD SSO(Single Sign-On).
- * Microsoft SharePoint Online Exchange Online Microsoft SharePoint Online Exchange Online.

NEW QUESTION: 125

- Azure DevOps Microsoft Azure DevOps.
- Microsoft Cloud Adoption Framework for Azure Microsoft Cloud Adoption Framework for Azure DevSecOps.
- * Azure DevOps Microsoft Azure DevOps.
- * Azure DevOps Microsoft Azure DevOps.
- Azure DevOps Microsoft Azure DevOps?
- Azure DevOps Microsoft Azure DevOps.



Answer:

All pull requests must be enforced:

- Protected branches
- Environments
- Protected branches**
- Resource locks

All deployments to production must be approved:

- Environments
- Environments**
- Resource locks
- Triggers

□□:

Answer Area

All pull requests must be enforced: Protected branches

All deployments to production must be approved: Environments

NEW QUESTION: 126

Microsoft 365 □□□ □□□□.

□□ □□□ □□□□□□ □□ □□ □□□□ □□□□ □□□.

* □□□□□ □□□□□ □ □□ □□□ □□

* Microsoft SharePoint Online □□ □□ □□ □□□□ □□□□ □□□ □ □□□ □□ □□ □□

□□□ □□□ □□□□ □□□? □□□□ □□ □□ □□□ □□ □□□ □□□ □□□□. □ □

□ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□

□□□ □□□ □□□ □□□□□ □ □□ □□□□.

□□: □□ 1□□ 1□□ □□□ □□□□.

Components

- A data loss prevention (DLP) policy
- Azure Active Directory (Azure AD) Conditional Access
- Azure Active Directory (Azure AD) Identity Protection
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps

Answer Area

User accounts that were potentially compromised:

Users performing bulk file downloads from SharePoint Online:



Answer:

Components

- A data loss prevention (DLP) policy
- Azure Active Directory (Azure AD) Conditional Access
- Azure Active Directory (Azure AD) Identity Protection
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps

Answer Area

User accounts that were potentially compromised: Azure Active Directory (Azure AD) Identity Protection

Users performing bulk file downloads from SharePoint Online: Microsoft Defender for Cloud

□□:

NSG, NSG rules are applied to virtual networks. NSG rules are applied to virtual networks. NSG rules are applied to virtual networks.

NSG rules are applied to virtual networks. NSG rules are applied to virtual networks. NSG rules are applied to virtual networks. NSG rules are applied to virtual networks.

Rule Type	Target Audience	Applied On	Evaluation Order	Action Types	Parameters
Security admin rules	Network admins, central governance team	Virtual networks	Higher priority	Allow, Deny, Always Allow	Priority, protocol, action, source, destination
Network security group rules	Individual teams	Subnets, NICs	Lower priority, after security admin rules	Allow, Deny	Priority, protocol, action, source, destination

□□:

<https://learn.microsoft.com/en-us/azure/virtual-network-manager/concept-security-admins>

NEW QUESTION: 129

□□: □ □□□ □□□ □□□□ □□□ □□ □ □□□□□. □ □□□ □□□ □□□ □□□ □ □□ □□□ □□□ □□□□ □□□□. □□ □□ □□□□ □□□ □ □ □□ □□ □ □□, □□ □□ □□□□ □□□ □□ □ □□□□.

□ □□□ □□□ □□□ □□□ □□ □□□□ □□□ □ □□□□. □□□ □□ □□□ □□ □□ □ □□□□ □□□□.

Azure □□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□.

AES □□□□ □□ □□ □□□□ □□□□□□ □□ □□□ □□□□ □□□.

256□□ □. □□□□ □□□ □□ □□ □□□ □ □□□ □□□.

□□ □□: Azure Storage □ Blob □□□□□ □□ □□ □□ □(CMK) □ □□□□ □□□□ □□ □□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: A (LEAVE A REPLY)

□□□ □□□□ □□ □□□□ □□□.

Azure Storage □□ □□ □□ □□□□ □□□□□□.

Azure Storage □ □□□ □ □□□(SSE) □ □□□□ □□□□ □□□□□ □□□ □ □□□□ □ □□□□□. Azure Storage □□□□ □□□□ □□□□ □□□ □□ □ □□ □□ □□□ □□□ □ □ □□□ □□□.

Azure Storage □ □□□□ 256□□ AES □□□□ □□□□ □□□□ □□□ □ □□□□□□.

Microsoft Azure Storage. Microsoft Azure Storage provides a secure, reliable, and scalable cloud storage solution. It offers a variety of storage options, including Blob Storage, Azure Files, and Azure Data Lake Storage. Blob Storage is the most commonly used service for storing unstructured data.

* Blob Storage and Azure Files are both used for storing unstructured data. Blob Storage is used for storing large amounts of unstructured data, while Azure Files is used for storing files and folders.

* Blob Storage is a cloud storage service that allows you to store and retrieve large amounts of unstructured data, such as text, images, and videos. It is a highly scalable and durable storage solution. Blob Storage is used for storing unstructured data, while Azure Files is used for storing structured data.

Key Vault: Key Vault is a cloud service that allows you to store and manage cryptographic keys and secrets. It provides a secure and centralized location for storing sensitive information. Key Vault is used for storing sensitive information, such as API keys, passwords, and certificates. It is a highly secure and reliable storage solution.

Azure Key Vault (CMK) is a cloud service that allows you to store and manage cryptographic keys and secrets. It provides a secure and centralized location for storing sensitive information. Azure Key Vault is used for storing sensitive information, such as API keys, passwords, and certificates. It is a highly secure and reliable storage solution.


Key Vault:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-service-encryption>

<https://docs.microsoft.com/en-us/azure/key-vault/keys/>

NEW QUESTION: 130

Which Azure service is used for storing structured data? (Select two)



Which Azure service is used for storing structured data? (Select two)

* Google, Facebook, Microsoft use ID tokens for authentication.

- * □□□ ID □□□□ □□□ □□□□□.
- * □ □□ □□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.
- □□□□ □□ □□ □□□□ □□□□ □□□□?

- A. Azure Active Directory(Azure AD) B2C
- B. Azure Active Directory(Azure AD) B2B
- C. Azure AD □□
- D. Azure Active Directory □□□ □□□(Azure AD DS)

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/active-directory-b2c/identity-provider-facebook?>

pivots=b2c-user-flow

[https://docs.microsoft.com/en-us/azure/active-directory-b2c/ui-with-html □□□ □□□?](https://docs.microsoft.com/en-us/azure/active-directory-b2c/ui-with-html-□□□ □□□?)pivots=b2c-user-flow

NEW QUESTION: 131

□□□□ □□ □□□ Linux □□ Azure Virtual Machine Scale Set□ □□□□ □□ □□□ □□□ □□□□□□. □□ □□□ □□□□ □□ □□ □ □□□□ □□□□ □□□□ □□ □□□□ □□□□□. □□ □□□ □□□□ □□□□ □□ □□(NSG)□ □□□□□.

Azure Virtual Machine Scale Set□ □□ □□□ □□□□ □□□□ □□□□ □□□□. □□□□ □□ □□ □□ □□□□ □□□□.

- * □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□.
- * □□□ □□ □□ □□□ □□ □□□ SSH □□□ □□□ □ □□□ □□□□.
- * □□ □□□□□ □□□□□□□□□ □□□ □□ □□□□□□ □□□ □□□□□□□□.
- * □□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□ □□□□.
- * □□□ □□□ □□□□□□□□.

□□□□ □□□ □□□□ □□□□? □□□□ □□ □□□□ □□□ □□□ □□□□□□□□. □□: □□□□ □□ □□□ □□□□ □□□□ □□□□□□□□.

Answer Area

Manage NSG rules by using: Azure Bastion

Only allow SSH connections to the jump servers from: Any public IP addresses provided before the connection is established

Answer:

Answer Area

Manage NSG rules by using: Azure Bastion

Only allow SSH connections to the jump servers from: Any public IP addresses provided before the connection is established

□□:

Answer Area

Manage NSG rules by using: Azure Bastion

Only allow SSH connections to the jump servers from: Any public IP addresses provided before the connection is established

NEW QUESTION: 132

□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□ □□□ □□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□? □□□□ □□□□ □□□ □□□ □□ □□□ □□□.

□□□. a. □□: □□□ 1□□□□□.

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access

App2:

- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access

App2:

- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

NEW QUESTION: 133

Azure Kubernetes Service(AKS) □□□□ 20□□ □□□ □□□□□. □□□□ □□□ Azure Repos □□□□ Kubernetes □□□□□ □□□ □□□□ □□□□□ □□□□□.

Azure Repos is a cloud-based source control system that integrates with Azure DevOps. It allows you to store and manage your code in the cloud, making it easy to collaborate with your team and track changes. It also provides features like pull requests and build automation.

- A. Azure DevOps
- B. Azure Repos
- C. Azure Pipelines
- D. Azure Boards

Answer: (SHOW ANSWER)

AKS is a managed Kubernetes service on Azure. It allows you to run Kubernetes clusters in the cloud without the need to manage the underlying infrastructure. GitOps(Flux v2) is a paradigm for managing Kubernetes clusters using Git as the single source of truth. It uses tools like Flux, Helm, and Kustomize to manage the state of the cluster.

Flux is a tool for managing Kubernetes clusters using GitOps. It can be used to manage the state of the cluster using Git as the single source of truth. Flux can be used to manage the state of the cluster using Git as the single source of truth. Flux can be used to manage the state of the cluster using Git as the single source of truth.

<https://learn.microsoft.com/en-us/azure/azure-arc/kubernetes/conceptual-gitops-flux2>
<https://docs.github.com/ko/code-security/getting-started/dependabot-quickstart-guide>

NEW QUESTION: 134

Azure provides several security solutions for Windows Server. One of the solutions is Microsoft Defender for Servers, which provides real-time protection for your servers. Another solution is Azure Policy, which allows you to enforce organizational standards and ensure compliance. Microsoft Entra ID is another solution that provides identity and access management for your servers.

- Azure Policy
- Microsoft Defender for Servers
- Microsoft Entra ID
- Defender for Servers

Answer: (SHOW ANSWER)

Microsoft Defenders for Cloud is a cloud-native security solution that provides real-time protection for your cloud resources. It can be used to protect your Azure resources, including virtual machines, storage accounts, and containers. It also provides features like threat detection and incident response.

Microsoft Defender for Cloud is a cloud-native security solution that provides comprehensive protection for your Azure resources. It is designed to detect and respond to threats across your entire Azure environment, including virtual machines, containers, and serverless functions.

Defender for Cloud is a cloud-native security solution that provides comprehensive protection for your Azure resources. It is designed to detect and respond to threats across your entire Azure environment, including virtual machines, containers, and serverless functions.

Q:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/>

NEW QUESTION: 135

Q:

VNet1 is connected to the Azure cloud. VNet1 is connected to the Internet. App1 is a web application that listens on port 10000. App1 is configured to accept HTTP and HTTPS traffic. App1 is configured to accept traffic from the Internet.

- App1 is configured to accept traffic from the Internet.
Open Web Application Security (OWASP) is configured.

- App1 is configured to accept traffic from the Internet.
Microsoft Defender (Defender TI) is configured.

App1 is configured to accept traffic from the Internet.
Q: App1 is configured to accept traffic from the Internet.

Answer Area

For the inbound connections:

Application security groups
Azure Firewall
Azure Web Application Firewall (WAF)
Microsoft Entra application proxy
Network security groups (NSGs)

For the outbound connections:

Application security groups
Azure Firewall
Azure Web Application Firewall (WAF)
Microsoft Entra application proxy
Network security groups (NSGs)

Answer:

Answer Area

For the inbound connections:

- Application security groups
- Azure Firewall
- Azure Web Application Firewall (WAF)
- Microsoft Entra application proxy
- Network security groups (NSGs)

For the outbound connections:

- Application security groups
- Azure Firewall
- Azure Web Application Firewall (WAF)
- Microsoft Entra application proxy
- Network security groups (NSGs)



□□:

□□ 1: Azure □ □□□□□ □□□(WAF)

OWASP(Open Web Application Security Project)□ CRS(Core Rule Set)□ □□□ □□ □□□ □ □□ App1□ □□ □□□□ □□□ □□□□□ □□□.

Azure Application Gateway□ Azure □ □□□□□ □□□(WAF)□ □□□□ □□□□□ □ □□□□□□ □ □□□□□□□ □□□□□ □□□□□. □ □□□□□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□, □□□ □□□ SQL □□ □ □□□ □□□ □□□□□ □□ □□□ □□□□ □□□□ □□□ □□□□.

Application Gateway□ WAF□ OWASP(Open Web Application Security Project)□ CRS(Core Rule Set)□ □□□□ □□□.

□□ 2: Azure □□□

Microsoft Defender Threat Intelligence(Defender TI) □□□□ □□□ □□ □□□ □□□ □□ □ □□ □□□ □□□□□ HTTP □ HTTPS □□□ □□□□□ □□□.

Azure Firewall □□ □□□□□ □□ □□□

□□□□ □□ □□□□□ □□ □□□□ □□□□□ □□□ □□ IP □□, FQDN □ URL□ □□ □ □□□□ □□ □□ □ □□□ □□□ □ □□□□. IP □□, □□□ □ URL□ Microsoft □□□ □□ □□ □□□ □□ □□□ □□□□ Microsoft □□ □□□□□ □□□□ □□□□□.

Intelligent Security Graph□ Microsoft □□ □□□□□□ □□□□ Microsoft Defender for Cloud □ □□□ □□ □□□□ □□□□□.

□□:

<https://learn.microsoft.com/en-us/azure/application-gateway/ag-ag-1>

<https://learn.microsoft.com/en-us/azure/firewall/threat-intel>

Which of the following is a cloud-based directory service?

 A. Microsoft Entra ID

 B. Microsoft Entra ID

 C. Microsoft Entra ID

 D. Active Directory (AD DS)

- A. Microsoft Entra ID
- B. Microsoft Entra ID
- C. Microsoft Entra ID
- D. Active Directory (AD DS)

Answer: B (LEAVE A REPLY)

SC-100 Microsoft 365 Security Operations (SecOps) exam dump. DumpTop SC-100! DumpTop SC-100 exam dump, DumpTop SC-100 exam dump, DumpTop SC-100 exam dump.

<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137


Microsoft 365 Security Operations (SecOps) exam dump.

 Which of the following is a cloud-based directory service?

 * Microsoft Entra ID


 * Microsoft SharePoint Online

Components	Answer Area
A data loss prevention (DLP) policy	User accounts that were potentially compromised:
Azure Active Directory (Azure AD) Conditional Access	Users performing bulk file downloads from SharePoint Online:
Azure Active Directory (Azure AD) Identity Protection	
Microsoft Defender for Cloud	
Microsoft Defender for Cloud Apps	



Answer:

Components	Answer Area
A data loss prevention (DLP) policy	User accounts that were potentially compromised: Azure Active Directory (Azure AD) Identity Protection
Azure Active Directory (Azure AD) Conditional Access	Users performing bulk file downloads from SharePoint Online: Microsoft Defender for Cloud
Azure Active Directory (Azure AD) Identity Protection	
Microsoft Defender for Cloud	
Microsoft Defender for Cloud Apps	



<https://docs.microsoft.com/en-us/azure/active-directory/>

<https://docs.microsoft.com/en-us/defender-cloud-apps/policies-threat-protection#>

<https://docs.microsoft.com/ko-kr/microsoft-365/security/defender/investigate-users>

NEW QUESTION: 138


Microsoft 365 E5 Azure Windows 11 devices. Which Microsoft 365 services can be used to protect these devices?

- * Microsoft Intune
- * Azure Storage
- * Azure

Which Microsoft 365 services can be used to protect these devices? Select all that apply.

Answer Area

Windows 11 devices:	<ul style="list-style-type: none"> Microsoft 365 compliance center Microsoft 365 Defender Microsoft Defender for Cloud Microsoft Sentinel
Azure virtual machines:	<ul style="list-style-type: none"> Microsoft 365 compliance center Microsoft 365 Defender Microsoft Defender for Cloud Microsoft Sentinel
Azure Storage accounts:	<ul style="list-style-type: none"> Microsoft 365 compliance center Microsoft 365 Defender Microsoft Defender for Cloud Microsoft Sentinel



Answer:

Answer Area

Windows 11 devices:


- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure virtual machines:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel

Azure Storage accounts:

- Microsoft 365 compliance center
- Microsoft 365 Defender
- Microsoft Defender for Cloud
- Microsoft Sentinel



NEW QUESTION: 139

□□□ □ □□ □□

RG1□□□ □□□ □□□ □□□ Azure □□□ □□□□. RG1□□ □□ □□ Azure Files □□□ □□□□ □□□□.

□□ □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□ □□.

- □□ □ □□□ □□□□ □□ □□ □□

□□.

- □□ □□□□ □□ □□ □□ □□□□□□.

- □□ □□ □□□ □□□ □□□□□□.

□□ □ □□ □□□ □□□□ □□□□ □□ □□□□? □□□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□□ □□□□ □□□□□□.

Actions	Answer Area
Lock immutability for the vault.	
Enable vault immutability.	
Create a Recovery Services vault.	
From RG1, create a resource lock.	
Create an Azure Backup vault.	

Answer:

Actions



Answer Area

Create a Recovery Services vault.

Enable vault immutability.

Lock immutability for the vault.

From RG1, create a resource lock.

Create an Azure Backup vault.

Q1:

1. You have a resource group named RG1. You need to create a resource lock for RG1.

Azure Backup vaults are used to protect data in Azure. You need to create an Azure Backup vault in RG1.

Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

2. You have an Azure Backup vault named Vault1. You need to enable immutability for Vault1.

Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

3. You have an Azure Backup vault named Vault1. You need to lock the vault to prevent deletion.

Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

Q2:

<https://learn.microsoft.com/en-us/azure/backup/azure-backup-azure-vm>

NEW QUESTION: 140

You are a Microsoft 365 E5 administrator. You need to create an Azure Backup vault.

Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

* Create a resource lock for the vault.

* Enable vault immutability.

* Lock immutability for the vault.


Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

You have an Azure Backup vault named Vault1. You need to enable immutability for Vault1. Which actions should you perform to meet the requirements? Select each correct answer. (Each correct answer is worth one point.)

Q3: You have a resource group named RG1. You need to create a resource lock for RG1.



Answer:



□□:

□□ 1: □□ □ □□□

□□ 2: □□ □ □□□

□□ 3: □□ □ □□□ -

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide> □□□ □□□ □□

NEW QUESTION: 141

□□□ □-□□□□ □□□□, Azure □□, Microsoft 365 E5 □□□ □□□□ □□□□. □□□□ □□□□ □□□ □□□ □□□□.

* Windows 10 □□ Windows 11□ □□□□ □□□□

* Android □□ iOS□ □□□□ □□□ □ □□□

□□□ □□ □□□ □□□□ □□□□ Microsoft Office 365 □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□. □□□□ □□ □□□ □□□□ □□□□ □□□□?

A. □□ □□ □□

B. □□ □□

C. □□ □□ □□□

Android Microsoft Defender for Endpoint, Microsoft Defender for Endpoint for Android Enterprise. Microsoft Defender for Endpoint for Android Enterprise is a cloud-based security solution that provides comprehensive protection for Android devices. It includes features such as mobile device management (MDM), mobile application management (MAM), and mobile threat detection (MTD).

Answer:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/defender-for-endpoint>

NEW QUESTION: 147

Azure Repos and Azure Pipelines are used for CI/CO (Continuous Integration/Continuous Deployment) workflows. Azure Pipelines is a cloud-based CI/CD service that automates the build, test, and deployment of applications.

Azure Pipelines uses Microsoft Entra ID for authentication and authorization. It supports various authentication methods, including federated authentication, OAuth 2.0, and OpenID Connect.

Which authentication method is used by default in Azure Pipelines? The default authentication method is Federated authentication using Microsoft Entra ID.

Answer: Federated authentication



Answer:

Protected branches



NEW QUESTION: 148

Microsoft 365 E5 provides advanced security features.

Which of the following features is included in Microsoft 365 E5? Microsoft 365 E5 includes features such as Microsoft Defender for Office 365, Microsoft Defender for Endpoint, and Microsoft Defender for Cloud.

Which feature is NOT included in Microsoft 365 E5? eDiscovery is not included in Microsoft 365 E5.

Which feature is included in Microsoft 365 E5? eDiscovery is not included in Microsoft 365 E5.

Answer: eDiscovery

- A. Microsoft Defender for Office 365 (DLP)
- B. Microsoft Defender for Cloud
- C. Microsoft Defender for Endpoint
- D. eDiscovery

Answer Area

Serverless SQL pool: Azure Storage infrastructure encryption and Microsoft-managed keys
 Azure Storage infrastructure encryption and Microsoft-managed keys
 Transparent Data Encryption (TDE) and customer-managed keys
 Transparent Data Encryption (TDE) and Microsoft-managed keys

Dedicated SQL pool: Transparent Data Encryption (TDE) and customer-managed keys
 Azure Storage infrastructure encryption and Microsoft-managed keys
 Transparent Data Encryption (TDE) and customer-managed keys
 Transparent Data Encryption (TDE) and Microsoft-managed keys

NEW QUESTION: 150

Litware Azure AD organizational units ID. Azure AD administrative units ID. Custom Azure AD roles ID. To ensure that you can perform leaked credential detection? Enable password hash synchronization in the Azure AD Connect deployment. Enable Security defaults in the Azure AD tenant of Litware. Replace pass-through authentication with Active Directory Federation Services. Answer: 10000.

Answer Area

For the delegated management of users and groups, use: AD DS organizational units, Azure AD administrative units, Custom Azure AD roles

To ensure that you can perform leaked credential detection: Enable password hash synchronization in the Azure AD Connect deployment, Enable Security defaults in the Azure AD tenant of Litware, Replace pass-through authentication with Active Directory Federation Services

Answer:

Answer Area

For the delegated management of users and groups, use: AD DS organizational units, Azure AD administrative units, Custom Azure AD roles

To ensure that you can perform leaked credential detection: Enable password hash synchronization in the Azure AD Connect deployment, Enable Security defaults in the Azure AD tenant of Litware, Replace pass-through authentication with Active Directory Federation Services

NEW QUESTION: 151

Sub1, Sub2, Sub3, Sub4 Azure Microsoft 365 Microsoft Entra User1 Microsoft Sentinel User1 Microsoft Entra ID Sub2, Sub3, Sub4 Microsoft 365 Microsoft Sentinel, Azure? Microsoft Sentinel, Azure?

□□: □□ □□□ 1□□□□.

Answer Area

Number of workspaces: ▼

1
2
3
4

Microsoft Service: ▼

Azure Arc
Azure Bastion
Azure Lighthouse
Azure Private Link

Answer:

Answer Area

Number of workspaces: ▼

1
2
3
4

Service: ▼

Azure Arc
Azure Bastion
Azure Lighthouse
Azure Private Link

□□:

□□ 1: 3

□□ □□ □

Sub2□ 1□, Sub3□ 1□, Sub4□ 1□.

□□: Microsoft Sentinel□ □□ □□ □ □□□ □□□ □□

Microsoft Sentinel□ □□□□ □ □ □□ □□□ Log Analytics □□ □□□ □□□□ □□□□.

□□ □□ □□□□ Microsoft Sentinel □□□ □□ □□□ □□ □ □□□, □□ □□□□ □□ □

□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□□□ □□□□ □ □□ □□□□.

□□:
□□□ □□□ □□□□□ □□ □□ □□

For WAF:  Microsoft

For the virtual machines:

NEW QUESTION: 154

□□□ □□□□ Microsoft 365 E5 □□□□□ Azure □□□ □□□□.

□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□.

* □□□□□□□ □□□□□ □□□

* □□□□□□□ □□□□□ □□□

* □□□□□□□ □□

□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□.


□□□ □□□ □□□ □□ □□□ □□□□ □□□? □□□□ □□□ □□□ □□□ □□□ □□

□□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □

□□ □□ □□□ □□□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□.

Scopes



Answer Area

SharePoint Online:

Microsoft Teams:

Exchange Online:

Answer:

Scopes

- Files and emails
- Groups and sites
- Schematized data assets

Answer Area

- SharePoint Online: Groups and sites
 - Microsoft Teams: Groups and sites
 - Exchange Online: Files and emails
- 

NEW QUESTION: 155

Microsoft 365 □□□ Azure □□□ □□ □□□ □□□□.

□□□ Windows, iOS, Android □□ macOS □ □□□□ □□□ □□□□ □□□□. Windows □

□□ □□□□□□ Azure □ □□□□□.

□□ □□□ □□□ □□ □□ □□□ □□□□□ □□□□ □□ □□ □□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□□?

- A. Microsoft □□ □□
- B. □□□□□□ Microsoft Defender
- C. Microsoft Sentinel
- D. Microsoft Endpoint Manager

Answer: D ([LEAVE A REPLY](#))

□□

<https://docs.microsoft.com/en-us/mem/intune/protect/compliance-policy-monitor#open-the-compliance-dashboar>

NEW QUESTION: 156

□□□ □□□ □□□□ □□□ □□□□ □□□□.

Azure □□ □□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□ □□ □□ □□ □□□ □□□ □ □□□□? □ □□ □□: □□□□ 1□□□□□.

- A. Azure Active Directory(Azure AD □□ □□ ID □□(PIM)
- B. Azure □ □□□□□□ □□□(WAF)
- C. □□□□□ Microsoft Defender □□
- D. Microsoft Sentinel
- E. Azure □□□


Answer: ([SHOW ANSWER](#))

□□

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/secure-score-security-controls>

NEW QUESTION: 157

Which solution should you use to connect the on-premise app server to the Azure App Service Environment (ASE)?



Which solution should you use to connect the on-premise app server to the Azure App Service Environment (ASE)?

- A. Azure Traffic Manager
- B. Azure Application Gateway v2
- C. Azure Front Door
- D. Azure Firewall

Answer: C (LEAVE A REPLY)


<https://docs.microsoft.com/en-us/azure/frontdoor/afds-afds-afds>

NEW QUESTION: 158


Which solution should you use to connect the on-premise app server to the Azure App Service Environment (ASE)?

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

Which solution should you use to connect the on-premise app server to the Azure App Service Environment (ASE)?



Answer:



NEW QUESTION: 159

Microsoft 365, Azure, Amazon Web Services(AWS)
 .
 .

* Azure IoT Edge

* AWS EC2

? a.
 : 1.

Answer Area

For the IoT Edge devices:

- Azure Arc
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps
- Microsoft Defender for Endpoint
- Microsoft Defender for IoT

For the AWS EC2 instances:

For the AWS EC2 instances:

- Azure Arc only
- Microsoft Defender for Cloud and Azure Arc
- Microsoft Defender for Cloud Apps only
- Microsoft Defender for Cloud only
- Microsoft Defender for Endpoint and Azure Arc
- Microsoft Defender for Endpoint only

Answer:

Answer Area

For the IoT Edge devices:

- Azure Arc
- Microsoft Defender for Cloud
- Microsoft Defender for Cloud Apps
- Microsoft Defender for Endpoint
- Microsoft Defender for IoT

For the AWS EC2 instances:

For the AWS EC2 instances:

- Azure Arc only
- Microsoft Defender for Cloud and Azure Arc
- Microsoft Defender for Cloud Apps only
- Microsoft Defender for Cloud only
- Microsoft Defender for Endpoint and Azure Arc
- Microsoft Defender for Endpoint only

2, Fabrikam, Inc

corp.fabrikam.com

corp.fabrikam.com Active Directory (AD DS)

Azure

Fabrikam Azure

* corp.fabrikam.com fabrikam.onmicrosoft.com Azure Active

Directory(Azure AD)

* Sub1 Azure

* Azure Vnet1

* Azure Vnet2

* Azure (WAR) FD1 Azure Front Door

* Microsoft Sentinel

* ClaimDetails ClaimsDB Azure SQL

* Microsoft Defender for Cloud 20

* TestRG

* Azure Virtual Desktop Sub1

□□□

Fabrikam□ Contoso, Ltd.□□ □□□ □□□□□□ □□□ □□ □□□ □□□□□□. Contoso
□ □□□ □□ □□□□ □□□□ □□□□.

* contoso.onmicrosoft.com□□□ Azure AD □□□

* ContosoAWS1□□□ Amazon Web Services(AWS) □□□ Fabrikam □□□ □□□□□□□ □
□□ □□□□□ □□□□□ □ □□□□ AWS EC2 □□□□□ □□□□ □□□, Contoso□ □
□□□ Fabrikam □□□□ □□□□ □□□□□□□ □□□□□□ □□□□□□□□. □□□□
fabrikam.onmicrosoft.com□ Contoso Developers□□ □□ □□□ □□□□, □ □□□ Sub1□
□□□ □□□□□.

ContosoDevelopers □□□ ClaimsDB □□□□□□□ □□ db.owner □□□ □□□□□□□.
□□ □□ □□□

Fabrikam□ □□□ □□ □□ □□ □□□ □□□□□.

* Defender for Cloud□ Sub1□ □□ □□□□ HIPAA HITRUST □□□ □□□□□ □□□□□
□□□□ □□□□.

* □□ HIPAA HITRUST □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□.

* Qualys□ □□□ □□ □□□ □□ □□□ □□□□□.

□□ □□

Defender for Cloud□ □□ □□□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□□
□. □□ □□□□ □□□ □□ □□□□ □□□ □□□.

□□ □□ □□□ Defender for Cloud□ □□□ □□□□ □□□.

ClaimApp □□

Fabrikam□ □□ □□□ □□ ClaimsApp□□□□ □□□ □□ □□ □□□□□□□ □□□ □□□
□□.

* ClaimsApp□ Vnet1 □ Vnet2□ □□□□ Azure App Service □□□□□ □□□□□.

* □□□□ https://claims.fabrikam.com URL□ □□□□ ClaimsApp□ □□□□□.

* ClaimsApp□ ClaimsDB□ □□□□ □□□□□.

* ClaimsDB□ Azure □□ □□□□□□□ □□□□ □ □□□ □□□.

* ClaimsApp□ □□ □ □□□ □□□ ClaimsDB□ □□□□□ □□□.

□□□□□□ □□ □□ □□

Fabrikam□ □□□□□□ □□□ □□ □□□ □□ □□ □□□ □□□□□□.

* Azure DevTest □□ □□□□ □□□□□ □ □□□□□.

* □□ □□□□□□ □□□ GitHub Enterprise□ □□□□□ □□□.

* Azure Pipelines□ □□□□□□ □□□ □□□□ □ □□□□□.

* □□ □□□□□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□□. □□□□ □□
□□□□ □□ □□□ □□□ □□□□□□ □□□ □□ □□□ □□□□□. □□□□ □□□ □□
□□ □□□ □ □□□□ □□□.

□□ □□ □□

Fabrikam□ □□□ □□ □□ □□ □□□ □□□□□.

* □□□ □□□ □□□ □□□□□□□ □□□□ □□□ □□□ □□□□ □□□.

* InfraSec□□□ □□□ □□□ □□□□ □□ □□(NSG)□ Azure Firewall, VJM, Sub1□ Front Door □□□□□ □□□ □ □□□ □□□.

* □□□□ □□ □□□ □□ □□□ □□ □□ □□□□ □□□□ □□□. □□ □□□□ □□□ □□ □□ □□ □□□□□ □□□□□□□□ □□□.

AWS □□ □□

Fabrikam□ ContosoAWSV□ □□□□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□□.

* AWS EC2 □□□□□ □□ □□ □□ □□□ □□□□ □□ □□ Fabrikam□ □□ □□□□□ □□□□.

* □□ □□□□ Azure □□□□ □□ AWS □□□ □□□ □□□ □ □□□ □□□□□.

Contoso □□□ □□ □□

Fabrikam□ Contoso □□□□□ □□□ □□ □□ □□□ □□□□□.

* □□ ContosoDevelopers □□□ □□□□ □□□□ □□□.

* Contoso □□□□ Sub1□ □□□□ □□□□□□ □□ contoso.onmicrosoft.com □□ □□□ □□□□ □□□.

* □□□ □□□□ ClaimDetails □□□□ MedicalHistory□□ □□ □□ □□□□ □ □ □□□ □ □□□ □□.

□□ □□ □□

Fabrikam□ Sub1□ □□ □□□ HIPPA HITRUST □□□ □□□□□ □□□□ □□□□□ □□ □. TestRG□ □□ □□□ □□ □□ □□□□ □□□□ □□□.

NEW QUESTION: 160

Azure Front Door □□□□□ □□ Azure App Service □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□ Front Door □□□□□ □□□□ □□□□ □□□□□ □□ □□□ □□□□ □□□. □□□: Front Door ID□ □□ HTTP □□□ □□□□ □□□ □□□ □ □□□□. □ □□□ □□□ □□□□□?

A. □

B. □□□

Answer: B ([LEAVE A REPLY](#))


NEW QUESTION: 161

□□□ Microsoft 365 □□, Azure □□, □□□ Amazon Web Services(AWS) □□□ □□□□ □ □□□□ □□□ □□□□ □□□□. □□ □□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□.


* Azure IoT Edge □□□□

* AWS EC2 □□□□

□□□□ □□ □□□□ □□□□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□. □□: □□□ 1□□□□□.



Answer:



□□




<https://docs.microsoft.com/en-us/azure/defender-for-iot/organizations/architecture>

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/quickstart-onboard-aws? pivots=env-settings>

<https://docs.microsoft.com/en-us/azure/azure-arc/servers/overview#supported-cloud-operations>

NEW QUESTION: 162

□□□ □□□ □□ Azure App Service Environment(ASE) □□□ □□□□□□ □□□□□ □□ □□ □□□□. ('□□' □□ □□□□□.)




Which Azure service can be used to intercept inbound traffic from the on-premise app server to the application APIs in the Azure resource group?


- A. Azure User-Defined Routes (UDR)
- B. Azure Traffic Manager
- C. Azure Web Application Firewall (WAF)
- D. Azure Firewall

Answer: B (LEAVE A REPLY)

NEW QUESTION: 163

Which Azure service can be used to track compliance with the Azure Security Benchmark V3?





Windows Defender for Endpoint is not installed on all endpoints. Microsoft Defender for Endpoint is not installed on all endpoints. What is the best practice to ensure Windows Defender for Endpoint is installed on all endpoints?

- A. Deploy the Windows Defender for Endpoint agent to all endpoints.
- B. Enable Windows Defender for Endpoint on all endpoints.
- C. Deploy the Windows Defender for Endpoint agent to all endpoints and enable Windows Defender for Endpoint on all endpoints.
- D. Enable Windows Defender for Endpoint on all endpoints and deploy the Windows Defender for Endpoint agent to all endpoints.
- E. Deploy the Windows Defender for Endpoint agent to all endpoints and enable Windows Defender for Endpoint on all endpoints.

Answer: E (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/security/benchmark/azure/security-controls-v3-endpoint-security>

1, Litware, inc.

11

Litware, Inc. is a large company with many employees. Litware has 30,000 employees, and all employees use VPNs to access the company's resources. Litware is currently using Windows Defender for Endpoint on all endpoints.

Litware 2020 年 10 月 1 日。 2020 年 10 月 1 日
2020 年 10 月 1 日。

2020 年

Litware 的 Utvare.com 的 Active Directory Domain Services(AD DS) 的 2020 年 Azure 的 Azure Active Directory(Azure AD) 的 Azure AD Connect 的 2020 年 10 月 1 日。 2020 年 10 月 1 日 2020 年 10 月 1 日。 Litware 的 Microsoft 365 E5 的 2020 年 10 月 1 日。

2020 年 Litware 的 2020 年 10 月 1 日 AD DS 的, Azure AD 的 2020 年 10 月 1 日 Azure 的 2020 年 10 月 1 日。

2020 年 10 月 1 日

Litware 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Azure AD 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Litware 的 Azure 的 2020 年 10 月 1 日 Azure 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* VPN 的 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日 Azure AD 的 2020 年 10 月 1 日。

2020 年 10 月 1 日

Litware 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日 2020 年 10 月 1 日。

2020 年 10 月 1 日

Litware 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日 Azure 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Azure Policy 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日。

* 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日。

Microsoft Sentinel 的 2020 年 10 月 1 日

Litware 的 Microsoft Sentinel 的 2020 年 10 月 1 日(SIEM) 的 2020 年 10 月 1 日(SOAK) 的 2020 年 10 月 1 日。 Litware 的 Microsoft Sentinel 的 2020 年 10 月 1 日(SOQ) 的 2020 年 10 月 1 日。

2020 年 10 月 1 日

Litware 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* AD DS 的 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Litware 的 Azure AD 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Azure AD 的 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日 AD DS 的 2020 年 10 月 1 日 2020 年 10 月 1 日。

* Litware 的 Azure AD 的 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日 2020 年 10 月 1 日。

* 2020 年 10 月 1 日, 2020 年 10 月 1 日 2020 年 10 月 1 日, 2020 年 10 月 1 日 2020 年 10 月 1 日

□□ □□ □□□ □□□□ Azure □□ □□ □□ □□ □□□□ □□□□□ □□□□.

* Azure SQL □□□□□□□ □□ SQL □□ □□

* Azure □□ □□□ Windows □□ □□

* App Service □ □□ Azure App Service □□ □□

□□ □□□ □□ □□ □□□ □□ □□□□ □□□□ □□□. □□ □□□□ □□ □□ □□□ □□□ □□□.

* □□ □□□ □□□ □□□□□.

* □□ 365□ □□ □□□ □□□□□.

* □□□ □□□□□□.

□□□□□ □□□ □□□□ □□□? □□□□ □□ □ □□□ □□□ □□□□□. a. □□: □□

□ 1□□□□.

Answer Area

For the SQL audit logs:
A Log Analytics workspace
Azure Application Insights
Microsoft Defender for SQL
Microsoft Sentinel

For the Security logs:
A Log Analytics workspace
Application Insights
Microsoft Defender for servers
Microsoft Sentinel

For the App Service audit logs:
A Log Analytics workspace
Application Insights
Microsoft Defender for App Service
Microsoft Sentinel

Answer:

Answer Area

For the SQL audit logs:
A Log Analytics workspace
Azure Application Insights
Microsoft Defender for SQL
Microsoft Sentinel

For the Security logs:
A Log Analytics workspace
Application Insights
Microsoft Defender for servers
Microsoft Sentinel

For the App Service audit logs:
A Log Analytics workspace
Application Insights
Microsoft Defender for App Service
Microsoft Sentinel

NEW QUESTION: 166

NEW QUESTION: 167

Which of the following Microsoft Defender for Cloud configurations is available in Azure Policy?

Options: Defender for Cloud, NIST 800-53, Azure Policy, Defender for Cloud.

- A. Defender for Cloud
- B. Defender for Cloud
- C. Azure Policy
- D. Defender for Cloud

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/update-regulatory-compliance-packages#what-regulatory-compliance-standards-are-available-in-defender-for-cloud>

NEW QUESTION: 168

Which of the following Azure Pipelines configurations is available in Azure Key Vault?

Options: Azure Key Vault, Custom roles for build agents, Protected branches, Resource locks in Azure.

Which of the following Azure Pipelines configurations is available in Azure Key Vault?

Options: Azure Key Vault, Custom roles for build agents, Protected branches, Resource locks in Azure.

Answer Area



Answer:

Answer Area



NEW QUESTION: 169

Azure Repos is a cloud-based source control system that integrates with Azure Pipelines for CI/CO (Continuous Integration/Continuous Deployment) workflows.

Azure Microsoft provides a secure and reliable CI/CD pipeline solution for Azure environments.

It offers a secure and reliable CI/CD pipeline solution for Azure environments.

Answer: Azure Microsoft provides a secure and reliable CI/CD pipeline solution for Azure environments.



Answer:



NEW QUESTION: 170

Which of the following is a valid Azure resource ID for a virtual network?

A. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet

B. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet

C. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet/ipAddresses/MyIP

D. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet/ipAddresses/MyIP/MyIPConfig

* A. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet

* B. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet

* C. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet/ipAddresses/MyIP

* D. /subscriptions/12345678-9010-1111-2222-333333333333/resourceGroups/MyRG/providers/Microsoft.Network/virtualNetworks/MyVNet/subnets/MySubnet/ipAddresses/MyIP/MyIPConfig

* App1 is a valid Azure resource ID for a virtual network.

* App1 is a valid Azure resource ID for a virtual network.

* App1 is a valid Azure resource ID for a virtual network.

* App1 is a valid Azure resource ID for a virtual network.

Answer: App1 is a valid Azure resource ID for a virtual network.

Answer: App1 is a valid Azure resource ID for a virtual network.

Answer Area



Rate limit:

▼


- A custom rule
- An exclusion list
- A managed rule set

Block malicious bots:

▼

- A custom rule
- An exclusion list
- A managed rule set

Answer:

Answer Area  Microsoft

Rate limit:

Block malicious bots:

□□:

□□ 1: □□□ □□ □□

Azure Front Door □ □ Azure □ □□□□□ □□□(WAF) □ □□□ Azure App Services □
□□□□ □□□ □□□ □□□□□ Front Door WAF □□ □□□ □□□ □□ WAF □□□ □□
□□ □□□. □ □□□ □□ □□ □□□□ □□ □□ □□ □□□□ □□ □□□ □□□□
□.

00 2: 0000 00 00

00 00 00 000000 000 000000.

Azure Front Door 0 Azure App Service00 Azure 0 000000 000(WAF)0 0000 0
0 00 00000 WAF 00 000 0 00 000 0 0000. 00, 0 0000 0
000 0000 00 00 00 00 0000 0 0000 00 Bot Manager 00 0000 0000
00 00 0000.

00:

<https://learn.microsoft.com/en-us/azure/active-directory/azure-activedirectory/afds/waf-0000-0000-0000>

<https://learn.microsoft.com/en-us/azure/active-directory/azure-activedirectory/afds/afds-00>


NEW QUESTION: 173

000 Zero Trust 0000000 0000 00 00 0000 00000 00000.


Microsoft 00 00 00(SOC)0 00 00000 0000 0000.

00 00000 0000000 00000, 00 0 00 00 0000 000000000 00


0? 00000 00 00000 00 0000 00 00000 0000 0000 000000.



Answer:



00:




NEW QUESTION: 174

ClaimsDetail 00000 MedicalHistory 0000 00000 00 00000 0000 0000. 00 00

00 Contoso 000 00 000 00000 0000.

000000 000 00000 0000?

- A. 00 00000
- B. 00 0000 0000
- C. 000 0000 0000(TDE)
- D. 0000 00



□□□□ □□□ □□□□ □□□□ □□□ □□ □□□□ □ □□□ □□□□ □□ □□□ □

□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

To increase the score for the Restrict unauthorized network access control, implement [answer choice].

- Azure Active Directory (Azure AD) Conditional Access policies
- Azure Web Application Firewall (WAF)
- network security groups (NSGs)

To increase the score for the Enable endpoint protection control, implement [answer choice].

- Microsoft Defender for Resource Manager
- Microsoft Defender for servers
- private endpoints

Answer:

Answer Area

To increase the score for the Restrict unauthorized network access control, implement [answer choice].

- Azure Active Directory (Azure AD) Conditional Access policies
- Azure Web Application Firewall (WAF)
- network security groups (NSGs)

To increase the score for the Enable endpoint protection control, implement [answer choice].

- Microsoft Defender for Resource Manager
- Microsoft Defender for servers
- private endpoints

NEW QUESTION: 177

□□□ Azure □ Microsoft □□□□ □□ □□□□□□ □□□ □□ Azure □□□ □□□ □□□ □□□□□.

Azure □□□□ NIST(National Institute of Standards and Technology) □□□□□ □□□□□ (CSF) □ □□□□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□.

□□□ □□□□ □□□?

- A. □□□□ □□ Microsoft Defender
- B. Microsoft Sentinel
- C. Microsoft Purview □ □□ □□ □□□
- D. □□□□□ Microsoft Defender

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 178

□□□ □□□□ Microsoft 365 E5 □□□ □□□□.

□□□□ □□ □ □□□ □□ Microsoft Teams, Exchange Online, SharePoint Online, OneDrive □ □□□□□.

□□□ □□□ □□□ □□□□□□□□□ □□□ □□ □□(PHI)□ □□□□□□.

□□ □□□ PHI□ □□□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. □□ □□
- B. □□□ □□□ □□
- C. □□□ □□ □□ □□
- D. □□□ □□ □□(DLP) □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 179

□□□□□ □□□□ □□□□ □□□□.

□□ □□ □□□ Azure □□□□□□□□ □□□ □□□□□□.

Name	Type	Requirement
App1	An Azure App Service web app accessed from Windows 11 devices on the on-premises network	Protect against attacks that use cross-site scripting (XSS).
App2	An Azure App Service web app accessed from mobile devices	Allow users to authenticate to App2 by using their LinkedIn account.

□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□? □□□□ □□□□ □□□ □□□ □□ □□□.

□□□. a. □□: □□□ 1□□□□□.

Answer Area

App1:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access

App2:

- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

App2:

- Azure AD B2B authentication with Conditional Access
- Azure AD B2C custom policies with Conditional Access
- Azure Application Gateway Web Application Firewall policies
- Azure Firewall
- Azure VPN Gateway with network security group rules
- Azure VPN Point-to-Site connections

Answer:

Answer Area

To optimize the connection between the users and the application proxy, deploy:

- Two connectors to the default connector group
- A connector to the default connector group and a connector to a new connector group
- Two connectors to the default connector group**
- Two new connector groups that each contain a new connector

To optimize the connection between the connector and App1, use:

- ExpressRoute with Microsoft peering
- ExpressRoute with Microsoft peering**
- ExpressRoute with Microsoft peering and the premium add-on
- ExpressRoute with private peering

NEW QUESTION: 181

□□□ □□□□ □□ □□ □□ □□ □□ □□□□ □□□□.

Operation system	Location	Number of virtual machines	Hypervisor
Linux	On-premises	100	VMWare vSphere
Windows Server	On-premises	100	Hyper-v Microsoft

□ □□□ Microsoft Azure Backup Server(MABS) □ □□□ □□ □□□ Azure □ □□□ □□□ □□.

□□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□.

□□□□□ □□□ □□□□ □□□?

- A. □□□ □□ □□□(GRS) □ □□□□□.
- B. □□□□ □□ □□ □(CMK) □ □□□□□.
- C. □□□ □□□□□□□ PIN □ □□□□□.
- D. Azure Site Recovery □□□ □□□□□.

Answer: C (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/security/fundamentals/□□□□□□□ □□□□ □□ □ □□#azure-backup>

SC-100 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SC-100 □□! DumpTop □ □□ **SC-100** □□ □□□ □□□□□□, DumpTop SC-100 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SC-100 □□□ □□□□□.

<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 182

□□□ □□□□ Windows 10, Windows 11 □□ Windows Server □ □□□□ □□□ □□□□. □□□ □□□ □□ □□□ □□□□ □□□ □□□□.

Microsoft Security Compliance Toolkit □ □□ □□□ □□□ □□□□□. □□□□ □□ □□ □□□ □□□□ □ □□□ □□□□ □□ □□□□?

- A. □□ □□□
- B. □□□□□□□ □□
- C. Windows Autopilot
- D. □□ □□ □□ □□(LGPO)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 183

□□□□□ □□□□□ Angular □ Node.js□ □□□ □□□□□ □□□ □□□□. □ □□□ MongoDB □□□□□□□ □□□□□. □□□□ Azure□ □□□□□□□□ □□□□□□. □□□ □□ □□ □□ Azure □□ □□□ □□ □□□□□ □□□□□□.



□ □□ □□□□□□ □ □□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□□ □□ □□ □□ □□□ □□□ □□□.

□□ □□: Azure Web Application Firewall(WAF)□ □□ Azure Application Gateway□ □□□□ □□ □□□□.

□□□ □□□ □□□□□□?

- A. □
- B. □□□

Answer: ([SHOW ANSWER](#))

Azure□□ □□□□ PaaS □□□□(□: Azure Storage, Azure Cosmos DB □□ Azure Web App)□ □□□□ □□ PrivateLink □□ □□□ □□□□ □□ □□□ □□□ □□ IP □□□□ □□ □□□ □□ □□□□ Microsoft □□□□ □□□ □□□ □□□ □□□□□□.


NEW QUESTION: 184

□□□□ □□ □□□ □□□□□□ □□ □□□ □□ □□□□ □□ □□□ □ □□□□□□ □□ □ □□□ □□□□ □□□□. □□□□ □□□□ □□□□? □□ □ □□□ □□□ □□□□ □□□□□□.

a. □□: □□□□ 1□□□□□.



Answer:



NEW QUESTION: 185

□□□ □□□□ Microsoft 365 E5 □□□□□ Azure □□□ □□□□.

□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□□□.

* □□□□□□□ □□□□□ □□□

* □□□□□□□ □□□□□ □□□

* □□□□□□□ □□

□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□□ □□□ □□ □□□ □□□□ □□□? □□□□ □□□ □□□ □□□ □□ □□ □□□ □□ □□□□. □ □□□ □□ □, □□ □ □□ □□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□.

□□: □□ □□□ 1□□□□□.



Answer:



NEW QUESTION: 186

□□ □□ 1 - Fabrikam, Inc

□□

Fabrikam, Inc. □ □□□ □□□ □□ □□□ □□□ □□ □□ □□□□□.

□□ □□

□□□□□ □□

□□□□□ □□□□□□ corp.fabrikam.com □□□ □□ Active Directory □□□ □□□(AD DS)

□□□□ □□□□ □□□□.

Azure □□

Answer Area

For the AWS EC2 instances:

Azure Blueprints
Defender for Cloud
Microsoft Defender for Cloud Apps
Microsoft Defender for servers
Microsoft Endpoint Manager
Microsoft Sentinel

For the AWS service logs:

Azure Blueprints
Defender for Cloud
Microsoft Defender for Cloud Apps
Microsoft Defender for servers
Microsoft Endpoint Manager
Microsoft Sentinel

Answer:

Answer Area

For the AWS EC2 instances:

Azure Blueprints
Defender for Cloud
Microsoft Defender for Cloud Apps
Microsoft Defender for servers
Microsoft Endpoint Manager
Microsoft Sentinel

For the AWS service logs:

Azure Blueprints
Defender for Cloud
Microsoft Defender for Cloud Apps
Microsoft Defender for servers
Microsoft Endpoint Manager
Microsoft Sentinel

□□:

□□ 1: □□□□□ □□ □□□

□□ □□□ □□ □□ □□ □□□□ □□ EC2 □□□□□ □□□□ □□□□.

□□ 2: Microsoft Sentinel

Amazon Web Services(AWS) □□□□ □□□□ AWS □□□ □□□ Microsoft Sentinel□ □□□ □□. □ □□□□ Microsoft Sentinel□ AWS □□□ □□□ □□ □□□ □□□ □□□□ □□□ □ □□□□□. □□□□ □□□□ Amazon Web Services□ Microsoft Sentinel □□ □□ □□□ □□□□□. AWS□□ Microsoft Sentinel□ AWS □□□ □□ □□□ □□□ □□□□ □□□ □ □□□ □□ □□□ □□□ □ □□□□.

□□:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/quickstart-onboard-aws?pivot=env-settings>

<https://docs.microsoft.com/en-us/azure/sentinel/connect-aws?tabs=s3>

NEW QUESTION: 187

Azure Front Door □□□□□ □□ Azure App Service □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□.

□ □□ Front Door □□□□□ □□□□ □□□□ □□□□□ □□ □□□□ □□□□ □□□.

□□ □□: □□□□□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/azure/app-service/app-service-ip-restrictions#□□-azure□□□-□□□□□>

NEW QUESTION: 188

□□□ □□

□□□ □□□ □□□ □□□ □□□ □□□ □□□ API □□□ □□□□ □ □□□ □□ Azure API Management □□□□ □□□ □□□□□.

□□□ □□ □□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

- □ □□□ □□□ □□ API □□□□ □□□□ □ □□□ □□□□□.

- □ API □□□ □□ □□□ □□□ □ □□□ □□□□□.

□□.

- □□ □ □□ □□□ □□□ □□□□□□.

□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □□ □□□ 1□□□□.

Answer Area

Pricing tier:
Consumption
Standard V2

Scope:
Product
Workspace

Answer:



□□:

□□ 1: □□ V2

Standard v2 - Standard v2□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□□.

□□ 2: □□

API □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□.

□□□(□□ API)


□□ □□(□□□ □□ □□□ □□□ □□ API)

*-> □□(□□□ □□□ □□□ □□ API)

API(API□ □□ □□)

□□(API□ □□ □□)

□□□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.



□□:

<https://learn.microsoft.com/en-us/azure/api-management/api-management-features>

<https://learn.microsoft.com/en-us/azure/api-management/api-management-howto-policies>

NEW QUESTION: 189

□ □□□ Microsoft 365 E5 □□□ Azure □□□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□□.

□□ □□□□□ □□ □□□□□ □□□ □□□□ □□ □□□□□ □□ □□□□□.

□□ □□□ □□ □□□□ □□□□□□ □□□□□□□□.

□□□ Microsoft Sentinel □ □□□ □□□□□.

□□ □□ □□□ □□□□ □□□ □□□□ □□□.

* □□ □□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□□□□.

* IT □□□□ □□ □□□□□ □□ □□□ □□□ □□□ □□ □□□□ □□□□ □ □□□ □□ □□□.

□□□ □□ □ □□ □□□ □□□ □ □□□□? □□□□ □□ □□□ □□□□ □□□□□. □□: □□ □□□ 1□□□□.

- A. Azure Active Directory(Azure AD) □□□ □□□ □□
- B. Log Analytics □□□□□ □□□□ □□□ □□ □□□
- C. □□□ □□ □□ □□ □□□ □□(RBAC)
- D. Azure Monitor □□□□

Answer: B,C (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/azure-monitor/agents/log-analytics-agent>

NEW QUESTION: 190

Answer Area

EDR:

Add a Microsoft Sentinel data connector for Azure Active Directory (Azure AD).
Add a Microsoft Sentinel data connector for Microsoft Defender for Cloud Apps.
Onboard the servers to Azure Arc.
Onboard the servers to Defender for Cloud.

SOAR:

Configure Microsoft Sentinel analytics rules.
Configure Microsoft Sentinel playbooks.
Configure regulatory compliance standards in Defender for Cloud.
Configure workflow automation in Defender for Cloud.

SC-100 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ SC-100 ☐☐! DumpTop
☐ ☐☐ SC-100 ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop SC-100 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐
☐☐☐ ☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ DumpTop SC-100 ☐☐☐ ☐☐☐☐☐.
<https://www.dumptop.com/Microsoft/SC-100-dump.html> (335 Q&As Dumps, 30%OFF Special
Discount: **KrDump**)