

MuleSoft.MCIA-Level-1.v2023-03-20.q128

□□□□:	MCIA-Level-1
□□□□:	MuleSoft Certified Integration Architect - Level 1
□□□:	MuleSoft
□□ □□ □□□:	128
□□:	v2023-03-20
# □□ □:	1230
# □□ □□□:	1280
https://www.krdump.com/MuleSoft.MCIA-Level-1.v2023-03-20.q128.html	

NEW QUESTION: 1

HTTP Listener□ □□ □ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□□□?

A. □□ □□□ □ API □□□ □□ □□□ □□ □□ □□□ fhttpPs://aDi.customer.com/ □ https://customer.com/api)

B. HTTP □□□□□□□ TLS □□(□□□□) □□ □□

C. □□ HTTP □□□□□□ □□ HTTP □□ □ HTTP □□ □□ □□□ □□□

D. □□ HTTP □□□□□□ □□ HTTP □□ □□ □ HTTP □□ □□ □□□ □□□


Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

□□□□ □□□□□□.

□ □□□□ □□ □□□□ □□□ □ □□□□□ □□□□ □□□□ Mule □□□□□□□□ □□□□ □□□□. □ □□□ □□ □□ IT □□ □□ □□□ □□□ □□□ □□□□. □□ □□ □□□ VPN □□ □□ □□□□ □□ □□□□□ □□□.

□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□□ □□ □□□ Mule □□□□□□□□□ □□ Anypoint □□□□ □□□ □ □□□ □□□



- A. □□ □□□
- B. VM □□□

C. SFTP ☐☐☐

D. ☐☐ ☐☐☐ ☐☐☐

Answer: ([SHOW ANSWER](#))

[illegible]

* □□ □ □□□ □□ □□ IT □□□□ □□ □□□ □□ □□□□ □□□□ □□□□. □□ □□□ □□□□ □□□□.

* SFTP Mule SFTP SSH SFTP

NEW QUESTION: 3

□ □□□□□□□ HTTP □□ □□□ □□□□ □□ API□ □□□□□.

□□ API□ □□□ □□ □□ □□□ □□ HTTP □□□ □□□□.

3xx □□ □□□ □□ API□□ HTTP □□ □□□□ □□□ □ □□□ □□□ □□□□□?

A. API URL .

B. □□ API□□ □□□ □□□□ □□□□□.


C. □□ API□□ □□□ □□□□ □□□□□.

D. □□ API□□ □□□ □□□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 4

☐☐☐ ☐☐☐☐☐.



Mule □□□□□□ 2□□ □□ □□□ Mute □□□ □□□□□ □□□□□. Mute □□□□□□□□ □□□□□□□ □□□□ □□□
HTTP Listener□ □□□□ □□ □□□ □□□□.

HTTP □□□□□□ HTTP □□□ □□ □□□□ □□□ □□ □□□□.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ (☐☐☐) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ HTTP ☐ ☐ ☐ ☐ ☐ ☐?

A. □□□□□□ □□□ □□□□□. □□ HTTP □□□ □□ □□□□□.

B. □□□□□□ □□ □□ □□□□ □□□ □□ HTTP □□□ □□ □□

C. □□□□□□ □□ □□ □□ HTTP □□□ □□□

D. □□□□□□ □□ □□ □□ HTTP □□□ □□ □□□□□□ □□□ □□□ □□ □□□□ □□ □□ □□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5


Mule □□□□□□□ □□ □□□ □□□ □□□ □□ □□□□ □□□□□?

- A. □□ □□□ □□ □□ □□□□ □□ □□□□ □□□□□ □□ □□ □□□□□ □□ □□ Mule □□□□ □□□□ □□□□.
- B. □□□ □□□ □ Mule □□□□ □□ □□□ □□□ □□□ Mule □□□ □□ □□□□ □□□□ □ □□□□.
- C. □□□ □□□ □ □□□ □□□□□□ □ □□□□ □□ □□□ □□□□□.
- D. □□□□ □□□□ □□ □□ □□□ □□ Mule □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□□□.

Answer: B (LEAVE A REPLY)

□□ □□:

- A) □□: □□□□ □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□ □□ □□□□□.
- * □□□□ □□ □□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□.
- * □□ □□□□ □□ □□□ □□□
- * □□□ □□ □□□□ □□□□□ ERROR/CRITICAL □□□□ □□□ □ □□
- * □□□ □□□□ □□ □ □□□□ □□ Mule □□□□ □□□□ □□ □□□ □□□□□ □□□ □□□□□. □□□ □□□ □□ □□□ □□ □□□ □ □□□□.




- B) □□□:
- * □□ □□□ □□□ □□□□□ □□□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□□ □□□□.
- * □□□ □□□ □□□ □ □□ □□□ □□□ □□
- * Mule □□□ □□(Mule) 4□ □□□□□ Log4j 2 □□□ □□□ □□□□□.
- * □□□ □□□ □□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 8

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.



API □□□ □□ □□□ □□□ □□□ □ □□□ □□ □□□□□□ □□ □ □□ □□ □□ □□ □□ □□ □□□□□□. □□□ □□□□

API □□□ □□□□ □□□ □□ □□□□□ □□□ □□□□□.

□□□□□□ □□ □□□ □□ □□□□□ □□□ □□□□□. □□□ □□□□ □□□□ □□ □□□ □□□□.

□□□□(□□□□) □□□□ API □□□ □□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□□?

A. □□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□ □□□ □□ □□□□ □□□ □□□□

B.

B. □□□ □□□□ □□□□ □□ □□□ □□□□ Mocking □□□□ □□□□.

□□ □□ Mocking □□□□ □□□□□ API □□□□ □□□□ □□ □□□□ □□□□□.

[illegible]

D. □□ □□□ □□□□ □□□ □□□□ □□□□ API □□ □□ □□□ □□□□□. □□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□ □ API □□□ □□□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Mule ☐☐☐☐☐☐☐☐☐ ☐☐☐☐ JMX ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐ ☐ ☐☐☐☐☐?

A. Mule □□□□□□ □□

B. □□ □□□ □□ □□

C. ☐ ☐ toq4J2 ☐ ☐ ☐ ☐ TRACE ☐ ☐

D. ☐☐☐ ☐☐☐ ☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 10

□□ □□□□□□□□ □□□□ □□ □□ □□□□□□□□ □□□□ □□□□. Mule □□□□□□□□ □□ □□ □□ □□□□ □□□□

API □ □ □ □ □ API □ □ □ □ □ □ □ □ □ □.

□□ □□ □□□ □□□□□□. Mule □□□□□□□□ □ API □□□ □□□□ □□ □□□(□□□ □□□ □□□) □□□□ □□□□□?

A. Dataweave ☐☐☐ ☐☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐ API ☐☐☐ ☐☐☐☐.

B. Parallel For Each □□□ □□ □□□□ □ API □□□ □□□□□.


C. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ API ☐ ☐ ☐

D. Scatter-Gather ☐ ☒☐ ☐☐☐ ☐ API ☐☐ ☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 11

□□□ □□□□□.



□□□ □□□ □□□□□ □□□□ □□□□ Mule □□□□□□□ □□□□ □□□ □□ Anypoint VPC□ □□□ □□□□ □□□□. □ □□ □□ □□□□□. 60 □ □□□□□□□. □ □□□□□□□□ 2□□ CloudHub i □□□□□□ □□□□□□. □□□□ □□ □ VPC□ □□□ □ 3□□ □□□□□ □□(DEV, SIT □ UAT)□ □□□□. VPC□ AWS □□□□ 2□□ AZ□ □□□□. □□□□ □□□□□ □□□□ □□□□ □□ □□ □□□□□ □□□ □□ □ □□□□□□□ □□□□ □□□□ □□ □□□ DevOps □ □ □□□ □□□□□. □ □□□□□ □□ CloudHub□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□ □□ Mule □□□□□□□ □□ □□□.

□□ □□□ □□ IP □□ □□□ □□ □□ □ VPC□ CIDR □□□ □□□□□?

- A. 10.0.0.0/24(256 IP)
- B. 10.0.0.0/25(128 IP)
- C. 10.0.0.0/26(64IPS)
- D. 10.0.0.0/22(1024□□ IP)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 12

Anypoint Platform□□ □□□ □□ LOB(Line of Business)□ □□ □□ ID □□□(IdP)□ □□□□□ □□□. □□□ LOB□ □□ □□ □□ □□ □□, □ □ □□□ □□□□□□□□. □□□ □□□□ □□, □ □ □□□□ □□ IdP□ □□□ □ □□ Anypoint Platform □□□ □□□□□?

□□ □□□□ □□□ □□□ □□ 403 □□ □ □□□ □□ □□ □□□□. □ □□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□. 405 □□□□ □□ □□ □□ □□□ □□□ □□□ □□□□□□ □□□ □ □□□□. □□ □□ API□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□ □□ □□□□ GET □ HEAD□ □□□□□□□□□ □ □□ □ □□ □□□ □□□□ □□□ □□ □. 406 Not Acceptable □ □□□ □ □□□ □□ □□ □□□ □□□ □□□ □ □□□ □□□□□ □□□ □□□ □□ □□□□ □□ □□ □ □□□□□. □□ API□ API □□□ □□ □□ □□□□ □□□□□ □□□□□□. □ □□□□□ □□□ □ □ □□□□. 301 Moved Permanently □□□ □□□□ URL□ □□□□□ □□□□□□□□. □ URL□ □□□ □□□□□.

NEW QUESTION: 15

□□□ □□ CloudHub □□□ □□ □□□ □□ CloudHub(AWS) □□□ □□□□□. □□□ Mule □□□□□□□ □□ □□□ CloudHub □ □□□ □ CloudHub □□□□ □□ □□(AZ)□ □□□ □□□□□?

- A. □□□ □□□ □□ □□□□ □□ □□ □ □□□ AZ□ □□□□□.
- B. AZ□ Mule □□□□□□ □□ □□□ □□□ □□□□□.
- C. □□□□ □□ □□ □□ □□ □□□ AZ□ □□□□ □□□□□.
- D. Mule □□□□□□□ □□ AZ□ □□□□ □□□□ Mule □□□□□□□ □□ CloudHub □□□□ □□□ AZ□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□□□ □□□□ □□ □□ □□ □□ □□□ AZ□ □□□□ □□□□□ □□□□. □□□ □□ □□□ □ □□□□□□□ □□ □□□□□ □□□□□. Mulesoft □□□ □□:

<https://docs.mulesoft.com/runtime-manager/cloudhub-hadr>

NEW QUESTION: 16

□□□□□ □□□□□□ □□□□ □□□□ □ □□□ Mule □□□□□□□ CloudHub□ □□□□ □□□. □□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □□□□ □□ □□□□ □ □□□□. □ □□ □□□ □□□□ □□□□ □□□□□ □□□□□?

- A. IPsec □□ □□ AWS DirectConnect□ □□□□ □□□□□ □□□□□ □□□ Anypoint VPC□ VPC □ □□□□□ □□□□□□ □□ □□ □□□ □□
- B. DMZ□□ □□□□ CloudHub Shared Worker Cloud□ □□□ Mule □□□□□□□ □□□□ □□□□□ □□□□□ DMZ□ □□□□ □□ □□□ □□□
- C. □ □□□□□ □□□□□□ □□□□ □□□□□ □□□ □□ □□ □□□□ VPC □ □□□□□ □□□□□ □□ □□□ □ □□□ □ □□ □□□□ IP □□□□□□□ □□ Anypoint VPC
- D. CloudHub Shared Worker Cloud□ □□□ Mule □□□□□□□ □□ IP □□□ □□□□□ □□□□□ □□□□ □□□ □□□ □□ □ IP □□ □□□□

Answer: ([SHOW ANSWER](#)**)**

□□/□□:

MCIA-Level-1 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MCIA-Level-1 □□! DumpTop □ □□ **MCIA-Level-1** □□ □□□ □□□□□□, DumpTop MCIA-Level-1 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ □□□□□ MCIA-Level-1 □□□ □□□□□. <https://www.dumptop.com/MuleSoft/MCIA-Level-1-dump.html> (275 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□ □□ □□ □□□□ □□□ □□□□□ □□□ □□□□□(DWH)□ □□□□ □□ □□□□ □□□□ □□□□.

DWH□□ CSV □□□ □□□ □□ □□□ □□ □□□□ □□□□□ □□□. □□ □□□□ □□□ □□ □□□ □□□□ □□ □□ □□

□□ □□ □□□□ □□ □□□□□.

□□□ □□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□?

A. □□□□□□□□ □□□□

B. API □□ □□

C. □□□ □□ □□□□

D. □□ □□□ ETL

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

□ □□□□□□□ HTTP □□ □□□ □□□□ □□ API□ □□□□□.

□□ API□ □□□ □□ □□ □□□ □□ HTTP □□□ □□□□.

3xx □□ □□□ □□ API□□ HTTP □□ □□□□ □□□ □ □□□ □□□ □□□□□?

A. □□ API□□ □□□ □□□□ □□□□□.

B. □□□ □□ API□ □□ □□ URL□ □□□□□□□□□□.

C. □□ API□□ □□□ □□□□ □□□□□.

D. □□ API□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

3xx HTTP □□ □□□ □□□ □□□□(□ □□□□ □□ □□□)□ □□ □□□□ □□□□□□ □ □□ □□□ □□□ □□ □□□□

□ □□□□□.

NEW QUESTION: 19

□□ □□□□ □□□ □ □□ □□ □□□□ □□□□ API □□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□□□□□□.

□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□□ □□ □□□(□□□□ □□ □□□)□ □□□□□. □□□□ □□ □□□□ □□□

Mute □□□□□□□□ □□ □□ □□□□□□□□□□□□ □□□□□ □□□□.

Fulfillment □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□ OrderFulfiltd □□□(□□□□ □□□ □□□)□ □

□□□□. □ OrderFulfiltd □□□□ □□ □□ □□ Mule □□□□□□□□□ □□□ □ □□□ Order □□□□□□□□□ □□□ Mute □□□

□□□ □ □□□□□.

□ □□□□□□ □□□ □□□ □ □□□ □□□ □□ □□□ □□□ □□□□□?

A. □□ □□□□ Anypoint MQ □□□□ □□□□□.

OrderFulfiltd □□□□ Anypoint MQ □□□□ □□□□□.

□ □□□□ □□□ □□ □□□ □□□□ Anypoint MQ□ □□ □□□□□ □ □□□□ □□□□ □□□□ □□□□□ □□□□ □□□.

B. □□ □□□□ □□ □□ □□□□□□□□ □□ □□□□□.

OrderFulfilled □□□□ □□ □□□□ □□□□ □□ □□□□□.

□□ □□□□ □□□□ □□□ AMQP □□ □□□ □□□ □ □□ □□□□ □□□□ □□ □□□□ □□ AMQP □□ □□□ □□□□ □

□ □□□□□ □ □□□ □□□□ □□□□ □ □□□□ □□□□ □□ □ □□□□□ □□□ □ □□□□.


C. □□ □□□□ JMS □□□□ □□□□□. OrderFulfilled □□□□ JMS □□□ □□□□□. □ □□□□ □□□ □□ □□□ JMS □□□

(□□□□ □□□)□ □□ □□□□□ □ □□□□ □□□□ □□□ □□□□□ □□□□□ □□□.

D. 00 0000 JMS 0000 00000. OrderFulfilled 0000 JMS 000 00000. 00 000000000 000 JMS 000
(000 000)0 00 0000 00 00 0000 0000 00 JMS 0000 00 00000 0 000 0000 00 0 00000
000 000 00 0 00000 00 0 00

Answer: D (LEAVE A REPLY)

[illegible]



NEW QUESTION: 20

□□ □□□□ Anypoint Studio □ API □□□ □□□ □ □□□□□ □□□ □ □□ □□□□ □□□ □□□ □□□□. □ □□□ □ □□□ □□ □□□ □□□□ □□□□ □ □□□ □□□.

□□□□ □□□ □□□□□ □□ □□□ Anypoint Exchange □□□□□ Anypoint Exchange □ □□□□ □□□?

- A. □□ API □□□ □□ □□□ □□ □□
- B. □□ □□ □□□ □□□□ □□ □□□ □□□□ Mule □□□□□□ □□□
- C. API □□□□ □□□□ RAML □□□□ □ □□□ □□□ □□ □□
- D. □□ □□□ □□ API □□□ □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 21

Mule □□ □□□□□ □□□ □□□□□ □□□□□□□□.

1□□: JMS □□□□□ SalesOrder □□□□ □□□□. □□□ □ SalesOrder□ □□□ SalesOrderLineItem □□□□ □□□□□.

2□□: SalesOrder □□□ □ SalesOrderLineItem□ RDBMS□ □□ □□□□ □□□□□.

3□□: SalesOrder □□□ □□ SalesOrderLineItem□ □□ □□□ □□ RDBMS□ □□□□ □□□□□.

SalesOrder □□□□ □□□ □ □□□ □ RDBMS□ □□ □□ SalesOrder □□ □□□ □□□□ □□ □□□□□ □□□.

□□ □□□ □□(□□□□ □□ □□)□ □□ □□□ □□□ □□ □□□ □□□□□?

A. 1) JMS □□□ □□(XA □□□□□ □□)

2) □□□ DB □□□□□□ □ DB □□ □□

3) JMS ☐☐☐ ☐☐

B. 1) JMS □□□ □□(XA □□□□□ □□)

2) SEPARATE DB ☐☐☐☐☐☐ EACH DB ☐☐ ☐☐

3) JMS ☐☐☐ ☐☐

C. 1) XA ☐☐☐☐☐☐☐ **JMS** ☐☐☐ ☐☐

2) XA DB JMS

D. 1) JMS □□□ □□ □ □□(XA □□□□□ □□)

2) NEW XA □□□□□□ DB □□□ □□ □□□□□□.

Answer: A (LEAVE A REPLY)

* □□ A□ "SEPARATE DB □□□□□□ EACH DB □□ □□"□□□ □□□□. □ □□ □ □□ DB □□□ □□□□ □ □□ DB □□□ □□□□ □ □□ □□□ □□□□ □□ □□□□ □□□□□. □ □□□ □□□□□.

* □□ D□ □□□ DB □□□□□□ □ DB □□ □□□ □□□□.

□□□ □□ □□□ DB □□□ □□□ □□ □□ □□□□□ □□□ □□□□ □□□□□ XA □□□□□ □□□□ □□□. □□□ □ □□ □ □□□□□.

* Option B DB □□ □ □□ □□□□□ □□□□□ □□□□□ □□□□□. □□ □□□ □□ □ □□□□ □□□ □ □□□□.

[illegible]

* XA □□□□ - XA □□□□□ □□□□ JMS, VM □□ JDBC □□□□ □□ □□ □□□□ □□□□ □□□ □□□ □□ □□□□ □□□□ □□□□□□ □□□□□ □□□□□ □□□□□.

* XA(eXtended Architecture) □□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□ □□□□□□ □□□□ X/Open □□ □□□□.

XA 00000 00 00, 000 00 000 00000 000 "00 00 00" 000 00 00000 0000 0000 0000 0 0
00 0 00 200 00 00000 00000.

* □□□ □□ □□ JMS ack□ □□□□□.

- □□□ □□ □□□□□□ □□□□ □□□.

- □ □ □ □ □ □ □ □ □ □ □ □

- □□□ □□□ □□□□□□.

- SAGA □□□ □□ □□

* JMS □□□□ □□

- □□□ □□ □□ □□□ □□ □□ □□ □□□□□ □□

- □□ □□□ □□ □□□ □□ □□□□ □□□□ □□

- □□□□□ □□□ □□□□ □□□□(□□/□□/□□)

NEW QUESTION: 22

□□□ Anypoint Platform - Private Cloud Edition□□ □□□□ Mule □□□□ □□□□□. MuleSoft□ □□ □□ □□□□ □□ □□□□ □□□□ MuleSoft □□ □□□ □□□□□?

A. □□□□□ □□□

B. Mule □□□

C. □□□□□ API □□□

D. Anypoint □□□ □□□

Answer: (SHOW ANSWER)

□□□ Anypoint Runtime Manager

MuleSoft Anypoint Runtime Manager(ARM)□ □□ □□□ □□□ Mule □□□ □□□ □□ □□□ □□□□ □□ □□□ □□, □□□□ □ □□ □□□ □□□□□. □□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ Splunk □ ELK□ □□ □□□ □ MuleSoft □□/□□□ □ □□□□ □□□□ □□□ □□□□ □□ □ □□□ □□□□ □□ □□□□□ □□□□□.

* □□ □□ □□□ □□□□ □□□□□ Runtime Manager □□□□□ □□□ □ □□□□.


Runtime Manager □□□□ □□ □□ Anypoint Platform Private Cloud Edition□ □□□□ □□□ □□□ □ □□□□.

--> □□ □□ □ □□□ □□□ Mule □□□ □□□ Splunk □□ ELK□ □□□□.

--> API □□□ Splunk □□ ELK□ □□□□. CloudHub□ □□□ □□□□□□□□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □ □□□.

CloudHub □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□. □□: <https://docs.mulesoft.com/runtime-manager/>

<https://docs.mulesoft.com/release-notes/runtime-manager-agent/runtime-manager-agent-release-notes>




□□ □□:

3□□□ □□□ □ □□□□.

1) □□□□□ □□□ □□□□ □□□□,

2) API □□□ □ MuleSoft □□ □□□(□: Splunk)□□ □□ □ □□□ □□□□□ □□ - □□ □□□□□□ □□ □□□ □□

3) □□□□□ □□□□□.



NEW QUESTION: 23

Mule □□□□□□□□ 2□□ □□ □□(Batch_Step_1 □ Batch_Step_2)□ □□ □□ □□□ □□□□ □□□□. 1000□□ □□□□ □□ □□□□□ □□ □□□□ □□□□□.

D. ☐ Batch Job ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ SINGLE THREAD ☐ ☐ ☐ ☐ ☐ ☐ ☐ Batch Step ☐ ☐ ☐ ☐ ☐ A BLOCK OF ☐ ☐ ☐ ☐ ☐ ☐ ☐ BLOCKS ☐ ☐ ☐ ☐ IN ORDER ☐ ☐ ☐ ☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24


□□ Anypoint Platform □□□□ □□□ □□ □□□ □□□□ □□□□ Anypoint Platform□ □□□ □ □□□□ □□ □□□ □□ □□ □
 □□□ □□ □□□□ Anypoint Platform □□□ □□□□□?

- A.** ID
- B.**
- C.**
- D.**

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

.



□□□□ □□□□□□ HTTP□ □□ □□□□□□ □□ □□□□ □ □□ API□ □□□□□□. □ API□ Mule □□□□□□□□ □□□□□. API 1□ □□ HTTP □□□ □□□□ API 2□ □□□□(fire and forget □□□□) API 2□ □□□ □□□□ API 1□ □□ □□□□ □□□ □ □□□□ □□□ □□□□.

□ API□ □□ □□ Mule □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

□□□□ □□□□□□ □□ API 1□ API 2 □□ □□ □□□ □□□□□□ □□□ □□□ □□□ □□□□ □□□?

A. □ API□□ □□□□ □□□□□ □□ □□□ □□□□ □□

B. □ API□ Mule □□□ □ □□□□ □□□□ □□ API□ toad □□□□□ □□□ □□□□□ □□

C. □ API□ Mule □□□ □□ □□□□ □□□ □□□ □□ □□

D. □ API □□□□ □□□□ □□□□ □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□ Mulesoft □□□ □□□ □□□□ □□□□ □□ □□□ Mule □□□ □□□ □□□□□. □□□ □□ □□ □□ □□ □□ □□

□ □□ □□ □□ Anypoint Runtime Manager□□ □□□ □ □□ □□□ □□□□□?

A. □□□ □□□□□ □□ □□□ Mule □□□□□ □□ □□ □□ □□ □□□ □□□ □□□□ □□

B. □□□ Mule □□□□□□ □ □□□□ □□□□□ SSL □□□□□ □□□ □

C. Mule □□□□□ □□□ Mule □□□ □□□□□ □□□ □

D. Mule □□□□□ □□ □□□ □□□ □□□ □□□ □□ □□ □

Answer: A ([LEAVE A REPLY](#))

□□□ □□□ □□ □□□ □□□ Mule □□□□□ □□ □□ □□ □□ □□□ □□□ □□□□□. Anypoint Monitoring□ □□□□□

□ □□ □□□ □□□ □□□ □ □□□□□. □□ □ Mule □□ □□ □□ □□ □□□ □□: □□ 50□ □□ Anypoint Platform□ □□

Titanium □□□ □□ □□□□□ □□ □□ □□ □□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□

□ □□□□□. □□ □□ Mule □□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□□. □□□□□□ □□ □ CloudHub □□ □□: * CPU

□□□ * □□□□ □□□ * □□□□ □ Anypoint Monitoring□ □□□ □□ □□□□□ □□ □□□□ □□ □□ □□. □ □□□ □□□□□□

Titanium □□□ □□□ □□□. □□□ □□: □□ 20□□ □□ □□

NEW QUESTION: 27

Mule □□□□□□□□ □□□□ JMX □□□□□□ □□ □□ □□□ □□□ □ □□□□?

A. □□ □□□ □□ □□

B. □□□ □□□ □□

C. Mule □□□□□□ □□

D. □□ tog4J2 □□ □□□□ TRACE□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□□ □□ □□□ Anypoint Platform□ □□□□□ □ □□□□ □□□ □□ □□□ □□ □□□ □□□ □□□□□. □ □□ □□□ □□

□□□ Anypoint Platform□ □□ □□□ □□□□ □□□?

A. □□ ID □□

B. □□□□□ ID □□

C. □□ □□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

ABC □□□ □□ □□ □□□ AWS □□□□ □□□ VM/□□ □□(RTF-VM) □□□□□□□ Anypoint Runtime Fabric□ □□□□ □□□
□.

Mule □□□□□□ □ RTF-VM □□□□□□ □□□□□. □□ □□□ □□□ Mule □□□□□□ □□□ □□ LMT(□□ □□ □□)□
□□□□□ □□□.

□□□ □□ □□□ □□ □□□ □□□ □ Mule □□□□□□ □□□ □□ LMT□ □□□ □□ □□□□(□□□ □□ □□) □□□ □□□
□□?

A. ☐ Mule ☐☐☐☐☐☐☐☐☐☐☐☐ Log4j ☐☐☐☐☐☐.


B. RTF-VM □□. □□ □□ □□□ □□ □□ □□□ □□

C. RTF-VM

D. RTF-VM □□ □□ LTM □ □□ □□□□ □□ □ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30



□□□ □□□ □□□□□ □□□□ □□□□ Mule □□□□□□□ □□□□□ □□□ □□ Anypoint VPC□ □□□ □□□□ □□□□. □
□□ □□ □□□□□. 60 □ □□□□□□□. □ □□□□□□□ 2□□ CloudHub i □□□□□□ □□□□□□. □□□□ □□ □ VPC□ □□□
□ 3□□ □□□□□ □□(DEV, SIT □ UAT)□ □□□□. VPC□ AWS □□□□ 2□□ AZ□ □□□□.

1. **DevOps** 2. **CloudHub** 3. **Mule**

□□ □□□ □□ IP □□ □□□ □□ □□ □ VPC□ CIDR □□□ □□□□□?

- A.** 10.0.0.0/25(128 IP)
B. 10.0.0.0/24(256□□ IP)
C. 10.0.0.0/22(1024□□ IP)
D. 10.0.0.0/26(64IPS)

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

□□ □□ □□□ Mule □□□□□□□ □□□□ □□□ □□ □□□ □□□□ □□□. □□ □□□ □□ □□□ □□ □□□□ □□ □□□
 □ □□ □□□□ □□ □□ □□□□ □□□ □ □□□□. □□□□ □□□ Mule □□□□□□□ □□ □□□□□□.
 □□□ □□□ □□□ □□ □□□ □□□□. □□□□ □□ □□□□ □□□□□□□ □□□□□ □□□□ □□ □□□□□ □□ □□□□
 □□□ □□□.

□□ □□□ □□□ □□□□□□□□ □□□□ Mule □□□□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□□?

- A.** DataWeave□ □□□□ □□ □□ □□□ mlaoservices□ □□ □ □□□□ □□□ Mule □□□□□□□ □□□□ □□ □□□ □□ □
□ □□□□□□ □□□□□□ □□□□ □ □□□□.
- B.** □□ □□ □□□□ □□ □□□ □□□□ DataWeave□ □□□□ □□□ Mute □□□□□□□□ □□ □□ □□
- C.** □□□ □□ □□□□ □□ □□ □□□□ □□□□ □□□ Mule □□□□□□□□□ □□
- D.** DataWeave□ □□□□ □ Mute □□□□□□□□□ □□ □□□ □□□□ □□□ □□ □□ □□ □□□□ □□□□□.

Answer: D (LEAVE A REPLY)

```

DataWeave  Mule  . * 
"  "  Mule 
DataWeave  Mule 
  "DataWeave  Mule 
  "DataWeave

```

MCIA-Level-1         DumpTop     MCIA-Level-1 ! DumpTop   **MCIA-Level-1**              


NEW QUESTION: 32

CloudHub □□ □□ □□□□ □□□□□ □□ □□□ □□□□□?

- A.** ☐☐☐ Mule ☐☐☐☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
- B.** ☐☐ ☐☐ Mule ☐☐☐☐ ☐☐ API ☐☐☐ ☐☐ ☐☐ DNS ☐☐ ☐☐ ☐☐
- C.** ☐☐ CloudHub ☐☐☐☐ ☐☐ API ☐☐☐ ☐☐ ☐☐☐☐ ☐☐
- D.** API ☐☐☐ API ☐☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ TLS ☐☐ ☐☐☐ ☐☐

NEW QUESTION: 36

□□□ □□□□□.



Mule □□□□□□□ 2□□ □□ □□□ Mute □□□ □□□□□ □□□□□. Mute □□□□□□□□ □□□□□□□ □□□□ □□□ HTTP Listener□ □□□□ □□ □□□ □□□□.

HTTP □□□□□□□ HTTP □□□ □□ □□□□ □□□ □□ □□□□.

□□□□□ □□(□□□) □□□ □□□ □ □□ □□□ □□ □□□□□ □□ □ HTTP □□ □□□ □□□ □□□?

- A. □□□□□□□ □□ □□ □□ HTTP □□□ □□ □□□
- B. □□□□□□□ □□ □□ □□□ □□□ □□ HTTP □□□ □□ □□
- C. □□□□□□□ □□ □□ □□ HTTP □□□ □□ □□□□□ □□□ □□□ □□ □□□ □□ □□ □□ □□
- D. □□□□□□□ □□ □□ □□ HTTP □□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□ REST □□□□□□□ □□ POST □□□ □□□ □□□ Mule □□□□□□□ API □□□□□□□ □□□□□ □□□□.

Mule □□□□□□□□ □□□□ □□□ □□ □□□ □□□ □□□□□ □□□□□ □□□ □□ JSON □□□□□ □□ □□□ □ □□□□□ □ □□□ □□□. □□□ □□□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□□. □□ □□□□ □□ □□ □□□ □□□□ □□□ □□. □□□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□ □□□□□ □ □□□.


□□□ □□ □□□ □□ □ □□□□ □□ □□ □□□□ □□□□ □□ □□□□(□□□□ □□□□□ □□□□) □□□ □□ □□□ □□□□, □□ □□□□□ □□ □□□ □□ □□□□ □□□□ □□□?

- A. □□ □□□□ □□□□ □□□ □□□
□□ □□ □ □□ □□□□ □□ □□□ □□
- B. □□ □□□ □ □□□ □□ □□
□□ □□ □ □□ □□□□ □□ □□□ □□
- C. □□ □□□□ □ □□ □□□ □□□
□□ □□ □ □□ □□□ □□ □□□ □□
- D. □□ □□□ □ □□□ □□
□□ □□ □ □□ □□□ □□ □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□□ □□□ □□ □ □□□□□ □□□□ □□ □□□□ □□□□ □ □□□ □□, □□ □□ □□□ □□ □□ □□□□ □□ □□. □□□□ □□□□□□□□ □□□□□ □□ □□□□ □□ CRM □□□□□ □□□□□ □□□ □ □□□□. □□□ □□ □□ □□□ □□ □ □□□□□ □□ API□ □□□□ □□□□?




- A. □ □ □□□ □ □□□ □□□ □□□□ □□□□ Process API□, □□□ □□□□□□□ □□ □□□□ □□□ □□□□ □□□□ □ □□□ API □□ □□ □□ □ □□ □□□ □□□ □ □□ □□□□ □□□□□.
- B. □ □□ API(Experience API, Process API □ System API) □□□ □□□ □□ API □□.
- C. □□□ □ □ □□ □□□ Experience API□□□ □□□□□□ □ CRM □□□□□□ □□□ □□□ □□□ API□ □□□□ □□ □□□ □ API
- D. □ □ □□□ □ □□□□ □□□□ □□ □□ API□□□ □□□□□□ □ CRM □□□□ □□ □□□□ □ □ □□□ □□ □□ □□□ Process API□□□.

Answer: C ([LEAVE A REPLY](#))


□□ □□□ □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□: □□ □□ API□□□□ □□□ □□□□ API □□: □□ □□ □□□ □ □□ □□□ □□□ □□ □□ □□□ □ □□□□ □□□□ □□□□ □□□□. □□ □□ □□□□ □□□ □ □□ API □□ : □□ □□□□ API □□ : □□ □□□□ API□ □□□□ □□□ □□□□□□□□ □□ □□□ □□ API□ □□□ □□□ □ □□ □□□ □□□□ □□□ □□ □□□ □ □□□□ □□□□ □□□□. □□□□ □□ □□□ □□□□.

□□: □ □□□□□□ □□□ □□ □□□ API □□ □□: □□ □□□ □□□ □□ □□□ □□□□ Anypoint API □□ □□ □□ □□□ □ □□ □□□□□. □ □□□□ □□□ □ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□□□□.

□□□ □□□ □□□ □ □ □□ □□ □□□□ Experience API□□□□ □□□□□□ □ CRM □□□□ □□ □□□ □□□ □□□ API□ □□ □□ □□ □□□□ API□□□□.



The diagram illustrates a multi-tier API architecture. At the top, two blue boxes represent 'Experience API For WEB' and 'Experience API For Mobile'. These are connected to a central orange box labeled 'Common Process API'. Below this, two yellow boxes represent 'Experience API For WEB' and 'Experience API For Mobile'. The architecture is divided into three layers by dashed lines. The top layer contains the Experience APIs. The middle layer contains the Common Process API. The bottom layer contains the Experience APIs. The diagram shows how the Common Process API acts as a central hub, processing requests from the Experience APIs and interacting with external systems like CRM and ERP.



NEW QUESTION: 39

Mule is a platform for building integration solutions. It provides a set of tools and frameworks that enable developers to create applications that connect different systems and data sources. Which of the following is NOT a Mule component?

- A. Mule ESB
- B. Mule API Gateway
- C. Mule DataWeave
- D. Mule REST Client

Answer: B (LEAVE A REPLY)

☐

NEW QUESTION: 40

□□ Anypoint Platform □□□□ Anypoint Exchange□□ □□□ □□□ □ □□ □□ □□ □□□□ □□□□?

- A. □□□ □□□ □□ Anypoint Exchange □□□ □□
- B. Anypoint Exchange□ □□ □□
- C. Design Center□ RAML□ □□ □□□□ □□□ □□□□□□.
- D. □□□□ □□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Mule □□□□□□□□ □□□□ JMX □□□□□ □□ □□ □□□ □□□ □ □□□□?

- A. □□ □□□ □□ □□
- B. □□□ □□□ □□
- C. □□ tog4J2 □□ □□□ TRACE□ □□
- D. Mule □□□□□□ □□

Answer: C ([LEAVE A REPLY](#))

JMX □□ JMX(Java Management Extensions)□ □□ □□□□, □□, □□□ □ □□ □□□□ □□□□ □□□□ □□□□□. JMX□ □□□□□ □□, □□ □ □□□□ □□□□ □□□□□□ □□□□ □ □□□ □ □□□□. JMX□ □□□□ JVM(Java Virtual Machine)□ □□□□□□ □□□ □□ □□□□. □ □□□□ □□ □□□ Managed Bean □□ MBean□ □□ □□□□□. □□ MBean□ MBean □□□ □□□□□. JMX □□ □□□□□ MBean □□□ Mbeans□ □□□□ □□ □□□ □□□ □□□□□. Mule for JMX □□□ □□ □□□□ □□ □□□□□ □□□□. JMX□ □□□□ □□ □□ □□□ □□ JMX □□ □□□□□ □□□□ □□□□. Log4J □□□ □ log4j □□□□□ JMX □□□ □□ Mule□□ □□□□ Log4J □□□□□ □□□ □□□□□. <jmx-log4j> □□□ □□□□□ Log4J □□□ □□ □□□□□□.

NEW QUESTION: 46

□□ Mute □□□□□□□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□. □ □□□ HTTPS POST□ □□ Mute □□□□□□□□□ □□□□ □□ □□□□□ □□□. □□□□ □□□ □□□ □□□□ □□□□□. □□□ □□□□ □ □□ □□ □□□□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□(□□□□ □□□ □□). Mule □□□□□□□□ □□ □□□ □□□□ □□□□ □□□ □□ □□ ActiveMQ □□□□ □□□ □ □□□□. □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□. □□ □□ □□□ □□□□□□ □□□ □□□□ □□□□ □□□ □□□□□ Mule □□□□□□□ □□ □□□ ActiveMQ □□□□ □□ □ □□(□□□□ □□□ □□□) □□□□ □□□□□?

- A. □□ □□□ □□ On Error □□ MuleSoft Object Store ActiveMQ □□ □□ □□ □□□
- B. componentMuleSoft Object Store□ □□□ □□□ ActiveMQ□ □□□□ □□□ □□□□ □□□□.
- C. □□ □□□ □□□ □□□ ActiveMQ □ □□□ □□□ ActiveMQ □□ □□□ □□ □□ □□ □□ □□□
- D. □□ □□□ □□ □□ □□ □□ □□□ VM ActiveMQ □□ □□ □□ □□□

Answer: ([SHOW ANSWER](#))

DumpTop MCIA-Level-1 ☐☐☐ ☐☐☐☐☐☐. <https://www.dumptop.com/MuleSoft/MCIA-Level-1-dump.html> (275 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 47

□□□□ Mule □□□□□□□□ □□□ □□□ □□□ □□□□. □□□ Mule □□□□□□ □ □□□ □□□ □□ □□□ Mule □□□(□□□□□)□ □□□□ □□ □□□□□□□ MuleSoft □□□ □□□ □□(CloudHub)□□ □□□□□. Integra □□□ □□□□□ □□ □□□ Mule □□ □□□□□ □□□□□ □□□ □□□□ □□□□□ □□ □□ □□ □□□□□ □□ □□□ □□□ □□□□ □□□□□. □□□ □□□ □□□□ □□□□□ □ □□□ □□ □□□ □ Mule □□□□□□□□□ □□ □□□ □□ □□□□□ □□□ □ □□ □□□ □□□□□?

- A.** □□ □□□ Mule □□□ □□ □□□□ □□ □□□□ Mule □□□ □□□□□ □□□□□. □□ □□□ Mule □□□□□□□□ □□□ □□□□ Mule □□□□□□□ Mule □□□□□ □□□□□.
- B.** □□□□ □□□ □□ □ □□ □□□ □□ □□□ □□ □□□ □□□□□. □□ □ Mule □□□□□□□□ □ □□ □□□□ □□ □□□ □ □□□□ □□□.
- C.** □ □□□ □□□□ □□ □□ □□□ □□□ □□ □□□ □□□□□. □□□□ □□ □□□ □□ □ □□□□ □□□□ □ Mule □□□□ □□□ □□□□□□.
- D.** □ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □ MuleSoft □□□ Mule □□□□□ □□□□ □ □□ □□ □□ □□□□ □□□□□ □□□□□. □□ □□ □□□□□ □□□□□ □□ □ Mule □□□□□□□□ □□□ □□□□□□ □□□.

Answer: C (LEAVE A REPLY)

[illegible]

NEW QUESTION: 48

☐☐ Anypoint ☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐

- A.** ☐☐☐☐☐☐ , JMS, VM
- B.** ☐☐☐☐☐☐ , 3MS, HTTP
- C.** ☐☐☐☐☐☐ , JMS, VM, SFTP
- D.** ☐☐☐☐☐☐ , VM, ☐☐

Answer: A (LEAVE A REPLY)

□□ Anypoint □□□□ □□□□□ □□□□□. * JMS - □□ - □□ * VM - □□ - □□ * □□□□□□ - □□ □□

NEW QUESTION: 49

Which of the following is an API that can be used to connect to an API that is not a REST API?
A. Anypoint Platform REST API
B. Anypoint Platform API
C. Anypoint Platform API
D. Anypoint Platform API

Anypoint Platform REST API is used to connect to an API that is not a REST API.
Which of the following is an API that can be used to connect to an API that is not a REST API?

- A. Anypoint Platform CLI
- B. Anypoint Platform API
- C. Mule Maven
- D. API Manager

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Mule is a Java-based API that can be used to connect to an API that is not a REST API.

1) JMS is a Java-based API that can be used to connect to an API that is not a REST API.

2) SalesOrder is a Java-based API that can be used to connect to an API that is not a REST API.

3) SalesOrder is a Java-based API that can be used to connect to an API that is not a REST API.

SalesOrder is a Java-based API that can be used to connect to an API that is not a REST API.

Which of the following is a Java-based API that can be used to connect to an API that is not a REST API?

- A. JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- 2) JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- 3) JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- B. JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- 2) NEW XA is a Java-based API that can be used to connect to an API that is not a REST API.
- C. JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- 2) SEPARATE DB is a Java-based API that can be used to connect to an API that is not a REST API.
- 3) JMS is a Java-based API that can be used to connect to an API that is not a REST API.
- D. XA is a Java-based API that can be used to connect to an API that is not a REST API.
- 2) JMS is a Java-based API that can be used to connect to an API that is not a REST API.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which of the following is a Java-based API that can be used to connect to an API that is not a REST API?

Which of the following is a Java-based API that can be used to connect to an API that is not a REST API?


- A. IPsec is a Java-based API that can be used to connect to an API that is not a REST API.
- B. CloudHub Shared Worker Cloud is a Java-based API that can be used to connect to an API that is not a REST API.
- C. IPsec is a Java-based API that can be used to connect to an API that is not a REST API.
- D. CloudHub Shared Worker Cloud is a Java-based API that can be used to connect to an API that is not a REST API.

D. DMZ CloudHub Shared Worker Cloud Mule CloudHub DMZ CloudHub

Answer: A (LEAVE A REPLY)

NEW QUESTION: 52

CloudHub Shared Worker Cloud



Mule CloudHub Shared Worker Cloud Mule CloudHub DMZ CloudHub DMZ CloudHub

1. Listen for JMS messages: JMS ID is extracted.

2. Receive and extract correlationID from message: Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

3. Invoke SOAP service with correlationID: SOAP service is called with JMS ID and correlationID.

4. Extract correlationID from response: SOAP service returns correlationID. JMS ID is compared with correlationID.

5. Compare and validate correlationID: Mule compares JMS ID with correlationID. If they match, the message is published to the JMS queue.

Mule CloudHub Shared Worker Cloud Mule CloudHub DMZ CloudHub DMZ CloudHub

A. JMS ID is extracted from the message.

B. JMS ID is compared with the correlationID.

C. JMS ID is compared with the correlationID. Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

D. JMS ID is compared with the correlationID. Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

Answer: D (LEAVE A REPLY)

* JMS ID is compared with the correlationID.

* JMS ID is compared with the correlationID. Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

* JMS ID is compared with the correlationID. Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

* SOAP service is called with JMS ID and correlationID. SOAP service returns correlationID.

----- JMS ID is compared with the correlationID

JMS ID is compared with the correlationID.

3. Invoke SOAP service with correlationID: Mule uses HTTPS to call SOAP service with JMS ID. SOAP service returns correlationID.

□□□□□ □□□ □□ □□□ □□ □□ □□□ □□□□.
□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□ □□ □□□□ □□□□□.

IDEMPOTENCE 		
WHEN PERFORMING AN OPERATION AGAIN GIVES THE SAME RESULT		
HTTP METHOD	IDEMPOTENCE	SAFETY
GET	YES	YES
HEAD	YES	YES
PUT	YES	NO
DELETE	YES	NO
POST	NO	NO
PATCH	NO	NO

NEW QUESTION: 53

Mule □□□□□□□ □ □□ □□ □□ □□□□□□ □□□ □□ □□ □□□□ □□□□□ □□□□.
□ □ □□□□□□ □□□□ □□□□□ □□ □□ □□□□□□ XA □□□□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□□ □□
- C. □□ □□□
- D. □□□ □□

Answer: D ([LEAVE A REPLY](#))

* XA □□□□□ □□□ □□ □□□ □□□□□ "□□ □□"□ □□□ □□□□□. XA □□□□□ "□□ □□ □□□" □□ □□□□□ □□ □□□.
* □ □□ XA □□□ □□□□ ACID □□(Atomicity, Consistency, Isolation, Durability)□ □□□□□.
----- □□□ □□□ □□□ "□□□ □□"□□□.

NEW QUESTION: 54

□□□ □□□□□.

Mule 4 □□□□□□□□ JSON □□□ □□□□□ 200□□ □□ □□□□ □□ □□ □□□ □□ □□□ VM □□□□ □ □□ □□□ □□□ □□ □□□ □□□□.

□□□ □□□□ □ □□ □□□□ □□□ VM □□□□ VM □□□□ □□□□. □ □□□ □□□ □□□ □□□ □□□□□□□ □□□□ □□□ □ □□□ □□□□□.

□ Mule □□□□□□□ □□ □□□□ □□□□ 4□□ CloudHub □□□□ □□□□□.

VM □□□□ CloudHub □□□□ □□□□ □□□ □□ □□□ □□□□, □□ CloudHub □□□□ □□□ □□□ □□□□ □□ □□ □□ □□ □□□ □ □□□ □□ VM □□□□ CloudHub □□□ □□ □□□ □□□□□□?

A. □□ □□ VM □□□□ □ □□ □□ CloudHub □□□□ □□ □□ □ □ □□□□□. □ □ □□ CloudHub □□□□ □□ 200□ □□ VM □□□□ □□□□□.

B. □ □□ VM □□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□ □ □□ CloudHub □□□□ □□ □□ □ □ □□□□□. □ □ □ CloudHub □□□ □□□ □□ VM □□□□ 1/4(□ 50 □□□)

C. □□ □□ VM □□□□ □□ □□□ □□□ □□□ CloudHub □□□□ □□ □□□ □ □ □□□□□. □ □ □□ CloudHub □□□□ □□ □ 200□ □□ VM □□□□ □□□□□.

D. □ □□ VM □□□□ 1□□ □□ CloudHub □□□□ □□ □□ □ □ □□□□□. 4□□ CloudHub □□□ □□□ □□ □□ VM □□□ □ □□□ □□□ □□□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

□ □□□□□□□ □□ Cloudhub □□□□ □□□□ □□ URL□ □□□ □□□□ APP URL□ □□□□□.

□□□ □□ □□□□ □□ □□ □ □□□□□□□ □ □□□□□□ □ URL□ □□□□□. □□□ □ □□□ □□ □□ Mule □□□□□□ □ HTTPS □□□ □□□ □□□ □□□□□□.

□□□ DevOps □□ Runtime Manager□□ □□ □□ Mule □□□□□□□ □□ □□□ □□□□□.

□□□ □□ □□ □□□ □□□□ □□□ □□, □□ Mule □□□□□□ □□□ □□ □□□ □□ Mule □□□□□□□ □□ □□ □ □□ □□□ □□□ □□□□□?

A. CloudHub□ □ Cloudhub □□□□□ Mule □□□□□□□ □□□□□□. □ □ □□□□□ □□□ □ Cloudhub □□□□ □□□ □ □ □ □□□ □□□ □□□□□.

B. Cloudhub□ Mule □□□□□□□ □ Cloudhub □□□□□ □□□□□□. □ □ □□□□□ □□□ □ Cloudhub □□□□ □□□ □ □ □ □□□ □□ Cloudhub □□□□ □□□□□□.

C. Cloudhub□ Mule □□□□□□□ OLD Cloudhub □□□□ □□□□□□. Mule □□□□□□□ OLD Cloudhub □□□□ □□□□ □□ □ □ □ □□□□□ □□□ □□□ □□□□□.

D. Cloudhub□ Mule □□□□□□□ OLD Cloudhub □□□□□ □□□□□□. □□□ □ □□□□□ □□□ Mule □□□□□□□ □□□ □□ □□ □□ □□ OLD Cloudhub □□□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□□□ □□ □□□□□ Cloudhub□ □□□□ □□ Anypoint VPC□ □□□ □□□□ □□□□.


□ □□ □□□ □□ □□□ 150□□ Mule □□□□□□□ 3□□ □□□□ □□□ □□□□ Cloudhub□ □□ □□ □□□□ □□□ □□□ □□□□□□□. □ Mule □□□□□□□ 2□□ Cloudhub □□□□ □□□□□ □□□. □□ □□ □□□ □□ Mule □□□□□□□ □□□ □□□ □□□□□.

- A. 10.0.0.0/24(256 IP)
- B. 10.0.0.0/21(2048 IP)
- C. 10.0.0.0/23(512 IP)
- D. 10.0.0.0/22(1024IPs)

Answer: B (LEAVE A REPLY)

NEW QUESTION: 57

□□□ □□□□□.



□□□□ □□□□□□ HTTP□ □□ □□□□□□ □□ □□□□ □ □□ API□ □□□□□□. □ API□ Mule □□□□□□□□ □□□□□□. API 1□ □□ HTTP □□□ □□□□ API 2□ □□□□(fire and forget □□□□) API 2□ □□□ □□□□ API 1□ □□ □□□□ □□□ □□□□ □□□ □□□□.

□ API□ □□ □□ Mule □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□□. □□□□ □□□□□□ □□ API 1□ API 2 □□ □□ □□□ □□□□□□ □□□ □□□ □□□ □□□□ □□□□ □□□?

- A. □ API□ Mule □□□ □□ □□□□ □□□ □□□ □□□
- B. □ API□ Mule □□□ □ □□□□ □□□□ □□ API□ toad □□□□□ □□□ □□□□□□□.
- C. □ API□□ □□□□ □□□□□ □□ □□□ □□□□ □□
- D. □ API □□□□ □□□□ □□□□ □□□□ □□□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 58

API 4xx status codes HTTP 4xx status codes Mule 4xx status codes. HTTP 4xx status codes HTTP 4xx status codes API 4xx status codes HTTP 4xx status codes 4xx status codes status codes status codes status codes?

- A. API Mule 4xx status codes HTTP 4xx status codes HTTP 4xx status codes status codes.
- B. Mule 4xx status codes HTTP 4xx status codes HTTP 4xx status codes API 4xx status codes status codes.
- C. HTTP 4xx status codes API 4xx status codes Mule 4xx status codes HTTP 4xx status codes status codes.
- D. API API 4xx status codes status codes status codes status codes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Anypoint Platform - Private Cloud Edition Mule 4xx status codes. MuleSoft 4xx status codes status codes MuleSoft 4xx status codes status codes?


- A. Anypoint 4xx status codes
- B. 4xx status codes
- C. 4xx status codes API 4xx status codes
- D. Mule 4xx status codes

Answer: A ([LEAVE A REPLY](#))

URL: <https://docs.mulesoft.com/runtime-manager/sending-data-from-arm-to-external-analytics-software>

NEW QUESTION: 60

4xx status codes.



□ Mule □□□□□□□□ □□ □□□□ □□□□ □□ Cloudhub □□□□□ □□□□□. retrievefile □□ □□□ □□□ □□ SFTP □□□ □ CSV □□□ □□ □□ CSV □□□ □ □□□□ VM □□□□ □□□□□. processCustomerRecords □□□ VM □□□□ □□□ VM □□□□□ □□□□ □□ □□ □ □□□□ □□□□□ □□□□□.

VM □□□□□ □□□□ □□□□ □□□□ □□□ Cloudhub □□□□□ □□□□□□?

- A. □ □□□□ □□□ □□□ □□□ Cloudhub □□□□ □□□□□□ □□ □□□□ □□ Cloudhub □□□ □ □□□□ □□□□□□.
- B. □ □□□□ □□□□ □□□ □□ □□□□ Cloudhub □□□ □ □□□ □□□□□□ Cloudhub □□□ □□ □□□ □□□ □□□ □□ □□□.
- C. □ □□□□ □□ Cloudhub □□□□□ □□□□□ □□ Cloudhub □□□□ □ □□□□ □□□□□.
- D. □ □□□□ NON-DETERMINISTIC □ □□□ □□ □□□□ □□ □□□ Cloudhub □□□ □ □□□ □□□□□□ Cloudhub □□□ □□ □□□ □□□ □□□□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 61

□□□ Anypoint Platform - Private Cloud Edition□□ □□□□ Mule □□□□ □□□□□. MuleSoft□ □□ □□ □□□□ □□ □□□□ □□□□ MuleSoft □□ □□□ □□□□□?

- A. □□□□□ □□□
- B. Mule □□□

D. Anypoint ☐☐☐ ☐☐☐

Answer: D (LEAVE A REPLY)

22

□□□ Anypoint Runtime Manager

MuleSoft Anypoint Runtime Manager(ARM) □ □□ □□□ □□□ Mule □□□ □□□ □□ □□□ □□□□ □□ □□□ □□, □□□□ □
□□ □□□ □□□□□. □□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ Splunk □ ELK□ □□ □□□ □ MuleSoft □□/□□□
□ □□□□ □□□□□ □□□ □□□□□ □□ □ □□□ □□□□□ □□ □□□□□ □□□□□.

```
* 00 00 0000 0000 00000 Runtime Manager 00000 000 0 00000.
```


Runtime Manager Anypoint Platform Private Cloud Edition .

--> 00 00 0 000 000 Mule 000 000 Splunk 00 ELK0 0000.

--> API □□□ Splunk □□ ELK□ □□□□. CloudHub□ □□□ □□□□□□□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□.

CloudHub

<https://docs.mulesoft.com/release-notes/runtime-manager-agent/runtime-manager-agent-release-notes>



☐ ☐ ☐ ☐ :

3□□□ □□□ □ □□□□.

1) □□□□□ □□□ □□□□ □□□□,

2) API □□□ □ MuleSoft □□ □□□(□: Splunk)□□ □□ □ □□□ □□□□□ □□ - □□ □□□□□□ □□ □□□ □□

3) □□□□□ □□□□□.

□□ □□□□ □□□□ □□□ AMQP □□ □□□ □□□ □ □□ □□□□ □□□□ □□ □□□□ □□ AMQP □□ □□□ □□□□ □
□ □□□□□ □ □□□ □□□□ □□□□ □ □□□□ □□□□ □□ □ □□□□□ □□□ □ □□□□.


C. □□ □□□□ JMS □□□□ □□□□□. OrderFulfilled □□□□ JMS □□□ □□□□□. □ □□□□ □□□ □□ □□□ JMS □□□ (□□□ □□□)□ □□ □□□□□ □ □□□□□ □□□□ □□□ □□□□□ □□□□□ □□□.

D. 00 0000 JMS 0000 00000. OrderFulfilled 0000 JMS 000 00000. 00 000000000 000 JMS 000
(000 000)0 00 0000 00 00 0000 0000 00 JMS 0000 00 00000 0 000 0000 00 0 00000
000 000 00 0 000000 00 0 00

Answer: D (LEAVE A REPLY)

```
* JMS □□□/□□□ □□□□ □□□□ □□ □□ - □□□ □□□□ □□□□ □□□□□□ - □□□□ □□□□ □□□□ □□ * □□ JMS
□□□/□□□ □□□ □□□ □□: - □□ □□. - □ □□ JMS □□□□ □□□□ □ □□□□ □□□ - □ □□ □□□(□: ActiveMQ □ IBM
MQ)□ □□□□ □□ □□ □□□□□ □□□ * □□□□ □ □□ □□□□ □□□□□□ □□□□ □ □□ □□□ □□□ □□□ □□□□. *
```

[illegible]




NEW QUESTION: 65

□□□ □□□ □□□ □□□ □□□□□ □□ AWS VPC□ □□□□□□□□□. □□□ □□ Cloudhub□ □□□ REST API□ □□□ Mule □□□□□□□ □□□□□ □□ Cloudhub□ □□□□ □□□. □ Mule □□□□□□□□ □□□ □□ □□□□□□□ AWS VPC □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□.

Cloudhub□ □□□ □□□□□□□ □□ AWS VPC □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□ Anypoint Platform □□□ □□ □□ □□□?

A. Mulesoft □□□ Anypoint VPC□ AWS VPC□ □□□□ VPC □□□□□ □□□□□.

B. □□□ □□□□□□□ AWS VPC□ □□□□ □□□□□ Anypoint Platform□□ □□ □□ □□ □□□(IDP)□ □□□□□□.



□□□□ □□□□□□ SFTP□ □□ □□ □□□□□□ □□ □□ □□□□□. □□□ □□ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□□□ □□□□ □□□. □ □□ □□□□□ □□ □□ □□ HTTP POST□ □□ □□ □□□□□ □□□ □□□ □□□ □□□□ □□ □□ □□□□□ □□□ □□□ □□□□□.

□□ □□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□□□?

- A. □□□ □□ □□□□□ □□□ API□ □□□□□ □□□ □□□□ MuleSoft Batch Job□ □□□□ □□□□ Process API □□
- B. □□□ □□□□ □□□ □□□ □□□□ Process API□ □□□□ API□ □□ □□ □□□ □□ MuleSoft Batch Job □ □□ □□□□ API □ □□□□ Process API□ □□□□ □□□□□ □□□.
- C. MuleSoft Scatter-Gather □ MuleSoft □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□
- D. □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□ MuleSoft □□ □□□ □□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68


□□□□ JMS □□□□ □□□□ JMS □□□□ □□□ XA □□□□□ □□□□ □□□□. XA □□□□□ □□□□ □□□ □□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□□?

- A. □□ JMS □□□ □□□□ □□□ □□□ □□□□ □□ □□□□ □ □ JMS □□□ □□□□ □□□□□.
- B. □□□ JMS □□□□ JMS □□□ □□ □□□ □□□□□ □□□ □□ □□□□ □ □ JMS □□□ □□□□□.
- C. □□□□ □□□ Mule □□ □□ □□□ □□□□ □□ □□□□ □ □□ □□□ □□□ □□□□□.
- D. □□□□□ □□□□□ □□□□ □□ □□□□□ □□□ □□ □□□□ □ □□□□□ □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□□ □□□□□.



API □□□□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□ □□ □□ □□ □□ □□□□. □□□□ □□□□
 API □□□□ □□□□ □□□□ □□ □□□□□□ □□□□ □□□□□□.

□□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□□□. □□□□ □□□□ □□□□ □□ □□□□ □□□□.
 □□□□(□□□□□□) □□□□□□ API □□□□ □□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□?

- A. □□□□ □□□□ □□□□ □□ □□□□ □□□□□□ Mocking □□□□□□ □□□□□□. □□ □□ Mocking □□□□□□ □□□□□□ API □□□□ □□
 □□ □□ □□□□ □□□□□□.
- B. MUnit□ □□□□□ □□□□ □□□□ □□ □□□□ □□□□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□□□.
- C. □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□□□ API □□ □□ □□□□ □□□□□□. □□ □□□□ □□□□ □□□□ □□□□ □□□□
 □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□□□.
- D. □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□
 □□.

Answer: (SHOW ANSWER)

□□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□□□. □□ □□ Mocking □□□□□□ □□□□□□ API □□□□ □□
 □□□□ □□ □□□□ □□□□□□.

- * MUnit□ API □ Mule □□ □□ □□ □□ □□□□ □□□□□□. □□□□ □□□□ □□□□ □□ □□□□□□ □□□□□.
- * □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□□. □□□□ □□□□ □□□□□□.
- * API□ □□□□ □□□□ □□ □□□□□□ □□ □□□□ □□□□ □□ □□□□□□ □□□□ □□□□□□.

NEW QUESTION: 70

□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□□. □□ □□□□ □□□□(□□□□□□ □□)□ □□□ □□ □□□□ □□□□ □□ □□ □□
 □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□.

□□□□ □□ □□ □□□□ AWS□ □□□□ □□□□□.

□□□□ IT □□ □□□□ □□□□ □□□□□□ □□ □□□□ □□□□ □□ □□□□□□□□.

Anypoint Platform □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□□ □□ □□□□□□?

- A. Anypoint Platform - Private Cloud Edition □ □□□ □□□□ □□ □□□□ □□□□ □□
- B. MuleSoft□□ □□□□□□ Anypoint Platform □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ Hybrid□ □□□□□□
 □□ □□ □□□□□□. Mule□ □□ □□□□ □□□□□□ □□□□ □□□□□□□□□□. □□□□□□□□□□□□□□ □□□□□ □□ □□
 Mule□□ □□□□□ □□□□□□.
- C. MuleSoft□□ □□□□□□ Anypoint Platform □□□□ □□□□ □□ AWS □□□□□ □□□□ □□□□□□ □□□□ □□□□
- D. □□ AWS □□□□ MuleSoft □□□□ Anypoint Platform □□□□ □□□□ CloudHub Shared Worker Cloud

Answer: B (LEAVE A REPLY)

NEW QUESTION: 71

□□ □□□□ □□□ □□□□□. * □□□ □□□□ □□□ Mule Runtime □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□. □ □□ □□□□ □□ □□□ □□□ -----
----- ---- □□: <https://docs.mulesoft.com/mule-runtime/4.3/hadr-guide> □□□ □□□ □□□ □□□□□. □ □□ Bob □□□□ □□□□□. Bob□ □□ □□ □□□□□.

NEW QUESTION: 75

□□ □□□ MuleSoft Hosted □□□ □□□ Mule □□□□□□□ □□□ □□□□□. □□ □□□ □□□ □□ □□□□□ □□ □□□□ □□□□. □□□□. □□ □□ 2□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□. □□ □□□□□ □□ □□□□ □□ □□ □□□ □□□□□□□□?

- A. CloudHub □□ □ 2□ □□ □□□ □□□ □ □□□□. □□ □□ □□ □□□□ □□□□□.
- B. CloudHub□ □□□□□□□ □□□ □ □□ □□ □□□ 2□□□ □□□□ □□□.
- C. CloudHub□ □□□□□□□ □□□ □ □□□ □□□ 2□ □□□□ □□□□□ □□□□ □□□.
- D. □□ □□□ □□□□□□□□ □□ □□□ log4j □□□ □□□□ □□□□□ □□□.

Answer: A (LEAVE A REPLY)

□□□ CloudHub □□ □ 2□ □□ □□□ □□□ □ □□□□. □□ □□ □□ □□□□ □□□□□. CloudHub□□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□□. □□□□ □ □ □□□□ □□ 100MB□ □□□ □□□□□ □□ 30□ □□(□ □ □□ □□□ □□) □□□ □□□□□. □ □□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□□□□ □□□□□. □□□□ □□ □□□ □□ □□□ □ □□□□ □□□ □□ □□□□ □□□ □□ □□ □□□(□: Splunk)□ □□□ □□□□ □□□□. □ □□□□ □□□□ □□□ □ □□ □□ □□□□ □□□ □ □□□□ □□□ □□□□ □□ □□ □□□□□ □□ □ □□ □□□□□ □□ □ □□ □□□ □□ □□□ □□□ □□□□ □□□.

NEW QUESTION: 76

□□□ 4□□ □□ □□ □□□ Mule □□□ □□□□□ □□□□ 1□□ □□ □□□ API □□□ □□□□□□□. API□ □□ □□□ □□ □ □□ □□□ □□□□ □□ □□□□ □□ HTTPS□ □□ □□□□□□□. □□□□□ □ □□□ □□ □□ □□ 4□□ □□□ □ □□□ □□ □ □□□□□□□.

□□□□□ □(2) □□□ □□□ □□□□ □ □□ □□□ □ □□□□. □□ □□□□ □□□ □□□□ □□□ □ □□ □ □□□ □□ HTTP □□□ □□□□ □□□□ □□□□□.

□□□ □□□□ □□□ □□□ □□□□□ □□□ □ □□□□□ □□ □□ □□ □□□ □□□□□?

- A. API □□ □□ □□ 100% □□
- B. API □□□ 50% □□
- C. □ □□□ □□□ □□ □□ □ 100% □□
- D. □ □□□ □□□ □□□□ JVM □ □□□ 50% □□

Answer: (SHOW ANSWER)

* □□ □□□□ □□ □□ □□□ □ □□□□ "API □□□□ 100% □□"□ □□□ □□ □ □□□ 100% □□□ □□□□□? 4□□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□. □□□□ □□ □□ □□□ □□ □□□□ 100% □□□□□ □□□ □□ □□ □□□□. □ □ □□ □□□ □□□ CPU/□□□□□ □□□□□ □□□ □□□□ □□□□. □□□□ □□□ □□□ □□ □□□□. * □□□□□□□ □□□ □□ □□□□ □□□□□ □□ □□ □□□□ □□ □□□ □□□ □□□ □□□□. □□□□□ JVM □ □□□ □□□□□ □□ □□□ □ □□□. * □□□□ □□□ □ □□□ □□ □□□ □□ 50% □□□ □□□□□. □□□□ □ □□ □□ □□□□□.

MCIA-Level-1 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MCIA-Level-1 □□! DumpTop □ □□ **MCIA-Level-1** □□ □□□ □□□□□□, DumpTop MCIA-Level-1 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ □□□□ MCIA-Level-1 □□□ □□□□□. <https://www.dumptop.com/MuleSoft/MCIA-Level-1-dump.html> (275 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77


□□□ □□□□ □□ □□ □□ □□□ Mule □□□ □□□□□ □□ □□□ □□□□ □□□□. □ □□□□□ □□□ Mule □□□□□□ □ □□ □□□□ □□ API □□□□□□ □□ □□□□□□. □ □□□ □□□□□ □□□ □□□□□?

- A. API □□□□□□ □ □□ □□ □□□ □□□□□ □ □□□ □□□ □□□□ □□□.
- B. □□□ □□ □□□□ □ □□□ □□ □□□□ □□□□□ □ □□ □□□□ □□□□□□□□ □□□.
- C. □□ □□□□ □□□□ API □□□ □ □□□ □□□□ □□□□□ □□□□□ □□□.
- D. □ □□□ □□□□□ □□ □□□□ □□ □□ □□ □□□□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

□□□ □□□□□.



□□□□ □□□□ □□□□□ □□□ API □□□ Experience API□ □□□ □ □□□ □□□□ □□□□, □ □□□□ □□□ Process API □ □□□□□. □□ API □□□ HTTP POST□ □□ □□□□□□. Java □ □□□ □□□□ Java EE □□□□□□ □□□□ □□□□ □ □□, □□ API □□□ □□□ □□□□□ Mule □□□□□ □□□□ Mule □□□□□□□□□□. □ □□ □□□□ □□□□□ □□□ □□ HTTP □□ □ □□□ □□ □ □□ □□□ □□□□□. □□ □ □□□ □□□, Experience API □ □□ Process API □□□ □□ □□□ □□ □□ □□□ □□□□ □□□□□ □□□ □□ □□ □ □□□ □□ □□□ □□ ID□ □ □□□□ □□ □□ ID□ □□ □□□□□ □□□.

□ □□□ □□□□ Experience API □ Process API □□□ □ □□□□ □□□□□ □□ API □□□ □□ □ □□ □□□ □□□□ □□ □ □□□ □□(□□□□ □□□ □□ □□ □□ □□ □□)□ □□□□□?

- A. Experience API □□□ □□□□ □ HTTP □□□ □□ □□ □□ ID□ □□□□ □□ Experience API□ □□ □□ □□ API □□□ □□ HTTP □□□ □ □□□ □□□□ □□□□□.

Experience API □□□ □□□ HTTP □□ □□□ Process API□□ □□ □□ ID□ □□□□□ □□□□□ □□□.

- B. □ □□□ □□□□ □□□□ □□ □ □□□ □□ ID □□ □□□□ X-CORRELATION-ItHTTP □□ □□□ □□□□□. □□ □□□□□ □□□ □ API □□□□ Experience API□□ □□□ □□□ □□□ □□□□ □□ □□□□. □□ ID □□ □ □□□ □□ API □□ □□

- C. □ □□□ □□□□ HTTP □□ □□□ □□ □□ ID □□ □□□□. Experience API□□ □□□□ □□□□ Experience API □ Process API □□□ □□□ □□ □□ □□ ID□ □□□□□ □□□□□ □□□. HTTP □□□□ □□ □□□□□. □□□ HTTP □□ □□

Splunk□□□ Mule □□□□□□ □□□ □□ □□ □□□□□ □□□ □□□□□ Mule □□□□□□ □□□ □□□ □□□□ □□ log4j2
splunk appender□ □□□ □□□□ □□□?

A. RuntimeManager□□ □□ □□ □□ □□

Mule □□□□□□ □□□ □□□□ □□ Runtime Manager□ □ □ □□□□□ □□□ □□ log4j.xml □□□ splunk appender□ □□□□
□.

B. □□□ □□□□□ Cloudhub □□ □□□□

Mule □□□□□□ □□ □ □□□□ □□ Runtime Manger□ □ □ □□□□□ □□□ □□ log4j.xml □□□ splunk appender□ □□□□
□.

C. □□□ □□□□□ □□ □□ □□ □□

□ Mule □□□□□□ log4j2.xml □□□□ Splunk □□□ □□

D. □□□ □□□□□ Cloudhub □□ □□□□

□ Mule □□□□□□□ log4j2.xml □□□□ splunk appender □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

Anypoint Platform□□ □□□ □□□ LOB(Line of Business)□ □□ □□ ID □□□(Idps)□ □□□□□ □□□. □□□ LOB□ □□ □□ □
□□□ □□ □ □□□ □□□□□□□. □□ Idps□ □□□□ □□□ □□□□ □□ □ □□□ □□□□ □ □□ Anypoint Platform □□□
□□□□□?

A. □□□ □□

B. □□ □ □□

C. □□ □□□□□

D. □□□□□ □□

Answer: A ([LEAVE A REPLY](#))

□□□ □□□□

* Anypoint Platform□ □□□□□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□□ □□ □□□□□ □□□□ □
□□ □□ □□□□.

* API □□□□ OAuth 2.0 □□□ □□□□ API□ □□□□□□ □□□□□ □□□□□□□ □□□ □ □□□□. OAuth 2.0 □□□ □□□
□□ OAuth 2.0 □□□□ □□□□□.

* □ □□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□. □□ □□□ □□ □ □□ □□□□□ □
□□□□ □□□□ □□ □ □□□□□ □□□□ □□□ □□□ □ □□□□.

* □□ □□ □□ API□ □□ □□□□□ □□□□□ □□□□□ □□□□ □□ □□ □□□□□ □□□ □□□□ □□□.

* □□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□ □□□□□ □□□□ □□□ □ □□□
□.


* □□ □□□□□ □□□□ □□□ □□ □□ API□ □ □□ □□□□□□ □□□□□ □□□ □□□ □ □□□□.

-----MuleSoft □□: [https://docs.mulesoft.com/access-](https://docs.mulesoft.com/access-management/managing-api-clients)
[management/managing-api-clients](https://docs.mulesoft.com/access-management/managing-api-clients)

<https://www.folkstalk.com/2019/11/mulesoft-integration-and-platform.html>

NEW QUESTION: 84

□□□ □□□□□.



NEW QUESTION: 86


Which XML format does Mule 4 use to represent a message?

- A. Mule uses XML format to represent a message.
- B. Mule uses Java (POJO) format to represent a message.
- C. Mule uses XML format to represent a message.
- D. Mule uses XML format to represent a message, but it can also use DataWeave to represent a message.

Answer: (SHOW ANSWER)

NEW QUESTION: 87

Which of the following is a valid process flow?



Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

1. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

2. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

3. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

4. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

5. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message. Mule uses XML format to represent a message.

- A. 100 ID 100 100 Mule 1000 100/10000 100000 1000.
- B. 10000 100 100 ID 100 100 100 10000 100000 1000. 30000 100 100 ID 100 Mule 1000 100/10000 100000 1000.
- C. 100 ID 100 10000 100 10000 100000 1000.
- D. 100 ID 100 100 100 10000 100000 1000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

10000 100 1000 1000 Mule 100000000 10000 100 CRM 10000 10000 1000. CRM 10000 SOAP/HTTP 10000 100000 100000 1000 100000. API 100 100 1000 1000 100 100000 CRM 100 1000 1000 10000 1000 1000 100000?

- A. Design Center 100000 RAML 100 100
- B. Design Center 100000 SOAP API 100 1000
- C. 1000 10000 10000 WSDL 100 1000
- D. Design Center 100000 WSDL 100 100

Answer: C ([LEAVE A REPLY](#))

1000 1000 10000 10000 WSDL 100 1000000. SOAP 10000 WSDL 10000 100000. 100000 10000 1000 100 100000 WSDL 100 10000 1000 100 1000 1000 100000. Design Center 100 WSDL 1000 1000 100000. WSDL 100000 100 1000 100000 100000 1000.

NEW QUESTION: 89

1000 10000 100 100 100 1000 Mule 1000 100000 100 1000 10000 100000. 1000000 1000 Mule 10000000 100 100 10000 100 API 1000000 100 1000000. 10000 100000 1000 100000?

- A. 100 10000 10000 API 1000 10000 10000 100000 100000 10000.
- B. 1000 100 10000 10000 100 10000 100000 100000 100000 100000000 1000.
- C. 10000 100000 100 10000 100 100 100 10000 10000 1000.
- D. API 1000000 1000 100 1000 100000 10000 1000 1000 100000 1000.

Answer: A ([LEAVE A REPLY](#))

100/100: <https://www.folkstalk.com/2019/11/mulesoft-integration-and-platform.html>

NEW QUESTION: 90

100 Mule 100000000 1000 10000 1000 100 1000 10000 10000 100000 10000 10000. 10000 HTTPS POST 100 Mule 100000000 10000 100 100000 1000. 10000 1000 1000 10000 100000. 1000 10000 100 100 100000 1000 100 1000 10000 10000 10000 10000 1000(1000 1000 100).

Mule 100000000 100 1000 10000 10000 1000 100 100 ActiveMQ 10000 1000 100000.

1000 10000 1000 10000 100 1000 10000 10000 100 100 1000 1000 1000 1000 10000.

100 100 1000 1000000 1000 10000 10000 1000 100000 Mule 1000000 100 1000 ActiveMQ 10000 100 1000(1000 1000 1000) 1000 100000?

- A. 100 100 100

□□□ VM
□□ □□□ □□ ActiveMQ □□ □□ □□ □□□
B. □□ □□ □□
MuleSoft □□ □□□
□□ □□□ □□ ActiveMQ □□ □□ □□ □□□
C. □□ □□□ □□□ □□□
ActiveMQ □ □□□ □□□
□□ □□□ □□ ActiveMQ □□ □□ □□ □□□
D. □□ □□□ □□□ □□□
MuleSoft □□ □□□
ActiveMQ□ □□□□ □□□ □□□□ □□□□.


Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 91
□□ □□□ □□□□ □□□□ □□□ □ □□□ □□ □□□ API□ □□□□□ □□□. □□□ □□□□ □□□□ SOAP □□□□ □□□
□□ □□□□□ □□□ □□□□ □□ □□ □□□ □ □□ □□□□ □□□ □□□ □□□ □□□□. □□□□ □□ □□ □□□ Anypoint
Exchange□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□□. API □□ □□ □□□ □□□ □ □□□□ □□□□ □□□□□ □□
□□ □□ □ □□ □□□ □□□ □□□□□?
A. XML □□□□ □□□□ WSDL □□ □□□
B. Design Center□□ OAS API □□ □□□
C. □□□ □□□□ □□□□ RAML API □□ □□
D. Design Center□□ SOAP API □□ □□□

Answer: A ([LEAVE A REPLY](#))

MCIA-Level-1 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MCIA-Level-1 □□! DumpTop □ □□ **MCIA-Level-1** □□
□□□ □□□□□□, DumpTop MCIA-Level-1 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□
DumpTop MCIA-Level-1 □□□ □□□□□. <https://www.dumptop.com/MuleSoft/MCIA-Level-1-dump.html> (275 Q&As Dumps, **30%OFF**
Special Discount: KrDump)

NEW QUESTION: 92
□□□□ Mule □□□□□□□□ □□□ □□□ □□□ □□□□. □□□ Mule □□□□□□ □ □□□ □□□ □□ □□□ Mule □□□(□
□□□□)□ □□□□ □□ □□□□□□□ MuleSoft □□□ □□□ □□(CloudHub)□□ □□□□□. Integra □□□ □□□□ □□ □□□
Mule □□ □□□□□ □□□□□ □□□ □□□□ □□□□□ □□ □□ □□ □□□□□ □□ □□□ □□□ □□□□ □□□□□.
□□□ □□□ □□□□ □□□□□ □ □□□ □□ □□□ □ Mule □□□□□□□□□ □□ □□□ □□ □□□□□ □□□ □ □□ □□□
□□□□□?
A. □□ □□□ Mule □□□ □□ □□□□ □□ □□□□ Mule □□□ □□□□□ □□□□□. □□ □□□ Mule □□□□□□□□□ □□□
□ □□□ Mule □□□□□□□ Mule □□□□ □□□□□.
B. □□□ □□□ □□ □ □□ □□□ □□ □□□ □□ □□□ □□□□□. □□ □ Mule □□□□□□□□ □ □□ □□□□ □□ □□□ □
□□□□ □□□.



- A. ☐ ☐ ☐ ☐ ☐ ☐
- B. SFTP ☐ ☐ ☐
- C. VM ☐ ☐ ☐
- D. ☐ ☐ ☐ ☐

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

Which of the following is a valid Mule runtime environment? Mule can run on a variety of platforms, including Kubernetes, Docker, and Anypoint Platform. Mule can also run on a Java Virtual Machine (JVM) or a Docker container. Which of the following is a valid Mule runtime environment?

- A. ☐ ☐ ☐ ☐ ☐ ☐ Mule ☐ ☐ ☐ ☐ ☐ ☐
- B. Docker ☐ Kubernetes ☐ Anypoint Platform - Private Cloud Edition ☐ ☐ ☐ ☐ ☐
- C. ☐ ☐ ☐ Mule ☐ ☐ ☐ ☐ ☐ ☐ URL ☐ ☐ ☐ ☐ ☐
- D. Mule ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

Answer: A ([LEAVE A REPLY](#))

* Which of the following is a valid Mule runtime environment? Mule can run on a variety of platforms, including Kubernetes, Docker, and Anypoint Platform. Mule can also run on a Java Virtual Machine (JVM) or a Docker container. Which of the following is a valid Mule runtime environment?

* Mule can run on a variety of platforms, including Kubernetes, Docker, and Anypoint Platform. Mule can also run on a Java Virtual Machine (JVM) or a Docker container. Which of the following is a valid Mule runtime environment?

Which of the following is a valid Mule runtime environment? Mule can run on a variety of platforms, including Kubernetes, Docker, and Anypoint Platform. Mule can also run on a Java Virtual Machine (JVM) or a Docker container. Which of the following is a valid Mule runtime environment?


----- ☐: ☐ ☐ ☐ ☐ ☐ ☐ Mule ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

NEW QUESTION: 96

☐ ☐ ☐ ☐ ☐.

- □□□□ □□□□ □□ □□□ VM□ □□□□ □□ □□



Cloudhub □□ □□ □□□(DLB)□ A □□□□ □□□□ □□ DNS □□□ api.acme.com□ □□ CNAME □□□ □□□□ DLB□ □□ □
 □□ □□□□ URL□ □□ Mule □□□□□□□ □□

- B.** Cloudhub is a MuleSoft managed Cloudhub (CLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway.
- C.** MuleSoft Cloudhub is a managed Cloudhub (CLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway.
- D.** MuleSoft Cloudhub is a managed Cloudhub (CLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway. MuleSoft Cloudhub is a managed Cloudhub (DLB) that is a managed API gateway.

Answer: A ([LEAVE A REPLY](#))

<https://help.mulesoft.com/s/feed/0D52T000055pzgsSAA>.

NEW QUESTION: 101

HTTP Listener is a MuleSoft managed API gateway that is a managed API gateway.

- A.** HTTP Listener is a MuleSoft managed API gateway that is a managed API gateway.
- B.** HTTP Listener is a MuleSoft managed API gateway that is a managed API gateway.
- C.** HTTP Listener is a MuleSoft managed API gateway that is a managed API gateway.

<https://customer.com/api>

- D.** HTTP Listener is a MuleSoft managed API gateway that is a managed API gateway.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway. Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway. Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.

- A.** Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.
- B.** Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.
- C.** Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.
- D.** Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.

Answer: (SHOW ANSWER)

Cloudhub API is a MuleSoft managed API gateway that is a managed API gateway.

NEW QUESTION: 103

MuleSoft JMS is a MuleSoft managed API gateway that is a managed API gateway. MuleSoft JMS is a MuleSoft managed API gateway that is a managed API gateway. MuleSoft JMS is a MuleSoft managed API gateway that is a managed API gateway.

- A.** JMS is a MuleSoft managed API gateway that is a managed API gateway.
- B.** JMS is a MuleSoft managed API gateway that is a managed API gateway.

Answer: (SHOW ANSWER)

MCIA-Level-1        DumpTop     MCIA-Level-1 ! DumpTop   **MCIA-Level-1**              

NEW QUESTION: 107

AnyAirline □□□ □□ □□ □□□ □□□□□ □ □□ □□□ API(bookFlight, bookHotel □ bookCar)□ □□□ □□□□ □□
□□□□ □□□□ □□□□. □ □□□ API□ □□ □□□□□□□ □□□□□.

API □ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□.

□□□, □□ □ □□□□ □□□ □□□ □□□□ □□□ API□ □□□□ □□ □□□(□□□ □□□ □□□) □□□ □□ □□□?

A. API □□ □ XA(eXtended Architecture) □□□□ □□ Saga □□□ □□□□ API □□ □ □□ □□ □□□ □□ □ API □□□□ □□ □□

[illegible]

Saga □□□ □□□□ API □□ □□ □□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

C. Saga □□□ □□□□ Mule □□□□□□□□ XA(eXtended Architecture) □□□□ □□□ □□ XA □□□□□ □□□□ □ API □□□
Mule □□□□□□□ □□ □□ □□ □□□ □□ □□□ □□ □□ □□

D. □ API □□ □□□ □□ □□□□ □□

□□□ XA(eXtended Architecture) □□□□□□ □□□□□□ □ API □□ □□ □ API □□□ □□□ □□□□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 108

□□□ □□□ □□□ □□□ □□□□□ □□ AWS VPC□ □□□□□□□□□. □□□ □□ Cloudhub□ □□□ REST API□ □□□ Mule
□□□□□□□ □□□□□ □□ Cloudhub□ □□□□ □□□. □ Mule □□□□□□□ □□□ □□ □□□ □□□ □□□□□□ AWS
VPC □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□.

Cloudhub □ □□□ □□□□□□ □□ AWS VPC □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□ Anypoint Platform □□□ □□
 □□ □□□?

A. ☐ ☐ ☐ ☐ ☐ ☐ AWS VPC ☐ ☐ ☐ ☐ ☐ Anypoint Platform ☐ ☐ ☐ ☐ ☐ ☐ (IDP) ☐ ☐ ☐ ☐.

[illegible]


C. Mulesoft ☐☐☐ **Anypoint VPC** ☐ **AWS VPC** ☐ ☐☐☐ **VPC** ☐☐☐☐ ☐☐☐☐.

D. Mule VM AWS VPC -mule

Answer: B (LEAVE A REPLY)

NEW QUESTION: 109

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.



* □□□□ □□ □□ □□ □□ □□ □□:

□□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□.

WHEN PERFORMING AN OPERATION AGAIN GIVES THE SAME RESULT

NEW QUESTION: 110

A. API Staging API Client ID Client Secret API .

B. Staging ☐ ☐ ☐ ☐ API ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ API ☐ ☐ ☐ ☐ Client ID ☐ Client Secret ☐ ☐ ☐ ☐.

C. Staging □□□□ API□ API □□ □□□□ □□□□□ □□□.

D. □□□□ □□□ □□ □□□□ □□□□ API □□□□ □□□ □□ □□□ □□ □□□□□ ID □ □□□□□ □□□ □□□ □□□.

Answer: B (LEAVE A REPLY)

* API □□ □□□ Client ID Enforcement □□□ □□ □□□□□ □□□□ □□□□.

* □□□□□ ID □□ □□□ □□□ □□□□□□□□ □□□ API □□□ □□□□□ □ □□□ □□□□□□.

* □□□ □ □□ □□□□□ □□ □□(client id □ client secret)□□ □□□□□.

* □□□ □ □□□ □□□□□□□ API □□□ □□ □ □□□ □□ □□ □□□ □□□□□.

MuleSoft ☐☐: <https://docs.mulesoft.com/api-manager/2.x/policy-mule3-client-id-based-policies>

NEW QUESTION: 111

□ □□□□□ □□□□□□ □□□ □□□ □□ □□□□□□ □□□□ □□□□. □□□□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□. □□ □□□□□□ □□□□□□ □□□□ □□□ □□□□□ □□ □ IT □□□□ □□ □□□□ □□□. □□□ □□□□□□ □□□ □□ Anypoint □□□□□ □□□□□□ □□□ □ □□□□ □□□ □ □□□ □□□□ □ □□□ □□□ □□□ □□□□□ □□□□□□?

- A. SOAP over HTTPS HOP over TLS gRPC over HTTPS
- B. HTTPS□ □□ TLS JSON□ □□ FTP□ □□ CSV YAML
- C. HTTPS□ □□ SFTP JSON/REST□ □□ EDJFACT XML
- D. ActiveMQ□ □□ XML SFTP□ □□ XML/HTTPS□ □□ REST

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

ABC Farms □□□□ □□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□□□ □ □□□ □ API□ □□□ □□□□□. □□□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□ □ □□□ □□ API □ □□ □□□ □ □□□ □□□□□ □□ □□□ □□□□ □□□□ □□□□. □□□□ □□□□□ Anypoint Platform□□ □□□□ □□ □□ API□ □□ □ □□, □□ □□□ □ □□□ □□□□□, □□ API□ □□ □□ □ □□ □□□□ □□ □□□ □□ □□□?


- A. □□□□□□
- B. API □□□
- C. □□□ □□□
- D. □□□□□ □□□

Answer: D ([LEAVE A REPLY](#))

Mocking □□□□ Anypoint Platform□ □□□□ □□□□□ □□□□□. □□□□ □□□, □□□□ □□□ □ Anypoint Exchange□□ □□ □ □□□ □□□ □ □□□□. API □□□□ Exchange□ □□□□ □□ API Designer□□ API□ □□ □□□ □□□□□□□□□□ API □□□ □ □□ □□ Exchange□□ API □□□ □□□□□□□ □ □□□□.

NEW QUESTION: 113

□□□ □□□□□.



000 000 00 000 Mule 0000 00 Mule 0000000 00000. 000 Mule 000000 0 000 00 0000 00
0 0000 0000 000 0000 HTTPS 000 0000 000.

HTTP Listener □ □□□□ □□□ Mule □□□□□□□ □□□ □ □□ □ □□□□ □□□□□□ □□□□ □□□ □□□ □□ □□□
 □□□□□ □□ □□□□ □□□ □□□□□?

A. HTTPS □□□ □□□□ □□ □□ Mule □□□□□□□□ □□□□ Mule DOMAIN □□□□□ HTTPS □□□ □□□ □□□□□□.
SAME Mule DOMAIN □□□□□ □□ □ □□□ □□□ □□□□ □□

B. HTTPS □□□ □□□□ □□ □□ Mule □□□□□□□□ □□□□ Mule DOMAIN □□□□□ HTTPS □□□ □□□ □□□□□□.
 HTTPS □□□ □□□□ □□ □□ Mule APPLICATIONS□ □□ □ □□□□ □□□□□□.

C. HTTPS □□□ □□□□ □□ □□ Mule □□□□□□□□ □□□□ Mule DOMAIN □□□□□ HTTPS □□□ □□□ □□□□□□.
Mule □□□□ □□□ □□, Mule DOMAIN □□ □□ Mule □□ □□□□ □□□ □□ □□ □□□ □□□□ □□□□□.

D. HTTPS □□□ □□□□ □□ □□ Mule APPLICATIONS□□ HTTPS □□□ □□ □□□ □ Mule DOMAIN □□□□□□ □□ □ □□ □ □□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 114

Mule □□□□□□□ □□□ □□□□□□ □□□ □□□□□ Mule □□□□□ □□□□□. Mule □□□□□□□ □□□□ Mule □□□□
□□□□ □□□ □□□. □ Mule □□□□ Mule □□□□□□□ □□□ □□ □□ □□ □□ □□□□□ □□□□□□□□□□ □□□. Mule □□
□□ □□□□ □□□□ □□□□ □ □□□ □□ □□□□□□□ □□ □□□ □□□□□ □□□□ □□□□□ □□□.

□□ □□□□ □□ 80 □ 443□□□ □□□□□ □□□□ □□□□ □□□□. □□ □□ □□□ □□□□ □□ □□□□ □□
□□ □□ □□□ □□□□ □□□ □□□ □□□□.

□□□ □□□ □□□ □□□□□ □□□ Mule □□□□ □□ □□ □□□□□ □□□□ □ □□ □□□□(□□□ □□□ □□□□)

Anypoint Platform ☐☐☐☐ ☐☐☐☐☐?

A. CloudHub VM ☐☐☐

B. □□□□□ MQ

C. ☐☐☐☐☐ ☐☐☐

D. CloudHub ☐☐ ☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

Anypoint MQ □□□ □□□ □□□□ □□ □□ □□□□□ □□□□□ □□□□ □□(ACK) □□ □□□□ □□(NACK)□□ □□□□□.

NEW QUESTION: 115

CloudHub □□ □□ □□□(DLB)□ CloudHub □□ □□ □□□(SLB)□ □□□ □□ □□ □□□□□?

A. DLB □ □ □ □ □ TLS □ □ □ □ □ □ □ □ □ □ □.

B. CloudHub ☐☐☐☐ VPC ☐☐ ☐☐☐ HTTP ☐☐☐☐ ☐☐☐ ☐☐ ☐☐ SLB☐☐☐☐.

C. DLB □ SLB □□ IP □□□□□□□ □□ □□□ □□ □□□ □□□□□.

D. DLB □ SLB □□ □□ □□□ □□ □□ □□□□ HTTP □□□ □□□□ □□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

* □□ □□ □□□□ □□□ □□ SSL □□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□□.

* □□ □□□□□□ □□□□□□ □□□ □□□ □□□□□□ □□□.

* TLS Mule 00 00 000 0000 000 00000000. TLS 0000 00 0 00, 000 000 0 000 000 000 00
0000 000 000000.

- * CloudHub ☐ ☐ ☐ ☐ TLS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- * DLB ☐ ☐ ☐ TLS ☐ ☐ ☐ ☐ ☐.
- * DLB ☐ ☐ ☐ SSL ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- * ☐ ☐ ☐ ☐ DLB ☐ ☐ ☐ ☐ ☐ Anypoint VPC ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐ Anypoint VPC ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- * MuleSoft ☐: <https://docs.mulesoft.com/runtime-manager/dedicated-load-balancer-tutorial> SLB ☐ DLB ☐ ☐ ☐ ☐.

	Shared Load Balancer	Dedicated Load Balancer
VPC	Shared VPC (Mulesoft)	VPC (Customer)
Default Load Balancer	Cloudhub provides Default Shared Load Balancer available in All Environment	Need to Purchase
Organization Use	Multiple Organization	Specific to Organization
Certificate	Mulesoft Certificate	Organization Certificate
TLS Support	Yes	Yes
URL Mapping	Fixed URL Mapping	Customer URL Mapping
Timeout	30 Sec Session Timeout	Custom Timeout
Ports	Public Port {80 : 8081, 443 : 8082}	Private Port {80 : 8091, 443 : 8092}
Fashion	Round Robin	Round Robin
Supports HTTPS Protocol	Yes	Yes
Worker Assignment	No	Yes
IP Blacklisting/Whitelisting	No https://docs.mulesoft.com/runtime-manager/lb-whitelists	Yes
Configure Custom Domain	No	Yes
Custom Certificate	No	Yes
Rate Limit	Lower Rate Limit and applied According to Region	Higher Rate Limit Threshold
VPC	Anypoint VPC optional	Can't Use DLB without Anypoint VPC

NEW QUESTION: 116

□□ Mule □□□□□□□ CSV □□□ □ □□□ □□□□ □□□□□. □ □□ CSV □□□□ □□□ □□ □□□□ □□□□□ □□ □ □□□□ CSV □□□□□ □□ □□□ □□□ JMS □□□□ □□□□ □□□.

□□ □□ □□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□.
□□ □□ □□□ □□□ □ Mule □□ □□□ □□ □□□ □□ □□□□□□(□□□ □□ □□)?

A. Scatter-Gather ☐☐ ☐☐

□ □ □ □ □ □

B. ☐ ☐ ☐ ☐ ☐

□ □ □ □ □ □

C. ☐ ☐ ☐ ☐ ☐ ☐

□ □ □ □ □ □

D. VM ☐☐☐

□ □ □ □ □ □ □ □ □ □

□ □ □ □ □

Answer: C (LEAVE A REPLY)

NEW QUESTION: 117

MuleSoft□□ □□□□ Maven □□□□□ □□□□ Mule □□□□□□□ □□ CI/CD □□□□□□ □□ □□□ □□□□ □ □□□□?

A. API ☐☐☐☐☐☐ ☐☐☐☐, ☐☐☐, ☐☐☐, ☐☐ ☐☐☐, ☐☐, Anypoint Exchange ☐ ☐

B. , , , ,

C. , , , ,

D. API Manager □□ □□ API □□□□□ □□□, □□□□, □□ □□□, □□, □□

Answer: C (LEAVE A REPLY)

□□/□□: http://workshop.tools.mulesoft.com/modules/module7_lab4#step-2-configure-the-mule-maven-plugin

NEW QUESTION: 118

□□□ □□ □□□ Anypoint Platform□ □□□□ □ □□□□ □□□ □□ □□□ □□ □□□ □□□ □□□□□.

□ □ □ □ □ □ □ □ Anypoint Platform □ □ □ □ □ □ □ □ ?

A. □□ □□□□□ □□

B. □□ ID □□

C. ☐☐☐☐☐☐ ☐☐ ☐☐

D. □□□□□ ID □□

Answer: B (LEAVE A REPLY)

□□/□□: <https://docs.mulesoft.com/access-management/external-identity>

NEW QUESTION: 119

ABC Farms □□□□ □□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□□□ □ □□□ □ API□ □□□ □□□□□.

□□□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□ □□□□ □□ API □ □□ □□□ □ □□□ □□□□□ □□ □□□ □□□□
□□□□ □□□ □□□□□.

□□□□ □□□□□ Anypoint Platform□□ □□□□ □□ □□ API□ □□ □ □□, □□ □□□ □ □□□ □□□□, □□ API□ □□ □□ □ □□ □□□□ □□ □□□ □□ □□□□?

A. ☐ ☐ ☐ ☐ ☐

B. API ☐☐☐

C. ☐ ☐ ☐ ☐ ☐ ☐

D. □□□□□ □□□

Answer: ([SHOW ANSWER](#))

Mocking □□□□ Anypoint Platform□ □□□□ □□□□□ □□□□□. □□□ □□□, □□□ □□□ □ Anypoint Exchange□□ □□ □ □□□ □□□ □ □□□□. API □□□ Exchange□ □□□□ □□ API Designer□□ API□ □□ □□□ □□□□□□□□□ API □□□ □ □□ □□ Exchange□□ API □□□ □□□□□□ □ □□□□.

NEW QUESTION: 120

□□□ □□ □ □□ □□ □□□□ □□□□ □□ Mule □ □ Mule API □□□ □□ □□□□□□. □□ API□ □□ □□□□ REST □□□ □□□□ □□□ □ □□□□. □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□□ IT □□□□ □□□□ □□□ □□□□. Mule □ □ Mule API □□ □□□ □□□□ □□□□□□ □□ □□□(□□□□ □□□ □□□) □□□ □□□□ Anypoint □□□ □□□ □□ □□□?

- A. □□□ □□□
- B. API □□ □□□□
- C. API □□□
- D. Anypoint Visualizer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

□□□ □□□□□. Mule □□□□□□□ □□ □□ Mule □□□ □□□□□ □□□□□. Mule □□□□□□□ □□□□ □□□ □□□□ □□□□ □□□ □ □□ □□□□ JMS □□□□□ JMS □□□□□ □□□□□. □□□ □ JMS □□□□□ □□□□ □□ □□ □□□ □□□□□ □□□□□. 1□□: □□□ JMS □□□□□ JMS □□ ID □□□ □□□□. 2□□: Mule □□□□□□□ HTTPS□ □□ □□□ SOAP □ □□□□ □□□□ JMS □□ □□ ID□ SOAP □□□ □□□ □□□□□ □ □□□□. 3□□: SOAP □ □□□□ □□□ □□□ JMS □□ □□ ID□ □□□□□. 4□□: SOAP □ □□□□□ □□□ JMS □□ □□ ID□ 1□□□□□ □□□ JMS □□ □□ ID□ □□□□□ □□□□□. 5□□: Mule □□□□□□□ JMS □□ □□ ID □□□ □□□ □□□ JMS □□ □□ ID□ □□□□□ □□ JMS □□□□□ □□□□ □□ □□ □□ □□ JMS □□□□□ □□□□□. Mule □□□□□□□ 1□□□□ 3□□□□□ □□□ JMS □□ □□ ID □□ □□□ □□□□□ 4□□□□ □□□ □□□ □□□ □ □□ □□ Mule □□□□□□□□ □□□□□, □□□□□, □□ □ □□ □□□ □□□□□ □□ □ □□□□□?


- * If you are using Mule on a Windows machine, you may need to configure log4j2.xml on the local machine. If you are using Mule on a Linux machine, you may need to configure log4j2.xml on the local machine.
- * If you are using CloudHub, you may need to configure log4j2.xml on the CloudHub instance. CloudHub has a default configuration for log4j2.xml, but you may need to override it with your own configuration.
- * If you are using CloudHub, you may need to configure log4j2.xml on the CloudHub instance. CloudHub has a default configuration for log4j2.xml, but you may need to override it with your own configuration.

- * If you are using Mule on a Windows machine, you may need to configure log4j2.xml on the local machine. If you are using Mule on a Linux machine, you may need to configure log4j2.xml on the local machine.

- * If you are using Mule on a Windows machine, you may need to configure log4j2.xml on the local machine. If you are using Mule on a Linux machine, you may need to configure log4j2.xml on the local machine.

NEW QUESTION: 127

□□□ □□□□□.



□□□ □□□ □□□□□ □□□□ □□□□ Mule □□□□□□□ □□□□ □□□ □□ Anypoint VPC□ □□□ □□□□ □□□□. □
□□ □□ □□□□□. 60 □ □□□□□□□. □ □□□□□□□ 2□□ CloudHub i □□□□□ □□□□□. □□□□ □□ □ VPC□ □□□
□ 3□□ □□□□□ □□(DEV, SIT □ UAT)□ □□□□. VPC□ AWS □□□□ 2□□ AZ□ □□□□.
□□□□ □□□□□ □□□□ □□□□ □□ □□ □□□□□ □□□ □□ □ □□□□□□□ □□□□ □□□□ □□ □□□ DevOps □
□ □□□ □□□□. □ □□□□□ □□ CloudHub□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□ □□ Mule □□□□□□□ □□
□□□.

□□ □□□ □□ IP □□ □□□ □□ □□ □ VPC□ CIDR □□□ □□□□□?

- A. 10.0.0.0/24(256 IP)
- B. 10.0.0.0/25(128 IP)
- C. 10.0.0.0/26(64IPS)
- D. 10.0.0.0/22(1024 IP)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 128

Mule □□□□□□ A□ □□ □□□ □□ □□ □□□ □□□ □□□□□ □□□ □□ Anypoint MQ □□□ REQU□ □□□□□. □□□□
□□ A□ For Each □□□ □□□□ □□□ □□ □□□ □□□□ □ □□□ Anypoint MQ □□□□ □□□□ □□□□.
□□□ S□ □□ □□□□□ □□ □□□□, □□ □□ □□□□ □□□□□ □ □□□□ □□□□, □□ □□□□ □□ □□□□ □□□□.
□□□□□□ A□ □□ □□ □□□ □□ □□□□ □□□ S□ □□ REQU□□ □□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□
□□□□□ □□□ □□ Anypoint MQ □□□ RESP□ □□□□ □□□□ □□□.

- □□ □□□□ □□ □□□ S□□ □□□□ □□ □□□□ □□□□□ □□□□□.
- A□ RESP□ REQU□ □□ □□ □□□ □□□ □□□ □□□□□ □□ □□□ □□□ □□□□□□ □□□ □□□ □□□?
- A.** For Each □□□ □□□□ □□□ □□ □□ □□□□ REQU□ □□ □□ □□□□ □□ □□□ □□□□□. RESP□ □□□ □ □□ □ □□□ □□□□□.
- B.** For Each □□ □□□ □□□ S□ □□□ □□ □□□ □□□□□ □□□□ RESP□ □□□ REQU□ □□ □□□ □□□ □□ □□□ □ □□ □□□.
- C.** For Each □□ □□□ Async □□□ □□□□ □ □□ For Each □□□□ □□□ □□□□ □□ □□□□ □□□ □□ □ □□ □□□ □ □□□ RESP□ □□□□.
- D.** For Each □□ □□□ Scatter-Gather□ □□□□ □□ □□□ □□ □□ □□ □□ □□□□ Scatter-Gather □□

Answer: ([SHOW ANSWER](#))

MCIA-Level-1 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ MCIA-Level-1 □□! DumpTop □ □□ **MCIA-Level-1** □□ □□□ □□□□□□, DumpTop MCIA-Level-1 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop MCIA-Level-1 □□□ □□□□□. <https://www.dumptop.com/MuleSoft/MCIA-Level-1-dump.html> (275 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)