

NetworkAppliance.NS0-184.v2022-12-07.q39

□□□□:	NS0-184
□□□□:	NetApp Certified Storage Installation Engineer, ONTAP
□□□:	Network Appliance
□□ □□ □□□:	39
□□:	v2022-12-07
# □□ □:	682
# □□ □□□:	390
https://www.krdump.com/NetworkAppliance.NS0-184.v2022-12-07.q39.html	

NEW QUESTION: 1

BES-53248 □□□□ □□ □□ □□□□ □□□□ □□ □□□□□ □□□□ □□□□. □ □□ □□□ □□ 0/17 ~ 0/20□ □□□□□□. □□□ □ □□□ □□□□□ □□□ □ □□□□. □□□□ □□□□□ □□ □□□ □□□ □□□?

- A. □□□□ □□□ □□□□□.
- B. CSHM □□ □□□ □□□□□.
- C. □□□□□ □□□□□□.
- D. □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□□ NAS □□□□□ □□□ □ □□□ 24□□ HDD□ □□ □□□ FAS2750 □□□□□ □□ □□□ □□□. □□□ HA □□ □□ 1□ □□ □□ □□□ □□□ □□□□□. □□ □□□ □□ □□□.

□□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□?

- A. □□ 2□ □□□□ □□□ □□□ □□□□□.
- B. □□ 2□ □□ □□□ □□□□ □□ 1□ □□□□ □□ □□□ □□□□□.
- C. □□ □□□ LIFO □□ □□ 1□ □□□□□.
- D. □□ 2□ □□ □□□ □□□□ □□ 1□ □□□□ □□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□ AFF A400 □□□□□ □□□ □□ □□□□□ □□□ □□□ □□ □□□□. □□ □□□ □□ □□□□ □□□□□□□.

□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. □□□□ □□ □□
- B. □□□ □□ □□□

C. □□ □□□□ □□□

D. □□□ □□□

E. □□ □□□□ #2

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□□ □□ □□ LIF□ □□ □□□ □□□□ □□□□□□ □□□□□?

A. □□ LIF□ □□□□ UTA □□□□

B. FC □□ FCoE □□□□

C. □□□□□ □□□□

D. □□□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □□□ □□□ □□ □□□ □□□□□□ □□□□□?

A. □□□□ LIF

B. □□□□ □ LIF

C. □□□ LIF

D. □□□□ □□ LIF

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

FAS8700 □□□□□ □□□□□ □□□ □□ □□□ □□ □□□ □ □□ □□□ □□□□□ □□
□.

□ □□□□□□ □□ □ □□ □□□ □□ □□□□ □□□ □ □□□□? (2□□ □□□□□.)

A. □□ □□ HA

B. □□ □□

C. □□□□ HA

D. □□ □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ □□□□ □□ □□□□ □□□ □□ □ □□ □□ □□□.

□ □□□□□□ LIF□ □□ □□□□ □□ □□?

A. LIF□ □□□□□□ □□□ □□□ □□□□ IP □□ □□ □□□□□.

B. LIF□ □□□ □□□ □□□□ □□□□□.

C. LIF□ □□□□ □□□□ □□□□□ □□ □□□□ □□□□ □□□□□.

D. LIF□ □□□ □□□ IP □□ □□ WWP□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

ONTAP 9.7 □□□□□□ AutoSupport □□, NTP(Network Time Protocol) □□ □ □□□□□ □
□□□ □□□ □□□□ LIF □□□ □□□□□?

- A. □□□□ □□ LIF
- B. □□□□ LIF
- C. □□ □□ LIF
- D. □□□ LIF

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

□□□ ONTAP 9.5 □□□□□□ □□□□ □□□ FAS8020 □□□□□ □□□ AFF A250
MetroCluster over IP □□□□ □□□□ □□□□□□□□ □□□□.
□ □□□□□□ □□□ □□□□□□□□ □□ □□□□ □ □□ □□□ □□□□□□? (2□□ □□
□□□.)

- A. FAS8020□□ AFF A250□□ □□□□ □□□ □□□□□.
- B. □□□ □□ □□ □□□□□□ □□□ □□□□□.
- C. □□□ 4□□ □□□□□ □□□□ vol move □□□□ □□□□ □□□□ □□□□□□□□
□.
- D. FAS8020□ AFF A250 □□□ □□ SnapMirror □□□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

- ONTAP □□□□ □□ □□ □□□ □□□□ □□□□.
- □□□□□□ □□□ □□ □□□□ □□ □□?
- A. LDAP □□□ □ □□□ □□□□ □□□ □□□ □□□ □ □□□□.
 - B. □□□ □□□□ □□□□□ □□ □□□ □□□ □□□□□.
 - C. □□□ □□□ ONTAP □□ □□□ □□□ □ □□□□.
 - D. cluster peer show □□□□ □□□ □□ □□□ □□□ □ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□ □□□ □□□□□.



□□□□ □□□□ □□ □□□□ FC□ □□ □□□ AFF A250 HA □□□□ □□□□□□. □□
□ □□□ □□□ □□□ □□□ □ □□ □□ □□ □□□□.
□ □□□□□□ □□□□ □□□ □□□□□□□□?

- A. 4
- B. 8
- C. 12
- D. 10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□ □□ ONTAP □□□□ □□ □ □□□ □□□□□□.
□ □□□□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□□?

- A. NetAppDocs
- B. □□□ IQ OneCollect
- C. □□□□ □□ □□
- D. SnapGathers

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

FAS2720 HA □□ FAS8300 HA □□ □□ □□□□□ □□□□ □□□.
□□ NetApp □□□ □ □□□ □□□□ □□□□ □□ □□ □□□□ □□□□□□?

- A. mysupport.netapp.com □□□
- B. □□ IQ □□ □□□□□
- C. IMT(Interoperability Matrix Tool)
- D. □□□□ □□□□(HWU)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

□□ □□□ □□□□□□.
Welcome to node setup.

You can enter the following commands at any time:
"help" or "?" - if you want to have a question clarified,
"back" - if you want to change previously answered questions, and
"exit" or "quit" - if you want to quit the setup wizard.
Any changes you made before quitting will be saved.

To accept a default or omit a question, do not enter a value.

Enter the node management interface port [e0c1]:
□□ 6□□ □□□□□ FAS2750 HA □□ □□□□□ □□□.
□□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□?

- A. 0x00000000 0x00000000 0x00000000 0a000000.
- B. exit 0 quit 000 000 00 0000 00 000 000000.
- C. 000 00000 00 00 000 000 00000 00 00000 000000.
- D. 00 000 00000 00000 00 00000 000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

ONTAP 9.7 00000000 0000 0 AFF A400 000000 00000 00000. FabricPool 00
 0 Amazon S3 00000 0000 000000 00000 000000.
 0 00000000 00000 00000 00000 0 00 NLF(NetApp 00000 00) 0000 0000
 00? (200 000000.)

- A. 00
- B. 000
- C. 00 00
- D. 000

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

ONTAP 9.7 000000000 0000 0000 00 00 00 00000000(RDB)0 000000?

- A. 4
- B. 3
- C. 5
- D. 2

Answer: ([SHOW ANSWER](#))

NS0-184 00 0000 000000 00 DumpTop 00 00000 0000 NS0-184 00!
 DumpTop 0 00 **NS0-184** 00 0000 00000000, DumpTop NS0-184 00 0000 00
 00000000 0000 0000000000. 00000 0000 00000 00 DumpTop NS0-184 0
 00 000000. <https://www.dumptop.com/NetworkAppliance/NS0-184-dump.html> (60 Q&As
 Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

NetApp ONTAP 000000 000000 0000 0 0000 00 00 000000 00 0000 00
 000 0000.
 0. 0000 00 0000000 000000 00 00 0000 00 00 0000 00 0000 0000 00
 0 00000.
 00 0000 0000 00 0000 0000000?

- A. 0000 IQ 0000 000000
- B. 00 0000 000000 00

C. ☐☐☐☐ ☐☐

D. NetApp ☐ ☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

☐☐☐ SnapMirror Synchronous ☐ ☐☐☐☐☐ ☐☐☐ SnapMirror Synchronous ☐ ☐ ☐☐☐☐☐☐ ☐☐.

☐ ☐☐☐☐ ☐ ☐ ☐ ☐ ☐☐☐? (2 ☐ ☐☐☐☐.)

A. ☐ ☐ ☐ ☐☐ ☐ SnapMirror ☐ ☐☐☐☐ ☐☐.

B. ☐ ☐☐☐☐ ☐ ☐☐☐ ☐ SnapMirror ☐☐☐☐ ☐☐.

C. SnapMirror ☐☐☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐ ☐☐.

D. ☐ ☐☐☐☐ SnapMirror ☐ ☐☐☐☐ ☐☐.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 19

☐ ☐ ☐☐ ☐☐☐.

```
cluster1::> network device-discovery show
```

Node/ Protocol	Local Port	Discovered Device	Interface	Platform
node1/cdp	e4a	switchA-NX.netapp.com (SSI142311PD)	e1/1/1-4	N3K-C3132Q-V
	e8a	switchA-NX.netapp.com (SSI142311PD)	e1/2/1-4	N3K-C3132Q-V
node2/cdp	e4a	switchB-NX.netapp.com (SSI142311PE)	e1/1/1-4	N3K-C3132Q-V
	e8a	switchB-NX.netapp.com (SSI142311PE)	e1/2/1-4	N3K-C3132Q-V

☐☐ ☐☐ FAS9000 ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐.

☐☐☐ ☐ ☐☐ ☐ ☐ Cisco Nexus 3132Q-V 40Gb ☐☐ ☐☐☐.

☐☐☐☐ ☐ ☐☐ ☐☐☐ ☐☐ ☐ ☐☐☐☐?

A. node1:e4a ☐ node1:e8a ☐ ☐☐.

B. node1:e8a ☐ node2:e4a ☐ ☐☐.

C. node2:e4a ☐ node2:e8a ☐ ☐☐.

D. node1:e4a ☐ node2:e4b ☐ ☐☐.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

Cisco Nexus 3232C ☐☐☐ ☐ ☐ 4 ☐☐ AFF A800 ☐☐☐☐ 2 ☐☐ AFF A250 ☐☐☐☐

☐☐ ☐☐ ☐ ☐☐☐ ☐ Cluster-HA RCF ☐ ☐☐☐ ☐☐.

Which two AFF A250 features are supported by the AFF A250? (2 correct answers)

- A. AFF A250 supports 10GbE ports.
- B. AFF A250 supports 10GbE ports.
- C. AFF A250 RCF supports 10GbE.
- D. Cluster-HA-Breakout RCF is supported.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which two NetApp features are supported by the NetApp 9.8? (2 correct answers)

- A. IQ is supported.
- B. Active IQ is supported.
- C. IQ is supported.
- D. IQ is supported.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which two Cisco 92300YC features are supported by the Cisco 92300YC? (2 correct answers)

- A. IQ is supported.
- B. IQ is supported.
- C. IQ is supported.
- D. switchcfgshow

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which two NetApp features are supported by the NetApp 9.8?

cluster1::*> cluster ring show

Node	UnitName	Epoch	DB Epoch	DB Trnxs	Master	Online
cluster1-01	mgmt	36	36	130	cluster1-02	secondary
cluster1-01	vldb	26	26	6	cluster1-02	secondary
cluster1-01	vifmgr	26	26	42	cluster1-02	secondary
cluster1-01	bcomd	26	26	1	cluster1-02	secondary
cluster1-01	crs	26	26	1	cluster1-02	secondary
cluster1-02	mgmt	36	36	130	cluster1-02	master
cluster1-02	vldb	26	26	6	cluster1-02	master
cluster1-02	vifmgr	26	26	42	cluster1-02	master
cluster1-02	bcomd	26	26	1	cluster1-02	master
cluster1-02	crs	26	26	1	cluster1-02	master
cluster1-03	mgmt	36	36	130	cluster1-02	secondary
cluster1-03	vldb	26	26	6	cluster1-02	secondary
cluster1-03	vifmgr	26	26	42	cluster1-02	secondary
cluster1-03	bcomd	26	26	1	cluster1-02	secondary
cluster1-03	crs	26	26	1	cluster1-02	secondary
cluster1-04	mgmt	36	36	130	cluster1-02	secondary
cluster1-04	vldb	26	26	6	cluster1-02	secondary
cluster1-04	vifmgr	26	26	42	cluster1-02	secondary
cluster1-04	bcomd	26	26	1	cluster1-02	secondary
cluster1-04	crs	26	26	1	cluster1-02	secondary

4. FAS8200 is configured with "cluster1-02" as the master node. The node is currently in the secondary state. What is the reason for this?

Options: (2 correct answers.)

- A. Epsilon cluster1-02 is not in the master state.
- B. HA is not configured on the node.
- C. cluster modify -eligibility false is not configured on the node.
- D. The node is not in the master state.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 24

AFF A400 is configured with AutoSupport On Demand. What is the reason for this?

Options: (3 correct answers.)

- A. SMTP
- B. HTTP
- C. FTP
- D. HTTPS

Answer: D (LEAVE A REPLY)

NEW QUESTION: 25

AFF A250 ONTAP 9.8 is configured with AutoSupport On Demand. What is the reason for this?

Options: (3 correct answers.)

- A.** ☐☐☐☐ ☐☐☐ ☐☐
- B.** BMC IP ☐☐
- C.** ☐☐☐☐☐ IP ☐☐
- D.** ☐☐☐☐ ☐☐
- E.** ☐☐ IP ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□ □□□□□ □ □□□□□ □□□□ □□□□. □□□□□ □□□□□ □□□ BES-53248 □
□□□ □□□□ □□□□□□□□.

[illegible]

□□□□□ □ □□ □□□□□ □□□□ □□ □□ □ □□ □□□ □□□□□□□□? (2□□ □
□□□□.)

- A.** `show ip space`
- B.** `show vserver Cluster -fields auto-revert`
- C.** `show vserver`
- D.** `show cdp`

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 27

```
iSCSI LUN□ □□□ □ AFF A400□ □□□□ □□□□. □□ □ □□ □□□□ □□
```

iSNS(Internet Storage Name Service)□ □□□□ □□ 4□□ iSCSI SVM□ □□□□.

☐ SVM

- A.** SVM ☐☐☐ LIF
- B.** ☐☐☐☐☐ LIF
- C.** ☐☐ ☐☐ LIF
- D.** SVM ☐☐ LIF

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

NetApp CN1610 □□□□ □□□□ □□□□ □□ □□ 4□□ □□□□□ □ □□ □□□ AFF

A250 □□□ □□□□□□. □□□ □□□□□ □□□ □ □□□ □□□□ □□ □□ show □□

□□□ NVRAM □□□ □□□□□ □□□□ HA □□ □□□ □□ □□□□ □□□ □ □□□ □
□□□□.

[illegible]

- A.** AFF A250□□ 25GbE □□□ □□□□ □□□□ □□□□□.
- B.** AFF A250□ □□□□ □ HA □□ □□□ □□ □□□ □□□ □□□□□.
- C.** AFF A250□□ 40GbE □□□ □□□□ □□□□ □□□□□.
- D.** AFF A250□ □□□□ □ HA □□ □□□ □□ □□ □□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 29

Which two AFF ASA A700 configurations are supported by the AFF ASA A700 HA architecture? (Choose two.)

Which two configurations are supported by the AFF ASA A700 HA architecture? (Choose two.)

- A. Brocade FC interconnects the two controllers in a single zone (zoning) configuration.
- B. Each controller is connected to the AFF ASA A700 storage via separate Fibre Channel controllers.
- C. BES-53248 interconnects the two controllers in a single zone (zoning) configuration.
- D. Each HA controller is connected to the ALUA storage via separate Fibre Channel controllers.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

NFSv4.1 and SMB are supported by the NAS architecture. Which two FAS500f ONTAP 9.8 configurations are supported? (Choose two.)

Which two configurations are supported by the NAS architecture? (Choose two.)

- A. Each controller is connected to the storage via separate Fibre Channel controllers.
- B. Each controller is connected to the storage via separate Fibre Channel controllers.
- C. Each controller is connected to the storage via separate Fibre Channel controllers.
- D. Each controller is connected to the storage via separate Fibre Channel controllers.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

ONTAP 9.7 supports the AFF A400 architecture. Which two FlexCache configurations are supported? (Choose two.)

Which two FlexCache configurations are supported? (Choose two.)

- A. Each controller is connected to the storage via separate Fibre Channel controllers.
- B. Each controller is connected to the storage via separate Fibre Channel controllers.
- C. Each controller is connected to the storage via separate Fibre Channel controllers.
- D. Each controller is connected to the storage via separate Fibre Channel controllers.


Answer: A ([LEAVE A REPLY](#))

NS0-184 is a certification exam for the NS0-184 exam. DumpTop is a website that provides NS0-184 exam questions and answers.

DumpTop is a website that provides NS0-184 exam questions and answers. DumpTop NS0-184 exam questions and answers are available for free. DumpTop NS0-184 exam questions and answers are available for free.

NEW QUESTION: 32

□□ □□□ □□□□□.



□□□□ □□□ □□ □□□□ 4□□ □□□ □□□□□ □ □□ □□□ □□□□□? (2□□ □□ □□□.)

- A. SyncMirror □□ □□□
- B. □□□ □ □□□□ □□ □□□ □□
- C. SnapMirror Synchronous(SM-S)□ □□ □□ □□ □□
- D. iWARP□ □□ NVRAM □□ □□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

□ □□ □□ □□□ □□ □ 2□□ FAS9000 □□□□□ □□□□□□. □ □□□ □□□ □ □□ □□ □□ □□□ □□□ □□□ □□□□□ □□□. □□□ □□□ □□□□□?

- A. □□ □□□ □□ show □□□ □□□□□.
- B. sysconfig □□□ □□□□□.
- C. storage show disk -p □□□ □□□□□.
- D. disk show -fields initiator □□□ □□□□□.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 34

□□□□ □□ 2□□ AFF A700 □□□ □□□□□□. disk show -fields owner □□□ □□□□ □ □□□□□ □□ 1□ □□□□□□ □□□□□. □ □□□□□□ □□□ □□□□ □□ □□ □ □□□ □□□□□ □ □□ □□□ □□□□□ □□?

- A. NetAppDocs
- B. □□□ IQ □ □□□
- C. Active IQ □□ □□□
- D. NET2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□□ 6□□ ONTAP 9.8 □□□□□ □□□□ □□□□. □□□□ □□ □□ □□□ □ ONTAP □□□□□ □□ □□□ □□□□□□.

□ □□□□□□ □□ □□□ □□□□□ □□□?

- A. □□□□ □□□ □□
- B. □□□ □□ □□□ □□□□
- C. □□□□ □□□ □□ □□□
- D. □□ □□□□ □□□ IPv6

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

AFF A400 HA □□ □□ □□□□□ □□□□□ □□□.

□ □□□□□□ □□ LIF □□□ □□□□□?

- A. □□□□ □
- B. □□□□ □□
- C. □□□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

□ FAS500f HA □□ □□□□ FAS8300 HA □□□ □□ 4□□ ONTAP 9.8 □□□□□ □□□□ □. □□□□ □□ □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□□□.

□ □□□□□□ □□ □ □□ ONTAP □□ □□ □□□ □□□ □ □□□□? (2□□ □□□□□.)

- A. □□□□
- B. □□□
- C. □□
- D. □□□□ VM

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 38

SMB □□□ □□□□ 2□□ FAS8300 ONTAP 9.8 □□□□□ □□□□. □ □□ □□□ □□□ □ □□ □□□□□ □□□ □□□□ □□□□.

□□□ □□ □ □□□ □□ □□□ □□□□□ □□ □ □□ NetApp □□ □□□ □□□ □□□? (2□□ □□□□□.)

- A. □□□ NIC□ □□□ □□□□□.
- B. □□□ □□ □□□ □□□□□□.
- C. □□□ □□□ □□□ □□□□□.
- D. □□ NIC□ □□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

FC 00 000000 0 00 000 000 0 0000 0000 00 LUN0 0 000 000
000 0 000 00000 000.

0 000 00000 000 00000?

A. 0000 00 000 000 00000.

B. lun bind create 000 00000.

C. rescan-scsi-bus.sh 00000 0000 00000 000 00 00000.

D. lun mapping add-reporting-nodes 000 00000.

Answer: A,D ([LEAVE A REPLY](#))

NS0-184 00 000 00000 00 DumpTop 00 0000 000 NS0-184 00!

DumpTop 0 00 **NS0-184** 00 000 000000, DumpTop NS0-184 00 000 00

000000 000 00000000. 0000 000 0000 00 DumpTop NS0-184 0

00 00000. <https://www.dumptop.com/NetworkAppliance/NS0-184-dump.html> (60 Q&As

Dumps, **30%OFF** Special Discount: **KrDump**)