

NetworkAppliance.NS0-519.v2022-02-12.q21

□□□□:	NS0-519
□□□□:	NetApp Certified Implementation Engineer - SAN, ONTAP
□□□:	Network Appliance
□□ □□ □□□:	21
□□:	v2022-02-12
# □□ □:	633
# □□ □□□:	210
https://www.krdump.com/NetworkAppliance.NS0-519.v2022-02-12.q21.html	

NEW QUESTION: 1

□□ 20□ 21□□ □ Brocade □□□ □□□ ISL□ □□□□ □□□□.
□□ □□ □□ □□□ □□□□ □□□?

- A. F_□□
- B. E_port
- C. FL_□□
- D. U_port

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

AFF A400 FIA □□ FAS8700 FIA □□ □□ 4□□ □□□□□ □□□□. SSD □□ □□□ □ □□ □□ □□□ □□□
□□ □□□ □□□□ □□□. □□□□□ □□□□ FC LUN□ □□□□□.
□ □□□□□ □□ □□□ □□□□ □ □□ ONTAP □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□
- B. □□□ □
- C. □□□□□
- D. □□□ □

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 3

4□□ □□ AFF A700 □□□ □□ ONTAP 9.7 □□□□□□ □□□□ □□ 4□□ FAS8060 □□□□□ □□□ □□□
□ □□□ □□□□□.
□□□ □□□ □□□□ □□□ □ □□ □□□ □□□□□?

- A. □□ IQ □□ □□□□□
- B. □□□□ □□□□(HWU)
- C. □□□ IQ OneCollect
- D. □□□ IQ

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

□ SVM(□□□□ □□ □□)□□ SAN □□□□□ □□□□□ □□□□ □□□.
□ □□□□□□ □□ LIF □□□ □□□ □□□□□□?

- A. □□ □□□ □□
- B. □□ □□□□
- C. □□ □□
- D. □□ □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□□ □□□□ ONTAP 9.7□□ NVMe □□□□□ □□□□□ Red Hat Enterprise Linux 8.1 □□□□ □□□□ □□
□□.
□ □□□□□□□ □□ □□□ □□□□□□?

- A. □□□ □□□□□ □□□□□.
- B. ALUA□ □□□□□.
- C. Red Hat □□ □□□□ □□□□□.
- D. FC HBA □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□□ □□ □□ □□□ □□□□□ □□□ FAS8300□ □ SVM□□ □□ SVM□□ SAN □□□ □□□□□ □□□
□□.
□□□ □□□□□ □ □□□□□ □□ □ □□ □□□ □□□□□□? (2□□ □□□□□.)

- A. □□□ □□
- B. □□ □□□ □□
- C. □□ □□
- D. □□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□ □□□ □□□□□.

Ports of Slot 0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Octet Speed Combo	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Speed	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN
AL_PA Offset 13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Trunk Port	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Long Distance	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VC Link Init	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Locked L_Port	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locked G_Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Disabled E_Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Locked E_Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
ISL R_RDY Mode	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
RSCN Suppressed	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Persistent Disable	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
LOS TOV mode	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NPIV capability	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
NPIV PP Limit	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126
NPIV FLOGI Logout	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
QOS Port	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE
EX Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mirror Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Credit Recovery	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
Fport Buffers	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Eport Credits	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Port Auto Disable	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
CSCTL mode	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
D-Port mode	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
D-Port over DWDM	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Compression	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Encryption	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
10G/16G FEC	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
16G FEC via TTS	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Fault Delay	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIM Port	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
TDZ mode	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Clean Address Bit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Flex Port	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC

□□□□ SVM□□ FC □□□□□ □□□□□ Windows Server 2019 □□□ LUN□ □□□□□□. □□□ □ □□□□
□ LUN□ □□□□ □□□□.

□□□ □□□□ □ □□□ □□□□ □□ □□□□ □□□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□□ NPIV□ □□□□□□□.
- B. □□□□□ NPIV□ □□□□□□.
- C. igroup□ □□□ iSCSI IQN□ □□□ □□ igroup□ LUN□ □□□□□.
- D. igroup□ □□□□ □□□ □□□□□□□ WWPN□ □□□ □□ igroup□ LUN□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□□ 8□□ AFF A700 □□□□, Cisco MDS □□□ □□□ □ Cisco UCS □□□ □□□ □□ □□□ SAN □□□ □
□□ □□ □□□□□.

□□□ □□□□ □ □□□ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□ IQ OneCollect

- B. NetApp ONTAP ☐☐☐
C. Brocade SAN ☐☐
D. ☐☐☐ IQ ☐☐☐☐☐☐☐
Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

☐☐ ☐☐☐ ☐☐☐☐☐.

```
code Adapter Current Current Pending Pending Admin
----- Mode Type Mode Type Status
1a 0e cna target - - online
1a 0f cna target - - online
1a 0g cna target - fc online
1a 0h cna target - fc online
1b 0e cna target - - online
1b 0f cna target - - online
1b 0g cna target - fc online
1b 0h cna target - fc online
2a 0c cna target - - online
2a 0d cna target - - online
2a 0e cna target - - online
2a 0f cna target - - online
2b 0c cna target - - online
2b 0d cna target - - online
2b 0e cna target - - online
2b 0f cna target - - online
5 entries were displayed.

l1::> vservers show -fields allowed-protocols
server allowed-protocols
-----
1a -
1b -
2a -
2b -
l1 -
svfc2 fcp
svfile1 cifs,nfs
svfile3 cifs,nfs
svfile4 cifs
5 entries were displayed.

l1::> vservers fcp show
server Target Name Status
-----
Admin
```

☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐ FC ☐☐☐☐ LUN ☐☐☐☐ ☐☐ svfc2
SVM ☐☐☐☐☐☐☐☐☐☐☐ LUN ☐☐ ☐☐☐☐☐
☐☐ ☐☐☐☐ ☐☐☐☐☐

- A. FC 100000 1000 10000 1000 10000 1000.
- B. FC 1000 admin down 1000 100000.
- C. UTA 100 1000 1000 100 10000.
- D. SVM 10 FC 10000 100000000.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

iSCSI LUN 10000 1000 200 AFF All SAN 1000 A700 100000 10000. 1000 100 10000 1000 100 10000000 10000 100000.

100 100 1000 100 1000 100000? (200 100000.)

- A. 1000 1000 10000000.
- B. 10000 LIF 100 10000 10000 1000 10000 10000.
- C. Linux 100000 1000 10000 10000.
- D. 10000 10000 100 1000 100000.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

1000 NetApp AFF All SAN Array 100 100 1000 1000000.

10000000 1000 100 1000 1000000 100000 10000 100 1000 1000000? (200 100000.)

- A. Active IQ 100 1000
- B. ONTAP 1000 1000
- C. 1000 IQ OneCollect
- D. 1000 IQ 100 100000

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

100 SVM 1000000 100 1000 1000000 1000000. 1000 100 1000 1000 1000000 SnapCenter 100

SVM 100 100 1000 1000 1000000. 100 100 100 1000 100 1000 1000 100 LIF 1000000 1000 1000000.

100000000 100 LIF 1000 100 100000 1000000?

- A. 100000
- B. 100000 100
- C. 1000
- D. 100 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

iSCSI 10 FC LUN 100000 400 AFF A400 1000000 100000. SSD 100 Azure Blob Storage 100 Amazon S3 100 100 100 100000 10000000 100000 1000000. 100000 Snapshot 100000 100 10000 100 100000 100000 ONTAP 1000000000 100000 1000.

Which NetApp protocol is used for NFS?

A. NFS

B. CIFS

C. SMB

D. iSCSI

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which Amazon Web Services(AWS) service is used for storing data in the cloud?

A. Amazon S3

B. Amazon EC2

C. Amazon RDS

D. Amazon ElastiCache

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which HP storage solution is used for high-performance applications?

A. HP StoreEasy

B. HP StoreVirtual

C. HP StoreOnce

D. HP StoreServ

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which NetApp protocol is used for NFS? NetApp uses NFS (NVE) for NFS storage.

A. NFS

B. CIFS

C. SMB

D. iSCSI

Answer: B ([LEAVE A REPLY](#))

NS0-519       DumpTop     NS0-519 ! DumpTop   **NS0-519** 
     , DumpTop NS0-519                 
      DumpTop NS0-519                 
      DumpTop NS0-519                 
      DumpTop NS0-519                 
      DumpTop NS0-519                 
      DumpTop NS0-519             

NEW QUESTION: 17


□□ LUN□ □□□□ □□ VMware ESXi □□□ □□□□ □□□. VMware □□□□ □□ □□□ FC LUN□ □□ □□
□□ □□□ □□□ NetApp □□□□□□ □□ □□□ □□□□□.

□ □□□□□ □□ NetApp □□□□□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ DSM ☐ ☐ ☐ ☐ ☐.
- B.** NetApp VSC ☐ ☐ ☐ ☐ ☐.
- C.** Active IQ OneCollect ☐ ☐ ☐ ☐ ☐.
- D.** Active IQ Config Advisor ☐ ☐ ☐ ☐ ☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 18

[illegible]

□□□□ □□□ □□ □□□ □□□ □□ □□□□□□ □□□ □ □□□ iSCSI □□□□ □□ 2□ LUN□ □□ SAN □
□□ □□□ □□□ □□□□ □□□□□?


- A.** iSCSI LIF □□ 1 □ □□ 2□□ □□□□□□ SLM □□ □□ □□□□ □□ 1 □ □□ 2□ □□□□□□ □□□ 1
□ □□ □□□□□□□.

- B. iSCSI LIF 00 000 00000 SLM 00 00 000 00 000 000000 00 1 0 00 20 00000 00.
- C. iSCSI LIF 00 200 00000 SLM 00 00 000 00 10 00 20 000000 0000 0000 10 00 00 0000 000000.
- D. iSCSI LIF 00 000 000000 SLM 00 00 000 00 1 0 00 20 000000 00 10 00000 00.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

00 000 00000.



000 000 000 AFF A700 200 00000 000 0000 0000. 00 200 0000 000. 00 100 00 10, 00 100 00 20 0000 000. 000 0000 0 00 0000 00000?

- A. 2
- B. 16
- C. 8
- D. 4

Answer: D (LEAVE A REPLY)

NEW QUESTION: 20

00 000 00000.

D. RHEL 7.5 64

Answer: A,B (LEAVE A REPLY)

NS0-519 100% 100% 100% 100% 100% DumpTop 100% 100% 100% NS0-519 100%! DumpTop 100% 100% **NS0-519** 100% 100% 100% 100% 100%, DumpTop NS0-519 100% 100% 100% 100% 100% 100% 100%. 100% 100% 100% 100% 100% DumpTop NS0-519 100% 100% 100%. <https://www.dumptop.com/NetworkAppliance/NS0-519-dump.html> (60 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)