

Nokia.4A0-113.v2023-08-26.q37

□□□□:	4A0-113
□□□□:	Nokia OSPF Routing Protocol Exam
□□□:	Nokia
□□ □□ □□□:	37
□□:	v2023-08-26
# □□ □:	582
# □□ □□□:	370
https://www.krdump.com/Nokia.4A0-113.v2023-08-26.q37.html	

NEW QUESTION: 1

□□□ OSPF □□□□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□□ □ □□□□ LSA □□□ □□□□□?

- A. □□ 3
- B. □□ 7
- C. □□ 4
- D. □□ 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ □ OSPF □□□□ Type 1 LSA□□ E □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□
- B. □□□ □□□□ □□ □□
- C. □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□ □□□ □□□□□.

*A:R1# show router ospf neighbor

OSPF Neighbors

Interface-Name	Rtr Id	State	Pri	RetxQ	TTL
toR2	10.10.10.2	Full	1	0	39
toR3	10.10.10.3	Full	1	0	31
toR5	10.10.10.5	Full	1	0	39

No. of Neighbors: 3

*A:R1#

□□□ R2□□ □□ □□ □□□□ □□□□□.

A: R2# □□ □□□ ospf □□□ ID 10.10.10.99

A: R2# □□ □□□ □□□ ID 10.10.10.66

□□□ R1□□ □□□ □□□ □□□ □□ □□□ R2□ □□ □□□□ □□□ ID□ □□□□□?

A. 10.10.10.66

B. 10.10.10.2

C. 10.10.10.99

D. 10.10.10.1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□ □□□ □□□□□.

□□□ □□□□□□ □□□ R1□ □□ □□□ OSPF□ □□□□□ □□□ ASBR□□□□. □□ □
□□□□ □□□ □□□ □ □□ 4 LSA □□□ □□ □□ □□ □ □□ □□□□□?

A. □□□ R3□ □□ 0, 1 □ 2□ □□□□□ □□ 4 LSA□ □□□□□.

B. □□□ R1□ □□ 0, 1 □ 2□ □□□□□ □□ 4 LSA□ □□□□□.

C. □□□ R3□ □□ 0□□ □□□□□ □□ 4 LSA□ □□□□ □□□ R6□ □□ 2□ □□□□□
□□ 4 LSA□ □□□□□.

D. □□□ R3□ □□ 0□ 2□ □□□□□ □□ 4 LSA□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □ OSPF□ □□ □□□ □□□□ □□ □□□□□? □ □□ □□□ □□□□□□.

A. □□□ □□□□□ □□

B. □□□ □□ □□ □□

C. □ □□ □□□

D. □□ □□ □□□ □□

E. 00 000

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 6

00 000 00000.

000 OSPF 000 0 00 00 00000000. OSPF 0000 00 000000?

A. 000 ex 00 0000 0000. 0000 0000000 00 000 000000 000 00 0000 0000 0000.

B. 000 00 00000. 00 000 00 00 00 0 00 00 0000 000 0000 0000.

C. 0 000 00 0000000 00 000 00000 000 00 000 000000.

D. 00 000 00 0000. 0000 0000000 00 000 00000 00 00 00 00 00 000000 00000 0000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

000 0000 000000 0000 00 OSPF 0000 0000 00 000 00 0 000 0 00 00000?

A. IP 00000 000 0000 IP 00.

B. IP 00000 000 0000 IP 00.

C. 000 00000 000 000 000 000.

D. IP 00000 000 0000 UDP 00.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

OSPFv3 00 00 00 0 000 00 000000?

A. 000 LSA 0 IPv6 000 000 00000 0000.

B. NSSA 0 OSPFv3 00 0000 0000.

C. MD5 000 0000 0000.

D. OSPFv3 0 3200 000 ID 000000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

OSPFv3 00 00 0 00 00 000000?

A. 000 LSA 0 IPv6 000 000 000000.

B. OSPFv3 0 MD5 000 000000.

C. NSSA 0 OSPFv3 00 000000.

D. OSPFv3 0 6400 000 ID 000000.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which two OSPF parameters can be configured on a per-interface basis? (Choose two.)

- A. OSPF hello interval
- B. Hello ID
- C. MTU
- D. Hello ID
- E. Hello priority
- F. Hello cost

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which two OSPF parameters can be configured on a per-interface basis? (Choose two.)

- A. Hello ID
- B. Hello ID
- C. MTU
- D. Hello ID
- E. Hello priority
- F. Hello cost

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which two OSPF parameters can be configured on a per-interface basis? (Choose two.)

- A. Hello ID
- B. Hello ID
- C. MTU
- D. Hello ID
- E. Hello priority
- F. Hello cost

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which two OSPF parameters can be configured on a per-interface basis? (Choose two.)

- A. Hello ID
- B. OSPF IS-IS
- C. Hello ID
- D. Graceful Restart

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

A. □□ □□ □□□□□ IP □□□□

B. "config router ospf rid XXXX" □□ □□

C. □□□ IP □□

D. □□□ IP □□□□

E. □□ MAC □□□ □□ 32□□□□

F. □□ MAC □□□ □□□ 32□□□□

- A.** R6 DR BDR ID 10.10.10.3

B. R6 的 IP 地址为 10.10.10.3，R6 的接口配置如下：
BDR 的 IP 地址为 10.10.10.5。

C. R6 的 IP 地址为 10.10.10.3，R6 的接口配置如下：
DR 的 IP 地址为 10.10.10.5。

D. R6 的 IP 地址为 10.10.10.3，R6 的接口配置如下：
DR 的 IP 地址为 10.10.10.5。

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

IP 地址为 10.10.10.3 的 R6 的接口配置如下？

A. OSPF 的 TCP 端口为 65521。

B. OSPF 的 UDP 端口为 17000。

C. OSPF 的 IP 地址为 10.10.10.3。

D. OSPF 的 IP 地址为 89。

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

在 R6 上配置 OSPF 时，R6 的接口配置如下？

A. R6 的接口配置如下：
BDR 的 IP 地址为 10.10.10.5。

B. R6 的接口配置如下：
DR 的 IP 地址为 10.10.10.5。

C. R6 的接口配置如下：
DR 的 IP 地址为 10.10.10.3。

D. R6 的接口配置如下：
DR 的 IP 地址为 10.10.10.3。

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

在 R6 上配置 OSPF 时，R6 的接口配置如下？

A. 10

B. 4

C. 3

D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

在 R6 上配置 OSPF 时，R6 的接口配置如下？

A. OSPF 的 3 LSA 的 IP 地址为 10.10.10.3。

B. OSPF ☐ ☐ 3 LSA ☐ ☐ ☐ ☐ ☐ ☐ ☐ ABR ☐ ☐ ☐ ☐ ☐ ☐ LSA ☐ ☐.

C. OSPF □□ 3 LSA□ □□ □□□ □□□ □□ □□□ □□□□ □□ ABR□ □□ □□□ □□ □ LSA□□□.

D. OSPF ☐ ☐ 3 LSA ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ABR ☐ ☐ ☐ ☐ ☐ ☐ LSA ☐ ☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Nokia 7750 SR □□ □□ □□□ □□ IS-IS LSP□ □□ □□□ □□□□ OSPF □□ 5 LSA□
□□ □□□ □□□ □□□□□.

□□ □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□□?

A. ECMP ☐☐☐ ☐☐☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐☐☐☐.

B. OSPF □□ 5 LSA□ □□ □□□ □□□ □□□□□.

C. ECMP □ □□□ □□ □ □□□ □□ □□□□□.

D. IS-IS □ □ □ □ □ □ □ □ □ □ □ □ .

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

OSPF ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐?

A. □□ 0□ □□□□ □□ □□ □□ □□ □□ □□ □□.

B. □□ 0□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□.

C. 0 .

D. □ □□ □□□ □□ 0□ □□□□ □□□ □ □□□ □□□□ □□□ □□ □□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

□ □ □ □ □ □ □ □ □ □ .

192.168.3.1 □ □ □ R2 □ □ □ □ □ □ □ OSPF □ □ 0 □ □ □ □ □ □ □ R3 □ □ □
□ □ □ □ □ . □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. ☐ ☐ ☐ R1 ☐ NSSA ☐ ☐ ☐ ☐ " ☐ ☐ " ☐ ☐ ☐ ☐

B. $\square\square\square R2\square\square\square\square\square\square\square.$

C. ☐ ☐ ☐ R3 ☐ NSSA ☐ ☐ ☐ ☐ "originate-default-route" ☐ ☐ ☐

D. R1 192.168.3.1 .

Answer: A (LEAVE A REPLY)

NEW QUESTION: 25

OSPF Hello □□□□ □□□□□ □□ □□ □□□□ □□□□ □□ □□□ □□□□□? (3□ □□)

A. DR ☐ BDR ☐

B. ☐ ☐ ☐ ☐

C. Hello ☐ Dead ☐☐

D. 00 ID

E. 00 000

Answer: (SHOW ANSWER)

NEW QUESTION: 26

00 00 00000 0 00 00 00: (20 00)

A. 00, 0000 0 0000 00 00 00000000 000000.

B. 00000 00 000 000000.

C. 000 000000 000000 0000 0 00000 00000 000000.

D. 00000 00000 00 000 0000 00 0000 00000.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 27

Graceful Restart 0 00 IGP00 000000?

A. IS-IS

B. RIPv1 0 RIPv2

C. BGP

D. OSPF

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 28

Nokia 7750 SR00 RIPv 00 00000 00000 000000?

A. 0 15.

B. 0 1.

C. 0000 00000 000 00000 000.

D. 000 00000 00000 0000000.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 29

00 000 OSPF 0000 00 2 LSA0 000000?

A. 00 00 000

B. 00 000

C. OSPF 00 00 00 000.

D. 00 000 00 000

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

00 000 000000.

000 R30 R1 000 OSPF 0000 00 00000000. 000 000000?

A. 000 R10 0000 00 0 0000 0000.

- B. □□□ □□□□ □□□□.
- C. □□□ R3□ □□□ □□ □ □□□ □□□□.
- D. □□□ R1□ □□ 1□ □□□□ □□□□ □ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□ □□□□□.

□□□ R2□ IS-IS□□ □□□ □□□□□ □□□□□. □□□ R2□ □□□ □□ IS-IS□□ OSPF □ □□□ □□□□□□ □□□□□. OSPF □ IS-IS □□□□ □□□□□ □□□□□.

□□□ R1□ □□□ R2□□□ □ □□ OSPF □□ 5 LSA□ □□□□□?

- A. 2
- B. 3
- C. 1
- D. 4
- E. 0

Answer: B ([LEAVE A REPLY](#))

4A0-113 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 4A0-113 □□!
 DumpTop □ □□ **4A0-113** □□ □□□ □□□□□□, DumpTop 4A0-113 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 4A0-113 □□□
 □□□□□. <https://www.dumptop.com/Nokia/4A0-113-dump.html> (106 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

- □□ OSPF □□□□□□ OSPF□ □□□□ □□ □□ □□□ □□ □□ □□ □□ □□?
- A. ABR□□ □□ □□ □□□ □□□□□. □□□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.
- B. □□ □□ □□□ □□□□□ □□ □□ □□□□□ □□□□□ □□□. □□□ □□□ □□□ □□ □□ □□ □□□ □□ □□□□□.
- C. ABR□□ □□ □□ □□□ □□□□□. □□□□□ □□ □□□ □□□□□. □□□ □□ □□ □□□ □□□ □□ □ □□□□.
- D. □□ □□ □□□ □□ □□□ □□ □□□□□□ □□□ □ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

□□□□□□ □□ □□□ □□□□□ □□□ □□□□□.

- A. □□□ ARP
- B. □□ □□
- C. □□ □□□□□

D. 100000 00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□ □ □□ □□ □□□□ □□□ □□□□ □□□ □□□□□? □ □□ □□□ □□□□□□.

A. □□ □□□ □□□ □□ □□□ □□ □□□□ □□□□□.

B. □□□□□ □□□ □□□ □□□□□ □□□□ □□ □ □□□□□.

C. □□□□ □□ □□ □□□□ □□ □□□□ □□□□□□□□□.

D. □□ □□□□□□□ □ □□□□ □□ □□□□□.

E. □□□□ □□□□□□□ □□ □□□ □□ □□□□ □□ □□□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

Nokia 7750 SR□□ OSPF□ □□ Hello □ Dead □□□ □□□ □□□□□?

A. 10□ □ 40□

B. 10□ □ 30□

C. 5□ □ 15□

D. 5□ □ 20□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

□□□□ □□□□□.

□□□ □□□□□□ □□□ R1□ □□ □□□ OSPF□ □□□□□ □□□ ASBR□□□□. □□ □
□ NSSA □□□ □□□□. LSA□ □□ □□ □ □□ □□ □□□□□?

A. □□□ R2 □ R3□ □□□ R1□ □□□ □□ 5 LSA□ □□□□□.

B. □□□ R3□ □□ 7 LSA□ □□ 0 □ □□ 2□ □□□□.

C. □□□ R2□ □□ 5 □ □□ 7 LSA□ □□□□□.

D. □□□ R7□ □□□ R1□ □□□ □□ 5 LSA□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

IP □□□ 10.2.3.1□ IP □□□□ □□□□. "configure router static-route 10.2.3.0/24 next-hop
10.1.2.1" □□□ □□□□ □□ □□□ □□□□□. Nokia 7750 SR□□ □ □□ □□□ □□□□
□ □□ □□□ traceroute □□□ □□□□□?

A. □□ □□ 10.2.3.1 □□ □ 10.1.2.1

B. □□ □□ □□ □ 10.1.2.1

C. □□ □□ 10.1.2.1

D. traceroute□ Nokia 7750 SR□□ □□□□ □□□□.

E. □□ □□ 10.2.3.1

Answer: E ([LEAVE A REPLY](#))

4A0-113 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 4A0-113 □□!
DumpTop □ □□ **4A0-113** □□ □□□ □□□□□□, DumpTop 4A0-113 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 4A0-113 □□□
□□□□□. <https://www.dumptop.com/Nokia/4A0-113-dump.html> (106 Q&As Dumps,
30%OFF Special Discount: **KrDump**)