

Oracle.1Z0-1071-21.v2022-06-08.q25

□□□□:	1Z0-1071-21
□□□□:	Oracle Cloud Platform Digital Assistant 2021 Specialist
□□□:	Oracle
□□ □□ □□□:	25
□□:	v2022-06-08
# □□ □:	742
# □□ □□□:	250

<https://www.krdump.com/Oracle.1Z0-1071-21.v2022-06-08.q25.html>

NEW QUESTION: 1

Oracle Digital Assistant □ □□ □□□ □□□ □□□□□?

- A. 98% of the population is in the United States.
- B. n is the number of people in the United States. n is the number of people in the United States.
- C. 98% of the population is in the United States.
- D. 98% of the population is in the United States.

Answer: (SHOW ANSWER)

NEW QUESTION: 2

0000 0000 0000 0000 0000. 0000 0000 0000 0000 95% 000 0000 00
 0 5% 00 0000 00 0 0000 000000 00 0000000. 0000 00 0 0000 00
 0 0000 00 00 0000 00 0000 00 0000 0000 0000 0 0000 00 00000.
 00 00 PizzaCrust 0000 00000 00 00 00000 00 0000 000000.

"□□" □ "□□□ □□", □□□□□ □□ □□□ □□ □□□□□ □□□□ □□ □□□□ □□□
□□ □□□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□□□?

- A.** PizzaCrust Prompt for Value False. .
PizzaCrust
. . . .
".
- B.** PizzaCrustentity
- C.** PizzaCrust Out of Order Extraction True
.
- D.** PizzaCrust Extract With
.
".

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

Oracle

- A. "□□□ □□□□□□?"□ □□ □□□ □□□ □□□□□ □□□.
- B. □□ □□ □□(□□□ □□□ □□)□ □□□ □□□□□.
- C. □□ □ □ □□ □□ □ □ □□ □□ □□□ □□□□ □□ □□□□ □□□□□□.
- D. □□□ □□□ □□□□ □□ □□□□□ □□ □□ □□ □□□ □□□ □□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 4

System.AgentInitiation □□ □□□ agentActions □□:

- A.** □□□□□ □□ □ □□(□: "□□", "□□" □)□ □□□□□.
- B.** □□□□□ □□□ □□□ □ □□□□□ □□□□ □□□□□ □□□ □ □□ □□□ □□□□□ □.
- C.** □□□□ □□ □□□ □□ □□□ □ □□□ □□□□ □□□□□.
- D.** □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Oracle ☐ ☐ ☐ ☐ ☐ FALSE ☐ ☐ ☐ ☐ ☐

☐.

- A.** □□□ □□ □□□ □□□□ □□□□ □□□ □□□.
- B.** □□□ □□□ □□□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□.
- C.** □□□□□ □□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□ □□□□□ □□□ □□□□□ □□□.
- D.** □□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 6

□□ □□ □□□□ □□□ □□□□ □□ System, Webview □□ □□□ □□ □ □□ □□□□ □
□□ □□□□ □□ □□□□ □□□□□. □□ □□□□ □□□□ □□□□.

```
callWebView:
  component: "System.Webview"
  properties:
    service: "oracletravelweb"
    sourceVariableList: "origin,destination"
    variable: "webviewresponse"
    prompt: "Press 'Open Oracle Travel' to complete your reservation"
    linkLabel: "Open Oracle Travel"
    cancelLabel: "Cancel"
  transitions:
    next: "evaluateWebviewResponse"
  actions:
    textReceived: "onCancel"
    cancel: "onCancel"
```

□□□□ system.Webview □□ □□□ □□ □□□ aPOST □□□ □□□□. □□□ □□□□ □□
□ POST □□□□□ □□ □□□ □ □□ □□□ □□□□□?

- B. `node --help` command is used to get help information about the Node.js command line options.
- C. `node --help` command is used to get help information about the Node.js command line options.
- D. `node --help` command is used to get help information about the Node.js command line options.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

GitHub is a popular open source code hosting service. It provides a platform for developers to collaborate on projects. Which of the following is a correct statement about GitHub?

- A. bots-node-sdk is a Node.js module for interacting with the GitHub API.
- B. bots-node-sdk is a Node.js module for interacting with the GitHub API.
- C. bots-node-sdk npm is a Node.js module for interacting with the GitHub API.
- D. bots-node-sdk is a Node.js module for interacting with the GitHub API.

Answer: ([SHOW ANSWER](#))

10

GitHub is a popular open source code hosting service. It provides a platform for developers to collaborate on projects.

SDK is a set of tools and libraries that can be used to interact with a specific service or API.

bots-node-sdk is a Node.js module for interacting with the GitHub API.

bots-node-sdk init <path to the module>

<https://docs.cloud.oracle.com/en-us/iaas/digital-assistant/doc/backend-integration1.html>

NEW QUESTION: 11

Which of the following is a correct statement about the FreeMarker template engine?

FreeMarker is a template engine that can be used to generate HTML, XML, and other text-based formats.

- A. "\${size.string} is a valid FreeMarker expression.
- B. "\${size} is a valid FreeMarker expression.
- C. "\${size[0]} is a valid FreeMarker expression.
- D. "\${size.value} is a valid FreeMarker expression.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following is a correct statement about the Node.js command line options?

- A. `node --help` command is used to get help information about the Node.js command line options.
- B. `node --help` command is used to get help information about the Node.js command line options.
- C. `node --help` command is used to get help information about the Node.js command line options.
- D. `node --help` command is used to get help information about the Node.js command line options.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□□ □□ □□□ □□□ □□□□ □□□□. □□□ □□ □□□□ □□□ □ □□ □□□
(StationEntity)□ □□□□□□. □□(RouteInfoIntent)□ □□□□□ □□□□ □□□ □□ □□ □□
□□□ □□ □□□ □□□□□ □□□□ □□□.
□□ □ □□□ □□□□ □ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□ □
□□□□?

- A.** StationEntity□ □□□□□□□. □ □□□□□ □□ □□□ □□□ "to"□ □□□□ □□□ □□
□□□□□ "from"□ □□□□ □□□□. □□ □□ RouteInfoIntent □□□ □ □□□□ □□ □□□
□□.
- B.** StationEntity□ □□□□ □ □□ □□ □□□□ □□□□. □ □□□□□ □□ □□□ "to"□ □□
□□□(□□ □□□□ □□). □□ □□□□□ □□□ □□□ □□□□ □□ □□ "from"□ □□□□
□□. RouteInfoIntent □□□ □ □□□□ □□ □□□□□.
- C.** RouteInfoIntent □□□ StationEntity□ □□□ □□ "from"□□ □□□□ □□□ □□ □□□□ □
□□□□□□.
- D.** "to" □ "from" □□ □ □□ □□ □□□□ □□□□ ToFromEntity□□ □ □□ □□□□
□□□□. DirectionStation□□□ □ □□□ □□□ □□□ ToFromEntity □ StationEntity□ □□□
□□. □□ □□ RouteInfoIntent□ DirectionStation□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐☐.

```
wait:
  component: "System.Output"
  properties:
    text: "Please wait, we're reviewing your order"
    keepTurn: true
  transitions:
    next: "waitmore"

waitmore:
  component: "System.Output"
  properties:
    text: "Almost done..."
    keepTurn: false
  transitions:
    next: "printIt"

printIt:
  component: "System.Output"
  properties:
    keepTurn: true
    text: "Thank you for your order."
  transitions:
    return: "done"
```

□ □ □ □ □ □ □ □ ?

- A.** The skill "Please wait, we're reviewing your order" □□ □□ □□□□ □□□ □□
 "Almost done..." □ □□□ □□ □□□ □□□ □□□□□.

A. □□ □□ □□ □□□ □□□ □□□□□ □□□□ □□ □□□□□ □□□.

- B.** `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]`
- C.** `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]` Apache Freemarker `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]`
- D.** `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]`
- E.** `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]`
- F.** `[[{"id": 1, "name": "John", "age": 30}, {"id": 2, "name": "Jane", "age": 25}, {"id": 3, "name": "Bob", "age": 35}]]`

Answer: A,E,F (LEAVE A REPLY)

NEW QUESTION: 20

□□ □□ □□□ □□□ □□□□□□□. □□□□□ □□□ □□ □□ □□□ □□□□ □ □□ □
□□ □□□□□?

- A. □□□□ □□□ □□ □□
- B. □□□ □□□□□ □□□ □□ □□□□ □□ □□ □□□
- C. □□ □□□ □□ □□ □□ □□
- D. □□ □□□□□ □□□ □□□ □□ □□ □□
- E. □□□ □□□□□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

□□ □□□ □□□ □□□□ □□ □□ □ □□□ □□ □□□□ □□ □□ □□ □□□□ □□ □□

□ □ □□ □ □□ □□ □□□ □□□□□?

- A.** System.ResolveEntities
B. □□□.□□□
C. System.MatchEntity
D. System.CommonResponse
E. □□□.□□

Answer: A,D (LEAVE A REPLY)

11

<https://docs.oracle.com/en/cloud/paas/digital-assistant/use-chatbot/entities1.html#GUID-603C4329-DBBA-42C9>

NEW QUESTION: 22

☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐

- A.** □□ □□□ "entity"□ □□□□□.
- B.** □□ □□□ □□□□ □□□ □□□□ □□□□□.
- C.** □□ □□□ "nlpresult"□ □□□□□.
- D.** □□ □□□ "map"□□ □□□□ □□□ □□□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

Oracle Digital Assistant on iOS, Android, and Facebook Messenger. Which of the following is a valid configuration for the Welcome to our store's chat bot? (Select all that apply.)

- A. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- B. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- C. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- D. Webhook is a valid configuration for the Welcome to our store's chat bot.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which of the following is a valid configuration for the Welcome to our store's chat bot? (Select all that apply.)

```
output1:
  component: "System.Output"
  properties:
    text: "Welcome to our store's chat bot!"
    keepTurn: true
  transitions:
    next: "output2"

output2:
  component: "System.Output"
  properties:
    text: "You can ask me about what products we have in the store."
  transitions:
    next: "intent"
```

- A. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- B. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- C. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- D. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which of the following is a valid configuration for the Welcome to our store's chat bot? (Select all that apply.)

- A. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.
- B. The Welcome to our store's chat bot is a valid configuration for the Welcome to our store's chat bot.

- C. System.Translateinput □□ □□□ □□□□□ □□□ □□□ system.DetectLanguage □□ □
□ □□□ □□□□□.
- D. □□ □□□□ □□ □□□ □□□□□ □□□ □□ □□□□ □□□□ □□□□.
- E. □□□ □□□□□□. □□ □□□ DetectLanguage □□□ □□ □□□□ □□ □□□□ □□ □
□ □□□ □□ □□□ □□□□□.

Answer: A,E ([LEAVE A REPLY](#))

1Z0-1071-21 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Z0-1071-21 □□!
DumpTop □ □□ **1Z0-1071-21** □□ □□□ □□□□□□, DumpTop 1Z0-1071-21 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
1Z0-1071-21 □□□ □□□□□. <https://www.dumptop.com/Oracle/1Z0-1071-21-dump.html> (78
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)