

Oracle.1Z0-909.v2023-09-12.q27

□□□□:	1Z0-909
□□□□:	MySQL 8.0 Database Developer
□□□:	Oracle
□□ □□ □□□:	27
□□:	v2023-09-12
# □□ □:	413
# □□ □□□:	270
https://www.krdump.com/Oracle.1Z0-909.v2023-09-12.q27.html	

NEW QUESTION: 1

□ □□□□ □□□ □□□□□□.

□□□□ □□ □□□ □□□ □□□□ □ □□□ □□□ □□ □□□ □□□□ □□ □□□□□?

A)

B)

C)

D)

A. □□ B

B. □□ D

C. □□ C

D. □□ A

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□□□ □□□□ □□ □□□□ □□□□□□.

□□ mysql □□□ □□□□□□□ □□□□ □□□□ □□□□□.

□□□ □□□□□?

A)

B)

C)

D)

A. □□ C

B. □□ A

C. □□ B

D. □□ D

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□□ □□□□ □□ 1□□ □□□ □□ □□□□□□.

□□ □□□□□ □□□□ □□ 2□□ □□□ □□ □□□□ □□□□□□.

□□ 2>

□□□□;

UPDATE band SET song=CONCAT ("Here Comes the ", □□) WHERE □□ LIKE ' %Sun ; □ □
□□ □□ □□□□□?

A. □□ 2□ □□□ □□□□□□□.

B. □□ 2□ □□ □□□□ □□ □□ □□ □□□ □□□ □□□□□.

C. □□ 1□ □□ □□□□ □□ □□ □□ □□ □□□□□.

D. □□ 1□ □□ 2□ □□□□□ □□□□ □□ □□□□ □□□.

E. □□ 2□ □□□□□ □□□□ □□□□.

F. □□ 1□ □□ 2□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□ c □ d□ □□ □□□□ □□□□□.

□□□□□ □□□□ □□ □□□ □ <p1>□ □□ □□□ □□ □□□□□.

□□ □□□□□ □□□□ □ □□□ □□□□□.

<p1>□ □□ □□□ □□ □□ □□□ d □□ □□□□ □□□ □□□□□?

A)

B)

C)

A. □□ B

B. □□ A

C. □□ C

D. □□ D

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □□□□ □□□ □□□□□□.

□□ □□□□ □□□□ □ □□ □□□ □□ □□□□ □□ □□□□ □□□ □□□□□.

□□ □□□ □□ □□□ □□□□□?

A)

B)

C)

D)

A. □□ D

B. □□ B

D. $\square\square A$

NEW QUESTION: 6

☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐☐

B. `□□, □□, □□□, RPAD('# ' GPA*10) AS GPA_Graph □□□□□ □□ GPA DESC□ □□;`

D. `□□ □□, □□, □□□, CONCAT('# ' GPA*10) AS GPA_Graph FROM □□□□ ORDER BY GPA DESC;`

E. `□□, □□, □□□, □□(GPA*10, '#')` `□□□□□ GPA Graph` `□□ GPA DESC` `□□`;

NEW QUESTION: 7

A. ☐☐☐☐☐☐☐ ☐☐ ☐☐☐ ☐ ☐☐☐☐.

B. □□□□□□ □ □□□□□ □ □□□ □□□□□□.

C. □□□□□□ □□ □□□□ □□□□ □□ □□□□□□.

D. □□□□□□ □ □□□ □ □□□.

E. □□□□□□ □ □□ □□□ □□□ □□□□□.

Answer: A,C (LEAVE A REPLY)

☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐

□□□ □□□ □□□□□?

A. □□□□□□ □□□ □□ □□ □□□ □□ □□□□.

B. □□□□□□ □□□□□□ □□□□□□ □□□ □□□ □□□□.

C. □□□□□□ □□□□□ □□□ □□□ □□□□.

D. □□□ □□□□□□□□□□

E. local infile □□ □□□ □□□□□ □□□□□.

F. □□□□□□ □□ □□□□□□ □□□ □□□ □□□□.

Answer: F (LEAVE A REPLY)

☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐.

☐☐ ☐☐☐☐ ☐☐☐☐☐

fshop JSON_SEARCH(,,'IT') ;
?

- A. "\$.varieties[4]. [1]"
- B. "\$. [3]. [0]"
- C. -> [3]. [0]"
- D. -> ' \$ [4]. [1];;

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

CREATE TABLE (acct_num INT, DECIMAL(10,2));
mysql> TRIGGER
 @subtotal = + NEW.amount;
 ?

- A. 0000 00 000 0 00000 000000.
- B. 000 00 000 000 00000 000000.
- C. 00000 00 000000 0 00000 0000000.
- D. insert 00 00000 00000 0000000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

MySQL Shell 00 00000.
0000 000 000000 000 00 000 000000?
A. 000 00 00 00 000 000000.
B. 00 000 00000 000 000000.
C. 00 0 00 000 000 00 00 000 00000 000 000 000000.
D. 00 0 000 000 00 00 000 00000 000 000 000000.
E. 00 0 00 000 000 00 00 00 000 000 000000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

00 000 000 000000.
00 0 0000000 00 00 00000 000 emp_id 00 empname 00 00000 0
000 000000?

- A)
- D)
- A. 00 B
- B. 00 D
- C. 00 A
- D. 00 C

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□ □□□□ □□□ □□□□□□.
□□ □□□□ □□□□ □ □□ □□□ □□ □□□□ □□ □□□□ □□□ □□□□□.
□□ □□□ □□ □□□ □□□□□?

A)

B)

C)

D)

A. □□ B

B. □□ C

C. □□ A

D. □□ D

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□ □□□□ □□□ □□□□□□.
□□ □□ □□□ □□□□□.
Mysql> □□;
□□□ □□□ □□ □□□□ □□ □□?
A. □□ □□□ □□□□□.
B. □□ □□□□□ □□ □□□ □□□ □□□□□.
C. □□ □ □□□□ □□□ □□ □□□□□.
D. □□□□ □□□ □□□□□.
E. □□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

□ □□□□ □□□ □□□□□□.
□□□□ □□ □□□ □□□ □□□□ □ □□□ □□□ □□ □□□ □□□□ □□ □□□□□?
A.
B.
C.
D.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□□ □□□□□.
□□ Explain □□□ □□□ □□□□?

- A. `POFORMAT^TRADITIONAL`
- B. `POFORMAT=JSON`
- C. `POFORMAT=TRADITIONAL`
- D. `POFORMAT=JSON`
- E. `POFORMAT=TRADITIONAL`

Answer: A ([LEAVE A REPLY](#))

1Z0-909 Oracle 1Z0-909 Oracle DumpTop Oracle 1Z0-909 Oracle!
 DumpTop Oracle **1Z0-909** Oracle Oracle, DumpTop 1Z0-909 Oracle Oracle
 Oracle Oracle Oracle. Oracle Oracle Oracle Oracle DumpTop 1Z0-909 Oracle
 Oracle. <https://www.dumptop.com/Oracle/1Z0-909-dump.html> (66 Q&As Dumps, **30%OFF**
 Special Discount: **KrDump**)

NEW QUESTION: 17

- Oracle 1Z0-909 Oracle Oracle.
- Oracle Oracle?
- A. `drop table emp_vu1`
- B. `emp_vu1 emp_vu1`
- C. `DROP TABLE emp_vu1`
- D. `CREATE TABLE emp_vu1`

Answer: (SHOW ANSWER)

NEW QUESTION: 18

- Oracle 1Z0-909 Oracle.
- A. `COMMIT`
- B. `COMMIT`; SET @m := 4
- C. `COMMIT` Oracle Oracle
- D. `USE <Oracle>`; 3
- E. `CREATE PROCEDURE` DEFINER 'username '@' localhost'

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 19

- Oracle 1Z0-909 Oracle.
- Oracle Oracle?
- A. `is_updatable` true myview
- B. myview temptable
- C. Oracle Oracle Oracle Oracle Oracle
- D. myview Oracle Oracle

Answer: B (LEAVE A REPLY)

NEW QUESTION: 20

☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐☐

```
CREATE TABLE geom (g GEOMETRY NOT NOLL, SPATIAL INDEX(g) );
```

□ □ 0□, □ □ 1□(0.01□) □ □ □ □ □ □ □ □ SRID □ □ □ □ □ □ □ □ □ □.

```
ALTER TABLE geom MODIFY COLUMN g ☐☐☐ NOT NULL SRID 0;
```

□ □ □ □ □ ?

A. □□□ □□□□ □□□□□□□ □□□□ □□□ □□□□.

B. □□□ □□ □□□ □□□□□.

C. srid o□ □□□□ □□ □□□ □□□□ □□□ □□□□□.

D. □□□□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

```
my_values [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ].
```

```
my value3   .
```

□ □ □ □ □ □ □ □ □ □ □ .

A)

B)

D)

A. ☐ ☐ B

B. □□ A

C. □ □ C

D. □□ D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

[illegible]

☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐.

□□ □□ 0□ □□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□ □□ □□ □□□□ □□

☐ ☐ ☐ ☐ .

□□ 0□ □□ □□□□□ □□ □□ □ □□ □□□□□?

A. 4

B. 2

C. 5

D. 1

E. 0

F. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

□□□□ □□ □ □□□□□□□□ PHP mysqli□ □□ □□□□ □□□ □□□□ □□□□. □ □□□ □□□□□?

- A. □ □□□ □□□ □□□□ □□□ □□ □ □□□□.
- B. □□□□ □□□ mysqliuserresult□ □□□□ □□□□□ □□□□□□ □□□.
- C. □□ □□□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.
- D. □□□□ □□□ □□ □□□ □ □ □□ □□ □□ □□□□□ □□□□ □□□.
- E. □□□□ □□□ □□□□□ □□□□□□.
- F. □□□ □□□□ □□ □□□□ PHP □□□□□ □□□□□.
- G. □□□ □□□□ □□ □□□□ □□□□□ □□□□□.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

□ □□□□ □□□ □□□□□□.

□□ □□□ □□ □□ □□□□□.

□□□ □□ □□□ □□□□ □□□□□□ □□□

- A. UPDATE □□ □□ SET □□=ROUND(□□,1);
- B. □□□□ □□ □□ SET □□=CEIL(ROUND(□□,1));
- C. □□□□ □□ □□ SET □□=ROUND(CEIL(□□
- D. □□ □□□□_□□ SET □□=TRUNCATE
- E. UPDATE □□ □□ SET □□=CEIL(TRUNCATE(sco
- F. UPDATE □□ □□ SET □□=TRUNCATE(□□,1);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

□□ □□□□ □□ □□ null □□ □□□□.

□ □□□ □□□□□□.

- A)
- B)
- C)
- D)
- A. □□ D
- B. □□ A
- C. □□ C
- D. □□ B

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□□ □□ □□□ □□□ Test.php □□□□□ □ □□□ □□□□□□.

Special Discount: **KrDump)**