

Oracle.1z0-1067-23.v2024-07-08.q28

□□□□:	1z0-1067-23
□□□□:	Oracle Cloud Infrastructure 2023 Cloud Operations Professional
□□□:	Oracle
□□ □□ □□□:	28
□□:	v2024-07-08
# □□ □:	306
# □□ □□□:	280
https://www.krdump.com/Oracle.1z0-1067-23.v2024-07-08.q28.html	

NEW QUESTION: 1

VCN□ VCN□ 3□□ □□□ □□□□□ □□□□ Terraform □□□ □□□□. □□□□ □ □□ □ □□□□□ □□ cloud-init □□□□□ □□□□ □□□□. OCI Resource Manager□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□□ □□□□ □□□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□□ □□□ □□□□□?

- A. Resource Manager□ VCN□ □□□□□□ □□ □□□ □□□□□ □ □□ □□□ □□□□ □□□□. Terraform□ □□ □□□□□ □□□□ □□ □ □□□□□ cloud-init □□□□□ □□ □ □□□ □□□□□.
- B. Resource Manager□ □□ □□□ □□□ □□□ □□□□□□□□□.
- C. Resource Manager□ VCN□ □□□□□□ □□ □□□ □□□□□ □ □□ □□□ □□□□ □□□□. Terraform□ □□ □□□□□ □□□□ □□ □ □□□□□ cloud-init □□□□□ □□ □ □□□ □□□□ □□□□.
- D. Resource Manager□ VCN□ □□□□□□ □□ □□ □□□ □□□□□ □□□ □□□□□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□ □□□□ □ □□ □□ □□ A□ B□ □□□□. □□□ □□□□ □ □□□ 3□□ □□□□□ □□□□(□ 9□). □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□?

```
CpuUtilization[1m].mean()
```

- A. □□ □□□: □□ □□□ □□ 3□□ □□□□□ □□ □□ □□ CPU □□□□□□.
- B. □□□ □□: □□ 1□ □□ 9□ □□□□ □□□ □□ □□ CPU □□□
- C. □ □□ □□ □□□: □ □□□□ □□ □□□ □□ □ □□□□ □ □□□ □□ □□ CPU □□ □□ □□□□□.
- D. □□□ □□□: □□ 9□ □□□□ □□□ □□ □□ CPU □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which OCI(Oracle Cloud Infrastructure) service can be used to protect an application from SQL injection attacks? (Choose the best answer.)

- A. IAM
- B. CloudGuard
- C. CloudShield
- D. CloudWAF(WAF)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which OCI(Oracle Cloud Infrastructure) service can be used to protect an application from IP spoofing attacks? (Choose the best answer.)

- A. IPsec
- B. CloudGuard
- C. ASN
- D. CloudShield

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

my-bucket is a bucket in the OCI(Oracle Cloud Infrastructure) Object Storage service. Which of the following is a valid bucket name? (Choose the best answer.)

- A. my-bucket
- B. my-bucket
- C. my-bucket
- D. my-bucket

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which OCI(Oracle Cloud Infrastructure) service can be used to protect an application from Denial of Service (DoS) attacks? (Choose the best answer.)

- A. CloudGuard
- B. CloudShield

C. OCI(Oracle Cloud Infrastructure) CLI를 사용하여 OCI 리소스를 관리할 수 있다.

D. OCI(Oracle Cloud Infrastructure) CLI를 사용하여 OCI 리소스를 관리할 수 있다.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Oracle Cloud Infrastructure(OCI) CLI를 사용하여 OCI 리소스를 관리할 수 있다? (2개 선택)

A. JSON을 사용하여 JMSPath를 사용하여 OCI 리소스를 관리할 수 있다.

B. CLI를 사용하여 OCI 리소스를 관리할 수 있다.

C. CLI를 사용하여 OCI 리소스를 관리할 수 있다.

D. CLI를 사용하여 Python을 사용하여 OCI API를 사용하여 OCI 리소스를 관리할 수 있다.

E. OCI CLI를 사용하여 OCI 리소스를 관리할 수 있다.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Terraform v0.12를 사용하여 Oracle Cloud Infrastructure(OCI) 리소스를 관리할 수 있다. Terraform을 사용하여 OCI 리소스를 관리할 수 있다. Terraform을 사용하여 OCI 리소스를 관리할 수 있다.

```
Error: Missing item separator
on vcn_peer_lab.tf line 15, in resource "oci_core_security_list" "ManagementSecurityList":
15: tcp_options = {min = "22", max = "22"}
Expected a comma to mark the beginning of the next item.
```

```
ingress_security_rules {
  protocol = 6
  source = "0.0.0.0/0"

  tcp_options = [min = "22", max = "22"]
}
```

Terraform을 사용하여 OCI 리소스를 관리할 수 있다.

OCI 리소스를 관리할 수 있다? (2개 선택)

A. 15번째 줄에서 tcp_options { min = 22 max =22 }

B. 11번째 줄에서 { }를 사용하여 []를 사용합니다.

C. 16번째 줄에서 사용합니다.

D. 15번째 줄에서 tcp_options = {min = 22, max =22}

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

OCI(Oracle Cloud Infrastructure)를 사용하여 OCI 리소스를 관리할 수 있다. OCI 리소스를 관리할 수 있다. OCI 리소스를 관리할 수 있다. OCI 리소스를 관리할 수 있다.

- A. OCI IAM policies are used to control access to OCI resources. OCI IAM policies are used to control access to OCI resources.
- B. OCI IAM policies are used to control access to OCI resources. OCI IAM policies are used to control access to OCI resources.
- C. OCI IAM policies are used to control access to OCI resources. OCI IAM policies are used to control access to OCI resources.
- D. OCI IAM policies are used to control access to OCI resources. OCI IAM policies are used to control access to OCI resources.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

DevOps IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources.

- A. IAM policy: {re-request.group=group-dev,group-ops}.
- B. IAM policy: /group*/group DevOps.
- C. IAM policy: group-dev, group-ops devops.
- D. IAM policy: request.group= /group*/group DevOps.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

OCI(Oracle Cloud Infrastructure) IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources. IAM policies are used to control access to OCI resources.

- A. VOLUME_DELETE, VOLUME_ATTACHMENT_DELETE, VOLUME_BACKUP_DELETE
- B. DELETE_VOLUME, DELETE_VOLUME_ATTACHMENT, DELETE_VOLUME_BACKUP
- C. ERASE_VOLUME, ERASE_VOLUME_ATTACHMENT, ERASE_VOLUME_BACKUP
- D. VOLUME_ERASE, VOLUME_ATTACHMENT_ERASE, VOLUME_BACKUP_ERASE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

OCI CLI is used to manage OCI resources. OCI CLI is used to manage OCI resources. OCI CLI is used to manage OCI resources. OCI CLI is used to manage OCI resources.

NEW QUESTION: 16

Which two actions can you perform to ensure that the RPO of the OCI database is 15 minutes? (Choose two.)

- A. Configure the database to use the RMAN backup strategy.
- B. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.
- C. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.
- D. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.

Answer: (SHOW ANSWER)

1z0-1067-23 dumps available at DumpTop. Visit <https://www.dumpst.com/Oracle/1z0-1067-23-dump.html> for more information. (89 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

Which two actions can you perform to ensure that the RPO of the OCI database is 15 minutes? (Choose two.)

- A. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.
- B. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.
- C. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.
- D. Configure the database to use the RMAN backup strategy and set the RPO to 15 minutes.

□□□□ 10□ □□ □□□□ □□ □□□ □□□□ 100□ □□ □□□□ □□ □□□ □□□□ □.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□□: 4(□□□ □□□ □□ ID □ □□□ □□ □□ □□) □□□□ □□: (□□ □□ □□ □ □) □□□ □□□ □□ □□□ □□□□□□□, □□□ □□(SCM)□ □□□□□□□□□ □□ OCI □□□□ □□□□□□. □□□□ □□□□□□(CRM) □□□□ □□□□. □□□ □□ OCI □□ □ □□□□ □ □□□ □□ ID □ □□□ □□(IAM) □□□ □□□□ □□□ □□□□□. □□ □□ □□ □□□ □□□□ □□□ □□□□□.

- * □□□(□□)
- * □□-□□□
- * □□□□
- * □□
- * □□
- * □□□□□

* SCM

* CRM

□□ □□□ □□□□□.

- * □□□□ □□□
- * □□ □□□
- * □□□□ □□□
- * SCM-□□□
- * CRM □□□

□□ □□ □□□ □□ IAM □□□ □□□□□.

□□:

□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□ □□□ □□□ □□□ □□□ □□□□□.

□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□(□: "ORM_STACK_INSPECT" □□ "inspect orm-stacks") □□ □□□ □□ □□ □□□ □□□ □□□□□(□: "file-family" □□ "file-family"). □□□" □ "□□□□ □□") □□ 1 □□□□ □□□□ □□□□ □□□□ VCN, □□□, □ □□□□ □□ □□ □□□□ □□ □□□□ □□□□ □□□ □ □□□ □□ □□ □□□ □□□ □□.

□□ 2

E-Comm-Admins□ □□□□ □□□ □□□□ □□□□ □□□□ E-Comm □□□ □□□ □□□ □□ □□□□□□□ □□□ □ □□□ □□ □□ □□□ □□□□□. [□□□□ □□□□ □□□ □□ □□ □□] □□ 3 SCM-□ □□□□□ □□ □□□ □□□□□. □□□□□ SCM □□□□ □□ □□□□ □□□□□, □□ □ □□□□□ Phoenix□ London□□□□ □□□□□.

Answer:

□□□□ □□□ □□ □□ □□□□ □□□□□.

□□

□□ 1

□□□□ □□□□ □□□□ □□□□ VCN, □□□, □□□□□ □□ □□ □□□□ □□ □□□
□ □□□□ □□□ □ □□□ □□ □□□ □□□□□.

□□□ - □□ □□:

□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□ □□ Common-Infra:Network □
□ 2 E-Comm-Admin□ □□□□ □□□□ □□□□ □□□□ □□□□ E-Comm □□□□ □□□
□□□□□ □□□□□□□ □□□ □ □□□ □□ □□□ □□□□□. .[□□□□ □□□□ □□□ □
□□ □□ □□] □□□-□□ □□:

* E-Comm-Admins□ □□□□ □□□□ □□ □□□ □□□□□ □□ □□□□□□:E-Comm□
E-Comm-Admins□ □□ □□□ □□ □□□□ □□□□ □□□□□ □□ Common-Infra:Network
□□ 3 SCM-Admin□ □□□□□, □□ □ □□□ □ □□□ □□ □□□ □□□□□. SCM □□
□ □□ □□□ □□□□□. □, Phoenix□ London□□□□ □□□□□.

□□□ - □□ □□:

SCM □□□□ □□ {request.region='phx',request.region='lhr'}□ □□ □□□□:SCM □□□□ □
□ □□□□ □□□□□ □□□□□.

NEW QUESTION: 19

OCI(Oracle Cloud Infrastructure) □□ □□□ □□ Oracle Linux □□□ □□□□□ □□□ □
SSH □ □□□ □□□□ □□ □□□□□□ □□ □□ □□□ □□□. OCI □□□ □□□□ □□
□□ □□□□□ □□ SSH □ □□□ □□□□ □□□□ □□ □□□ □□□□□. □□□ Linux
□□□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□□□□.

□□□ □□ □□□□□□ □□□ □□□ □□□□□ □□□□□ □□□□□ □□□□□. □□ □□
□□□ □□□□□□ □□ □□ □□□□□ SSH □□ □□□□□ □□ □□□ □□□□ □□□?
(□□ □□ □□□ □□□□□.)

- A. □□ □□ □□□□□ □□□□ SSH □ □□□ □□□□ □□ □□□□ □□□.
- B. ttyS0□ VM□ □□ □□□□ □□□□□ □□ □□□ □□□□ □□□.
- C. □□□ SSH □□ □□□□□ ID □□ □□□□ □□□□□ □□ □□ □□ □□□□ □□□□
□□□.
- D. □□□□ □□□□□ □□□□□, □□ □□ □□□□ bash □□ □□□□, OPC □□□□ □□
SSH □□ □□□□ □□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 20

□□□ □□□□ □□□ □ □□□ 90%□ □□□□ □□□ □□□ □□□□□□□ □□□□ □□
□□. □□□ □□□ □□□□□ □□□ □□□□ □□□□□□□ □ □□□ □□□□□□ □□□
□□ □□□. □□ OCI(Oracle Cloud Infrastructure) □□□ □□ □□ □□□ □□□□ □□□?

- A. □□□ □□ □□
- B. ASN □□
- C. IP □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

OCI(Oracle Cloud Infra-structure) is a cloud infrastructure service. It provides a secure, reliable, and scalable environment for running Oracle databases and applications. OCI offers a range of services, including compute, storage, and networking. One of the key features of OCI is its ability to provide a high level of security and compliance. This is achieved through a variety of mechanisms, including encryption, access control, and auditing. OCI also offers a range of tools and services to help you manage your infrastructure. For example, you can use OCI's Cloud Guard to monitor and protect your resources. OCI is a powerful and flexible platform that can help you build and run your applications in the cloud.

- A. Oracle Cloud Infrastructure
- B. IP Address
- C. Oracle Cloud Infrastructure
- D. ASN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

OCI provides a secure, reliable, and scalable environment for running Oracle databases and applications. It offers a range of services, including compute, storage, and networking. One of the key features of OCI is its ability to provide a high level of security and compliance. This is achieved through a variety of mechanisms, including encryption, access control, and auditing. OCI also offers a range of tools and services to help you manage your infrastructure. For example, you can use OCI's Cloud Guard to monitor and protect your resources. OCI is a powerful and flexible platform that can help you build and run your applications in the cloud.

- A. OCI CLI
- B. OCI Cloud Guard
- C. OCI Cloud Manager
- D. Terraform

Answer: C ([LEAVE A REPLY](#))

1z0-1067-23 Oracle Cloud Infrastructure (OCI) DumpTop Oracle 1z0-1067-23 Oracle! DumpTop Oracle **1z0-1067-23** Oracle Oracle, DumpTop 1z0-1067-23 Oracle Oracle Oracle Oracle. Oracle Oracle Oracle Oracle DumpTop 1z0-1067-23 Oracle Oracle. <https://www.dumptop.com/Oracle/1z0-1067-23-dump.html> (89 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)