

Oracle.1z0-1072-22.v2023-11-13.q156

□□□□:	1z0-1072-22
□□□□:	Oracle Cloud Infrastructure 2022 Architect Associate
□□□:	Oracle
□□ □□ □□□:	156
□□:	v2023-11-13
# □□ □:	2824
# □□ □□□:	1560
https://www.krdump.com/Oracle.1z0-1072-22.v2023-11-13.q156.html	

NEW QUESTION: 1

OCI(Oracle Cloud Infrastructure) IDCS(Oracle Identity Cloud Services) ID □□□ □□□□□ □□□□□□. □ □□□□ □□□ □ □□□ □□ OCI□ □□□□□□ □□□ □□□ □□□ □ □□□ IDCS □□ □□ □□ □□□ □□□□□. □□□□ □□ OCI □□□□ □□□□ □ □□□ □□□□□□ □□□ □□□□□?

- A. OCI□□ □ IAM □□□ □□□□ □□ IDCS □□□ □□□□□. IDCS□□ □ □□□ □□□□ IAM □□□ □□□ □□□□□□.
- B. OCI□□ □ ID □ □□□ □□(IAM) □□□ □□□□ □ □□ □□□□ IDCS □□□ □□□ □□□□□□.
- C. □□ IDCS □□□ □□□ □□□□ OCI□ □ □□□ □□□□□. □ □□□ IDCS □□□ □□□ □□□□ IAM □□□ □□□□□.
- D. OCI□□ □ IAM □□□ □□□□ □□ IDCS □□□ □□□□□. □ IAM □□□ □□□□ □ □□ □□□□ IAM □□□ □□□ □□ □□□□.

Answer: D (LEAVE A REPLY)

IdP□ □□□ □ □□□□ □□□ □□□□ □□□□□ □□□ □□□ □□ □ □□□□ □□ □□□ □□□ □□□□□. Oracle Cloud Infrastructure□ □□ (IAM □□□□ □□) □□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□□□. IdP□□ □□ □□□ □ □□ □□□□ □ □□□□ □□□□ □□□□□ Oracle Cloud Infrastructure □□□□ □□ □□ □ □□□ □□□ □□□ □ IdP □□ □□□ □□□□ □ □□□□ □□□□□ □□□□□ □□□ □□□□□.



NEW QUESTION: 2

OCI(Oracle Cloud Infrastructure) OKE(Container Engine for Kubernetes)□□ □□□□ □□□□□□□□ □□ □□□□□□□ □□□□ □□. □ □□□□□ □□ □□□□ □□ □ □□□□□ □□□□□ □□□. □□□□ □ □□ □□□ □□□□ □ □□□□□ □□ □□□□ □□□□□ □□□ □□ □□□□?

D. Object Storage

Answer: (SHOW ANSWER)

Data Guard is a feature of Oracle Database that provides high availability and disaster recovery for Oracle databases. It is implemented using Data Guard Broker (DGMGRL).

NEW QUESTION: 6

Which of the following is a valid Oracle Cloud Infrastructure (OCI) IAM policy? (Choose two.)

- A. Allow all actions on all resources in the tenancy.
- B. Allow all actions on all resources in the tenancy, except for the actions that are listed in the deny policy.
- C. Allow all actions on all resources in the tenancy, except for the actions that are listed in the allow policy.
- D. Allow all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy.

Answer: A,B (LEAVE A REPLY)

OCI IAM policies are used to control access to OCI resources. The correct policies are A and B. Policy A allows all actions on all resources in the tenancy. Policy B allows all actions on all resources in the tenancy, except for the actions that are listed in the deny policy. Policy C is incorrect because it allows all actions on all resources in the tenancy, except for the actions that are listed in the allow policy. Policy D is incorrect because it allows all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy.

NEW QUESTION: 7

Which of the following is a valid Oracle Cloud Infrastructure (OCI) IAM policy? (Choose two.)

- A. Allow all actions on all resources in the tenancy, except for the actions that are listed in the deny policy.
- B. Allow all actions on all resources in the tenancy, except for the actions that are listed in the allow policy.
- C. Allow all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy.
- D. Allow all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy, except for the actions that are listed in the deny policy.

Answer: A (LEAVE A REPLY)

OCI IAM policies are used to control access to OCI resources. The correct policy is A. Policy A allows all actions on all resources in the tenancy, except for the actions that are listed in the deny policy. Policy B is incorrect because it allows all actions on all resources in the tenancy, except for the actions that are listed in the allow policy. Policy C is incorrect because it allows all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy. Policy D is incorrect because it allows all actions on all resources in the tenancy, except for the actions that are listed in the deny policy, except for the actions that are listed in the allow policy, except for the actions that are listed in the deny policy.

<https://www.oracle.com/a/ocom/docs/best-practices-for-iam-on-oci.pdf>

NEW QUESTION: 8

Phoenix is a customer of Oracle Cloud Infrastructure (OCI). Phoenix wants to implement a disaster recovery (DR) strategy for its OCI resources. DR is a strategy that allows you to recover your OCI resources in the event of a disaster. Phoenix has 500 OCI resources in its tenancy. Which of the following is a valid OCI IAM policy for Phoenix's DR strategy? (Choose two.)


□□□□ □□ □□ □□□□ □□□□□?

- A. Phoenix □□□ □ □□ □□□□ □□□□(VCN)□ □□□□ □□ □□□□ □□□□□ □□□□ □□ □□□ □□□ □□□(AD)□ □□□□ □□□□□. □□□□ □□□□ DR □□□ □□ VCN □□□□ □□□□□.
- B. Ashburn□□ DR □□□ □□□□. DRG□ □ □□□ VCN□ □□□□ □ VCN □□ □□ □□□ □□□ □□□□.
- C. Ashburn□□ DR □□□ □□□ □□ □□ DRG□ □□□□ FastConnect □□ □□□ □□□□□□□□.
- D. Ashburn□□ DR □□□ □□□□. □□ □□□ □□□□□(DRG)□ □ □□□ VCN□ □□□□ □ □□ □□ IPsec VPN □□□ □□ □□□.

Answer: B (LEAVE A REPLY)

□□ VCN □□□□ □□ □□ □□(□□□□ □□□□)□ □□ □ □□ VCN□ □□□□ □□□□□□□□. □□□□ □□□□ VCN□ □□□ □ □□□□□ □□□□□ □□□□□ □□ □□□□ □□□□□ □□ □□ IP □□□ □□□□ □□□ □ □□□□. □□□□ □□□ □ □□ VCN□□ □□ □□□ □□ VCN□ □□□□ □□ □□□□□ □□ □□□ □□□□□ □ □□ IP □□□ □□□□□. □□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□.

- □□ □□□□ □□□□ □□ □□ □□□ □□ CIDR□ □□□ □□ □ □□ VCN. VCN□ □□□ □□□□ □□□ □□□.
- □□□ □□□□ □ VCN□ □□□ □□ □□□ □□□□□(DRG). IPsec VPN □□ Oracle Cloud Infrastructure FastConnect □□ □□ □□□ □□□□ □□ VCN□ □□ DRG□ □□□□.
- □□□ □ DRG□ □□ RPC(□□ □□□ □□).
- RPC □□ □□□□□.
- □□□ □□ □□□ □□ VCN□ □□□ □□□□□□□(□□□□ □□) □□ □ □□□ □□ □□□ □□□ □□□□□.
- VCN□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□□ □□□□□.



NEW QUESTION: 9

- □□ □□□ □□ □□□□ □□ □ □□ □□□□ □□□ □□□□ □ □□□ □□□ □□ □□□□ □□□□□□. □□□ □□ □ □□□ □□ Operations □□□ □□□□. □□ □□□□ □□ □□□□ □□□ □ □□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□.
- □ Finance □□□ □ □□□ □□□ □ □ □□□□ □□□ □ □□ □□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)
- A. □□ □□□□ □□□□ □□□□ □□□ □ □□ □□□ □□□ □□□□□ □□□ □□ □□□□□□. Finance □□□□ □ □□□ □□□□ □□□ □ □□□ □□ □□□□ Oracle Cloud Identifier(OCID)□ □□□□□□.
 - B. □□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□(PAR)□ □□□□ URL□ □□□□□ □□□□□□. □□□ □ □□□ □□ □□□□ □□□□□□ Finance □□□ □□□ □□ □□□□ □□□□□.

<compartment_level_1>:<compartment_level_2>: . . . <compartment_level_n> □□ □□ □□□ □□ 3□□ □□ □□□ □□□ □□□ □□.



NetworkAdmins□ CompartmentC□□ VCN□ □□□□□ □□□□ □□□ □□□□□ □□□. □ □□□ CompartmentC □□ □□□
CompartmentB□ □□□□□ □□ □□ □□□ □□□□□□.

NewtworkAdmins □□□ □□ C□□ □□ □□□□ □□□□ □□□□□ □□ □□□ □ □□□ □□ A□ □□□□□ □□(□□□□ □□
A□ □□□□ □□□ □ □□) □□□□ □□□□ □□ □□ □□□ □□□□□□.

□□ NewtworkAdmins□ □□ □□□□ □□□ □□□□□ □□

□□□□□□□B:□□□□□C

□ □□□ □□□□ □□□□□ CompartmentA□□ CompartmentC□□ □□□ □□□□ □□ □□ □□□ □□□□□□.

□□ NewtworkAdmins□ □□ A:CompartmentB:CompartmentC□□ □□ □□□□ □□□□ □□□□□ □□

NEW QUESTION: 13

□□ □□□□ □□ □□□□ □□ □□ □□□□□? (□ □□□ □□□□□.)

A. □□ □□□□ □□□ □□□ □□ □□□□ □ □□□ □□□□□.

B. □ □□□ □□□□□ 3□□ □□ □□□□ □□□□ □□□□.

C. □□ □□□□□ □□□ □□□□□ □□□□ □□ □□□□□.

D. □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.

Answer: A,B (LEAVE A REPLY)

□□

□□:

□□ □□□□ □□□ □□□ □□ □□□□ □ □□□ □□□□□. □ □□□ □□□□□ 3□□ □□ □□□□ □□□□. □□ □□□□
□□□□□ □□□□□. □□ □□ □□□□□ □□ □□□ □□□ □□ □□□ □□□ □□□□□ □□□ □□□□□ □□□ □□
□□□.

NEW QUESTION: 14

Autonomous Transaction Processing□ □□□ □□□□ □□□ □ □□ □ □□ □□□ □□□□□?

A. CPU, □□□□ □ □□ □□□ □□□ □□□□□□ □□□ □□ □□□□□


B. □□□ □□ □□ □□ □ □□□ □□ □□□

C. ATP □□□□□□□ □□ □□ □□

D. □□□□□ □□□ □□□□ □□ □□ □□ □□ □□

Answer: A,B (LEAVE A REPLY)

□□



ORACLE Cloud Infrastructure

ORACLE

Autonomous Transaction Processing
Administration

Download Client Credentials (Wallet)

Connections to Autonomous Transaction Processing use a secure connection. Your existing tools and applications will need to use this wallet file to connect to your Autonomous Transaction Processing instance. If you are familiar with using an Oracle Database within your own data center, you may not have previously used these secure connections.

Set Resource Management Rules

Set resource management rules to allocate CPU/IO shares to consumer groups and to cancel SQL statements based on their runtime and amount of IO.

Set Administrator Password

Set or reset your database administrator user's (ADMIN) password and when locked unlock your administrator user account on Autonomous Transaction Processing.

Manage Oracle ML Users

Create new Oracle Machine Learning user accounts and manage the credentials for existing Oracle Machine Learning users.

Send Feedback to Oracle

Use our Cloud Customer Connect forum to provide feedback about the service to Oracle, post questions, connect with experts, and share your thoughts and ideas. Click here to link to the forum.

Which two are true? (Choose two.)

- A. The database is in the silent installation mode.
- B. The database is in the interactive installation mode.
- C. The database is in the silent installation mode.
- D. The database is in the interactive installation mode.

Answer: A,C (LEAVE A REPLY)

The database is in the silent installation mode. The database is in the interactive installation mode.

The database is in the silent installation mode. The database is in the interactive installation mode.

The database is in the silent installation mode. The database is in the interactive installation mode.

The database is in the silent installation mode.

The database is in the silent installation mode. The database is in the interactive installation mode.

The database is in the silent installation mode. The database is in the interactive installation mode.

NEW QUESTION: 16

OCI(Oracle Cloud Infrastructure) Oracle Autonomous Data Warehouse(ADW) is a fully managed, serverless, multi-tenant database service.

Which two are true? (Choose two.)

Which two are true? (Choose two.)

- A. The database is in the silent installation mode.
- B. The database is in the interactive installation mode.
- C. The database is in the silent installation mode.
- D. The database is in the interactive installation mode.
- E. The database is in the silent installation mode.

Answer: B,C (LEAVE A REPLY)

OCI: https://oracle.github.io/learning-library/oci-library/L100-LAB/Autonomous_Data_Warehouse/ADW_

1z0-1072-22 Oracle Cloud Infrastructure (OCI) Oracle Autonomous Data Warehouse (ADW) is a fully managed, serverless, multi-tenant database service. Which two are true? (Choose two.)

DumpTop 1z0-1072-22 Oracle Cloud Infrastructure (OCI) Oracle Autonomous Data Warehouse (ADW) is a fully managed, serverless, multi-tenant database service. Which two are true? (Choose two.)

DumpTop 1z0-1072-22 Oracle Cloud Infrastructure (OCI) Oracle Autonomous Data Warehouse (ADW) is a fully managed, serverless, multi-tenant database service. Which two are true? (Choose two.)

<https://www.dumpst.com/Oracle/1z0-1072-22-dump.html> (256 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 17

□□□ □□

□□□□□□ □□□□ □□ □□ □□ □□ □□□□ □□ □□□ □□□ □ □□□□.

- Oracle □□□□ □□□ □□

- □□ □□□□ □ □□□□.

- Oracle Database Cloud □□ □□□ □□□ □□

- □□□ □□□ □□(glogin.sql) □□

□□□□□□ □□

□□□□ □□□□□□ □□ □□ □□□□ □□ □□□ □□□ □ □□□□.

- □□ □ □□□□□□□ □□□□ □□

- □□ □□ NOARCHIVELOG □□(□ □□□□□□□ □□□□□□ □ □□ □□□ □□□□□ ARCHIVELOG □□□□□. □□

□□ □□□ □□□ □□ □□□□□.)

- □□□ □□□□□□ □□□□ □□□□ □ □□ □□

- □□ □□□□□□□ □□

- RMAN □□ □ □□ □□

- RMAN □□ □□ □ □□ □□

- Objectstore Wallet □□ □□ □ □□ □□

TDE □□ □ □□ □□

- □□□ TDE □□ □□ □□

- TDE □□□ □□□ □□

-TDE □□□ □□□ □□□ □□

- □□□ TDE □□ □□

□□□ □□ □□□□□□ □□□□□□□ □□□ □□ ARCHIVELOG □□□□ DB □□□□ □□□□□ OCI □□ □□□□ □□□

□□ □□ □□ □□□ □□□ □□□□.

- □□□□□□ □□□□ OCI □□ □□□□□ □□□ □ □□□ □□

- □□□□□□ □□□ □□□□ □□□

NEW QUESTION: 20

DRG(Dynamic Routing Gateway)□ □□□□ □□□ □ □□□□. □ □□□ □ 3□□ □□□□□.

A. Ipsec □□

B. VNIC

C. □□ □□

D. □□□

E. □□ □□□ □□

F. □□ □□□ □□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

□ LOB(□□ □□) □□ □□□□□ □□ □□ □□□ VCN(□□ □□□□ □□□□)□ □□□ □□□ □□□□□. LOB A□ LOB B□ □

□ □□□□ □□□. VCN □□□□ □□□□□ □□ □□□□ CIDR □□□ □□□□ □□□?

A. VCN A(10.0.0.0/16) □ VCN B(10.1.0.0/16)

- B. VCN A(10.0.2.0/16) □ VCN B(10.0.2.0/25)
- C. VCN A(10.0.0.0/16) □ VCN B(10.0.16.0/24)
- D. VCN A(172.16.0.0/24) □ VCN B(172.16.0.0/28)

Answer: A ([LEAVE A REPLY](#))

□□
 VCN A(10.0.0.0/16)□ .255.255□□ IPS □□□ □□□□ VCN B(10.1.0.0/16)□ 10.1.0.0□□ 10.1.255.255□□□ IPS □□□ □□□□
 □ 2VCN □□ □□□ □□□□.

NEW QUESTION: 22

D18912E1457D5D1DDCBD40AB3BF70D5D

□□□ □□□ □□□ □□□□□ OCI(Oracle Cloud Infrastructure)□□ Oracle Linux□ □□□□ □□ □□□ □□□□□□ □□□□ □
 □□□ □□□□□ □□□ □□□□□. □□□ □□□ □□ □□ □□ □□ □□□□□ □□ □□□□□ □□□□ □□□.
 □ □□□ □□□ □ □□ OCI □□□□□ □□□□□□?

- A. □□□□
- B. □□□□□
- C. OS □□
- D. □□ □□□
- E. □□□□ □□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

OCI(Oracle Cloud Infrastructure)□□ 2□□ □ □□□□□□□ □□□□ □□□□. □□□□□□ □□□□□ □ □□□ □□□□□□□
 □□□□ □□□□□ □□□□□□ □□□ □□□□□ □□ □□ □□□□□.
 □□□□ □□□□□ □□□□ □ □□□□ □□□ □□□□□?

- A. VCN(□□ □□□□ □□□□)□□ □ □□□ □□□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□□ □ □□□□ □□ □□
 □ □□□ □□□□□□ □□□□□□.
- B. □ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□□□ □□ □□□□ □□□□ □□ □□□□□□ □□□□ □□ □□□□
 □□ □□□ □□□□ □□□□ □□□□□□.
- C. VCN□□ □ □□□ □□□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□□□ □ □□□□ □□ □□□ □□ □□ □ □□
 □□□□ □□□□□□.
- D. □ □□ □ □□□□□□ □□□ □□ □□ □□□ □□□□ □□□□ □ □□□ □□□ □□□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

□□
 □□□□ □□□□ □□□□□ □□□□□ □□□□, □□ □□ □□□□ □□□□□ □□□ IP □□□ □□ □ □□□ □□□□□□. □□
 □□□ □□□□ □□□ □□□ IP □□□ □□□ □□□ □□□□□□.
 □□□□ □□□ □ □□ □□□ □□□□□ □□□□□ □□□ □□□ □ □□□□. □, □□□□□ □□□ □□□□□ □□□ IP □□□□
 □□ □ □□□□□. □□□ □□□□ □□□□ VCN□ □□□□ □□□ □□□□□□ □□ □□ □□□ □□□ □□□□ □□□□
 □□ □□□□ □□□□□ □□□□ □ □□□ □ □ □□□□□.
 □□□ □□□ □□□ □□□ □□ VCN□ □□□ □ □□ □ □□ □□□ □□□□□(□□ □□□)□ □□□□□.
 □□□ □□□□□□: □□□□□ □□□□ □□ □□□ IP □□□ □□ □□□□ □□(□:

NEW QUESTION: 29

ADW(Autonomous Data Warehouse) is a fully managed, serverless SQL data warehouse. Which of the following is a benefit of ADW?

- A. It is a fully managed, serverless SQL data warehouse.
- B. It is a fully managed, serverless SQL data warehouse.
- C. It is a fully managed, serverless SQL data warehouse.
- D. It is a fully managed, serverless SQL data warehouse.
- E. It is a fully managed, serverless SQL data warehouse.

Answer: E (LEAVE A REPLY)

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

ADW is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

NEW QUESTION: 30

Which of the following is a benefit of Oracle DRG(Dynamic Routing Gateway)? (Select two.)

- A. It is a fully managed, serverless SQL data warehouse.
- B. Oracle IPsec VPN
- C. VCN
- D. Oracle Cloud Infrastructure FastConnect

Answer: A,B (LEAVE A REPLY)

Oracle DRG is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

Oracle DRG is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

IPSec VPN

Oracle Cloud Infrastructure FastConnect

VCN is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

RemoteVCN is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse. It is a fully managed, serverless SQL data warehouse.

- A. 1000
- B. 1000 1000
- C. 10 10000 10000
- D. 1000 100
- E. 10000 100
- F. 1000 100 100
- G. 10 IP 100

Answer: A,B,C,E,F ([LEAVE A REPLY](#))

100

100: <https://docs.cloud.oracle.com/iaas/Content/Compute/Concepts/computeoverview.htm>

NEW QUESTION: 35

ATP(Autonomous Transaction Processing) is a Tier-1 OLTP database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

OLTP is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

- A. ATP is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- B. OLTP is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- C. ATP is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- D. ATP is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

Answer: A ([LEAVE A REPLY](#))

Autonomous Transaction Processing is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

Autonomous Transaction Processing is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

NEW QUESTION: 36

OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

- A. OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- B. OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- C. OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.
- D. OCI is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Oracle Cloud Identifiers(OCID) is a fully managed, serverless database. It is designed to be a fully managed, serverless database. It is designed to be a fully managed, serverless database.

Answer: (SHOW ANSWER)

□□

<https://www.oracle.com/a/ocom/docs/connectivity-fast-connect-200.pdf>

NEW QUESTION: 50

Oracle Cloud Infrastructure Virtual Cloud Network □□ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□
- B. □□ □□ □□□
- C. □□□ □□□□□
- D. □□ □□ □□
- E. □□□ □□□□□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 51

□□ □□□ □ □□ □□ □□□□ □□ □□ □□ □□□ □□□□ □□□□. □□ □□□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□ □□ □□□. Oracle Cloud Infrastructure □ □□□□ □□□□□ □□□□□□□□ URL□ □□□□□□. □□ □□ □□ □ □□ □□□ □□□□ □□□□ □ □□□ □□ □□□. □□□ □□ □□□ □□□ □□□ □ □□□□?

- A. □□ □□□ □□(PAR)□ □□□□ □□ □□□□ 00:00:0000□ □□□□□.
- B. □□ □□□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□ "□□ □□"□ □□ URL□ □□□□□.
- C. □□ □□□ □□□ □□□□ □□ "□□ □□"□ □□ URL□ □□□□□.
- D. PAR□ □□□□ □□ □□□ □□□□ □□□□.

Answer: (SHOW ANSWER)

□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □ □□ □□□ □□□□□. □□ □□ API □□ □□□□ □□ □□□ □□□ □□□□ □ □□ □□□ □□□ □ □□□□. □□□ □□□ □ □□□ □□□□ □□□□ □□□□ □□ □ □□ □□□□ □□□□□□ □□ □ □□□ □□□□□. □□□ Object Storage□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□. □□□ □□ □□ □□□□ □□□□□ □□□ □□□□□. □□ □□□ □□□ □□ □□□ □□□□ □□□.

Object Details

Basic Information

Name: file1Q29udHJvbGxici5SZW1vdGU- (1).ica

URL Path (URI): [https://objectstorage.uk-london-1.oraclecloud.com/n/lr9modnmcsib/b/bucket-20200327-0319/o/file1Q29udHJvbGxici5SZW1vdGU- \(1\).ica](https://objectstorage.uk-london-1.oraclecloud.com/n/lr9modnmcsib/b/bucket-20200327-0319/o/file1Q29udHJvbGxici5SZW1vdGU- (1).ica)

Storage Tier: Standard

Size: 1.47 KiB

Response Headers

Accept-Ranges: bytes

Content Length: 1504

Content MD5 Hash: b4yzFEuhtUYau0MomzZJ1A==

Content Type: application/x-ica

ETag: b5c39efa-34d5-45da-85f3-a71075446ce3

Last Modified: Wed, Apr 8, 2020, 19:15:15 UTC

x-api-id: native

[Download](#) [Cancel](#)

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

NEW QUESTION: 52

VCN(Virtual Cloud Network) □□ □□□ □□ □□□□ □□ □□ □□□□□?

- A. VCN □□□□ □□□ □□□□ □□□ □□□.
- B. □□□ VCN□□ □□□ CIDR □□□ □□□ □□□.

Oracle Cloud Infrastructure Oracle Identity Cloud Service Microsoft Active Directory(AD FS(Active Directory Federation Services) SAML(Security Assertion Markup Language) 2.0 ID .

NEW QUESTION: 64

Which of the following are valid OCI Object Storage bucket names? (Choose three.)

- A. IAM-objects-us-east-1
- B. mybucket
- C. mybucket-us-east-1
- D. mybucket-us-east-1-objects
- E. mybucket-us-east-1-objects-us-east-1
- F. mybucket-us-east-1-objects-us-east-1-objects

Answer: A,B,F (LEAVE A REPLY)

OCI Object Storage buckets are used to store objects. Buckets are the root of the hierarchy. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace.

Object Storage buckets are used to store objects. Buckets are the root of the hierarchy. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace. Object Storage buckets are used to store objects. Buckets are the root of the hierarchy. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace. Buckets are created in a specific region and namespace.

NEW QUESTION: 65

Which of the following are valid OCI OKE(Oracle Cloud Infrastructure Container Engine for Kubernetes) pod names? (Choose three.)

kubectl create -f pod.yml
YAML pod - pod.yml

```
apiVersion: v1
kind: Pod
metadata:
  name: myapp
  labels:
    app: myapp
spec:
  containers:
  - name: nginx-image
    image: nginx
  - name: mysql-image
    image: mysql
```

- A. myapp
- B. myapp-us-east-1

E. FSS □□ □□□□ □□ □□ □□□□ □□□□

Answer: A,E ([LEAVE A REPLY](#))

□□
□□ □□□□ □□ □□□□ □□□□□□. □□ □ □□□□ TLS v. 1.2(Transport Layer Security) □□□□ □□□□ □□□□□ □□
□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□□.
File Storage □□□□ □□ NFS □□□□□ □□□ □□ □□ □ □□ □□□ AUTH_UNIX □□□□ □□□□□.

NEW QUESTION: 68

□□□□□□□□ □□□□ □□□□ 12TB □□□□ □□□□ □□□□ □□□□. □□□□ □□ □ □□□□ □□□□ □□□□ □□□□ □
□□ □□ □□□□ □□ □□□□□□.
□□ □□□ □□□ □□ □ □□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□□□□□?
A. □□□ □□ □□□□ □□□□ □□□□ □□□□□□□.
B. □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□□.
C. 10GB FastConnect □□□ □□□□ □□□□ □□□□□□.
D. VPN IPsec □□□ □□ □□□□ □□□□□.
E. □□□□ □□□□ □□□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

□□:
□□□ □□ □□□ □□ Oracle□ □□□□ Oracle Cloud Infrastructure□ □□□□□□□ □ □□ □□□□ □□□ □□ □□□□ □□
□□□□. □□ □□□□ □□ □□□ □□□ □□ □□□□ □□, □□□ □ □□ □□□□ □□, □ □□ □□ □ □□ □□□ □□ □□ □
□ □□□ □□ □□□□. □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□ □□ □□ □□
□ □□□□ □□□□□. <https://docs.cloud.oracle.com/iaas/Content/DataTransfer/Concepts/overview.htm>

NEW QUESTION: 69

10□□ RPO(□□ □□ □□)□ 1□ □ □□□□ □□□ □ □□ ADW(Autonomous Data Warehouse)□ □□ □□□□ □□□□ □□□□.
□□ □□□□□□ □□ □□□ □□□□□□□□□□?
A. □□ □□ □□□ □□□□ □□ □□□ □□□□ 12□□ □□ □□□□□□.
B. □□ □□□ □□□□□□.
C. □□ □□ □□□ □□□□ □□ □□□ □□□□ 12□□ □□ □□□□□□.
D. □□□ □□ □□□ □□□□ □□ □□□ □□□□ 12□□ □□ □□□□□□.

Answer: ([SHOW ANSWER](#))

Oracle Cloud Infrastructure□ Autonomous Database□ □□□□ □□□□ □□□ □□□□ 60□ □□ □□□□□□. □□ □□□ □□ □□
□□□□ □□ □□ □□□□□□. □□ □□□ □□□□ □□ □□ □□□ □□□ □□ □□□□□□. □□ □□□ □□□ Object Storage □□□
□□□□ 60□ □□ □□□□□□. □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ 60□□□□□□. □□□□ 12□□ □□ □□□ □□□□ □ □□
□□.
<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/backup-manual.html#GUID-D95E5D6A-C470-4A68-9545-CC99D937E7D1>

NEW QUESTION: 70

IT dos(*.docx) Excel (*.xlsx) 365 . Word dos(*.docx) Excel (*.xlsx) 365 . IT 365 . A. B. C. D. E.

Answer: B,D (LEAVE A REPLY)

Object Lifecycle Management Object Storage Archive Storage

NEW QUESTION: 71

Java, AppBuilder API Oracle Cloud Infrastructure Oracle Cloud Oracle Cloud Ravello Oracle Cloud

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 72

Oracle Cloud Infrastructure DNS AWS Azure Private Pool DDoS

Answer: B,C (LEAVE A REPLY)

B - Oracle Cloud Infrastructure, AWS, Azure, CDN C - Oracle Cloud Infrastructure IP

https://www.oracle.com/cloud/networking/dns-faq.html

□□
□□□□□ □□□ □□ □□□ □□ □□(□□ 5□) □□□□□ □□□ □ □□□□. □□ □□ □□□□ □□□ □□□□ □□□□ □□
□□□ □□ □□ □□□ □□□□□. □□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□.
<https://docs.cloud.oracle.com/iaas/Content/Network/Tasks/managingVCNs.htm>

NEW QUESTION: 76

□ □□□ □□□□□ □□ □□□ □ NFS □□ □□□ □□□ □□ □□ □□□□ □□□□□□□□□?

- A. □□ □□□
- B. □□ □□
- C. □□ □□
- D. □□□□ □□□□

Answer: [\(SHOW ANSWER\)](#)

1z0-1072-22 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1z0-1072-22 □□! DumpTop □ □□ **1z0-1072-22** □□
□□□ □□□□□□□, DumpTop 1z0-1072-22 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□
DumpTop 1z0-1072-22 □□□ □□□□□. <https://www.dumptop.com/Oracle/1z0-1072-22-dump.html> (256 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 77

OCI(Oracle Cloud Infrastructure)□□ □□□□□ □□□□ □ □ □□□□ □□□ □ □□ □ □□ □□□ □□□ □□□□□□?

- A. □□□ □□□
- B. □□□ □□□
- C. □□□ □□□
- D. □□ □□ □□□□
- E. □□□□ □□□□
- F. □□□□ □
- G. □□ VM □□□

Answer: [A,B,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 78

Oracle Cloud Infrastructure□□ □□ □□ AI/ML □□□□□□□ □□□□. □□□□□□□ GPU□ □□ 20Gbps □□□□ □□□□ □
□□□□ □□ □□□□□□□.
□□□□□□□ □□ □□□ □□ □□□□ □□ VM.Standard2.1 □□□□ □□□□ □□□□.
□□□□□□□ □□□ □□□ □□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)
A. □□ □□□ □□□□□ □□□ □□□□□ □□□□□. □□□ □□ □□□ □□□□ VM.GPU3.4 □□□ □□□□ □ □□□ □□□
□□ □□□□ NVMe □□□ □□□□ □□□□□□□□ □□□□□□□.
B. □□ □□□ □□□□□ □□□ □□□□□ □□□□□. □□□ □□ □□□ □□□□ BM.GPU2.2 □□□ □□□□ □ □□□ □□□
□□ □□□□ □ □□ □□□ □□□□ □□□□□□□□ □□□□□□□.

□□
□□□ □□□ □ □□ □□ □□□ □□□ □□(□□, □□, □□□, □□□ □ □□ □□ □□ 100□)□ □□□□ □□□. □□□ □□ □
□□□ □□ □□ □□□ □□□ □□(1~400□)□ □□□□ □□□.
□□□ □□□ □ □□□ □□ □□□ □□ □□ □□□□ □□□. □□□ □□□ □□□ □□□ □□□□ □ □□□□(□□□ □□ □□
□ □□□□ □□□ □□□ □□□ □□). anothercompartment □□□ □□□ □□□ □ □□□ □□ □□□ □□□□ □□□ □□□ □
□□□□.
□□□ □□□ □□□ □ □□□ □□□ □□□□ □□□. □□□ □□□ □□□□□ □□□ □ □□ □□□ □□□□□. □□ □□□ □
□□□ □□□ □□ □□□, □□ □□ □□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 85

- □□□ □□□□□ □□ □□□ □ NFS □□ □□□□□□ □□□ □□ □□ □□□□□ □□□□□□□□□□?
- A. □□ □□□□
 - B. □□□□ □□□□□ □□□□ □□□□□□
 - C. □□□□ □□□□
 - D. □□□□ □□□□
 - E. □□ □□

Answer: A (LEAVE A REPLY)

□□:
File Storage □□□□ □□□ □□□□ □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□ □□□□□□ □ □□□□ □□ □
□□ □□□□□ □□□□□□□□.
□□ □□ □□□□: □□ □□□□ □□□ □□ □□□□□ □□ □ □□□ □□□□ □□□ □□□□□.
□ □□□ □ □□: □□ □□□□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□□.
□□□□□□ □□□□□□□ □□□ □ □□□: Oracle E-Business Suite □ PeopleSoft □ □□ NFS □□□□□ □□□ □□ Oracle □
□□□□□□ □□□□□□□□□□.
□□□□□□ □ □□□□ □□□□□□□: Oracle, MySQL □□ □□ □□□□□□□ □□□ □ □□ □□□□□ □□□□□□.
□□, □□□□ □□□ □ □□ □□: □□ □ □□ □□□ □□ □□□□□□□ □□□□□ □□ □□ □□□□ □□ □□□ □□□□□
□.
MicroServices □ Docker: □□□□□ □□ □□ □□ □□□□ □□□□□□. □□□□ □□ □□□ □□□□ □□ □□ □□□ □ □□□
□.

NEW QUESTION: 86

- □□□□ □□□□□ □□ DNS □□□ □□□ □ □□□ □ □□ □ □□ □□□ □□□□□□? (□ □□□ □□□□□□.)
- A. Google DNS □□
 - B. □□□ □ □□ □□□□ □□□□(VCN) □□□
 - C. □□□ □ □□□ □□□
 - D. □□□ □□□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 87

□□□ □□ □□□□ □□ □□□ □□ □ □□□ □□ □□□□ □□□ □□□□□□ □□□ □□□□□□□□ □□□□.

Which of the following is a valid OCI IAM policy?

- A. Allow all actions on all resources
- B. Allow all actions on all resources in the tenancy
- C. Allow all actions on all resources in the compartment
- D. Allow all actions on all resources in the namespace

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

OCI(Oracle Cloud Infrastructure) OKE(Container Engine for Kubernetes) is used to run containerized applications. Which of the following is a valid OCI IAM policy for OKE?

OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. Which of the following is a valid OCI IAM policy for OKE?

- A. OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. OKE is used to run containerized applications. The following is a valid OCI IAM policy for OKE: Allow all actions on all resources in the namespace.
- B. OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. OKE is used to run containerized applications. The following is a valid OCI IAM policy for OKE: Allow all actions on all resources in the compartment.
- C. OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. OKE is used to run containerized applications. The following is a valid OCI IAM policy for OKE: Allow all actions on all resources in the tenancy.
- D. OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. OKE is used to run containerized applications. The following is a valid OCI IAM policy for OKE: Allow all actions on all resources in the namespace.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

Which of the following is a valid OCI IAM policy for DNS? (Select all that apply.)

- A. Allow all actions on all resources in the namespace
- B. VCN is used to connect on-premises networks to OCI. IPsec VPN is used to connect on-premises networks to OCI. VCN is used to connect on-premises networks to OCI.
- C. VCN is used to connect on-premises networks to OCI. IPsec VPN is used to connect on-premises networks to OCI. VCN is used to connect on-premises networks to OCI.
- D. VCN is used to connect on-premises networks to OCI. IPsec VPN is used to connect on-premises networks to OCI. VCN is used to connect on-premises networks to OCI.

Answer: A,D ([LEAVE A REPLY](#))

OCI

<https://docs.cloud.oracle.com/iaas/Content/Network/Concepts/dns.htm>

OCI IAM(Infrastructure Access Management) is used to manage access to OCI resources. Internet Resolver is used to resolve DNS queries. The following is a valid OCI IAM policy for Internet Resolver: Allow all actions on all resources in the namespace. VCN is used to connect on-premises networks to OCI. IPsec VPN is used to connect on-premises networks to OCI. VCN is used to connect on-premises networks to OCI.

Oracle Cloud Infrastructure Load Balancing is a service that provides a highly available and scalable way to distribute traffic across multiple instances. It is a managed service that allows you to focus on your application logic instead of managing the infrastructure. It supports various protocols and can be configured to route traffic to different instances based on various criteria such as IP address, cookies, or request headers.

NEW QUESTION: 93

Oracle Cloud Infrastructure provides a highly available and scalable way to distribute traffic across multiple instances. It is a managed service that allows you to focus on your application logic instead of managing the infrastructure. It supports various protocols and can be configured to route traffic to different instances based on various criteria such as IP address, cookies, or request headers.

Which of the following is a supported protocol for Oracle Cloud Infrastructure Load Balancing?

- A. HTTP
- B. FTP
- C. SMTP
- D. POP3

Answer: A (LEAVE A REPLY)

☐☐

<https://docs.cloud.oracle.com/en-us/iaas/Content/Block/Tasks/resizingavolume.htm>

NEW QUESTION: 94

Oracle Cloud Infrastructure provides a highly available and scalable way to distribute traffic across multiple instances. It is a managed service that allows you to focus on your application logic instead of managing the infrastructure. It supports various protocols and can be configured to route traffic to different instances based on various criteria such as IP address, cookies, or request headers.

Which of the following is a supported protocol for Oracle Cloud Infrastructure Load Balancing?

- A. HTTP
- B. FTP
- C. SMTP
- D. POP3

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 95

Oracle Cloud Infrastructure Load Balancing is a service that provides a highly available and scalable way to distribute traffic across multiple instances. It is a managed service that allows you to focus on your application logic instead of managing the infrastructure. It supports various protocols and can be configured to route traffic to different instances based on various criteria such as IP address, cookies, or request headers.

- A. HTTP
- B. FTP

- C. □ □□□ □□□ □□ □□ □□ □□ □□□□.
- D. □ □□□ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□□□□□□.
- E. □ □□□ □□□ □□ □□ □ □□□ □□□□ □□□□.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□□□□ □□□ □□ □□ □□□ □□□□. □□ □□->Training->Training-sub1 Training-sub2 □□□ □□ □□□(□□□)□
 Training-sub2 □□□ □□ □□□ □□□ □ □□□ □□ □□□ □□□ □□□□□. □ □□ □□□ □□□□ □□ □□ □□□ □□□
 □□□□□?

- A. □□ □□□□ □□ □□□□ □□ □□□□ □□□ □ □□□ □□
- B. □□ □□□□ □□ Training-sub1 :Training-sub2□□ □□ □□□□ □□□ □ □□□ □□
- C. □□ □□□□ □□ □□□□ □□ □□□□ □□□□□ □□: Training-sub 1 :Training-sub2
- D. □□ □□□□ Training-sub2 □□□□ □□ □□□□ □□□ □ □□□ □□

Answer: C ([LEAVE A REPLY](#))

□□ □□□ □□□ □□□ □□□□ □□(□□ □□□)□ □□□□ □□□. □□□ □□□ □□□ □□□ □□□□□ □ □□ □□□ □
 □□□□. □□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□ □□□. □□□ □□ □□ □□ □□ □□□□ □□ □□
 □ □□□□ □□□. □□ □□□ □□□□ □□□ □□□ □ □□ □□(□□ OCID)□□□.
 <compartment_level_1>:<compartment_level_2>: . . . <compartment_level_n> □□ □□ □□□ □□ 3□□ □□ □□□ □□□ □□□
 □□.



NetworkAdmins□ □□□□□□□ □□□□□ □□□ □□□ □□□ □□□□□ □□□. □ □□□□ □□□□□ □□□ □□□
 □□□□□□□ □□ □□ □□□ □□□□□□□.
 NewtworkAdmins □□□ □□ C□□ □□ □□□□ □□□□ □□□□□ □□ □□□ □ □□□ □□ A□ □□□□□ □□(□□□□ □□
 A□ □□□□ □□□ □ □□) □□□ □□□□ □□ □□ □□□ □□□□□□□.
 □□ NewtworkAdmins□ □□ □□□□□□□□□□□ □□ □□□□ □□□□□ □□ □ □□□ □□□□ □□□
 □□ □□ A□□ □□ C□□ □□□ □□□□ □□ □□ □□□ □□□□□□□.
 □□ NewtworkAdmins□ □□ A:CompartmentB:CompartmentC□□ □□ □□□□ □□□□ □□□□□ □□

NEW QUESTION: 97

□ □□ □□□ □□□ Oracle Cloud Infrastructure□□ □□□□ □□□□ □□□□□□□ □□□□ □□□. □□ □ □□ □□ □□□
 500us(□□□□□) □□□□□ □□ □□□□□ □□□□ □□□ □□ □□□□□□□ □□□.
 □□□□ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□□□ □ □□□ □□ AD□ □□□□□.
- B. □ □□ □□ □□□ □□□□ □□□ □□□□ □ □□□□ □□ □□□ □□□(AD)□ □□□□□.

C. You can create a VCN in a private subnet. You can create a VCN in a public subnet. You can create a VCN in a hybrid subnet.

D. You can create a VCN in a public subnet. You can create a VCN in a private subnet. You can create a VCN in a hybrid subnet.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Oracle Cloud Infrastructure provides a set of regions. Which of the following is a valid region? (Choose two.)

A. us-east-1

B. us-west-2

C. eu-west-1

D. us-east-2

E. us-west-1

Answer: ([SHOW ANSWER](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/General/Concepts/regions.htm>

NEW QUESTION: 99

Which of the following is a valid IAM policy? (Choose two.)

A. Allow all actions on all resources in all namespaces.

B. Allow all actions on all resources in the namespace of the policy.

C. Allow all actions on all resources in the namespace of the policy and all namespaces.

D. Allow all actions on all resources in the namespace of the policy and all namespaces.

Answer: B ([LEAVE A REPLY](#))

Oracle Cloud Infrastructure provides a set of regions. Which of the following is a valid region? (Choose two.)

us-east-1 is a valid region. us-west-2 is a valid region. eu-west-1 is a valid region. us-east-2 is a valid region. us-west-1 is a valid region.

Which of the following is a valid IAM policy? (Choose two.)

A. Allow all actions on all resources in all namespaces.

B. Allow all actions on all resources in the namespace of the policy.

C. Allow all actions on all resources in the namespace of the policy and all namespaces.

NEW QUESTION: 100

OCI(Oracle Cloud Infrastructure) provides a set of regions. Which of the following is a valid region? (Choose two.) OCI FastConnect is available in Ashburn. Oracle FastConnect is available in Ashburn. Oracle FastConnect is available in Ashburn.

Which of the following is a valid IAM policy? (Choose two.)

A. Allow all actions on all resources in all namespaces. Allow all actions on all resources in the namespace of the policy.

B. Allow all actions on all resources in the namespace of the policy. OCI FastConnect is available in Ashburn. OCI FastConnect is available in Ashburn.

C. Allow all actions on all resources in all namespaces. Allow all actions on all resources in the namespace of the policy.

D. Allow all actions on all resources in all namespaces. Allow all actions on all resources in the namespace of the policy.

Answer: C (LEAVE A REPLY)

Two subnets are configured in a VCN (10.0.1.0/24 and 172.16.0.0/16). The VCN is connected to the Internet via a NAT gateway. Which of the following is true?

NEW QUESTION: 101

Which of the following is a valid OCI IAM policy? Assume the user has the necessary permissions to create a policy.

- A. `allow all`
- B. `allow all except deny`
- C. `allow all except deny`
- D. `allow all except deny`

Answer: D (LEAVE A REPLY)

Which of the following is a valid OCI IAM policy? Assume the user has the necessary permissions to create a policy.

NEW QUESTION: 102

OCI(Oracle Cloud Infrastructure) Linux instances are running in a VCN. The VCN is connected to the Internet via a NAT gateway. Which of the following is true?

- A. The instances can access the Internet via the NAT gateway.
- B. CPU usage is limited by the VCN.
- C. The instances can access the Internet via the NAT gateway.
- D. The instances can access the Internet via the NAT gateway.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 103

Three VCNs are configured in a region. VCN1 is connected to the Internet via a NAT gateway. VCN2 is connected to VCN1 via a VCN peering connection. VCN3 is connected to VCN2 via a VCN peering connection. Which of the following is true?

- A. DB instances in VCN1 can access NFS storage in VCN2.
- B. SSH access is allowed from VCN1 to VCN2. Unix `chmod` is allowed from VCN2 to VCN3.
- C. DB instances in VCN1 can access NFS storage in VCN2.

D. DB Identity and Access Management(IAM)

Answer: (SHOW ANSWER)

NFS . NFS IP CIDR

NEW QUESTION: 104

Oracle Cloud Infrastructure

- A. B. C. D. E.

Answer: A,C,D (LEAVE A REPLY)

Oracle Cloud Infrastructure

NEW QUESTION: 105

Oracle Cloud Infrastructure CLI

- A. B. RPM C. APT D.

Answer: D (LEAVE A REPLY)

https://docs.cloud.oracle.com/iaas/Content/API/SDKDocs/climanualinst.htm

NEW QUESTION: 106

YAML OKE(Oracle Cloud Infrastructure Container Engine for Kubernetes) kubectl create -f definition.yml

```
apiVersion: v1
kind: Pod
metadata:
  name: myapp
  labels:
    app: myapp
spec:
  containers:
  - name: nginx-image
    image: nginx
  - name: mysql-image
    image: mysql
```

- A. □□ □□□□ □□ □ □□ □□□□□.
- B. □□□ □□□□ □□□□.
- C. □□ □□□□ □□ □□ □□□ □□□□□.
- D. □ □□ □□□□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

1z0-1072-22 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1z0-1072-22 □□! DumpTop □ □□ 1z0-1072-22 □□ □□□ □□□□□□, DumpTop 1z0-1072-22 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ □□□□ □□□□□□. <https://www.dumptop.com/Oracle/1z0-1072-22-dump.html> (256 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

ATP(Autonomous Transaction Processing) □□□□□□□ □□□□□□□ ATP □□□ □□□ □□□□□□□. □ □□□ □□□□ □□□ □ □□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. CPU □□/□□
- B. ATP □□□□□□ □□□ □□
- C. □□□ □□ □□□
- D. □□□ □□ □□ □□
- E. □□□□□□ □□ □ SQL □□ □□□□□

Answer: ([SHOW ANSWER](#))

ATP □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□□□□ □□ □ SQL □□□ □□□ □ □□□□.

Object Storage buckets are created in the same region as the bucket. Buckets are created in the same region as the bucket.

Which of the following is not a valid bucket name?

A. Identity and Access Management(IAM) buckets are created in the same region as the bucket.

B. VCN buckets are created in the same region as the bucket.

C. Buckets are created in the same region as the bucket.

D. Buckets are created in the same region as the bucket. CIDR 0.0.0.0/0 buckets are created in the same region as the bucket.

Answer: C (LEAVE A REPLY)

1z0-1072-22 Oracle dumps available at DumpTop. 1z0-1072-22 Oracle! DumpTop. 1z0-1072-22 Oracle. DumpTop 1z0-1072-22 Oracle. DumpTop 1z0-1072-22 Oracle. <https://www.dumptop.com/Oracle/1z0-1072-22-dump.html> (256 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 122

Which of the following is not a valid CIDR notation?

A. /16

B. /24

C. /26

D. /8

Answer: A (LEAVE A REPLY)

NEW QUESTION: 123

Terraform is a tool used for infrastructure as code. Which of the following is not a valid Terraform command?

A. init

B. plan

C. apply

D. destroy

Answer: B (LEAVE A REPLY)

NEW QUESTION: 124

Database Cloud Service(DBCS) is a managed database service. Which of the following is not a valid DBCS instance class?(20 credits)

A. dbcs.class1

B. SQL class

C. dbcs.class2

D. psql

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 125

Which two operations can be performed on a database instance? (Choose two.)
A. Operations can be performed on a database instance.
B. Operations can be performed on a database instance.

- Which two operations can be performed on a database instance? (Choose two.)
- A. Operations can be performed on a database instance. Finance can be performed on a database instance. URL can be performed on a database instance.
 - B. Operations can be performed on a database instance. (PAR) can be performed on a database instance. URL can be performed on a database instance. Finance can be performed on a database instance.
 - C. Operations can be performed on a database instance. Finance can be performed on a database instance. Oracle Cloud Identifier(OCID) can be performed on a database instance.
 - D. Operations can be performed on a database instance. PAR can be performed on a database instance. URL can be performed on a database instance. Finance can be performed on a database instance.
 - E. Operations can be performed on a database instance. Finance can be performed on a database instance.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 126

Which two operations can be performed on a database instance? (Choose two.)

- Which two operations can be performed on a database instance? (Choose two.)
- A. HIGH can be performed on a database instance. MEDIUM can be performed on a database instance. SQL can be performed on a database instance. 0 can be performed on a database instance. 3 can be performed on a database instance.
 - B. HIGH can be performed on a database instance. MEDIUM can be performed on a database instance. LOW can be performed on a database instance. SQL can be performed on a database instance. 0 can be performed on a database instance. 16 can be performed on a database instance.
 - C. MEDIUM can be performed on a database instance. HIGH can be performed on a database instance. SQL can be performed on a database instance. 0 can be performed on a database instance. 20 can be performed on a database instance.
 - D. MEDIUM can be performed on a database instance. LOW can be performed on a database instance. HIGH can be performed on a database instance. SQL can be performed on a database instance. 0 can be performed on a database instance. 16 can be performed on a database instance.
 - E. HIGH can be performed on a database instance. MEDIUM can be performed on a database instance. LOW can be performed on a database instance. 32 can be performed on a database instance. SQL can be performed on a database instance. 16 can be performed on a database instance.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 127

Oracle Cloud Infrastructure File Storage Service can be used to store data. Which two operations can be performed on a database instance? (Choose two.)

- A. Operations can be performed on a database instance. .snapshot can be performed on a database instance.
- B. Operations can be performed on a database instance.
- C. Operations can be performed on a database instance.
- D. OCI can be performed on a database instance. CLI can be performed on a database instance.

Answer: A ([LEAVE A REPLY](#))

File Storage can be used to store data. Which two operations can be performed on a database instance? (Choose two.)

OCI snapshots are created in the same compartment as the source volume. Snapshots are created in the same region as the source volume. Snapshots are created in the same availability domain as the source volume. Snapshots are created in the same VCN (.snapshot/name) as the source volume. Snapshots are created in the same NFSv3 endpoint as the source volume, if the source volume is NFSv3. Snapshots are created in the same file system as the source volume.

NEW QUESTION: 128

Oracle Cloud Infrastructure tags are used to identify resources. Which of the following is a valid tag key? (Choose the best answer.)

- A. oci:tag-key
- B. oci:tag-key null
- C. oci:tag-key ID
- D. oci:tag-key

Answer: A (LEAVE A REPLY)

Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/Tagging/Tasks/usingpredefinedvalues.htm>

NEW QUESTION: 129

Which of the following are valid values for the user attribute in the OCI IAM policy? (Choose two.)

- A. user
- B. user AD
- C. user (AD)
- D. user AD

Answer: A,D (LEAVE A REPLY)

A - OCI Object Storage buckets are created in the same compartment as the bucket. Buckets are created in the same region as the bucket.

D - OCI Object Storage buckets are created in the same compartment as the bucket. Buckets are created in the same region as the bucket. Buckets are created in the same availability domain as the bucket. Buckets are created in the same VCN as the bucket.

NEW QUESTION: 130

Dynamic Routing Gateway is supported by which of the following Oracle Cloud Infrastructure services? (Choose two.)

- A. OCI FastConnect
- B. OCI IPsec VPN
- C. OCI FastConnect
- D. OCI IPsec VPN
- E. OCI IPsec VPN

Answer: C,E (LEAVE A REPLY)

DRG is supported by OCI IPsec VPN and OCI FastConnect. DRG is supported by OCI IPsec VPN and OCI FastConnect.

DRG is supported by OCI IPsec VPN and OCI FastConnect. DRG is supported by OCI IPsec VPN and OCI FastConnect.

- B. 250 000 1000 000 0000. 00 00 000 0000 250 000 00 00000
 - C. 250 000 000 0 00 000 00 000 0000. 0 000 0000 2500 0 00 000 000 0000 2500 00 000 00000000.
 - D. 250 00 0 0000 000 00 0000 00000. 0 000 00 0000 0000 250 000 000 00000000.
- Answer: D (LEAVE A REPLY)**

NEW QUESTION: 133

Oracle Cloud Infrastructure(OCI) Network Load Balancer 00 0000 0 00 00000 00000?

- A. ICMP
- B. iSCSI
- C. UDP
- D. HTTP
- E. BCP
- F. TCP

Answer: A,C,F (LEAVE A REPLY)

NEW QUESTION: 134

0 LOB(00 00) 00 00000 00 00 000 VCN(00 0000 0000)0 000 000 00000. LOB A0 LOB B0 0 0000 000. VCN 0000 00000 00 0000 CIDR 000 0000 000?

- A. VCN A(10.0.0.0/16) 0 VCN B(10.1.0.0/16)
- B. VCN A(10.0.2.0/16) 0 VCN B(10.0.2.0/25)
- C. VCN A(10.0.0.0/16) 0 VCN B(10.0.16.0/24)
- D. VCN A(172.16.0.0/24) 0 VCN B(172.16.0.0/28)

Answer: (SHOW ANSWER)

VCN A(10.0.0.0/16)0 10.0.0.0~10.0.255.255 000 IPS0 0000 VCN B(10.1.0.0/16)0 10.1.0.0~10.1.255.255 000 IPS0 000 00 200 VCN 000 00

NEW QUESTION: 135

000 000 00 0000 00 0000 00 00 00 0000 0000 0 200 0000 000 000 00000? (0 00 0 00000.)

- A. 00 0000 000 000 000 0000 00 00 00 0000 0 00000.
- B. 0 00 0000 0000 000 0 00000.
- C. 000 000 00 0000 000 000 00 0000 00000.
- D. 000 000 00 0000 000 000 00 0000 00 0000 00000.

Answer: (SHOW ANSWER)

00
00:

<http://www.oracle.com/webfolder/technetwork/tutorials/obe/cloud/ocis/load-balancer/load-balancer.html>

NEW QUESTION: 136

Oracle Cloud Infrastructure (OCI) provides a range of services for building and running applications in the cloud. OCI Linux VMs are a key component of OCI. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI.

Which of the following is a valid OCI Linux VM size?

- A. 1/4 OCPU, 1 GB Memory
- B. 1/2 OCPU, 2 GB Memory
- C. 1 OCPU, 4 GB Memory
- D. 2 OCPU, 8 GB Memory

Answer: A (LEAVE A REPLY)

OCI Linux VMs are available in various sizes and configurations. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI. OCI Linux VMs are available in various sizes and configurations. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI.

<https://docs.cloud.oracle.com/iaas/Content/File/Concepts/filestorageoverview.htm>

1z0-1072-22 Oracle Cloud Infrastructure (OCI) Linux VMs are a key component of OCI. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI. OCI Linux VMs are available in various sizes and configurations. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI.

Special Discount: KrDump)

NEW QUESTION: 137

Which of the following is a valid OCI Linux VM size?

- A. 4 OCPU, 16 GB Memory
- B. 1 OCPU, 4 GB Memory
- C. 1/2 OCPU, 2 GB Memory
- D. 1/4 OCPU, 1 GB Memory

Answer: C (LEAVE A REPLY)

OCI Linux VMs are available in various sizes and configurations. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI.

<https://docs.cloud.oracle.com/iaas/Content/Network/Tasks/managingVCNs.htm>

NEW QUESTION: 138

OCI Linux VMs are available in various sizes and configurations. OCI Linux VMs are based on the Linux operating system and are available in various sizes and configurations. OCI Linux VMs are managed through the OCI console and CLI. OCI Linux VMs are highly available and scalable. OCI Linux VMs are a key component of OCI.

- A. 1/4 OCPU, 1 GB Memory

□□□□□ □□□□□.

NEW QUESTION: 141

□□□ □□□ □ □□ □□□□□□□ Oracle Cloud□ □□□□□ □□□□□ □□□ □□□□(HA) □ □□ □□(DR) □□□ □□ □□ □□□ □□□□□.

Oracle Cloud Infrastructure □□□□□ □□□□ □□ □□□□ □ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□
- B. □□□□ □□
- C. □□□□□
- D. □□□ □□□

Answer: A,D ([LEAVE A REPLY](#))

□□

□□: <https://blogs.oracle.com/cloud-infrastructure/migration-and-disaster-recovery-in-the-oracle-cloud-wi>

NEW QUESTION: 142

Oracle Cloud Infrastructure□ e-□□□□□ □□□□□□□ □□□□□ □□ □□ □□ □ □□□ NFS □□□□□ □□□□ □□ □□ □ □□□ □□□□□.

□ □□ □□□ □□□□ □□□□ □□□□ □□□□□?

- A. □□□□ □□□□
- B. □□ □□
- C. □□□ □□ □□□□□□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

□□□□□□ □□ □□□□□ □ □□□ □ □□, □□□ □□ □□ □□□ □□□ □□□□ POSIX(Portable Operating System Interface) □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□ □□□□□ □□□ □□ File Storage □□□□□ □□□□□□□. File Storage □□□□□ □□□ □□□□ □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□ □□□□□□ □ □□□□ □□ □□□ □□□□□□□□.

□□ □□ □□□□: □□ □□□□ □□□ □□ □□□□□ □□ □ □□□ □□□□ □□□ □□□□□.

□ □□□ □ □□: □□ □□□□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□□.

□□□□□□ □□□□□□□ □□□ □ □□□: Oracle E-Business Suite □ PeopleSoft□ □□ NFS □□□□□ □□□ □□ Oracle □ □□□□□□ □□□□□□□□□□.

□□□□□□ □ □□□□ □□□□□□□: Oracle, MySQL □□ □□ □□□□□□□□ □□□ □ □□ □□□□□ □□□□□.

□□, □□□□□ □□□ □ □□ □□: □□ □ □□ □□□ □□ □□□□□□□ □□□□□ □□ □□ □□□□ □□ □□□ □□□□□ □.

MicroServices □ Docker: □□□□□ □□ □□ □□ □□□□ □□□□□. □□□□ □□ □□□ □□□□ □□ □□ □□□ □ □□□ □.

NEW QUESTION: 143

Oracle Cloud Infrastructure File Storage □□□ □□ □□□ □□ □□□□ □□ □□ □□□□□?

- A. □□ □□ □□□ □□ □□ □□ □□□□ □□□□ □ □□□□.

Which two Oracle Cloud Infrastructure (OCI) storage options are supported by Oracle VM.Standard2.24?
OCI Standard Block Storage. OCI Object Storage. OCI Block Volume. OCI Archive Storage.
OCI Backup Vault. OCI File Storage. OCI Database Storage. OCI Container Storage.

NEW QUESTION: 145

Oracle VM.Standard2.24 (VM.Standard2.24) is a VM shape that supports OCI Dense IO (VM.DenseIO2.24) and OCI Standard Block Storage (OCI Standard Block Storage). Which two storage options are supported by Oracle VM.Standard2.24?
OCI Standard Block Storage. OCI Object Storage. OCI Block Volume. OCI Archive Storage?

- A. VM.Standard2.24 supports OCI Standard Block Storage and OCI Object Storage.
- B. OCI Standard Block Storage and VM.DenseIO2.24 support OCI Standard Block Storage and OCI Object Storage.
- C. VM.Standard2.24 supports OCI Standard Block Storage and OCI Block Volume.
- D. OCI Standard Block Storage and VM.DenseIO2.24 support OCI Standard Block Storage and OCI Object Storage.

Answer: A,D (LEAVE A REPLY)

Which two Oracle Cloud Infrastructure (OCI) storage options are supported by Oracle VM.Standard2.24?
OCI Standard Block Storage. OCI Object Storage. OCI Block Volume. OCI Archive Storage.
OCI Backup Vault. OCI File Storage. OCI Database Storage. OCI Container Storage.

OCI I/O is supported by OCI Standard Block Storage, OCI Object Storage, OCI Block Volume, OCI Archive Storage, OCI Backup Vault, OCI File Storage, OCI Database Storage, and OCI Container Storage.

DenseIO is supported by OCI Standard Block Storage and OCI Block Volume.

OCI VM.DenseIO is supported by OCI Standard Block Storage and OCI Block Volume.

NEW QUESTION: 146

Which Oracle Cloud Agent component is used to monitor the operating system?

- A. OS
- B. Oracle Cloud Agent
- C. Oracle Cloud Agent
- D. Oracle Cloud Agent

Answer: D (LEAVE A REPLY)

NEW QUESTION: 147

Which two Oracle Cloud Infrastructure (OCI) services are supported by Oracle VM.Standard2.24?
OCI Standard Block Storage. OCI Object Storage. OCI Block Volume. OCI Archive Storage.
OCI Backup Vault. OCI File Storage. OCI Database Storage. OCI Container Storage?

- A. OCI(Oracle Cloud Infrastructure) Standard Block Storage and OCI Object Storage
- B. OCI Standard Block Storage and OCI Object Storage
- C. Swift and OCI Standard Block Storage
- D. OCI Standard Block Storage and OCI Object Storage

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 148

□□ Load Balancer □□□□□ □□□□ □□ 80□□ □□□□ □□□□ □□□ □□ 1□□ □□□ □□ "BES1"□ □□□□□. □□ □
□ 80□□ □□□□ □□□□ □□□ □□ "BES1"□ □□□□□ □□ □□□□ □□□□□. □□□□□□ □□□ □□□□□ □□□ □
□□□ □□ □□□□ □□□ HTTP □□□ □□□.

Load Balancer□ □ □□ □□□ □□□□□?

- A. 4
- B. 2
- C. 1
- D. 3

Answer: B ([LEAVE A REPLY](#))

1z0-1072-22 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1z0-1072-22 □□! DumpTop □ □□ 1z0-1072-22 □□
□□□ □□□□□□□, DumpTop 1z0-1072-22 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□□ □□□ □□□□□ □□
DumpTop 1z0-1072-22 □□□ □□□□□. <https://www.dumptop.com/Oracle/1z0-1072-22-dump.html> (256 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 152

VCN □□ □□□□ □□ □□□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□ VCN□ □□ □□□ □□□□ □□ □□□□ □□ □ □□□□.
- B. □□□□ □ □□□ □□□□ □□□ VCN□ □□ □□□ □□□ □□□□ □□□ □ □□□□.
- C. □□□□□ □□□□□ □□ IP □ □□ □□ □□□ □□□□.
- D. □□□□ □□□ VCN□ □□ □□ □□□□□ □□ □□□□□ IP □□□ □□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 153

□□□ OCI□ □□ OCI(Oracle Cloud Infrastructure) FastConnect □□□ □□□□□□□. □□ □□□ □□ □□□ □□□ □□ □□□ □
□□□ □□□ □□□ VCN(□□ □□□□ □□□□) □□□ □□□ □□□□□□ □□□□□ □□□ □□□ □□□□ □□□ □□ □ □
□□□.

OCI□□ □ □□□ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□□□ □□□□ VCN □□□□□ □□□ □□ □□□□ □□□□□. DRG(Dynamic Routing Gateway)□ □□ □□□ □□□□□
□□□□□ □□□ □□□□□.
- B. □□ VCN □□ □□□□ □□□□□ DRG□ □□ □□□ □□□□□ □□□□□ □□ □□□ □□□□□.
- C. □□□□□ □□□□ VCN □□□□□ □□□ □□ □□□ □□□□□. □□ □□ □□□□ □□□ □□□□ □□□ □□□□□ □□□
□□ □□ ICMP □□□□ □□□□□.
- D. □□□□□ □□□□ VCN □□□□□ □□□ □□ □□□ □□□□□. □□□□□ ICMP □□□□ □□□□□ □□ □□ □□ □□□
□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 154

Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN) configuration. Two Virtual Cloud Networks (VCN1 and VCN2) are connected to each other via a peering connection. VCN1 is in the 10.0.0.0/16 address space and VCN2 is in the 172.16.0.0/16 address space. OCI Virtual Cloud Network (VCN) CIDR blocks are as follows?

- A. VCN1(10.0.0.0/16) and VCN2(10.0.1.0/24)
- B. VCN1(10.0.0.0/16) and VCN2(172.16.0.0/16)
- C. VCN1(172.16.1.0/24) and VCN2(172.16.1.0/27)
- D. VCN1(192.168.0.0/16) and VCN2(192.168.1.0/27)

Answer: B (LEAVE A REPLY)

VCN1(10.0.0.0/16) and VCN2(172.16.0.0/16) are connected via a peering connection. VCN1 has a CIDR block of 10.0.0.0/16 and VCN2 has a CIDR block of 172.16.0.0/16. OCI Virtual Cloud Network (VCN) CIDR blocks are as follows?

NEW QUESTION: 155

An OCI user wants to create a new IAM group named "production_group". The user wants to ensure that the group is created in the production compartment. Which of the following is the correct way to create the group?

- A. Use the OCI CLI to create the group in the production compartment.
- B. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.
- C. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.
- D. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.

Answer: D (LEAVE A REPLY)

An OCI user wants to create a new IAM group named "production_group". The user wants to ensure that the group is created in the production compartment. Which of the following is the correct way to create the group?

NEW QUESTION: 156

An OCI user wants to create a new IAM group named "production_group". The user wants to ensure that the group is created in the production compartment. Which of the following is the correct way to create the group?

- A. Use the OCI CLI to create the group in the production compartment.
- B. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.
- C. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.
- D. Use the OCI CLI to create the group in the production compartment and then move it to the production compartment.

Answer: B (LEAVE A REPLY)

An OCI user wants to create a new IAM group named "production_group". The user wants to ensure that the group is created in the production compartment. Which of the following is the correct way to create the group?

An OCI user wants to create a new IAM group named "production_group". The user wants to ensure that the group is created in the production compartment. Which of the following is the correct way to create the group?

