

NEW QUESTION: 4

Which two Oracle Cloud Service features are supported by Oracle Cloud Infrastructure Bastion?

- A. SSH
- B. RDP
- C. SFTP
- D. SSL

Answer: (SHOW ANSWER)

AB

Oracle Cloud Infrastructure Bastion supports RDP and SSH connections to instances in the Oracle Cloud Infrastructure console.

https://docs.oracle.com/en-us/iaas/Content/Security/Concepts/security_features.htm

NEW QUESTION: 5

Which two OCI Secret Management features are supported by Vault?

OCI Secret Management supports Vault as a provider for secrets. OCI Secret Management can be used to manage secrets in Vault.

- A. OCI Secret Management 'OCI Secret Management' provider
- B. OCI Secret Management 'OCI Secret Management' provider
- C. OCI Secret Management 'OCI Secret Management' provider
- D. OCI Secret Management 'OCI Secret Management' provider. OCI Secret Management 'OCI Secret Management' provider

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 6

Which two Oracle Cloud Infrastructure features are supported by Data Safe?

- A. RDP
- B. SFTP
- C. SSH
- D. SSL

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

Management Agent is supported by OCI Logging Analytics. Which two OCI Logging Analytics features are supported by Management Agent?

- A. Log ingestion
- B. Log retention - 30 days
- C. Log retention - 90 days
- D. Log retention - 180 days

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following is a common security control for cloud environments?

- A. Firewall
- B. Intrusion Detection System (IDS)
- C. Antivirus
- D. Data Encryption

Answer: B ([LEAVE A REPLY](#))

Which of the following is a common security control for cloud environments?

Which of the following is a common security control for cloud environments?

PCI (Payment Card Industry) Data Security Standard (DSS) is a common security control for cloud environments.

Which of the following is a common security control for cloud environments?

BridgeLetter is a common security control for cloud environments. SOC 1 is a common security control for cloud environments. SOC 2 is a common security control for cloud environments. SOC 3 is a common security control for cloud environments.

Which of the following is a common security control for cloud environments?

Which of the following is a common security control for cloud environments?

SOC 3 is a common security control for cloud environments.

Service Organization Controls 3 is a common security control for cloud environments.

Which of the following is a common security control for cloud environments?

[https://docs.oracle.com/en-](https://docs.oracle.com/en-us/iaas/Content/ComplianceDocuments/Concepts/compliancedocsoverview.htm)

[us/iaas/Content/ComplianceDocuments/Concepts/compliancedocsoverview.htm](https://docs.oracle.com/en-us/iaas/Content/ComplianceDocuments/Concepts/compliancedocsoverview.htm)

NEW QUESTION: 9

Which of the following is a common security control for cloud environments?

Which of the following is a common security control for cloud environments?

- A. Firewall
- B. Intrusion Detection System (IDS)
- C. Antivirus
- D. OWASP Top 10

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following is a common security control for cloud environments?

- A. ID
- B. Firewall
- C. Antivirus
- D. Data Encryption

Answer: B ([LEAVE A REPLY](#))

Oracle WAF blocks attacks such as distributed denial of service (DDoS), SQL injection, and OWASP (Open Web Application Security Project) attacks. Oracle WAF blocks attacks such as distributed denial of service (DDoS), SQL injection, and OWASP (Open Web Application Security Project) attacks.

<https://www.oracle.com/a/ocom/docs/security/oci-web-application-firewall.pdf>

NEW QUESTION: 21

Which ID is used to identify a function?

my-group target.function.id = '<function-OCID>' fn-invocation

- A. my-group target.function.id = '<function-OCID>' fn-invocation
- B. my-group target.function.id = '<function-OCID>' fn-invocation
- C. my-group target.function.id = '<function-OCID>' fn-invocation
- D. my-group target.function.id = '<function-OCID>' fn-invocation

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

Logging Analytics stores logs for a maximum of how many days?

- A. 60
- B. 10
- C. 30
- D. 15

Answer: (SHOW ANSWER)

[https://docs.oracle.com/en-us/iaas/logging-analytics/doc/manage-storage.html#:~:text=The %20minimum%20Active%20Storage%20Duration,be%20archived%20is%2030 %20](https://docs.oracle.com/en-us/iaas/logging-analytics/doc/manage-storage.html#:~:text=The%20minimum%20Active%20Storage%20Duration,be%20archived%20is%2030%20)

NEW QUESTION: 23

Which VCN is used to connect to the Oracle Cloud Infrastructure (OCI) console?

- A. my-group target.function.id = '<function-OCID>' fn-invocation
- B. my-group target.function.id = '<function-OCID>' fn-invocation
- C. my-group target.function.id = '<function-OCID>' fn-invocation (WAF)
- D. my-group target.function.id = '<function-OCID>' fn-invocation

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

Which Cloud Guard feature is used to detect and prevent attacks on OCI resources?

- A. my-group target.function.id = '<function-OCID>' fn-invocation

