

# Oracle.1z0-998-21.v2022-09-29.q26

□□□□:	1z0-998-21
□□□□:	Oracle Database Cloud Service 2021 Specialist
□□□:	Oracle
□□ □□ □□□:	26
□□:	v2022-09-29
# □□ □:	507
# □□ □□□:	260
<a href="https://www.krdump.com/Oracle.1z0-998-21.v2022-09-29.q26.html">https://www.krdump.com/Oracle.1z0-998-21.v2022-09-29.q26.html</a>	

## NEW QUESTION: 1

□□□□□□ □□□ □□ □□ □□□□□□ □□ □□□ □□ □□□□□□ □□□□ □□ DB □□□□ □□□□□ □□□. □□ DB □□□□ □□□ □□ □□□ □□□□□?

- A. Standard Edition □ □□□ □□ □□□□□□ □□□ □□ Bare Metal DB □□□
- B. Standard Edition □ □□□ □□ □□□□□□ □□□ □□ VM DB □□□
- C. □□ □□□□□□ □□□□ □□ VM DB □□□
- D. □□ □□□□□□ □□□□ □□□ □□□□ DB □□□

Answer: A ([LEAVE A REPLY](#))

## NEW QUESTION: 2

Object Storage □ □□ □□ □□ □□ □□□ □□□ □□□?

- A. 90□
- B. 30□
- C. 7□
- D. 180□

Answer: B ([LEAVE A REPLY](#))

## NEW QUESTION: 3

□□ □□□ □□□□□.

```
curl -v -X HEAD -u <user_ID>:<auth_token> https://swiftobjectstorage.<region_name>.oraclecloud.com/v1/<tenant>
```

Curl -v -X HEAD -u <user\_ID>: '<auth\_token>' □□! □□□□□ □□□ □□□□ □□□□. □□□ □□□ □□ □□□□ □□ □□?

- A. □□□ □□□□ □□□□ □□□□□ □ □□
- B. □□□□ □□ □□□ □□ □□□ □□□□ □ □□
- C. RMAN □ □□□□ □□□ □□ □□□ □□□□ □□ □□
- D. □□ □□□□ □□ □□□□□ □□□ □□□□□□ □ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 4**

- □□□□ □□□ □□□□ □□ □□□ □□□□ □□□□ ARCHIVE□ □□□□□□. □□ □□□□ □ □□ □□□ □□ □□□ □□□□□?
- A. □□ □ □□□ □□□□□□ □□ □□□ 24□□□□□□.
  - B. □□□□ □□□□□□ □□ □□□ □□ □□□ □ □□ □□□□□□ □□□□□□ □ □□□□.
  - C. □□□□ □□□□□□ □□ □□□□ □□□.
  - D. □□□□ □□□□ □□ □□ □ □□□□ □ 6□□ □□ □□□□□.
  - E. □□□□ □□□□ □□□ □□ □□ □□□ □□□ 90□□□□□.

Answer: A,C,E ([LEAVE A REPLY](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/Archive/Concepts/archivestorageoverview.htm>

**NEW QUESTION: 5**

- □□□□□ □□ □□□ □□ □□□□ □ □□ □□□ □□□□□?
- A. □□□□□ □□ □□ □□□ □□□□□□.
  - B. □□ □□□ □ □□□□□□ □□□□ □ □□□ □□□ □□□□□.
  - C. □□ □□□ □ □□□ □□□□□ □□□ □ □□□□.
  - D. □□ □□□ □□□□□ □□□ □□□ □□□ □ □□□ □ □□□□□□ □□□□ □ □□□ □.
  - E. □□ □□□ □□□□□ □□□□ □□□ □□□□□ □□□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

<https://blogs.oracle.com/cloud-infrastructure/announcing-boot-volumes-for-oracle-cloud-compute>

**NEW QUESTION: 6**

- DB □□□□ □□ □□ □□□ □□□ □□ □□ □ □□ □□ □□/□□□ □□□□□ □□□?
- A. DB □□□□ Object Storage□ □□□□ Swift □□□□□□ □□□□ □□□ □□□.
  - B. □□ □□□□□ □□□□ □□ /uO□ □□ 15GB□ □□ □□□ □□□□.
  - C. Oracle Clusterware□ □□ □□□□ □□□.
  - D. DB □□□□□ □□□□ VCN□ □□ □□□ □□□□□□ □□□□ □□□.
  - E. DB □□□□□ □□□□ VCN□ Dynamic Routing Gateway□ □□□□ □□□.

Answer: A,B,C ([LEAVE A REPLY](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/Database/Tasks/patchingDB.htm>

**NEW QUESTION: 7**

- API□ □□□□ DB □□□□ □□□□□ □□□□□ □□□ □□□□□?
- A. JDK
  - B. □□□ 2.6 □□
  - C. JRE
  - D. □□□ □□□□□□□

Answer: B ([LEAVE A REPLY](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/Database/Tasks/creatingDBsystem.htm>

**NEW QUESTION: 8**

Which command is used to create a VCN named "PILUS" with a CIDR block of 10.0.0.0/16?

- A. `create_vcn 3`
- B. `create_vcn 10.0.0.0/16`
- C. `create_vcn 10.0.0.0/16`
- D. `create_vcn 10.0.0.0/16`
- E. `create_vcn 10.0.0.0/16`

**Answer:** [\(SHOW ANSWER\)](#)

[https://www.oracle.com/webfolder/technetwork/tutorials/obe/cloud/ocis/create\\_vcn/create\\_vcn.html](https://www.oracle.com/webfolder/technetwork/tutorials/obe/cloud/ocis/create_vcn/create_vcn.html)

**NEW QUESTION: 9**

Which parameter is used to enable tablespace encryption for a new database?

- A. `encrypt_new_tablespaces = DDL`
- B. `encrypt_new_tablespaces = true`
- C. `encrypt_new_tablespaces = true`
- D. `encrypt_new_tablespaces = NONE`

**Answer:** [\(SHOW ANSWER\)](#)

Which parameter is used to enable tablespace encryption for a new database? The parameter is `ENCRYPT_NEW_TABLESPACES`. Database Classic Cloud Service uses `CLOUD_ONLY`.

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/use-tablespace-encryption-this-service.html#GUID-26B5DB17-E631-4C2D-A172-C02C0D8C1D14>

**NEW QUESTION: 10**

- Which command is used to describe the components of a database?
- A. `Object Storage`
  - B. `DB`
  - C. `DB`
  - D. `DB`

**Answer:** [\(LEAVE A REPLY\)](#)

<https://docs.cloud.oracle.com/en-us/iaas/Content/Database/References/dbacl.htm> `dbcli describe-component` command is used to describe the components of a database. The command is `dbcli describe-component`.

**NEW QUESTION: 11**



- A. □□ □ □□□□□
- B. □□□ □□□
- C. □□/□□□□
- D. □□□□/□□ □□

Answer: C ([LEAVE A REPLY](#))

□□/□□□□

Object Storage □ □□□□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□ □ □□□ □□□□ □□□ □ □□□□.

<https://docs.cloud.oracle.com/en-us/iaas/Content/Object/Concepts/objectstorageoverview.htm>

**NEW QUESTION: 16**

□□ □□□ □□□□□.

```

1. Log in to the DB System with opc user.
2. sudo su -
3. sudo su - oracle
4. dbcli describe-job -i 31b38f67-f993-4f2e-b7eb-5bccda9901ae
5. dbcli describe-component
6. dbcli list-dbhomes
7. dbcli update-dbhome -i b727bf80-c99e-4846-ac1f-28a81a725df6
  
```

- A. 1,2,5,6,4,7,5
- B. 1,3,5,6,7,4,5
- C. 1,2,5,6,7,4,5
- D. 1,3,6,7,4,5

Answer: C ([LEAVE A REPLY](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/Database/Tasks/patchingDB.htm>

**1z0-998-21** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1z0-998-21 □□!  
 DumpTop □ □□ **1z0-998-21** □□ □□□ □□□□□□, DumpTop 1z0-998-21 □□ □□□  
 □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop  
 1z0-998-21 □□□ □□□□□. <https://www.dumptop.com/Oracle/1z0-998-21-dump.html> (76  
 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 17**

□□□□□ □□□□□□□□ OCI □□□□□□□ □□□□ □□□□□□□□□ □□□. □□□  
 □□□□ □□ □□ □ □□□ □□□ □ □□□□?

- A. □□□ □□
- B. □□□ □□
- C. □□ □□□
- D. SQL □□□



Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 21**

VCN(□□ □□□□ □□□□) □□□ □□ □□□□ □ □□ □□ □□□□ □□□□□?

- A. □□□ □□□□□
- B. □□ □□□ □□□□□
- C. NAT □□□□□
- D. □□ □□ □□
- E. □□□ □□□

Answer: A,D,E ([LEAVE A REPLY](#))

<https://www.oracle.com/a/ocom/docs/vcn-deployment-guide.pdf>

**NEW QUESTION: 22**

□□ □□□□□ DB □□□□ □□□□□ □□ □□□ □□□□□□ □□□. □□ □□□ □□□ □□□ □□□ □□□□□□.



□□□ □□□ □□□ □□□ □□□□□□.

- A. 1,3,2,4,5,6,7
- B. 1,2,3,5,4,6,7
- C. 1,3,2,5,4,7,6
- D. 3,1,2,4,5,7,6

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

RMAN □□□□ □□ □□□□ □□ □□?

- A. □□ □□□□ CONFIGURE ENCRYPTION □□□ □□□□ □□□□□ □□□ □ □□□□.
- B. RMAN□ Oracle □□ □□□ □□□□ □ □□□□.
- C. SET ENCRYPTION □□□ CONFIGURE ENCRYPTION □□ □□□□ □□□□□.
- D. RMAN □□□ □□ □□□□□□ □□□ □□□□□.
- E. □□ □□ □□□ □□□ □□□ □□□□ □□□ □ □□□□ □□ □□□ □ □□ □□□□ □ □□ □□□□.

Answer: A,E ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

DB □□□□□ □□□ □□□□□ □□□ □□□□□.

```
1. Log in as opc and then sudo to the root user.
2. Log in as opc and then sudo to the oracle user.
3. Execute the command: iptables -I INPUT 8 -p tcp -m state --state NEW -m tcp --dport 5500 -j ACCEPT -m comment --comment "Required for EM Express."
4. Execute the command: service iptables status
5. Execute the command: iptables-save > /tmp/iptables.orig
6. Execute the command: /sbin/service iptables save
7. Update the DB system's security list.
```

□□□ □□□ □□□ □□□ □□□□□□.

- A. 2,5,3,4,6,7 :
- B. 1,5,3,4,6,7
- C. 1,3,5,6,4,7
- D. 2,3,5,6,4,7

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 25**

□□□□ □□□ □□ □□□□ □□ □□ □□?

- A. □□□□ □□□ □□□ □□□□ □□□ □ □□□□.
- B. □□□□ □□□□□□ □□□ □□□ □ □□□□.
- C. □□□ □ □□□ □□□ □□□ □□□□□ □□□ □ □□□□.
- D. □□□ □ □ □□□ □□ □□□ □□□□ □□□ □ □□□□.
- E. □□□ □□□□ □□□ VCN □□ □□□□□ □□□ □ □□□□.

Answer: D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 26**

DB □□□ □□□ □□ □□□□ □□ □□?

- A. VM DB □□□□ □□□□□ □□□ □ □□□□.
- B. □□□□ DB □□□□ □□□□□ □□□ □ □□□□.
- C. VM DB □□□□ CPU □□□ □□□ □ □□□□.
- D. □□□□ DB □□□□ CPU □□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

<https://docs.cloud.oracle.com/en-us/iaas/Content/Database/Tasks/managingDBsystem.htm>

**1z0-998-21** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1z0-998-21 □□!  
 DumpTop □ □□ **1z0-998-21** □□ □□□ □□□□□□, DumpTop 1z0-998-21 □□ □□□  
 □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop  
 1z0-998-21 □□□ □□□□□□. <https://www.dumptop.com/Oracle/1z0-998-21-dump.html> (76  
 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)