

PECB.ISO-IEC-27001-Lead-Implementer.v2026-01-13.q30

□□□□:	ISO-IEC-27001-Lead-Implementer
□□□□:	PECB Certified ISO/IEC 27001 Lead Implementer Exam
□□□:	PECB
□□ □□ □□□:	30
□□:	v2026-01-13
# □□ □:	121
# □□ □□□:	300
https://www.krdump.com/PECB.ISO-IEC-27001-Lead-Implementer.v2026-01-13.q30.html	

NEW QUESTION: 1

□□ pg_restore □□□ □□□□ □□□□□□ □□□ □□ □□□□ □□ □□□ □ □□
□?

- A. -d
- B. --□□ □□
- C. -c □□ --clean
- D. -r

Answer: C (LEAVE A REPLY)

NEW QUESTION: 2

□□ PostgreSQL □□ □□□□□ □□□ □□ □□ □□□□ □□□ □□□ □ □□□?

- A. -Fc □□□ □□ pg_dump
- B. psql
- C. pg_restore
- D. pg_basebackup

Answer: (SHOW ANSWER)

NEW QUESTION: 3

□□ □□ □□□□□ □□□□□□ □□□□□□ □□ □□□ □ □□ □□ □□□□□?

- A. □□_□□
- B. □□□□_□□_□□
- C. □□ □□ □
- D. tcp_keepalives_count

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

COPY ☐☐☐ emp ☐☐☐ ☐ CSV ☐☐☐☐☐☐ ☐
☐ ☐☐ ☐☐ ☐?

- A. emp ☐ '/path/emp.csv' CSV ☐☐ ☐☐;
- B. emp ☐ '/path/emp.csv' ☐ ☐ ',' ☐☐ ☐☐☐.
- C. CSV ☐☐ ☐ emp ☐ '/path/emp.csv' ☐ ☐☐☐.
- D. CSV ☐ emp ☐ '/path/emp.csv' ☐ ☐☐☐.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

psql ☐ ☐☐☐ ☐ ☐☐☐☐☐ ☐ ☐☐☐ ☐☐☐. ☐ ☐☐☐ ☐
☐☐ ☐☐?

- A. \ds
- B. \☐☐☐
- C. \ls
- D. \dn

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

☐ ☐☐☐ ☐ ☐ ☐☐☐ ☐☐ ☐☐ ☐ ☐☐ ☐ ☐☐☐?

- A. pg_stat_progress_vacuum
- B. pg_stat_user_vacuum
- C. pg_stat_vacuumdb
- D. pg_stat_vacuum

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

PostgreSQL ☐ SQL ☐ ☐☐ ☐☐☐. ☐ SQL ☐ ☐☐☐ ☐☐☐☐ ☐
☐ ☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐☐ ☐ SQL ☐ ☐☐ ☐☐
☐☐☐☐ ☐☐ ☐.

☐ ☐ ☐ ☐ ☐☐ SQL ☐☐ ☐☐ ☐?

- A. psql -f sqldumpfilename --tuples -d ☐☐☐☐ ☐ -U ☐☐ ☐
- B. psql -f sqldump☐☐ ☐ -1 -d ☐☐☐☐ ☐ -U ☐☐ ☐
- C. psql -f sqldump☐☐ ☐ --all -d ☐☐☐☐ ☐ -U ☐☐ ☐
- D. psql -f sqldump☐☐ ☐ -quiet -d ☐☐☐☐ ☐ -U ☐☐ ☐

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

☐ ☐☐☐ ☐☐ ☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐?

- A. ☐☐ ☐☐
- B. ☐☐ ☐☐
- C. ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

VACUUM □ CREATE INDEX□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □
□□□□ □□□□□?

D. ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

```
edbstore 00000000 edbuser 0000 0000 000. 00 pg_dump 000 0
000 000?
```

D. --□□□ edbuser

Answer: ([SHOW ANSWER](#))

□□□ □□□□□ □□ PostgreSQL □□□ □□ □□□□ □□□□. □□ □□□ □□□
□ □□□?

D. ☐☐ ☐☐☐()

Answer: C (LEAVE A REPLY)

psql □ □ □ □ □ □ □ □ SQL □ □ □ □ □ □ □ □. □ □ □ □ □ □ □ □ □ □ □ ?

D. ☐ ☐ ☐ ☐

Answer: B (LEAVE A REPLY)

□□□□□ □□□ □□□□ □ □□□ □□ □□□ 10□□ □□□□□ □□□. □□ □□
□□□ □□□□ □□□?

- Answer: B (LEAVE A REPLY)**

☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐

☐☐?

- Answer: D (LEAVE A REPLY)**

□□□ □□ □□ □□□□ □□□□ □□□□ □□□. □□ pg_restore □□□ □□□
□ □□□?

- Answer: ([SHOW ANSWER](#))**

```
edbstore [REDACTED] [REDACTED] [REDACTED], [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED], COPY [REDACTED] INSERT [REDACTED] [REDACTED] [REDACTED]. [REDACTED] pg_dump [REDACTED] [REDACTED]
[REDACTED] [REDACTED]?
```

- Answer: C (LEAVE A REPLY)**

ISO-IEC-27001-Lead-Implementer □□ □□□ □□□□□ □□ DumpTop □□ □□
 □□ □□□ ISO-IEC-27001-Lead-Implementer □□! DumpTop □ □□ **ISO-**
IEC-27001-Lead-Implementer □□ □□□ □□□□□□, DumpTop ISO-IEC-27001-
 Lead-Implementer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □
 □□ □□□□ □□ DumpTop ISO-IEC-27001-Lead-Implementer □□□ □□□□□.

NEW QUESTION: 17

□□ □□ □□□ □□□□ □□□□ □□ □□ □□□□□□ □□□ □□□ □□□□
□□□ □□□□□?

A. pg_database□□ □□, □□□ □□□□□.

B. SELECT □□□ □□, pg_size_pretty(pg_database_size(□□□ □□)) AS □□ FROM
pg_database;

C. pg_database□□ □□□ □□, pg_database_size(□□□ □□)□ □□□□□.

D. □□□□□□ □□ □□;

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□ SQL□ □□□□□.

□□ □□ □□□ □, □□ □□□ □□□ □□□□□?

□□□□ vw_emp_details SET annsal = annsal + 100;

A. □□: □□ □□□□□ □ □□□□.

B. □□□□ □□□□□ □□□□□□ emp □□□□ □□ □□□□ □□□□□.

C. □□: annsal □□ □□□□□ □ □□□□.

D. □□□□ □□□□□ □□□□ emp □□□□ □□ □□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

PostgreSQL□□ VACUUM□ □□ □□□ □□□?

A. □□ □□□ □□□ □□□□ □□□□□.

B. □□□□□□□□ □□□□□.

C. □□□□□□□ □□□ □□□□□.

D. □□ □□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

PostgreSQL □□□ □□□□□ □□ □□□□□ Write-Ahead Log □□□ □□□□?

A. pg_log

B. pg_xlog

C. □_□□

D. pg_wal

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following is not a valid PostgreSQL identifier?
a. identifier_123
b. 123identifier
c. identifier123
d. identifier123_

A. identifier_123

B. 123identifier

C. identifier123

D. identifier123_

Answer: (SHOW ANSWER)

NEW QUESTION: 22

Which of the following is not a valid PostgreSQL identifier?
a. identifier_123
b. 123identifier
c. identifier123
d. identifier123_

A. identifier_123

B. 123identifier

C. identifier123

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

Which of the following is not a valid PostgreSQL identifier?
a. identifier_123
b. 123identifier
c. identifier123
d. identifier123_

A. \identifier_123

B. \123identifier

C. \identifier123

D. \t

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

Which of the following is not a valid PostgreSQL identifier?
a. identifier_123
b. 123identifier
c. identifier123
d. identifier123_

A. \identifier_123

B. \a

C. \identifier_123

D. \t

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

Which of the following is not a valid PostgreSQL identifier?
a. identifier_123
b. 123identifier
c. identifier123
d. identifier123_

A. \x

B. \a

C. \t

D. \h

Answer: (SHOW ANSWER)

NEW QUESTION: 26

□□ □□□□ 8MB□ □□□□□ □□□. □□ □□□□□ □□□□ □□□?

- A. □□ □□□ = 8MB
- B. □□ □□□ = 8MB
- C. □□ □□□ = 8MB
- D. □□ □□ = 8MB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□ □□□ □□ □□□ □ □□□ □□□□ □□□□ □□ □□ □□□□ □□□□□?

- A. VACUUM □□;
- B. □□□□□ □□ □ □□;
- C. CLUSTER □□;
- D. □□ □□;

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

PostgreSQL□□□ □ □□□ □□ □□□□□ □□□□ □ □□□□. □□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□, □□ □□ □□(Point-in-Time Recovery) □ □□□ □ □□□□. □□ □ □□ □□ □□(MTTR)□ □□□□ □□□ □□□ □□□ WAL □ □□ □□□ □□□□ □ □□□□ □□□□□ □□□□□?

- A. □_□□
- B. □□_□_□□
- C. □_□□□
- D. □□□□□_□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

edbuser□□ □□□□□□ □□□□ 'password'□□ □□□□□ □□□□□□. □□□ edbuser□□ edbstore □□□□□□□ □□ □□ □□□ □□□□ □□□ □□□□□?

- A. edbuser□□ edbstore □□□□□□□ □□ □□□ □□□□□.
- B. edbuser□□ edbstore □□□□□□□ □□ □□□ □□□ □□□□□.
- C. edbuser□□ edbstore □□□□□□□ □□ □□ □□□ □□□□□.
- D. edbuser□□ edbstore □□□□□□□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

VACUUM □ CREATE INDEX□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □ □□□□ □□□□□?

- A. □□_□□□

B. □□ □□ □□ □□□

C. □□ □□

D. □□ □□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

ISO-IEC-27001-Lead-Implementer □□ □□□ □□□□□ □□ DumpTop □□ □□
□□ □□□ ISO-IEC-27001-Lead-Implementer □□! DumpTop □ □□ **ISO-**
IEC-27001-Lead-Implementer □□ □□□ □□□□□□, DumpTop ISO-IEC-27001-
Lead-Implementer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □
□□ □□□□ □□ DumpTop ISO-IEC-27001-Lead-Implementer □□□ □□□□□.
<https://www.dumptop.com/PECB/ISO-IEC-27001-Lead-Implementer-dump.html> (336
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)