

Qlik.QSDA2022.v2024-04-22.q27

□□□□:	QSDA2022
□□□□:	Qlik Sense Data Architect Certification Exam - 2022
□□□:	Qlik
□□ □□ □□□:	27
□□:	v2024-04-22
# □□ □:	408
# □□ □□□:	270
https://www.krdump.com/Qlik.QSDA2022.v2024-04-22.q27.html	

NEW QUESTION: 1

□□□□ □□□□□

□□□ □□□□ □□, □□, □□ □□□□ □□□ □□ □□□□ □□□□. □□□□□ □ □□ □□ □□□ □□□□□.

* □□□

* □□ □□

* □□□

□□□□ □□□□ □□ □□□ □□□□ □□□ □ □□ □□ □□□ □□ □□□ □□□□ □□ □□.

□□□ □□□□□ □□□ □□ □□□?

A. KeyField □ Date□ □□□ □□□ □□□ □□□□ □ □□□ □ □□ □□ □□□□□.

B. □□ KeyField □ Date□ □□□ □ □□□ □□□□ □ □□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□□.

C. □□ □□□□ □ □□ □□□ □□ □ □□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□ □□ □□□ □□□ □□ □□ □ □□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□□. □ □□□ □□ □□□□ □□□□ □□□□□.

□□□ □□□ □□□□□ □□ □□ □□□□□ □□□ □□□ □□□. □ □□□□ □□□ □ □□, □□ □□ □□□□ □□□□□. □ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□□□□? (2□□ □□□□□.)

A. □□□□ □□ □□□ □□□□□.

□□ □□ □□ □□ 'Sgeodata1, '□□'; TAG FIELD □□□ 'Sgeodata', 'S□□1;

B. □□□ □□□ □□□□ □□□□ □□□ Sgeodata□ □□□□□.

C. GeoKakePoint(Lat, Long)□ □□□ □□ □□□ □□ □□□□ □□□□□.

D. □□ □□□ GeoProject{' Point' , Lat&Long) AS □□ □□□□□.

NEW QUESTION: 10

□□□□ □□□□□.

□□□□□ □□□ □ vLoadStart □ vLoadComplete □□□ □□ □□□□□?

A. vLoadStart; '□□□{}'

vLoadComplete: □□□□□ □□□ □□ □□□ □□ □ □□

B. vLoadStart: □□ □□ □□□ □□ vLoadComplete 'now()'

C. vLoadStart: □□ □□ □□□ □□ vLoadComplete: □□□□□ □□□ □□ □□□ □□ □ □ □

D. vLoadStart: □□□□□ □□□ □□ □□□ □□ □ □□ vLoadComplete: 'now()'

Answer: D (LEAVE A REPLY)

□□

vLoadStart □□□□ □□□□□ □□□□ □□ □□□ □□□ □□□□, vLoadComplete □□□□ □□□□□ □□□ □□ □□□ □□□ □□□□□.

NEW QUESTION: 11

□□□□ □□□□□.

□□ □□□□ □□□□ □□□ □□ □□□ □□□□ Orders □ Customers□□ □ □□ Excel □ □□ □□□□ □□ □□□□□□.

□ □□ □□□ □□ □□□ □□□□ □ □□□□□. □□□□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□ □□□□ □□□□ □□□□.

□ □□□ □□□□□ □□□ □□□□ □□□ □□ □□□?

A. □□□ □□□□ □□ Customers □□□□ □□□ □ CustomerId □□□ □ □□□□ □□□ □□.

B. □□□ □□ □□□□ □□ Orders □□□□ LOAD □□ NOCONCATENATE □□□ □□□□ □.

C. □□□ □□ □□□□ □□ □□ □□ JOIN□ □□□□ CustomerID□□ Orders□ Customers □ □□□□□.

D. □□□ □□□□ □□ □□ □□□□ □□□□ CustomerId □□□□ □□ □ □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 12

□ □□□ □□ 1GB□ □□□□ □□□□□ □□□□□. □□□□ □□ □□□□ □□□□□. □□□ □ □□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□. 2□ □□□□ □□ □□□ □□ □□ □□□□ □□ □□□□□ □□□□. □□ 2□□□□ □□□□□ □□□□ □□ □□ 720GB□ □□□ □□□. □□□□ □□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□?

A. 2□□ □□□ □□□□ □□□□ □□ □□□□□ ODAG(On-Demand App Generation)□ □□ □□□.

B. 2□ □□ □□□□ □□□□ □□□□ □ □□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□□□.

C. □□□ □□ 2□□□□ □□□□□ □□□□ □□ □□□□ □□ □□□ □□ □□ □□□□□.

D. 2000 0000 0000 0000 00 0000 000 000 000000.

Answer: (SHOW ANSWER)

NEW QUESTION: 13

000 0000 include 00 0000 TextFiles 00 000 00 0000 00 000000. 0
00 0000 0000 0000 000 00 000 0000 000.
000 0000 00 000 0000 000?

- A. \$<Include=lib://TextFiles/Variables.txt);
- B. \$(Must_Include=lib://TextFiles/Variables.txt);
- C. (Must_Include=lib://TextFiles/Variables.txt);
- D. (Includes=lib://TextFiles/Variables.txt);

Answer: (SHOW ANSWER)

00

MustInclude 00 000 000 00 000 0000 Qlik Sense 0 000 000 0 0000
0.

00 0000 000 000000 000 0000 0000.

qlik-sense-00-00-000-000-en. pdf

https://www.qlik.com/us/-/media/files/training/global-us/qlik-sense-certification-exam-study-guide-en.pdf?la=en 000 0000 00 - 000000 QlikView 00 Qlik Sense 0 FAQ

https://community.qlik.com/t5/Support-Knowledge-Base/Talk-to-Experts-Tuesday-Migating-from-QlikView-to 00 0 00 | 00

https://www.qlik.com/us/services/training/certifications-and-qualifications \$(Must_Include) 00 0
0 00 00 000 0000 000 000 00 000 0000 0 000000. 000

"Must_Include" 000 000 00 0 000 000 0 00 00 0000 000 000000.

"Must_Include" 00 0000 00 000 000 \$(Must_Include=lib://TextFiles/Variables.txt) 0
00.

NEW QUESTION: 14

0000 000000.

0000 000000.

00 0000 00 00 00 0000 000 00 00 000 00 00 000 000 00 0
00 0000 000000. 000 0000 000 00 00000000.

000 0000 000 00 000 0000 SalesRepMaster 0 CustomerMaster 000 00
000 000000.

000 000 000000?

- A. CustomerMaster 00 00 0000 00 26 00 null 000.
- B. 00 0000 40.7% 0 CustomerMaster 000 000 0000.
- C. 00 0000 59.3% 0 CustomerMaster 000 000 0000.
- D. 000 100% 000 Total Distinct 0 Present Distinct 0 0000 0000.

Answer: D (LEAVE A REPLY)

QSDA2022 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ QSDA2022 □□!
DumpTop □ □□ **QSDA2022** □□ □□□ □□□□□□, DumpTop QSDA2022 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
QSDA2022 □□□ □□□□□. <https://www.dumptop.com/Qlik/QSDA2022-dump.html> (78
Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

□□□□ □□□□□.

□□□ □□ □□□ AMERICAS, EMEA □ APAC□ □ □□□□ □□□□□□. □ □□□□□ □□
□□ □□ □□ □□ □□ □□□□ □□□□□□□ □□□ □□□□□□□□ □□ □□□ □□□□
□. □□□□ □ □□ QVD□ □□□□□.

□□□ □□□□ □□□ □□□ □□ 2□□ □□□□□ □□□□□□. □□□ □□□□ □□□ □□
□ □□□ □□□□ □□□.

□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□?

A. SalesTransaction □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□ □
□□□ □□□□□.

B. SalesTransaction □□□□ □□ □□□ □□□□ □ □□□□ □□□□ □□ □□ □□ □□
□□□□ □□□□.

C. Employee □□□□ □□ □□□ □□□□ EmployeeID□□ SubField □□□ □□□□ □□□
□.

D. Employee □□□□ □□ □□□ □□□□ EmployeeID□□ LTrim □□□ □□□□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

□□□□ □□□□□.

□□□ □□□□ □□ Qlik Sense □□ □□ □□□□ □□□□ □□□. Budget, CustomerId □
ProductId □□□ □□ Budget □□□□ □□□ □□□□□□. □□□ □□□□□□?

A. □□□ □□□□ □□ □□□ □□ □□

B. 3□□ □□ □□ □□ □□ □□□

C. □ □□ □□ □□ □□ □□ □□□

D. □□ □□□ 1□□ □□ □ 1□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

□□□ □ □□□□ □□□□ □□□□ □□□□□. □□□ □□□□ □□ □□ □ □□□□ □□
□ □□□ □ □□□□. □□□ □ □□□ □□□ □□□□.

□□ □□□□ □□ □□□ □□□□□□?

A. □□ □□□ □□□□□□□.

- B. □□ □□□□ □□ □□ □□ □□□□ □□□□□.
- C. □□ □□□ □□ □□□ □□□□□□□.
- D. □□□ □□ □□□□ □□ □□□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□
 □□ □□□□ □□ □□□□ □□ □□□□ □□□□, □□ □□ □□□□ □□□□ □□□□ □
 □□□□ □ □□□□. □□: Qlik □□ □□□□ □□ □□□□ □□ □□□□ □□□□ □ □□□
 □□. □□ □□□ □□□ □□ □□□□□ □□ □□□□ □□ □□□ □□ □□□□ □ □ □□
 □□□□ □□□□□ □ □□□□.

□□□□ □□ □□ □□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □ □ □□ □
 □□ □□□□ □□□□. □□ □□□ □□□□□□□ □□ □□□ □□□ □□ □□□ □□ □ □□
 □□.

NEW QUESTION: 20

□□□ □□□□ □ □□ □□ □□ □□□□□□□□ □□□□ □□□□ □□□. □□ □□□□
 QVD□ □□□ □□□□ □□□□□. □□□ □□, □□ □□.

- A. 4
- B. 2□
- C. 5□
- D. 3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□□□ □□□□□.

□□□ Excel □□□□ □□ □□□□ □□□□ □□□.

□□□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□ □□ □□ □□□□□?

- A.
- B.
- C.
- D.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□□□ □□□□□.

Qlik Sense Enterprise□ □□ □□ □□□□ □□ □□ □□□□ □□□□ □□ □□□ □□□□
 □ □□□□□. □□ □□□□□ □□□□ □□ □□□□□ □□ □□□ □□□□□ □□□ □□
 □□□. □□□□□ □□□□ □□□□□ □□□ □□□ □□ □□□?

- A. □□□ □□□□□ QMC□ □□□ □□□ □□ □□ □□□ □□□□□.
- B. Order Detail □□□□ LOAD □□ lib connect □□ ' SQL (abc_qs9rvi.es) '□ □□□□□.

- * □□ □□□ □□ □□□□ □□□ □□ □ □□ □□□ □□□□□.
 - * □□□□ □□ □□□□ □□□□ □ □□ ID□ □□ □□□ □□ □□□ □□ □□□ □□□ □ □□□□.
 - * □□□□ □□□ □□□□□□ □□(□□□)□□, □□□□□ □□□□□.
 - * □□□ □□, □□□□ □□□ □□□□ □□□.
- □□□□ □□□ □□□ □□□□ □ □□□ □□□ □□ □□ □□□□.
- □□□□ □□ □□□ □□□□ □□□?
- A.** 1. OrderDetails □□□□ Shipments □□□□□ OrderID □ ProductID□ □□□□ □□ □□□ □□.
2. □□ □□□□□ ShipmentID□ □□□□□.
- 3 □□ □□□□□ ProductID □ OrderID□ □□□□□.
4. Orders□ OrderDetails □□
- B.** 1. OrderDetails □ e□ Orders □□□□□ OrderID □ ProductID□ □□□□ □□ □□□□□.
2. □□ □□□□□ ShipmentID□ □□□□□.
3. OrderDetails□□ ProductID □ OrderID□ □□□□□.
4. □□ □□ Orders □OrderDetails
5. MasterCalendar □□□□ □□ Derive □□ □□□□ OrderDate □ ShipmentDate□ □□ □□ □ □□□□□.
- C.** 1. OrderDetails □□□□ Orders □□□□□ OrderID □ ProductID□ □□□□ □□ □□□□ □.
2. □□ □□□□□ ShipmentID□ □□□□□.
3. OrderDetails □□□□□ ProductID □ OrderID□ □□□□□.
4. Orders□ OrderDetails □□
5. MasterCalendar □□□□ □□□□ □□ □□□□ □□□□ OrderDate□ ShipmentDate □□ □ □□□ □□□ □□□□□.
- D.** 1. OrderData Is □□□□ Shipments □□□□□ OrderID □ ProductID□ □□□□ □□ □□ □□□.
2. □□ □□□□□ ShipmentID□ □□□□□.
3. Shipmi□□ ProductID □ OrderID□ □□□□□.
4. □□ □□ Orders □ OrderDetails
5. MasterCalendar □□□□ □□ Derive □□ □□□□ OrderDate □ ShipmentDate□ □□ □□ □ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 26

- □□□□□.
- USER1□ □ □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□.
- USER1□ □□□ □ □ □□ □□□ □□□□□?
- A.** □□□□, □□, □□□□
- B.** □□□□, □□□□

C. □□. □□□□, □□, □□□□

D. □□ □□□□, □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□□ □□ □□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□.

□□ □□ 20r000□□□ 30□□ □□□□ □□□□ □□□. □ □□□ □ 3□□ □□ □□□ □□ □ □□□□□.

□□□□ Excel□ □□□□ □□□ □□ □□□ □□ □□□□ □□□□□ □□□□□. □□□ □ □□□ □ □□□□ □□□□ □□ □□□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□ □.)

A. OQlikGeoAnalytics

B. ODAG

C. QlikDataMarket

D. Qlik □□□□□

E. Qlik NPrinting

Answer: ([SHOW ANSWER](#))

□□

□□ □□ □□ B□□□.

ODAG □ E. Qlik NPrinting.

ODAG(On Demand Application Generation)□ □□□ □□□ □□□□ □□□□ □□□ □□□□ □ □□□ □ □□ Qlik□ □□□□□.

□□ 20,000□□ □□□□ □□□ □ □□□ 3□□ □□□ □□□ □ □□□□.

NPrinting□ □□□ □□ □□□ □□ Excel □□□□ □□□□ □□□□ □ □□□ □ □□ Qlik□ □□□□□.

QSDA2022 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ QSDA2022 □□! DumpTop □ □□ **QSDA2022** □□ □□□ □□□□□□, DumpTop QSDA2022 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop QSDA2022 □□□ □□□□□. <https://www.dumptop.com/Qlik/QSDA2022-dump.html> (78 Q&As Dumps, **30%OFF Special Discount: KrDump**)