

# Qlik.QV12SA.v2022-07-29.q21

□□□□:	QV12SA
□□□□:	QlikView 12 System Administrator Certification Exam
□□□:	Qlik
□□ □□ □□□:	21
□□:	v2022-07-29
# □□ □:	689
# □□ □□□:	210
<a href="https://www.krdump.com/Qlik.QV12SA.v2022-07-29.q21.html">https://www.krdump.com/Qlik.QV12SA.v2022-07-29.q21.html</a>	

## NEW QUESTION: 1

In order to enable Unbalanced QlikView Server Clustering which two files must be edited? (Select two )

- A. C:\ProgramData\QlikTech\QlikViewServer\Settings ini
- B. C:\ProgramData\QlikTech\QlikViewServer\Cluster\Settings mi
- C. C:\Program Files\QlikView\Management Service\Settings ini
- D. C:\Program Files\QlikView\Server\Web Server\Settings.ini
- E. C:\ProgramFiles\QlikView\Web\Settings ini

**Answer: C,D (LEAVE A REPLY)**

## NEW QUESTION: 2

A system administrator finds this error message in the event log file

500 Warning WorkingSet: Virtual Memory is growing beyond parameters - 22.761(22.393) GB

Which is the cause of the error?

- A. QlikView Server memory is above the Cache limit for the Working Set
- B. QlikView Server memory is above the Low limit for the Working Set
- C. QlikView Server memory is above the High limit for the Working Set
- D. QlikView Server memory is below the Low limit for the Working Set

**Answer: C (LEAVE A REPLY)**

## NEW QUESTION: 3

The reloading of a QlikView document is dependent on an external file being created in a specific folder

A system administrator has developed a custom application that searches for the external file and communicates with the QlikView Management Service.

Which functionality of the QlikView Distribution Service should the administrator use to reload the QlikView

document?

- A. Use an Event Driven Execution (EDX) trigger that is initiated by the custom application
- B. Set up an On a schedule trigger with a dependency on the custom application
- C. Set up an On event from another task trigger initiated by the custom application
- D. Set up a supporting task for the custom application

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

A system administrator needs to create a task that creates new QlikView documents with data associated with

the Year field only. The QlikView documents need to be created using the Document Name and the values in the Year field.

What should the administrator do to meet the requirement?

- A. Set the Reduced Document name field to %SourceDocumentName% %yyyy% and the Loop and Reduce with Field value field to Year
- B. Set the Reduced Document name field to %SourceDocumentName% %DocumentField,Year% and the Loop and Reduce with Field value field to Year
- C. Set the Reduced Document name field to %SourceDocumentName% %DocumentField,Year% and the Simple Reduce value field to Year
- D. Set the Reduced Document name field to %SourceDocumentName% %yyyy% and the Simple Reduce value field to Year

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 5**

A QlikView Distribution Service cluster has a large amount of document reloads and tasks take a long time to

finish. The logs indicate tasks are being queued because no QVB engines are available. The system

administrator must clear the task queue and increase performance

Which setting in the QlikView Management Console should the system administrator check?

- A. The Max number of simultaneous QlikView engines for administration setting for Distribution Service
- B. The Max Concurrent Reloads setting for QlikView Server
- C. The CPU Affinity setting for QlikView Server
- D. The Max number of simultaneous QlikView engines for distribution setting for Distribution Service

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 6**

A system administrator is configuring a two node QlikView Server cluster and will install QlikView Publisher

on its own separate node. The configuration of services is as follows:

Node A QlikView Server service, QlikView Management service Node B QlikView Server service, QlikView

Management service Node C QlikView Distribution service QlikView Settings service QlikView Directory

Service Connector service.

Which part of this configuration does NOT conform to best practices?

- A. Running two simultaneous QlikView Server services on separate nodes
- B. Running two simultaneous QlikView Management services on separate nodes
- C. Running the QlikView Distribution service and the QlikView Directory Service Connector service on the same node
- D. Running the QlikView Server service and QlikView Management service on the same node

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 7**

A system administrator wants to configure a SAN folder to store User Documents. The administrator wants to

use NTFS to allow all users access to the QlikView documents.

Which permission should the administrator grant on the SAN folder?

- A. Allow
- B. Write
- C. Read & execute
- D. Execute

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 8**

A system administrator upgrades to QlikView 12. Tasks no longer start or trigger. The administrator uses

Windows Task Manager to look at the environment and notices the overall CPU usage is above 75%.

Which QVDistributionService.exe.config setting should be changed to allow tasks to start?

- A. Adjust the MemoryOverloadLimit value from the default value of 90 to 85
- B. Adjust the QvbWaitTimeoutMinutes value from the default value of 45 to 85
- C. Adjust the CpuOverLoadLimit value from the default value of 75 to 85
- D. Adjust the FileSizeInMbToCheckForFullDisc value from the default value of 20 to 85

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 9**

QlikView Server (QVS) and QlikView Distribution Service are on the same server

The system administrator needs to make sure that the QVS does NOT use all of the CPU cores

Which setting should the administrator modify?

- A. Object Calculation Time Limit
- B. CPU Throttle
- C. Working Set
- D. CPU Affinity

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 10**

A system administrator needs to add resilience redundancy and increase capacity of a QlikView Distribution

Service (QDS) What should the administrator do?

- A. Add more CPU and memory resources to the server running the QDS
- B. Install license and configure additional QlikView Server nodes in a QlikView Server Cluster
- C. Add more free disk space to the server running the QDS
- D. Install, license and configure additional QDS nodes in a QDS Cluster

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 11**

End users report they are unable to reach the AccessPoint. The system administrator investigates the problem

and determines the QlikView Web Server cannot be started because another non-QlikView service is using

port 80. The system administrator needs to resolve the problem without affecting the non-QlikView service

What should the system administrator change in the QlikView Management Console?

- A. Set the port number for the QlikView Server in the Location section to 4747
- B. Set the port number for the QlikView Web Server in the Communication section to 4750
- C. Set the port number for the QlikView Web Server in the Communication section to 8080
- D. Set the port number for the QlikView Server in the Location section to 8080

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

A system administrator configures a new QlikView Server node to integrate with an existing QlikView Server

environment

Which port number does the system administrator need to ensure is open for communication with the existing

QlikView Management Console?

- A. 4720
- B. 4747
- C. 4780
- D. 4750

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 13**

When configuring QlikView Server to integrate with Microsoft IIS which QlikView service should be

installed on the Microsoft IIS server?

- A. QlikView Webserver Service
- B. QlikView Publisher Service
- C. QlikView Redirect Service
- D. QlikView Settings Service

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 14**

A company has a QlikView developer that needs to license QlikView Personal Edition Which CAL type

should a system administrator assign to the developer?

- A. Session CAL
- B. Usage CAL
- C. Named User CAL
- D. Document CAL

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 15**

A QlikView deployment contains two clustered QlikView Servers.

The QlikView Web Server Service (QVWS) has been installed on a different server than the QlikView Server

services However the QlikView Web Server fails to start.

Which are two outcomes of this failure? (Select two.)

- A. Users cannot access the AccessPoint
- B. The AccessPoint displays the message: No web server
- C. The QlikView Servers can no longer hold QlikView documents in RAM
- D. The QlikView Management Console can no longer be accessed by the system administrator
- E. The load balancing method for the QlikView Servers cannot be changed

**Answer: ([SHOW ANSWER](#))**



D. QlikView task and distribution log files

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 18**

A system administrator receives reports that assigned CALs have disappeared Which file should the system

administrator restore from backup?

- A. Meta file
- B. Settings.ini
- C. PGO file
- D. LEF

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 19**

QlikView users report that when they open the AccessPoint the webpage displays the error messageNo server.

The AccessPoint is installed on a server in the DMZ. Both the QlikView Server service and the QlikView

Management Service are installed on a single server behind a firewall. The QlikView Server service is running

and is working in the QMC.

A system administrator pings the AccessPoint server from the QMC server command-line and receives this

response: Request timed out

What are two likely causes of the error message? (Select two.)

- A. The QlikView Web Server has stopped
- B. The QlikView Web Server does NOT have a valid license
- C. The QlikView Server has no available CALs
- D. The two servers are on untrusted domains without a valid digital certificate
- E. Firewall constraints are blocking communications

**Answer: A,D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 20**

A QlikView server environment is restarted multiple times. The system administrator finds this message in the

QlikView Server event

logs:

Restart: Server aborted trying to recover by restart. Reason for restart: Phoenix detected:

Performance monitor

stuck.

Which are three possible causes for this error? (Select three )

