

RedHat.EX280.v2026-06-18.q12

□□□□:	EX280
□□□□:	Red Hat Certified Specialist in OpenShift Administration exam
□□□:	RedHat
□□ □□ □□□:	12
□□:	v2026-06-18
# □□ □:	104
# □□ □□□:	120
https://www.krdump.com/RedHat.EX280.v2026-06-18.q12.html	

NEW QUESTION: 1

□□ □□

□□ □□ □□□ □□□□□ OpenShift □□□□□ □□□□□□. □□□ □□ armstrong
□ commander □□□ □□□□□□ □□□. □□□ □□ collins□ pilot □□□ □□□□□
□ □□□. □□□ □□ aldrin□ pilot □□□ □□□□□□ □□□. commander □□□ □□
□□ apollo □□□□□ □□ □□ □□□ □□□ □□□. pilot □□□ □□□□ apollo □□
□□□ □□ □□ □□□ □□□ □□□.

Answer:

□□ □□□□ □□ □□□ □□□□□.

□□:

□□□:

```
$ oc □□□ □□ □ □□□
```

```
$ oc □□□ □□ □□ □□□
```

```
$ oc adm groups add-users commander armstrong
```

```
$ oc adm groups add-users pilot collins
```

```
$ oc adm groups add-users pilot aldrin
```

```
$ oc adm policy add-role-to-group edit commander -n apollo
```

```
$ oc adm policy add-role-to-group view pilot -n apollo
```

NEW QUESTION: 2

□□□□□□ □□ □□

□□ □□ □□□ □□□□ Lerna □□□□□□ Hydra □□□□□□ □□ □□□ □□□□
□□□□□.

□□ □□□ □: 6□, □□ □□□ □: 9□

□□ □□ CPU □□□: 60% □□□□ CPU □□□ □□: 25□ □□□□ CPU □□□ □□:
100□

Answer:

oc autoscale deployment.apps/hydra

oc:

oc:

\$ oc autoscale deployment.apps/hydra

\$ oc get pods

\$ oc get all | grep deployment

\$ oc autoscale deployment.apps/hydra --max=9 --min=6 --cpu-percent=60

\$ oc get hpa

\$ oc set resources deployment.apps/hydra --limits=cpu=100m -- requests=cpu=25m

\$ oc describe deployment.apps/hydra | grep Limits -A3

NEW QUESTION: 3

oc autoscale deployment.apps/minion

oc autoscale deployment.apps/minion --max=5 --min=1 --cpu-percent=50

Answer:

oc autoscale deployment.apps/minion

oc:

oc:

\$ oc autoscale deployment.apps/minion

\$ oc get pods

\$ oc get all | grep deployment

\$ oc scale --replicas=5 deployment.apps/minion

\$ oc get pods

NEW QUESTION: 4

oc adm create-bootstrap-project-template

oc adm create-bootstrap-project-template

oc adm create-bootstrap-project-template -o yaml > template.yaml, openshift-config

oc adm create-bootstrap-project-template -o yaml > template.yaml, openshift-config

oc adm

Answer:

oc adm create-bootstrap-project-template

oc:

oc:

* oc adm create-bootstrap-project-template

oc adm create-bootstrap-project-template -o yaml > template.yaml

* oc adm create-bootstrap-project-template -o yaml > template.yaml

* openshift-config openshift-config:

oc create -f template.yaml -n openshift-config

* oc edit project.config.openshift.io/cluster

oc edit project.config.openshift.io/cluster


```

/CN=classified.apps.domainxx.example.com"
$ openssl x509 -req -in ex280.csr -signkey ex280.key -out ex280.crt
$ oc create route edge oxcart --service oxcart --key ex280.key --cert ex280.crt --hostname
classified.apps.
□□□xx.example.com
$ oc □□ □□□□
$ oc get svc

```

NEW QUESTION: 8

```

□□□ □□□ □□□□□
□□ □□ □□□ □□□□□ apples □□□□□□ □□□ □□□ □□□□□□.
□□ □□□ ex280sa□□□.
□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ Pod□ □□□ □ □□□□.

```

Answer:

```

□□ □□□□ □□ □□□ □□□□□.
□□:
□□□:
$ oc □□□□ □□
$ oc create sa ex280sa
$ oc adm policy add-scc-to-user anyuid -z ex280sa

```

NEW QUESTION: 9

```

ID □□□ □□
□□ □□ □□ □□:
□□ HTTPasswd □□□□ □□□□□: bob, qwerty, john, armstrong, natasha, harry,
susan.
openshift-config□ HTTPasswd □□□□ □□ □□ □□□□□.
□□□□ OAuth□ HTTPasswd ID □□□□ □□□□□ □□□□□.
□□□ □□ □□□ □□□□□ OAuth Pod□ □□□□□□□□.

```

Answer:

```

□□ □□□□ □□ □□□ □□□□□.
□□:
□□□:
* □ □□ □□□□ □□ HTTPasswd □□□ □□□□□.
htpasswd -c -B -b /tmp/htpass.txt □ □□□□
* □□□ □□□□ □□□□□:
htpasswd -b /tmp/htpass.txt qwerty □□□□
htpasswd -b /tmp/htpass.txt john john123
htpasswd -b /tmp/htpass.txt armstrong natasha123
htpasswd -b /tmp/htpass.txt □□□ □□□□□
htpasswd -b /tmp/htpass.txt harry harry123

```


oc □□ □□□□

□□:

* □□□□ □□□□ □□□□ □□ □□□ ehterpad□ □□ □□□ □ □□□□.

* □□□□ □□□□ □□□ □□ □□□ □□□□□□. □□□ □□□□ □□□ □□ □□ □□□ □□ □□□□□.

□ □□□ Helm □□□ □□ □ □□□□□□ □□□ □□□□□□.

EX280 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ EX280 □□!
DumpTop □ □□ **EX280** □□ □□□ □□□□□□, DumpTop EX280 □□ □□□ □
□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
EX280 □□□ □□□□□. <https://www.dumptop.com/RedHat/EX280-dump.html> (33
Q&As Dumps, **30%OFF Special Discount: KrDump**)