

SAP.C-BW4H-2404.v2025-05-07.q79

□□□□:	C-BW4H-2404
□□□□:	SAP Certified Associate - Data Engineer - Data Fabric
□□□:	SAP
□□ □□ □□□:	79
□□:	v2025-05-07
# □□ □:	681
# □□ □□□:	790
https://www.krdump.com/SAP.C-BW4H-2404.v2025-05-07.q79.html	

NEW QUESTION: 1

□□□□ □□□ □□□□ □□□ □ □□ □□ □□□□□?

- A. □□□ □□ □□□ □□□□□.
- B. □□□□ □□ □□ □□ □
- C. □□□□ □□□ DataSource□□
- D. □□□□ □□ □□□ □ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ SAP BW/4HANA □□□ □□□ □□ □□□□(DTP)□ □□□ □□□ □ □□□□? □□:
□ □□□□ □□□ 3□ □□□□.

- A. □□ □□
- B. □□ □□ □□□
- C. DataStore □□(□□)
- D. □□ □□□
- E. SAP HANA □□ □□□□

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

InfoObject "CITY"□ InfoObject "CUSTOMER"□ □□ □□ □□□□ □□□□ □□□□. InfoObject "COUNTRY"□ InfoObject "CITY"□ □□ □□ □□□□ □□□□ □□□□. □□□□ □□□ □□□□□ □□□ □□□□□ □□□. "□□"□ "□□".

□ □□□□□ □□□□ □□ □□ □□□ □□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. "CUSTOMER"□ □□ BW □□□ □□ "CUSTOMER"□ □□□□ □□ □□ □□ □□□ □□□□□□.
- B. "CUSTOMER" "CITY" "COUNTRY"□ □□ □□ □□ □□□□ □□ □□ □□ □□□□□.
- C. □□□ □□ □□ □□ □□□□ □□□□ "CUSTOMER" "CITY" "COUNTRY"□ □□ □□□□ □□□□□.
- D. InfoObject □□□□ "CUSTOMER"□ □□ □□ □□□□ "COUNTRY"□ □□□□□.

E. `InfoObject('CUSTOMER', 'CITY', 'COUNTRY')`

Answer: B,C,D ([LEAVE A REPLY](#))

InfoObject('CUSTOMER', 'CITY', 'COUNTRY')

B: `InfoObject('CUSTOMER', 'CITY', 'COUNTRY')`

NEW QUESTION: 4

SAP BW/4HANA SAP HANA ?

2

A. ODS

B.

C.

D. BW

Answer: ([SHOW ANSWER](#))

SAP HANA SAP BW/4HANA SAP HANA

SAP BW/4HANA

* Open ODS CompositeProviders BW

* Composite Provider InfoProvider

Composite Provider Generate External SAP HANA View

NEW QUESTION: 5

SAP BW/4HANA ?

2

A. SAP BW/4HANA InfoProvider BW

B. SAP BW/4HANA

C. DataStore

D. SAP BW/4HANA

Answer: ([SHOW ANSWER](#))

SAP BW/4HANA

* : SAP BW/4HANA

NEW QUESTION: 6

□□ □□□ □□□ □□□ □ □□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □□□□ RSECADMIN□□ □□□□□ □□
- B. □□ □□ S_RS_AO□ □□□□ □□□ □□ □□□□ PFCG□□
- C. □□ SU01□□ □□□□□ □□ □□
- D. S_RS_AUTH □□ □□ □□□ □□□□ □□□ □□ □□□□ PFCG□□

Answer: (SHOW ANSWER)

A. RSECADMIN:

* □ □□□□□ □□ SAP BW/4HANA□ □□□ □□□□ □□□□ □□ □□ □□□□□ □□ □□□ □□ □□□ □ □□□□.

D. S_RS_AUTH□ □□ PFCG:

* □□ □□□ □□ □□□ □□□□□ □□□□ □□ □□ □□ S_RS_AUTH□ □□□□ □□□□ PFCG□ □□ □□□ □□□ □ □□□.

□□: SAP BW/4HANA □□ □□ □□(SAP □□□ □□).

NEW QUESTION: 7

□□ □□ BW □□□□ □□ □□ □□□ □□□□ □□□. □□ □ □□□ □□□ □ □□□□?

□□: □ □□□□ □□□ 2□ □□□□.

- A. □□ □
- B. □□ □
- C. □□ □
- D. □□□ □

Answer: B,C (LEAVE A REPLY)

SAP BW(Business Warehouse)□□ □□ □□□□ □□□ □□□ □ □□ □□ □□ □□□ □□□□□ □□□ □□ □□□□ □□□ □ □□□□. BW □□□ □□ □□ □□□□ □□□ □□ □□□□ □□□□ □ □□□□□. □□ □□ □□□ □□□□ □□ □□ □□ □□□ □ □□□□.

* □□ □: □□ □□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□ □□□ □ □□□□. □□□ □□□ □□□□ □ □□ □□□ □ □□□□. □□ □□ □□□ □□□□ □ □□ □□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□□□. □□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□□ □□□ □ □□□□.

* □□ □: □□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□□. □□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□□ □□□□ □□□ □ □□□□. □□ □□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□ □□ □□ □□□□.

* □□ □: □□ □□ □□□ □□ □□ □□□□ □□ □□ □□□□□. □□□ □□□ □□□ □□□□ □□ □□ □□ □□□□□ □ □□□□ □□ □□□□.

* □□□ □: □□□□ □□ □□ □□ □□ □□□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□□□ □□□□. □□□ □□ □□ □□□□ □□□ □□ □□ □□□ □□□□ □ □□□ □ □□□□.

* □□ □: □□□□ □□ □□ □□ □□ □□□ □□ □□ □□ □□□□□ □□□□□ □ □□□□□□. □□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□□ □□ □□ □□□ □ □□□□.

* □□ □: □□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□ □ □□□□□. □□ □□, □□ □□□ □□ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□□ □□ □□□ □ □□□□.

* D. SAP Datasphere BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit. SAP Datasphere BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

* B: SAP BW/4HANA SAP Datasphere BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

* D: BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

* SAP BW/4HANA BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

* BW Bridge Cockpit SAP 3089751 BW Bridge Cockpit.

* SAP BW/4HANA BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

SAP BW/4HANA BW Bridge Cockpit SAP Datasphere BW Bridge Cockpit.

NEW QUESTION: 15

SAP BW/4HANA SAP ERP OFI_GL_14(GL) DataSource.

DataSource SAP ERP 2.

A. SAP ERP RSA2(DataSource Repository)

B. SAP BW/4HANA RSDS(DataSource Repository)

C. SAP BW/4HANA RSORBCT(BI)

D. SAP ERP RSA5(DataSource)

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 16

LSA++ DataSource SAP BW/4HANA LSA++ DataSource.

A. SW DataSource

B. DataStore DataSource

C. CompositeProvider DataSource

D. Open ODS View DataSource

Answer: B (LEAVE A REPLY)

C-BW4H-2404 DumpTop C-BW4H-2404! DumpTop C-BW4H-2404 DumpTop, DumpTop C-BW4H-2404 DumpTop. DumpTop C-BW4H-2404 DumpTop. <https://www.dumptop.com/SAP/C-BW4H-2404-dump.html> (82 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 17

□□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □□ □□□ InfoObjetc
- B. □□ □□□ ODS □ □□
- C. □□ □□□ □□ □
- D. □□□ □□□ □□□ ODS □ □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 18

□□ □□ □□□ □□ SAP BW/4HANA □□□ □□□ □□ SAP HANA □□□ □□□ □□□□□? □□: □ □□□ □□ □□□ 2□ □□□.

- A. □□ SQL □□ □□
- B. □□□□□ □□□ □□□□ □□□ □□ □□□ □□□□□.
- C. □□ SAP HANA □□□ □□ □□
- D. □□□ □□□ □□□ □□□ □□ □□□

Answer: A,C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 19

SAP Datasphere Core□□ SAP BW □□□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□□□□? □□: □ □□□□ □□□ 2□ □□□□.

- A. *SAP BW □□□ □□□ SAP BW □□□ □□□□ □□□□□.
- * □□□ □□ □□□□ □□ □□□ □□□□□.
- *□□ □□□ □□□□ □□ □□□□ □□□□ □□□□□.
- B. *SAP BW □□□ □□□ □□ □□□□ □□□□□.
- *□□ □□□ □□□□ □□ □□□□ □□□□ □□□□□.
- C. *SAP BW □□□ □□□ SAP BW □□□ □□□□ □□□□□.
- *□□ □□□ □□□□ □□ □□□□.
- * □□□ □□ SAP BW □□□ □□□ □□□□ □□□□ □□□□□.
- D. * □□ □□□□ SAP BW □□□ □□□□ □□□ □□□□□.
- *SAP BW □□□ □□□□ □□ □□ □□□ □□□□ □□□□□.

Answer: [\(SHOW ANSWER\)](#)

- * □□ A:
 - * BW □□□□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□, □□ □□ □□ □□□□□.
 - * □□ B:
 - * BW □□□ □□□ □□ □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□□□□.
 - * □□ C: □□ □□□□ BW □□□□ □□ □□□□ □□ □□□□ □□□ □□□□.
 - * □□ D: □□ □□□□ BW □□□□ □□□ □□□□ □□ □□ □□□□□ □□□□□.
- □□:□□:
- * SAP Datasphere BW Bridge □□ □□□

NEW QUESTION: 20

SAP BW/4HANA Business Blueprint? : 2

- A. Open ODS InfoObject
- B. Open ODS InfoObject
- C. (LSA++) SAP
- D.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 21

"COSTOBJ"

- A. "COSTOBJ"
- B. "COSTOBJ"
- C. "COSTOBJ"
- D. "COSTOBJ"

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

- A.
- B. BW DataStore (DSO)
- C.
- D.
- E. SAP DataSphere SAP BW

Answer: A,B,D (LEAVE A REPLY)

SAP Data Fabric SAP BW/4HANA

- * :
- A:
- * :
- B: BW DataStore (DSO)
- * :
- C:
- * :

Answer: (SHOW ANSWER)

NEW QUESTION: 28

- □□□ CompositeProvider□ □□ □□□ □□□□ □□ □□ □□ □□ □□□□□.
- □□ □□ □□□□□□ DataStore □□(□□)□□ □□□□□□. □□ □□ DataSources□ □□□ □□ ODS □□ □□□□ □□
- CompositeProvider□□ □□□□□□.
- CompositeProvider□ □□□□ BW □□□□ □□□□ □□□□ □□□ □□ □□□□?
- : □ □□□□ □□□ 2□ □□□□□.
- A. □□ □□ CompositeProvider□ □ DataStore □□□□ □□□□(□□) □□□□ □□ □□□□ □□□□ □□□□.
- B. □□ CompositeProvider□ Union □□ □□ join □□□□ □□□□□□.
- C. □□ □□□□ DataStore □□(□□)□ □□ □□□□□□ □□ □□ □□□□□ □□□□□□ Open ODS □□ □□□□□.
- D. Open ODS □□ "□□□□ □□ □□" □□□□ □□□□□ □□ □□□□ □□ □□□□ DataStore □□□□ □□□□□(□□).

Answer: (SHOW ANSWER)

- * □□ □□ CompositeProvider □□(□□ A):
- * □□ □□□□ DataStore □□(□□)□ □□□□□ CompositeProvider□ □□ □□□□ □□□□ □□, □□□□, □□ □□□□ □□□□ □□ □□□□□□.
- * □□ □□□□□ □□ □□□□ □□ □□(□□ D):
- * "□□□□ □□ □□" □□□□ □□□□□ Open ODS □□□□ □□□□□ □□□□ □□□□ □□ DataStore □□□□ □□□□ □ □□□□, □□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□□ □ □□□□□.
- * Union □□ □□ □□(□□ B): □□□□ □□ □□ □□ □□ □□ □□□□ □ □□□□□ □□□□□.
- * □□ □□□□□ □□ ODS □□(□□ C): □□ □□□□□ □□ ODS □□□□ □□ □□□□ □□□□ □ □□□□ □□□□□ □□□□ □□ □□□.
- □□:□□:
- * SAP BW/4HANA □□□□ □□□□
- * SAP □□□□ □□ - □□ □□□□ □□

NEW QUESTION: 29

- □□□□□□ □□□□□ □□□□□ □□□ □□□ □□□□□□□□ □□□ □□□□□□□? □□: □ □□□□ □□ □□□□ 2□□□□□.
- A. □ □□□□□ □□□□□ □□□ □□ □□□□□□ □□□□□□.
- B. □□ □□□□ □□□□ □ □□□□□.
- C. □□ □□□□□□ □□ □□□□□□ □ □ □□□□□.
- D. □□ □□□□□ □□ □□□□ □□□□ □□□□ □□□□□□□□.

Answer: A,D (LEAVE A REPLY)

- SAP BW/4HANA □□□□□ □□□□ □□ □□□□□□ □□□□□ □□□□□ □□ □□□□□□. □□□□ □□□□□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□□ □□ □□□□ □□□□□.
- □□□□ □ □□□□□ □□ □□□□ □□□□ □□□□ □□□□□.
- * □□□□□ □□ □□: SAP BW/4HANA□ □□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□(□: □□□□ □□, □□, □□) □□□□. □□ □□□□□□ □□ □□□□ □□□□□□.
- * □□ □□□□□ □□:
- * □□ □□□□□□ □□ □□□□□ □□□□ □□□□□□□.

- * □□□□ □□□ □□, □□□ □□□ □□□□□ □□□□□.
- * □□□ □□□□ □□ □□ □□□□□ □□□□ □□□□.
- * □□ □□: □□ □□□ □□ □□ □□□□ □□□ □□□ □□□□ □□□□□. □□ □□□□□ □□ □□□ □□□ □□ □□□, □□□ □□ □□□ □□□ □□□ □□□□.
- □□:
- * □□ A: □ □□□□ □□□□ □□□ □□ □□□□□ □□□□□.
- * □ □□□□□?□□ □□□□ □□□□ □□□ □□□ □□ □□□□□ □□□ □□□. □□□ □□ □□□ □□ □□□□ □□□□ □□ □□□□ □□□□. □□ □□ □□□□□ □□□ □□□□ □□□ □□ □□□□ □□□□□.
- * □□ B: □□ □□□ □□□ □ □□□□.
- * □ □□□□?□□ □□□□□ □□□□□ □□ □□□ □□□ □ □ □□□, □□ □□ □□□□□ □□□ □□□ □□□□. □□□ □□ □□□□□ □□ □□□ □□□ □ □□□□ □□ □□□□ □□ □□□□ □□□ □□□□.
- * □□ C: □□ □□□□□ □□ □□□□□ □ □ □□□□.
- * □ □□□□?□□ □□□□□ □□□ □ □□ □□□□□□ □□□ □□ □□□□□ □□ □ □□□□. □□□ □□□ □□□ □□□ □□ □□□□□ □□□□□□ □□□ □ □□□□.
- * □□ D: □□ □□ □□ □□□ □□ □ □□ □□□ □□□□□□□.
- * □ □□□□□?□□ □□□□□ □□ □□□□□ □□ □□ □□□□□ □□□□□ □ □□□ □□□ □□□□□. □□ □□ □□□ □ □□□ □□□□□ □□ □□□□ □□ □□□ □□□ □ □□□□.
- □□ □□:
- * SAP BW/4HANA □□□□ □□ □□□: □ □□□□ □□□□ □□□ □□□□ □ □□□ □□ □□□□□ □□□ □□□□ □□□ □□□ □□ □□□□□ □□□□□ □□ □□□□□.
- * SAP Note 2700850: □ □□□ □□ □□□□□ □□□□ □□□ □□□□ □□ □□□□□ □□□□ □□□ □□ □□□ □□□□ □.
- * □□□□ □□□ □□ SAP □□ □□: SAP□ □□□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□□□ □□ □ □□□□ □□□ □□ □□□□□.
- SAP □□ □ □□:

NEW QUESTION: 30

- □□ □□□□ □□□□ □□□□ □□□□ □□□□□ □□□ □□ □□□?
- A. □□ InfoProvider□ □□ □□□□ □□□ □□
 - B. □□ 0TCAIPROV□ □□ □□ □□□□ □□□ □□
 - C. □□ InfoArea□ □□ □□□□ □□□ □□
 - D. □□ 0INFOPROV□ □□ □□ □□□□ □□□ □□
- Answer: B (LEAVE A REPLY)**
- InfoProviders□ □□□□ □□□□ □□□□ □□□□□ InfoProviders□ □□ □□□□ □□ □□ □□□□□ □□ □□□□□ □□ □□□.
- * □□ A: □□ InfoProvider□ □□ □□ □□□□ □□□ □□□□□ □□□ □□□□. □□ InfoProvider□ □□ □□ □□□□ □□□ □□□ □ □□□, □□ InfoProvider□ □□□□□ □□ □ □□□ □□ □□□□□ □□□□□ □□□□. □ InfoProvider□ □□□□ □□□□ □□, □□ □□□ □□ □□□ □□□ □□□□ □□□□.

- B. Python □□□ □□□ □□□ □□□ □ □□□□.
- C. Union□□ Join □□□□ □□□□ □□□□ □□□ □ □□□□.
- D. □□ □□□□ □□ □□□ □□□ □ □□□□.
- E. □□ □□□ □□, □□□□ □□ □□□ □ □ □□□□.

Answer: (SHOW ANSWER)

B. □□□ □□□ □□ Python:

* SAP Datasphere□ □□□ □□ □ □□ □ □□□ □□ □□□ □□ Python□ □□□□□ □□□□□.

C. Union/Join □□□□ □□□ □□□ □□:

* □□□ □□□ □□□□ Union□□ Join □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □ □□□□.

E. □□ □□(□□/□□□□/□□):

* □□□ □□ □□□ □□□ □□ □□ □ □□ □□□□ □□□□ □□□□ □ □□ □□□□ □□□□□.

□□: SAP Datasphere Data Flow □□□(SAP □□□ □□)

NEW QUESTION: 33

□ □□ □□□ □□□□□?

- A. □□ □□ □□ S_RS_COMP□ □□ □□ □□ □□□□□.
- B. □□ □□ □□ □□□□ □□□ □□□□□□
- C. □□ □□□ □□□□ □□□ □□□□□
- D. □□ □□ □□□□ □□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

SAP BW/4HANA□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□ □ □ □□ □□□ □□ □□□□□ □□□□ □ □□□ □□ □ □□□□□. □ □□□ □□□□ D□ □□□ □□□ □□□ □□□□□.

* □□: □□ □□ □□ S_RS_COMP□ CompositeProviders □ □□ □□ □□□ □□□ □□□□. □ □□□ □□ CompositeProvider □□ □□□ □□ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□ □□□□□ □□□□□. □□ □□ □□□ S_RS_COMP□ □□ □□ □□ □□ □□□ □□ □□ □□ □□ □□ □□□ □□□□□□□.

NEW QUESTION: 34

"Data Mart DataStore Object" □□□ □□□ □□□□ Data Store □□(□□)□ □□□□. □ □□□ □□□ □□□ □□□ □□□□ □□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □□ □□ □□□□ □□□ □□□ □□□ □□□□□.
- B. □□□□ □□□□ □□□□ □□ □□□ □□□□□.
- C. □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□.
- D. □□ □□□ □□ □□ □□□ □□□□ □□□□□.

Answer: C,D (LEAVE A REPLY)

* □□□□□ □□□□□□ □□ □□:

* □□□□ □□□□ □□□□ □□□□ □□□ □□ □□□□□ □□ □□□□□□□.

* □□ □□:

* □□ □□(□□ C): □□□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□□□□.

* □ □□(□□ D): □□ □□□ □□ □□□ □□□□□ □□□ □□□ □□ □□□□ □□□□ □□□□.

* SAP BW (DSO A): SAP BW DSO A: SAP BW DSO A.

* SAP BW (DSO B): SAP BW DSO B: SAP BW DSO B.

SAP BW: SAP BW:

* SAP BW/4HANA SAP BW/4HANA SAP BW/4HANA

* SAP BW SAP BW SAP BW

NEW QUESTION: 35

BW SAP HANA Exit SAP BW SAP HANA Exit SAP BW SAP HANA Exit? SAP:

SAP BW SAP BW 2 SAP BW.

A. SAP BW

B. SAP BW

C. SAP BW

D. SAP BW

Answer: [\(SHOW ANSWER\)](#)

SAP BW(Business Warehouse) SAP BW SAP BW SAP BW, SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW. SAP HANA Exit SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW.

* SAP BW (DSO B): SAP BW DSO B: SAP BW DSO B. SAP BW SAP HANA Exit SAP BW SAP BW, Exit SAP HANA SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW.

* SAP BW (DSO D): SAP BW DSO D: SAP BW DSO D. SAP HANA Exit SAP HANA SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW.

* SAP BW (DSO A): SAP BW DSO A: SAP BW DSO A. SAP HANA SAP BW SAP BW SAP BW SAP BW.

* SAP BW (DSO C): SAP BW DSO C: SAP BW DSO C, SAP BW SAP HANA Exit SAP BW SAP BW SAP BW.

* SAP BW SAP BW:

* SAP BW SAP BW SAP BW (SAP BW SAP BW) SAP BW.

* SAP BW "SAP HANA SAP BW" SAP BW.

* SAP HANA SAP BW:

* SAP HANA Studio SAP Web IDE SAP HANA SAP BW SAP BW.

* SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW.

* SAP BW SAP BW:

* SAP BW SAP BW SAP BW SAP BW SAP BW.

* SAP HANA SAP BW SAP BW SAP BW SAP BW SAP BW.

SAP BW: SAP HANA SAP BW SAP BW: SAP:

* SAP BW SAP BW SAP BW SAP BW

* SAP Learning Hub - SAP BW SAP BW SAP HANA SAP BW

* SAP BW SAP BW - Data Fabric SAP BW

SAP BW SAP BW SAP BW SAP BW SAP BW SAP BW SAP HANA Exit SAP BW SAP BW SAP BW SAP BW.

NEW QUESTION: 36

C. □□

D. □□□

Answer: A,D (LEAVE A REPLY)

* A. □□: □ □□ □□□ SAP HANA HDI □□ □(XS Advanced)□ □□□ □□□□□ □□□ □ □□□ SAP HANA □□ □(XS Classic)□□ □□□ □ □□□□. □□□□ □□ □□12□ □□ □□□□ □□□ □□ □ □□□□.

* D. □□□: □ □□ □□□ SAP HANA HDI □□ □(XS Advanced)□ □□□ □□□□□ □□□ □ □□, SAP HANA □□ □(XS Classic)□□ □□□ □ □□□□. □□□ □□□□ □□□□□ □□ □□, □□ □□, □□ □□13□ □□ □□□ □□□ □□□ □ □□□.

□□:

* 1

https://help.sap.com/docs/SAP_HANA_PLATFORM/fc5ace7a367c434190a8047881f92ed8/050f14f7a6d94d2da905b0a4072ba546.html

* 2 <https://help.sap.com/docs/r/e8e6c8142e60469bb401de5fdb6f7c00/2.0.03/en-US/9b9b4b8e0c4d4f0a9c3e7f8a3b5d9b9d.html>

* 3 <https://help.sap.com/docs/r/e8e6c8142e60469bb401de5fdb6f7c00/2.0.03/en-US/e8b26f49218648eaa8e2ce9b54a8b812.html>

NEW QUESTION: 41

SAP HANA□ SAP Web IDE□□ □□ □□ □□ HDB □□□ □□□□ □□□□□ □□□□□□. HDB □□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□?

A. □□□□ □□□□□.

B. HDI □□□□□ □□□□□.

C. □□□ □□□□□.

D. □□□ □□ □□

Answer: B (LEAVE A REPLY)

SAP HANA□ SAP Web IDE□□ □□ □□ □□□□ HDB □□□ □□□ □ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□. □□□ □□□ □□ □□□ □□ □□□ □□ □□□□□.

B: HDI □□□□ □□ HDI(HANA □□ □□□) □□□□□ SAP HANA□□ □□□□□□ □□□□□(□: □□□□, □, □□□□□)□ □□□ □ □□□□ □ □□□ □□ □□□□□. □□□□□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□. HDB □□□ □□□□ □ □□□□□ □□□□□ □□ □ □ □□ □□□□□□ □□□□□ □□□□□ □ □□□ □□□ □□□ □□□ □ □□□ □□□□ □□□□ □□□□.

* HDI □□□□ □□ □□:

* SAP HANA□ SAP Web IDE□□ □□□□ □□□□ □□□□□.

* "SAP HANA □□□□□□ □□" □□□□ □□□ □□ □□(□: □□□□□ □□, □□□)□ □□□□□ HDI □□□□□□ □□□□□□.

* □□□ □□□□ □□□□□ □□□□□□.

NEW QUESTION: 42

□□ □□ □□□ SAP HANA HDI □□ □(XS Advanced)□ □□□ □□□□□ □□□ □ □□ SAP HANA □□ □(XS Classic)□□ □ □□ □ □□□□□? □□: □ □□□ □□ □□□□ 2□□□□□.

A. □□

B. □□

C. □□

D. □□□

NEW QUESTION: 54

Which two users are members of the RSECADMIN role in SAP BW/4HANA?

- A. RSECADMIN
- B. S_RS_AO
- C. SU01
- D. S_RS_AUTH

Answer: A,B (LEAVE A REPLY)

SAP BW/4HANA uses the RSECADMIN role for security. The RSECADMIN role is a system role that is assigned to the S_RS_AO and S_RS_AUTH roles.

* **A:** RSECADMIN is a system role in SAP BW/4HANA. It is assigned to the S_RS_AO and S_RS_AUTH roles.

A: RSECADMIN

* **B:** PFCG is a system role in SAP BW/4HANA. It is assigned to the S_RS_AO(InfoProviders) and S_RS_AUTH roles.

B: S_RS_AO

* **C:** SU01 is a system role in SAP BW/4HANA. It is assigned to the RSECADMIN role.

C: SU01

* **D:** S_RS_AUTH is a system role in SAP BW/4HANA. It is assigned to the RSECADMIN role.

D: S_RS_AUTH

D: S_RS_AUTH

* SAP BW/4HANA uses the RSECADMIN role for security.

* SAP BW/4HANA uses the S_RS_AO role for security.

* SAP BW/4HANA uses the S_RS_AUTH role for security.

SAP Data Engineer - Data Fabric Concepts

NEW QUESTION: 55

Which two roles are members of the RSECADMIN role in SAP BW/4HANA?

- A. RSECADMIN
- B. S_RS_AO
- C. SU01
- D. S_RS_AUTH

Answer: D (LEAVE A REPLY)

* **A:** RSECADMIN is a system role in SAP BW/4HANA. It is assigned to the S_RS_AO and S_RS_AUTH roles.

A: SAP BW/4HANA uses the RSECADMIN role (SAP BW/4HANA - BW).

NEW QUESTION: 56

SAP BW/4HANA 00 00 000000 0000 0000 0 00000? 00: 0 0000 00 0000 200000.

A. 0000 0000 00 0000 0000 00000

B. SAP BW/4HANA 0000 00 00000 00000

C. 00000 00 00000 00000

D. 0000 00 00000000 00 00000 00000

Answer: A,B ([LEAVE A REPLY](#))

SAP BW/4HANA 00 00 000000 0 0000 000000 000000 000000 00000 0000 000000. 00 0000(0 00 0 00 0000 0000)0 0 00000 00000 00 0000 000000 0000 00000 00000. 0 000000 00 0000 0000 00 000000 00 0000 0000 000000.

* 00000 00000 00 00000 0000 00(00 A): SAP BW/4HANA 00000 0000 0000 0000 00, 00 0 00 0000 0 00 000000 000000 0 0000000. 00 00 0000000 0000000 000000 00000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000.

* 00000 00: "00 00 00" 0 00000 0000 0000 00 0000 0000 00(ADSO) 00 00 00 0000 00 00 00 0000 00000000. 0 0000 00000 0000 00000 00 0000 0000 00 000000 0000 00000 000000.

* SAP BW/4HANA 0000 00 0000(00 B) 00: SAP BW/4HANA 0000 00 00000 0000 0000 00000000 00000 0 0000 00000 00000000 0000000. ADSO 00 00 0000 0000 00000 0000 0 0000 00 0000000 00 00 00 0000000 00000 000000. 00 00 000000 000000 0000 0000 0000 0000 0000 0000 0000 0000 0000000 0 0000000.

* 00000 00 00000 00(00 C): SAP BW/4HANA 0000 00 00000 00 0000 000000 000000 0 0000000. 00 0 0000 000000 0000 0000 0000 0000 00 00 0000000 0000000 0000000 000000. 00 0000 00000000 00 0 0000 00 0000 0000 000000 00000.

* 0000 00 00000000 00 00000 00(00 D): 0000 00 00000(DTP)0 SAP BW/4HANA 0000 00 0 00 00 00 00000 00000 0 0000000. DTP 00 0000 0000000 0000 0 0000 00 00 0000000 000000 000000 0000 000000 00000.

00 0000 0000 0000 0000 0 0000 00000000 0000.

* 00 00 0 00 00: 00 00000 00 00 0000000 000000 00 00000 00000 0 00000(0: 00 0000 00 0 0000 0000 0). 0000 0 00 00 0 00000 00 00 00000 00 00000 0000 00 0000000.

* 00 00: 00 0000 00000 0000 000000 000000 00 0000 0000 0 00000. 0000 00 000000 00 000000 0 0000 00 0000000.

* SAP BW/4HANA 000 0000: 0 00000000 00 00 0000000 000000 SAP BW/4HANA 00000 00 0000000 0000 0 0000 0000000.

* 00:SAP BW/4HANA 00

* SAP Note 2578930 - SAP BW/4HANA 000 0000 00 00 00: 0 0000 00000 0000 0000 00 0000 0000 00 00 00 0000000 000000 000000 00 0000 00 0000 0000000.

00 0000 00 00: 00 0000 00 00 00: SAP 0000 00000 - 0000 00000 00 00: 00000 0000 0000 00 00000 000000 00 00 0000000 0000000 0000000 SAP BW 000 00 0000 0000 000000 0000 0 000000.

/4HANA 0000.

NEW QUESTION: 57

□□ □□□ □□□□ S-API □□□□ SAP Datasphere □□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□? □□: □□ □□□ □□ □□□ 2□□□□.

- A. □□□ □□□ □□□□□□ □□□.
- B. □□ □□ □□□□ □□□.
- C. □□□□ □□ □□□ □□□□ □□ □□□.
- D. □□ □□□ □□□□□(ODP)□ □□□□□ □□□.

Answer: B,D (LEAVE A REPLY)

□□ □□□ □□□□ S-API □□□□ □□ SAP Datasphere(□□ □□ SAP Data Warehouse Cloud) □□ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□.

* □□ A: □□□ □□□□ □□□□□ □□□. □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□. □□ □□□ □□ □□□ □□ □□□ □□□ □□□, □□□ □□□ □□□ □□□□ □□□□. □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

* □□ B: □□ □□ □□□ □□□. □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□ □□ □□ □□□ □□□□□□. □□ □□ □□□ □□□□ □□□ □□ □□ □□ □□□□ □□□□□□ □□ □□□□□□ □□□ □ □□□□ □□ □□□ □□□□□ □□.

* □□ C: □□□□ □□ □□□ □□□□ □□ □□□. □□ S-API □□□□ □□ □□□ □□□□ □□□, □□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□. □□□□ □□ □□□ □□□□ □ □□ □□□□ □□ □□ □□□□□ □□□□ □ □□ □□□□.

* □□ D: □□ □□□ □□□□□(ODP)□ □□□□□ □□□. ODP□ □□ □□ □□□ □□□ □□ □□□□□. SAP □□ □□□□ □ □□□□□ □□□□ □□□□ □□ □□□□ □□□□□. ODP□ □□□ □□□□ □□ □□□□ □□□ □□□□□ □□ □ □□□□ □□ □□ □□□ □□□□□□.

* SAP Datasphere □□: □□ □□□ □□□□□ SAP □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.

* SAP □□□ □□: S-API □□□□ □□ □□ □□ □□□ □□ □□□ □□□ □□□□□.

* □□□ □□□ □□ SAP □□ □□: □□□□ □□ □□□ □□ □□ □□ ODP□ □□□□ □□□□□.

□□□□: □□□□□, □□ □□□ □□□□□ S-API □□□□□ SAP Datasphere □□ □□□□ □□□□ □□□□ □□ □ □□ □□ □□ □□ □□ □□ □□□ ODP(□□ □□□ □□□□□)□ □□□□□□.

NEW QUESTION: 58

SAP BW/4HANA□□ □□□ □□□(□: □□ □□)□ □□□□ □□ □□ □□□ □□□□□? □□: □ □□□□ □□□ 2□ □□□□.

- A. □□ □□□ □□□□ □□ □□□□ □□□ □□□.
- B. □□ □□□□ □□ □□□ □□□ □□□.
- C. □□ □□□ □□□□□ BW □□ □□□ □□□□□□ □ □□□.
- D. □□ □□□ □□ □□□□ □□□□□ BW □□□ □□□ □□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 59

□□ □ SAP S/4HANA□ □□ DataSource□ □□ □□ □□ □□□ □□□□□? □□: □ □□□□ □□□ 3□ □□□□.

- A. □□ □□
- B. □□ ID

C. □□ □□□

D. □□ □□

E. □□□□□

Answer: A,C,E ([LEAVE A REPLY](#))

* □□ □ (□ A):

* □□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□□□.

* □□ □□□(□□ C):

* □□ □□□ □□□□ □□□ □□ □□□ □□□□□.

* □□□□□(□ E):

* □□□ □□ □□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□□□.

* □□ ID(□□ B): □□ □□ □□□□ □□□□ □□□□.

* □□ □□(□□ D): □□ □□(□□, □□, □□□□)□ □□□□ □ □□□□, □□ □□□□ □□□□ □□□□.

□□□ □□:□□:

* SAP S/4HANA □□ □□ □□ □□

* SAP BW/4HANA Delta □□ □□ □□

NEW QUESTION: 60

□□ □□□ Open ODS □□ □□□□□□.

□□ □□□ □ □□□ □□□ □ □□ □□ □□□□□□? □□: □ □□□ □□ □□□ 2□□□□.

A. □□ □□□ InfoObjetc

B. □□ □□□ □□ □

C. □□□ □□□ □□□ ODS □ □□

D. □□ □□□ ODS □ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

□□ □□□ □ □□(□□)□ □□ □ □□ □□□ □□□ □□□□□□? □□: □ □□□ □□ □□□ 3□□□□.

A. □□ □□□ □□ □□□□(DTP)□ □□□□

B. □□ □□□□ □□□□

C. □□□ □□ □□□ SAP HANA HDI □□ □□□ □□□□□

D. □□□□ □□□□

E. BW □□□ □□□□ (□□□ □□□ □ □□□□)

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 62

□□ □□□□ BW □□□ □□□□ □□□□ □□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □□□□□ □□ □□ □□
- B. □□ □□□ □□
- C. □□ □□ □□
- D. □□ □□□□ □□□□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□?

- A. Process Chain Editor□□ □□□
- B. □□□ □□ □□□□ □□□□□
- C. □□□□ □□ □□ □□□ □□ SAP GUI □□□□□□
- D. □□□ □□ □□□ □□□□□

Answer: ([SHOW ANSWER](#))

* □□:

* □□□□ □□ □□ □□□ □□□ □□ □□ □□□□ □□□, □□ □□ SAP BW/4HANA□□ □□ □ □□□ □□ □□□ □□□□ □□.

* □□: SAP BW/4HANA □□□ □□ □□□ □□□(SAP □□□ □□ - □□□□ □□).

NEW QUESTION: 64

SAP HANA □□□□□□ □□□□ Open ODS View□ □□□ SAP BW/4HANA□ □□□□ □□□□ □□□□□□. □□□□ □□ □□ □□□ □□□□ SAP BW/4HANA□ □□□□ □□□□□ □□□ □□□□□.

Open ODS View □□□□□ "□□□□ □□ □□" □□□□ □□□□ □□ □□□ □□□□□?

□□: □ □□□□ □□□ 3□ □□□□.

- A. SAP HANA □□ □
- B. DataStore □□(□□)
- C. □□
- D. □□□ □□
- E. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

SAP HANA□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□□ □□□. □□ □□□ □□□ □ □□□□? □□: □ □□ □ □□ □□□ 2□□□□.

- A. □□ □
- B. BAPI(□□□□ □□□□□□ □□□□□ □□□□□)
- C. □□ □□□□
- D. AMDP(ABAP □□ □□□□□□ □□□□)

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 66

SAP S/4HANA _____ ?

- A. SAP Agile _____
- B. SAP HANA _____
- C. ABAP CDS _____
- D. _____ SAP HANA _____

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

"_____ SAP _____ SAP Data Warehouse Cloud _____ SAP HANA _____ SAP BW _____ InfoCube _____." _____ ?

- A. BW SHEL _____
- B. BW _____
- C. SAP ABAP _____
- D. SAP BW/4HANA _____.

Answer: **C** ([LEAVE A REPLY](#))

* C. SAP ABAP _____: SAP Data Warehouse Cloud _____ SAP _____ SAP HANA _____ InfoCube _____ SAP _____ InfoCube _____ SAP ABAP _____ SAP BW _____ InfoCube _____ SAP _____ SAP Data Warehouse Cloud _____ SAP _____ _____.

_____:

* 1 <https://help.sap.com/doc/00f68c2e08b941f081002fd3691d86a7/release/en-US/0c9d6f0a6c4a4b8e8b3f7e5c0a3d6f9d.html>

* 2 <https://help.sap.com/doc/00f68c2e08b941f081002fd3691d86a7/release/en-US/5c9a6c8b6c4a4b8e8b3f7e5c0a3d6f9d.html>

NEW QUESTION: 68

BW _____ ?

- A. 10
- B. 7
- C. 5
- D. 3

Answer: ([SHOW ANSWER](#))

SAP BW _____, _____ 5 _____.

* _____.

* _____.

_____:

* SAP _____ - _____

* _____ SAP _____

NEW QUESTION: 69

□□ OCALMONTH□ □□ □□ □□ BW □□□ □□□□□ □□ □□□ □ □□ □□ □□□□□ □□ □□ □□□ □□□□ □□ □□?

- A. □□ □□
- B. □□□□ □□□ □□ □□
- C. □□ □□
- D. □□□ □□ □□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

SAP ERP□□ □□ DataSource□ □□□ □ □□□ □ □□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. ABAP □□□ □□□
- B. SAP □□
- C. ABAP □□ □□□□□□ □□□□
- D. ABAP □□ □□
- E. □□□□□□ □

Answer: B,D,E ([LEAVE A REPLY](#))

B. SAP □□:

* SAP ERP □□□□□ □□□ □□ □□□ □□□□ DataSource□ □□□ □ □□□□.

D. ABAP □□ □□:

* □□□ □□ □□ □□□ □□ □□□□ □□□ □□□ □□□□□.

E. □□□□□□ □:

* □□□□ □□□□□□ □□ □□ □□□□□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□.

□□: SAP ERP □□□ □□ □□ □□(SAP □□□ □□ - □□ □□□ □□).

NEW QUESTION: 71

□□ □□□□ □□ □□ □□□(ODQ)□ □□□□ ODP □□□□□ □□□□□?

- A. ODP_HANA
- B. ODP_CDS
- C. SAP RIP
- D. ORP_BW

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

Composite Provider□□ □□ □□ □□□ □□□ □ □□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. □□ □□ □□
- B. □□ □□
- C. □□ □□ □□
- D. □□□ □□
- E. □□ □□

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□□ □□□ □□□□□ □□ □□□ □□□□□.
□ □□□□□□□ □□ □□ "PRODUCT"□ □□□□ 3□□ □□□ □□ □□□ □□□□□□.
"□□" "□□□□".
□□ □□□ □□ □□□ □□ □□ □□□□ □□ "PRODUCT" □□□ □□□ □□□□□ □□□?
A. "PRODUCT"□ □□ □□ □□□□ "COUNTRY"□ □□□□□.
B. "PRODUCT"□ □□ □□□□ "SERIAL_NO"□ □□□□□.
C. "PRODUCT"□ □□ □□□□ "COUNTRY"□ □□□□□.
D. "PRODUCT"□ □□ □□□□ "SERIAL_NO"□ □□□□□.

Answer: D (LEAVE A REPLY)

- * □□ □□□ □□ □□ □□:
 - * □□ □□□□ □□□□□ □□ □□□ □□□□□ SERIAL_NO□ PRODUCT□ □□ □□□□ □□□.
 - * □□ □□ □□□□ □□□ □□□ □□ □□ □□□□□ □□□ □ □□□□.
 - * SERIAL_NO□ □□□ □□(□□ D):
 - * □□□□□ □□□□□ □□□, □□ □□□ □ □□□ □□□□ □□□ □□ □□□□□.
 - * □□ □□(□□ A): □□ □□□ □□□□ □□ □□□ □□ □□ □□□□ □□□□□.
 - * □□□ □□(□□ B): □□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□□.
 - * □□□□□□ □□(□□ C): □□□ □□ □□□ □□□□ □ □□□□ □□□□.
- □□:□□:
- * SAP □□□ □□ - BW/4HANA□ □□ □□
 - * SAP □□□ □□□ □□ □□ □□□

NEW QUESTION: 74

SAP HANA □□ □□□ □ IDE□□ □□ □□ □□ HDB □□□ □□□ □□□□□ □□□□□□□.
HDB □□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□□?
A. □□□□ □□ □□□
B. □□□ □□□□□
C. □□□ □□□□□
D. □□□ □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

SAP BW/4HANA □□□□ □□□□ □□□□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 2□□□□□.
A. □□□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□
B. □□ □□□ □□□ □□□□ SAP BW/4HANA □□
C. SAP BW/4HANA □□□ □□□ □ □□ □□ □□ □□
D. SAP BW/4HANA □□ □ □□ □□□ □□□

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 76

□□□ □□ □□ □□ □□□□ □□□ □ □□ □□□ □□□ □□□ □□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □ □□□ □□ □□ □□□ □□□ □ □□□□.
- B. □ □□□ □□ 20□ □□ □□ □□□ □□□ □□□□ □□□ □ □□□□.
- C. SID □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□ □□ □ □□□□.
- D. □ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□.

Answer: A,C (LEAVE A REPLY)

* A. □ □□□ □□ □□ □□□ □□□ □ □□□□. □□ □□□ □□ □□ □□ □□□□ □□□□ □□ □□□□□. □□ □□ □□ □□ □□□ □□ □□□ □□ □□ □□□□ □□□ □ □□□□ □□ □□ □□□ □□ □ □□□□12.

* C. SID □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□ □ □□□□. □□ □□□ □□ □□ □□ □□□□ □□□□ □ □□□□□. □□ □□ □□□□ □□ □□□□ □□□□ SID □□ SID □□□□ □□□□ SID □□□ □□ □□ □□ □□□□ □ □□□□. □□ □□ □□□ □□□□ □□□ □□ □ □□□, □□ □□□ □□ □□ □□□ □□□□ □□ □□□□□.13

□□:

- * 1 https://help.sap.com/docs/SAP_BW4HANA/107a6e8a38b74ede94c833ca3b7b6f51/f851415842154e59a5f038e458b97a0b.html
- * 2 https://help.sap.com/docs/SAP_BW4HANA/107a6e8a38b74ede94c833ca3b7b6f51/88a51330c046426091f3730d0c42c0de.html
- * 3 <https://blogs.sap.com/2019/01/14/high-cardinality-characteristics-in-bw4hana/>

C-BW4H-2404 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ C-BW4H-2404 □□! DumpTop □ □□ **C-BW4H-2404** □□ □□□ □□□□□□, DumpTop C-BW4H-2404 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop C-BW4H-2404 □□□ □□□□□. <https://www.dumptop.com/SAP/C-BW4H-2404-dump.html> (82 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□ SAP BW/4HANA □□□ □□ SAP HANA □ □□ □□□ □□□□□? □□:

□ □□□□ □□□ 2□ □□□□.

- A. BW □□
- B. ODS □□ □□
- C. □□ □□□
- D. □□ □□ □□

Answer: A,C (LEAVE A REPLY)

* BW □□ (□ A):
* SAP BW/4HANA□□ □□□ □□□ SAP Analytics Cloud□ □□ □□□□□□□ □□ □□□□ □□□ □ □□ □□ SAP HANA □ □□□ □ □□□□.

* □□ □□□(□□ C):

* □□ □□□□ □□ □□□ □□□ □□□□ □□ □ □□ □□□□ SAP HANA □□ □□ □□□ □ □□□□.

* Open ODS View(□□ B): Open ODS View□ □□□□ □□ □□□□□ □□ HANA View□ □□□□ □□□□.

* □□ □□ □□(□□ D): □□□ □□ □□ □□□□ □ □□□□ □□□□.

□□□ □□:□□:

- * SAP BW/4HANA □□□ □□□
- * SAP HANA View □□ □□

□□□ □□□□ □□ DumpTop C-BW4H-2404 □□□ □□□□□. <https://www.dumptop.com/SAP/C-BW4H-2404-dump.html> (82
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)