

SAP.C_HANAIMP_17.v2022-07-18.q76

□□□□:	C_HANAIMP_17
□□□□:	SAP Certified Application Associate - SAP HANA 2.0 (SPS05)
□□□:	SAP
□□ □□ □□□:	76
□□:	v2022-07-18
# □□ □:	1094
# □□ □□□:	760
https://www.krdump.com/SAP.C_HANAIMP_17.v2022-07-18.q76.html	

NEW QUESTION: 1

HDI □□□□ □□□□ PAL(Predictive Analysis Library) □□□ □□□□□□ □□□ □□□□ □□□?

- A. □□□
- B. □□□□□□ □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□ □ SAP HANA□ □□□ □□ □□□ □□□□□?
□ □□□□ 2□□ □□□ □□□□.
□□:

- A. □□□ □□
- B. □□□ □□
- C. □□□ □□
- D. □□ □□
- E. □□□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□ □□□□□ □□ □□□ □□ □ □□□□?
□ □□□□ 2□□ □□□ □□□□.
□□:

- A. SQL □□ □□
- B. □□□□ □□ □□
- C. □ □□□□ □□□ □□□ □

D. □ □□□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□ □□□ □□ □□□ □ □□□□?

□□□ □□□ □□□.

□□:

A. □□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □ □.

B. □□ □□□□ □□□□ □□

C. □□□ □□□□ □□□ □□□□ □ □

D. □□□ □□ □□□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

□□ □□□ □□□□□ □□ □ □□ □□□□□ □□□□ □□ □□□ □□□ □ □□ □□ □□

□□□?

□□□ □□□ □□□.

□□:

A. SAP HANA □□□□ □□

B. □□ □□

C. SDA

D. SAP □□□□□□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

SQLScript□□ □□□ □□□ □□□ □ □□□ □□□ □ □□□ □□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□□□□.

B. SQL□ □□ □□ □□□□□ □□□□□.

C. if-then □□□ □□□ □ □□□□.

D. □□□□ □□□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

A. □□ □□□□□ □□□ □□□ □□□□□.

B. □□ □□ □□ □ □□□ □□□ □□□□□

C. □□□ □□ □□ □□□ □□ □□□ □□□□□.

D. □□ □□□□ □□ □□□□□ □□□□□□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

.hdinamespace □□□ □□□ □□□□ □ □□ □□□ □□□□□□. □ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□. □□ □□□ □□□□□ □ □ □□□□□□ □□ □□□ □□ □□□ □□□□□.

□□□ □□□□□? □□: 2□□ □□□ □□□□.

A. □□□□ □□□□ □□ □□ □ □□□ □□□ □□□□□□□ □ □□□□ □□□□ □□ □ □□□□□□□ □□□□.

B. .hdinamespace □□□ □□ □□□ □□□□ □□ □□ □□ □□ □□ □□□ □□□□□.

C. hdinamespace□ "sub-folder": "append"□ □□□□□ □□ □□□ □□ □□□□□ □□ □ □□□.

D. □□□ □□ □□□ □□ □□□ □□□ □□□□□□□ □□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Data Distribution Optimizer□ □□□□ □□ □ □□□□?

□□□ □□□ □□□.

□□:

A. SAP BW/4HANA

B. SAP HANA □□□ □□□□□ □□

C. SAP S4/HANA □□

D. SAP HANA □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □ 3□□□ 5□□□□ □□ □□ □□ □□□ □ □□ □□□ □□□ □ □□□□ □ □□□□□?





- A. C
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

SAP _____ _____ _____ _____?
 _____ _____ _____.
 _____:

- A. _____ _____ _____ _____ _____ _____
- B. _____ HANA _____ _____ _____ _____ _____ _____
- C. SAP HANA _____ _____ _____ _____ _____
- D. _____ _____ _____ _____ _____ _____

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

_____ _____ _____ _____ _____ SAP HANA _____ _____ _____ _____?
 _____ _____ 3_____ _____ _____.
 _____:

- A. _____ _____ _____ _____
- B. _____ _____ _____
- C. _____ _____
- D. _____ CPU _____ _____
- E. ZIP _____ _____

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

SAP HANA _____ _____ _____ _____ _____ _____ _____ _____?
 _____ _____ _____.
 _____:

- A. _____ _____
- B. _____ _____

C. □□□□ □□□□

D. □□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□ □□□ □□□□ □□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□

B. □□ □□

C. □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□/□□ □□ □□ □□□ □□□□ □□□ □□□□□?

A. □□ □□ □□

B. □□ □□□ □□ □□□□ □□□□□ □□

C. □□□□ □□ □□□□ □□□□ □□□□ □□

D. □□□ □□□ □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□□ □□□ □ □□□ □□ □□□ □□□□□.

B. □□ □□ □□□□ □□ □□ □□□ □□□□□.

C. □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□.

D. □□ □□□□ □□□ □□ □ □□□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

C_HANAIMP_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HANAIMP_17 □□! DumpTop □ □□ C_HANAIMP_17 □□ □□□ □□□□□□,
DumpTop C_HANAIMP_17 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□
□□□ □□□□ □□ DumpTop C_HANAIMP_17 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HANAIMP_17-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)

NEW QUESTION: 17

□ □□□□ □□ □□ □□□□ □□□□ □ □□□□ □□□□□. □□ □□ □□□ □□□□□ □□□ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

A. □□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□.

B. □□ □□□ □□□□ □□□ □□ □□ □□□□□ □□□.

C. □□ □□ □□□□ □□ □□□ □□□□□□.

D. □ □□□ □□□ □□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□ □□ □□□ □□□□ □□ □□□ □□□ Union □□□□ □□□□□ □□□. □□□ □□ □ □□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□ □□□□ □□□□□.

B. □□ □□ □□ □□□□ is Null □□□ □□□□□.

C. □□ □□□□ □□□□.

D. Empty Union Behavior □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

□□ □ □□□ □□ □□ □□□ □□□ □□□□□?

□ □□□□ 3□□ □□□ □□□□.

□□:

A. □□□ □□□□ □□ □□□ □□□□ □□□□□.

B. □□□ □□ □□□ □□□ □□□□□.

C. SQL □□□□ □□□□ □□□□□.

D. □□□□ □□ □□□ □□□□.

E. □□□ □□□ □□□□ □□ □□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 20

SAP HANA □□ □□□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□?

□ □□□□ 3□□ □□□ □□□□.

□□:

A. □□ □□□□ □□ □□ □□□ □□□□□.

B. □ □□□□ □□□ □□□□□.

C. □□□ SAP HANA□ □□□□□□□.

D. □□□ □ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □□□□ □□ □□□ □ □□ □□□□ □□□□□. □□ □□□ 120□□ □ □□ □□□ □□ □□ □□ □□ □□□□□□□□. □ □□□ □□□ □□□□□□□□? □ □□□□ 3□□ □□□ □□□□□. □□:

- A. □□ □□□ CPU □□□□ □□□□□.
- B. □ □□ □□□□ □ □□ □□□ □□□ □ □□□□.
- C. □□ □□□□ □□ □□□□ □□□□□.
- D. □□□□ □ □□ □□□□ □□ □□□□ □ □ □□□□.
- E. □□ □□□ □□ □□□ □□□□□ 120□ □□ □□□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□ □□ A□ □□□ □□□□ □□□□ □ □□ □□ B□ □□□□ □□□□. □□ □□ A□ □ □□ □□□□ 15□□ □□ □□□ □□ 10□□□ □□ □□□□ □□□□□. □□ □□ B□ □□ □ □ □□ □□□ □□□□□ □□□□□. □□ □□□ □□□□□ □□ □□□ □□□□□? A. □□ □□ B□□ □□□□ □□□□ □□□□□. B. □□ □□□ □□ □□□ □□□ □□□□ □□□. C. □□ □□ A□ □□ UNMASKED □□□ □□□□□□□□. D. □□□□ □ □□□□ □□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□□□□□ □□□□ □□□□ □□ □□ □□ □□□□ □□□. □□□□□□ □□□ □□□□ □□ □□□ □□□□□□? □□□ □□□ □□□. □ A □□ A □□ □ 2014 2015 2016 2014□ 100 300 500 200 2014 200 2015 100 2015 100 2015 200 2015 100 2015 200 □□: A. OR □□□□ □□□□ □□ □□□ □□

□□:

- A. □□ □□ □□□ □□□□□.
- □□□□ □□□ □□□□□ □□□□□□.
- B. □□ □□ □□□ □□□□□.
- □□□□ NULL □□ □□□□□ □□□□□□.
- C. □□□ □□ □□□ □□□□□.
- □□□□ NULL □□ □□□□□ □□□□□□.
- D. □□□ □□ □□□ □□□□□.
- □□□□ □□□ □□□□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

- □□□ □□□ □□□ □□□□□.
- □□□□ 3□□ □□□ □□□□.
- :
- A. □□ □□□ □□□ □ □□□ □□□□□.
- B. □□□ □□□ □□□ □ □□□□.
- C. □□□ □□ □□ □□□□ □□□ □□□ □ □□□□.
- D. □□ □□□□ □□ □□ □□□□ □□□ □ □□□□.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 31

- □□□ □□□□ □ □□□□ □□□□ □□□□□□□ 1...n□□ □□□□□. □□□ □□□
- □□ □□□□ □□ □□ □□□□ □□ □□□ □□□ □□□□□□?
- □□□ □□□.
- :
- A. □□ □□ □□
- B. □□ □□
- C. □□□ □□ □□
- D. □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

C_HANAIMP_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 C_HANAIMP_17 □□! DumpTop □ □□ **C_HANAIMP_17** □□ □□□ □□□□□□,
 DumpTop C_HANAIMP_17 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□
 □□□ □□□□ □□ DumpTop C_HANAIMP_17 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HANAIMP_17-dump.html (82 Q&As Dumps, **30%OFF**
Special Discount: KrDump)

NEW QUESTION: 39

SAP HANA Web IDE is used to develop SAP HANA applications. Which of the following is a correct statement regarding SAP HANA Web IDE?

- A. It is a cloud-based IDE.
- B. It is a desktop-based IDE.
- C. It is a browser-based IDE.
- D. It is a mobile-based IDE.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

SAP HANA Enterprise Cloud is a cloud-based solution. Which of the following is a correct statement regarding SAP HANA Enterprise Cloud?

- A. PaaS(Platform as a Service)
- B. MCaaS(Managed Cloud as a Service)
- C. SaaS(Software as a Service)
- D. IaaS(Infrastructure as a Service)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

SQL Access is a tool used to connect to SAP HANA. Which of the following is a correct statement regarding SQL Access?

- A. It is a desktop-based tool.
- B. It is a browser-based tool.
- C. It is a mobile-based tool.
- D. It is a cloud-based tool.

Answer: (SHOW ANSWER)

NEW QUESTION: 42

SAP HANA is a column-oriented database. Which of the following is a correct statement regarding SAP HANA?

- A. It is a row-oriented database.
- B. It is a hybrid database.
- C. It is a NoSQL database.
- D. It is a relational database.

Answer: (SHOW ANSWER)

NEW QUESTION: 43

SAP HANA is a distributed database. Which of the following is a correct statement regarding SAP HANA?

- A. It is a centralized database.

- B. □□□□□□ □□□□ □□□.
- C. □□□ □□ □□ □□□□ □□□.
- D. □□□ □□□ □□ □□ □□ □□□□ □□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

□□ □□□ □□□□ □□□ □ FAST_PREPROCESS OFF□ □□□□ □□□ □□□□□?
 □□□ □□□ □□□.

- A. □□□ □□□ □□ □□ □□
- B. □□ □□ □□□ □□□□□□□
- C. □□ □□ □□□□□ □□□ □□□ □□
- D. □□ □□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

ACID □□□ C□ □□□ □□□□□?
 □□□ □□□ □□□.

- A. □□
- B. □□□
- C. □□□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□□□ □□□ □□□□ □□□□ □ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□
 □ □□□□ □□□□.

STATE	SHIRT_ID	PROMO_LEVEL	PRICE	QUANTITY
GA	X123	H	10	10
NY	X123	M	5	10
GA	Y123	H	12	10
NY	Y123	M	6	10
GA	Y123	M	6	10
GA	X123	M	5	10

Which of the following SQL queries will return the correct result set?
 A. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

B. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

C. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

D. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

A. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

B. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

C. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

D. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

Answer: B (LEAVE A REPLY)

C_HANAIMP_17 SAP HANA Impacts on SAP HANA DumpTop SAP HANA Impacts on SAP HANA

C_HANAIMP_17 SAP HANA Impacts on SAP HANA DumpTop SAP HANA Impacts on SAP HANA, DumpTop C_HANAIMP_17 SAP HANA Impacts on SAP HANA Impacts on SAP HANA. SAP HANA

DumpTop C_HANAIMP_17 SAP HANA Impacts on SAP HANA Impacts on SAP HANA. SAP HANA

SAP HANA Impacts on SAP HANA DumpTop C_HANAIMP_17 SAP HANA Impacts on SAP HANA.

https://www.dumptop.com/SAP/C_HANAIMP_17-dump.html (82 Q&As Dumps, 30%OFF

Special Discount: KrDump)

NEW QUESTION: 47

Which of the following SQL queries will return the correct result set?

A. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

B. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

C. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

D. `SELECT SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10`

A. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

B. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

C. SHIRT_ID, PROMO_LEVEL FROM TABLE WHERE STATE = 'GA' AND PRICE * QUANTITY > 10

D. □□ □□□ □□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

□□, □, □□ □□ □□ □□ □□□ □□□ □□□□□ □□□. □□ □□□ □□ □□□ □□□□□?

□□□ □□□ □□□.

□□:

A. □□-□□ □□

B. □□ □□

C. □□□ □□

D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

□□□□□ □□□ □□□□ □□□?

□□□ □□□ □□□.

□□:

A. SQL □□□□ □□□ □□□ □□□□□.

B. SQL □□□□ □□□ □□ □□ □□□

C. HANA □□□□□□ □□□ □□ □□□ □□□□.

D. HANA □□□□□□ □□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

□□ □□□ □□ □□□□ □□ SQL□ □□□ □ □□□ □□□ □□□□□ □ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

A. IF-THEN-ELSE □□□ □□□□ □□ □□ □□

B. □□ □□ □□□ □□ □□

C. □□□ □□□□ □□ □□□□ □□□ □□

D. □□ SQL □□ CE(□□ □□) □□ □□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Extract Semantics □□□ □□□□ □□□ □□□ □□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□□□

B. □□ □□ □□□□

C. □□ □□ □□□□

D. SQL □□ □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

SAP HANA□□ □□ □□□□□ □□□ □□□□□ □□ □ □□□□?

□ □□□□ 2□□ □□□ □□□□.

□□:

A. □

B. □□□□□□

C. □

D. SQL□□□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

SAP S/4HANA □□□□ □□□ SAP HANA Live□ □□□ □□□□?

□ □□□□ 2□□ □□□ □□□□.

□□:

A. □□□ □□□□□□ □□□□ □□□□□□.

B. ABAP CDS □□□ □□□□□.

C. SAP HANA □□ □□ □□□□□.

D. □□□ □□□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

□□ □□□ □□ □□□□ □□ SQL□ □□□ □ □□□ □□□ □□□□ □ □□□□?

□ □□□□ 2□□ □□□ □□□□.

□□:

A. □□□ □□□□ □□ □□□□ □□□ □□□□□□.

B. □□ □□ □□□ □□ □□

C. □□ SQL □□ CE(□□ □□) □□ □□

D. IF-THEN-ELSE □□□ □□□□ □□ □□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 55

XSA/HDI □□□□ □□□ □□□ □□□□ □□ □ □□□□?

□□□ □□□ □□□.

□□:

□□□ □□□

A. _SYS_BIC □□□

B. □□□□□□ □□□ □□□

C. □□□□ □□□

NEW QUESTION: 63

SAP HANA ID 0000 0 00 0000 0000 00 0000 0000 00 00
000 00000?
000 000 000.

00:

- A. 000
- B. 00 00
- C. 00
- D. 0000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

00 0 00000000 0000 0 0000 0 00 0000 00 000 00000?
0 0000 200 000 0000.

00:

- A. 000
- B. 000 00
- C. 00 000
- D. 00 00

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 65

00 000 0000000. 0 0 00 00 0000 00 00 000 000 00000?
0 0000 200 000 0000.

00:

- A. 000 000 00
- B. SAP HANA 0000000 00
- C. 000 00
- D. 00 00 0000000

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

00 00 00 B0 0000 00 000 0000 0 00 00 A0 00 0000. 00 000
000 0000 000 00000?
000 000 000.

00:

- A. 00 00 B0 0000 00 00 A0 0000 00
- B. 00 00 0 B0 0000 0000 00000 00 0 A0 000 0000000.
- C. 00 00 A0 0000 00 000 000000

D. □□ □□ B□ □□ □□□□□ □□ A□ □□ □□□□□ □□□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□ □□ □□□□□□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □ □.

B. SQL□ □ □□ □□□ □□□□.

C. □□□ □□ □□□□ □□ □ □.

D. □□□ □□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□ □□□□ □□□ □□□ □□□□□?

□□□ □□□ □□□.

□□:

A. □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□

B. □□□ SQL□ □ □□ □□□ □□□

C. □□□□□ □□ □□ □□ □□ □□□□□

D. □□□ □□□ □□ □□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □ □□□ □□ □□□□ □□□

□ □ □□□ □□□□□?

□□□ □□□ □□□.

□□:

A. Semantics □□□ □□

B. Semantics □□□ □□ □□□□

C. □□ □□□ □□

D. □□ □□□ □□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

□□ □□□□ □□ □□□ □□ □□ □□□□ □□□□□ □□ □□□ □□□□□ □□□□

□ □□□□ 2□□ □□□ □□□□.

□□:

A. □□ □□ □□□□□ □□ □□□□□□ □□□□□ □□□.

B. □□□ □□ □□□□□ □□□.

C. SQL □□□□ □□ □□ □□□ □□□□□ □□□.

D. □□□ □□□□ □□□□□ □□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 71

□□ □□□□ □□□ □□□□□ □□ □□□ □□□□ □ □□□□ □□□ □□□□□?
□□□ □□□ □□□.

□□:

- A. □□ □□
- B. □□□ □□□
- C. □□□
- D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

□□ □□□ □□ □□□ □□□□ □□ □□□□. □□□ □□□□□□□□?
□□□ □□□ □□□.

□□:

- A. HDI □□□□ □□□□□ ::access □□□ □□□□□.
- B. □□□ □□ □□ □□□ □□□□□.
- C. _SYS_REPO □□□□□ □□□ □□□□□.
- D. SQL □□□□ □□□□□ □□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

SAP□ S/4HANA Analytics□ SAP HANA Live□ □□ CDS□ □□□□□ □□□ □□□ □□□□□
□?

□ □□□□ 2□□ □□□ □□□□□.

□□:

- A. □□ □□□ S/4HANA □□□□ □□ □□□ □ □□□□.
- B. SAP HANA Live□ □□ CDS□□ □ □□ BI □□□ □□□ □ □□□□.
- C. CDS□ □□□ □□ □□ □□□ □□ □ □□□□ □□ □□□□□□ □□□ □□□□□.
- D. SAP HANA Live□□ CDS□□ □ □□ □□ □□□ □□□ □ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ □□□□ SAP HANA □□□□ □□□□ □□□□ SAP HANA □□ □□□□□ □□□□□?
□ □□□□ 2□□ □□□ □□□□□.

□□:

- A. SAP S/4HANA
- B. SAP HANA □□□
- C. SAP HANA □□ SAP BW

https://www.dumptop.com/SAP/C_HANAIMP_17-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: KrDump)

C_HANAIMP_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HANAIMP_17 □□! DumpTop □ □□ C_HANAIMP_17 □□ □□□ □□□□□□,
DumpTop C_HANAIMP_17 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□
□□□ □□□□ □□ DumpTop C_HANAIMP_17 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HANAIMP_17-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: KrDump)