

SAP.C_HCDEV_03.v2023-10-21.q29

□□□□:	C_HCDEV_03
□□□□:	SAP Certified Development Associate - SAP HANA Cloud 1.0
□□□:	SAP
□□ □□ □□□:	29
□□:	v2023-10-21
# □□ □:	440
# □□ □□□:	290
https://www.krdump.com/SAP.C_HCDEV_03.v2023-10-21.q29.html	

NEW QUESTION: 1

□□ □□□□ □□□ Git □□ □ □□ □□□ □□□□□?

A. Git □□□□□□ □□□□□ □□□□□ □□□□□□.

B. □□□□□ □□ □□□ □□□ □□□□□□.

C. □□ □□□□ □□□□ □□□□ □□□ □□□□□□.

D. □□ □□□□□ □□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

OData □□□ □□□ □□□ □□□ □□□□□?□□: □ □□□ □□ □□□ 3□□□□.

A. □□□ □□

B. □□□

C. □□

D. □□

E. □□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

CDS(Core Data Services)□ □□□□ Books□ Authors □□□ □□ □□□ □□□□ □□
□. □□ □□□ □□□ □□□□□?

A. entity Books {□ ID: □□;□□: □□□; author : □□□ □□ □□; □□□ □□ {key ID :
□□; □□ : □□□;}}

B. □□□ □□ { □ ID: □□; □□ : □□□; author : □□□□□ □□;} Authors { □ ID:
□□;□□ : □□□;}

C. □□□ □□ {□ ID: □□; □□ : □□□; author : □□□ □□□□ □□ □□ { key ID :
□□;□□ : □□□;};}

D. `□□□ □□ { □ ID: □□; □□ : □□□; author : □□□□□ □□;}entity Authors { □ ID: □□;□□ : □□□;}`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□□□ □□□ □□□ □□□ □□□□□ □□□. □□ □□□□ □□□□□. □□□□ □ □□□ □□□□□. □□ □□□ □□□ □□□□ □□□□. □□□ □□ □□□ □□□ □□□□□?

- A. (a)□□ □□ □□□□□□□□ □□□□ □□□□□.(b)□□□ □□□ □□ □□□□ □ □□□□.(c)□□ □□□ □□□□□.
- B. (a)□□□ □□□ □□ □□□□ □□□□□.(b)□□ □□□ □□□□□.(c)□□ □□ □ □□□□□□□ □□□□ □□□□□.
- C. (a)□□□ □□□ □□ □□□□ □□□□□.(b)□□ □□ □□□□□□□□ □□□□ □ □□□□.(c)□□ □□□ □□□□□.
- D. (a)□□ □□ □□□□□□□□ □□□□ □□□□□.(b)□□ □□□ □□□□□.(c)□□ □ □□□ □□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

srv.<phase>(<event>) □□□ <phase>□ □□□ □□□ □ □□□□? □□: □ □□□ □ □ □□□ 2□□□□.

- A. □
- B. □
- C. □□
- D. □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□ □□ □□□□ package.json □□□ □□□ □□ □□ □□□ □□□□ □ □ □□□ □.□□ □ □□□ □□□□ □□□□□□ □□□ □□□ □ □□ □□□ □□□□□?□□: □ □□□ □□ □□□ 3□□□□.

- A. □□ OData □□□
- B. □□□ □□ □□□
- C. SAP HANA □□□□ □□□□□□
- D. □□ □□□□□□
- E. SAP □□ □□□□ □□□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

SAP Business Application Studio□□ Node.js □□□ □□□ □□□□□□?

- A.** xsengine.ini ☐ debugger ☐ enabled ☐ ☐ true ☐ ☐.
- B.** HDI ☐ #RT ☐ sap.hana.xs.debugger::Debugger ☐ ☐.
- C.** CF ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D.** ☐ ☐ ☐ ☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

SAP Cloud Application Programming Model □□ □□□ □□□ □□□□ □□ □□□ □□
□ □ □□□□?

- A.** CDS
- B.** CDS ☐☐☐
- C.** ☐☐
- D.** Node.js

Answer: A (LEAVE A REPLY)

NEW QUESTION: 9

```

□□ □ MTA □□ □□□(mta.yaml)□ □□□ □□□ □□□□□?□□:
□ □□□ □□ □□ 2□.

```

- A.** HTML ☐☐
B. ☐☐☐ ☐☐
C. ☐☐
D. ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

□□□ □□□□ SAP Job Scheduling □□□□ □□□□ □□□ □□□□ □□□□. □□
□□□□□ □□ □□□□ □□□□ HTTP □□ □□□ □□□□□?

- A.** 204- □□□ □□
B. 202- □□□
C. 200- OK
D. 201- □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Node.is[] [] [] [] [] [] [] [] [] [] [] [] []?

- A.** `□□□.json`
B. `□□.js`
C. `mta.yaml`
D. `pom.xml`

Answer: (SHOW ANSWER)

NEW QUESTION: 12

[illegible]

- A.** (a)□□, □□, □□(b)□□(c)□□□□ (e)□□
B. (a)□□□, □□, □□(b)□□□□(c)□□(d)□□□□
C. (a)□□ □□ (b)□□, □□, □□(c)□□(d)□□(e)□□
D. (a)□□, □□, □□(b)□□ (c)□□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 13

SQLScript □□□□□□ IN/OUT □□□ □□□□□ □□□□□ □ □□□ □ □□ □□□
□□□□□?

- A. ☐☐
- B. ☐☐ ☐☐ ☐☐
- C. IS_EMPTY
- D. ☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

SAP Cloud Application Programming Model□□ CDS(Core Data Services) □□ □□□ □
□ □□□ □□□ □ □□□□?□□: □ □□□ □□ □□□ 2□□□□.

- A.** ☐ ☐
- B.** ☐ ☐
- C.** ☐ ☐
- D.** ☐ ☐

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 15

□□ □□□□ □□ □□□ □□□□ JavaScript □□□ □□□□□□ □□□□ □□ □□
 □ □□□□ □ □□□□□?

- A.** CDS `impl @impl`
- B.** `cds.serve()`
- C.** `.cds` `.js`
- D.** `cds.connect()`

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

SAP HANA □□□□ □□□□ □□□□ □□□□ □□□ □ □□ □□ □□□ □□□□
□?

- A. □□ □□
- B. □□

C. □□

D. □□ □□□

Answer: A,C ([LEAVE A REPLY](#))

C_HCDEV_03 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HCDEV_03 □□! DumpTop □ □□ **C_HCDEV_03** □□ □□□ □□□□□□,
DumpTop C_HCDEV_03 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop C_HCDEV_03 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HCDEV_03-dump.html (82 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 17

SAP HANA □□□□□□ □□□□ □□ □ □□ □□□ □□ □□□ □□□□□?□□: □
□□□ □□ □□□ 3□□□□.

A. .hdb□□□□

B. .hdbcalculationview

C. .yaml

D. .hdinamespace

E. .cds

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□ □□□□ □□□□□?

A. □□□□□

B. □□

C. □□

D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

□□ □□ □ □□ □□□ □□□(CDS) □□□ □□ □□ □□□□ □□□ □□□□ □□□
□□□□□?

A. @□□

B. @insertonly

C. @□□

D. @□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□ □□□ □□ □□ □□ □ □□□ □□□ □□□□ □□ □□□□□?

- A. □□
- B. □□□
- C. □□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

- □□□ □□□ □□□ □□□□□?
- A. SQL□□ □□□ □ □□ □□□ □□□□□
 - B. □□ □□□ □□□ □□□ □□
 - C. □□□ □□ □□ □□□ □□□ □□□□□
 - D. □□□ □□ □□□ □□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

- □□□□□ □□ □□□ □□□□ □□□ □□□□□?□□: □ □□□ □□ □□□
3□□□□.
- A. □□□ □□□ □□□
 - B. HTTP □□□□ □□ □□□ □□□□ □□
 - C. □□□□□□ □□ □□□□ □□□□ □□
 - D. □□ □□□ □□
 - E. □□ □□□ □□□ □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

- □ SAPUI5 □□□□□□□ index.html □□□ □□□ □□□ □□□□□?□□: □ □
□□ □□ □□□ 2□□□□.
- A. UI □□
 - B. □□□□□
 - C. □□□□□□
 - D. □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 24

- SAP□ □□□□□□ □□□□ □□ □□ □□□ □□□ □□□□□?□□: □ □□□ □□
□□□ 2□□□□.
- A. □□□ □□ □□□ □□ try/catch □□□ □□□□□.
 - B. □□□ □□□ □□ □□□□□.
 - C. □□□□ □□□ □□□□□□.

D. □□□ □□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 25

Cloud Foundry 3.10.0

- A.** □□□
- B.** □□ □□
- C.** □□~~□~~□
- D.** □□□□
- E.** □□□□□□ □□

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 26

□□ □ SAP HANA Cloud□ □□□ □ □□ □□□ □□ □□□ □□□□□?□□: □ □□
□ □□ □□□ 3□□□□.

- A.** ☐ ☐
- B.** ☐ ☐ ☐
- C.** ☐ ☐
- D.** ☐ ☐
- E.** ☐ ☐ ☐

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 27

SAP Job Scheduling ☐☐☐☐ ☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

☐☐ ☐☐☐☐?

- A.** SAP Job Scheduling □□□ □□□□□ □□□□□. xsuaa □□□ □□□□□ □□□ □□. □□□□□□□ □□□□□. xsuaa □□□ □□□□□ □□□□□□□ □□□□□ □. SAP Job Scheduling □□□ □□□□□ □□□□□□□ □□□□□□.
- B.** SAP Job Scheduling □□□ □□□□□ □□□□□. xsuaa □□□ □□□□□ □□□ □□. xsuaa □□□ □□□□□ □□□□□□□ □□□□□□. SAP Job Scheduling □□ □ □□□□□ □□□□□□□ □□□□□□. □□□□□□□ □□□□□.
- C.** SAP Job Scheduling □□□ □□□□□ □□□□□. xsuaa □□□ □□□□□ □□□ □□. SAP Job Scheduling □□□ □□□□□ □□□□□□□ □□□□□□. xsuaa □□ □ □□□□□ □□□□□□□ □□□□□□. □□□□□□□ □□□□□.
- D.** SAP Job Scheduling □□□ □□□□□ □□□□□. xsuaa □□□ □□□□□ □□□ □□. □□□□□□□ □□□□□. SAP Job Scheduling □□□ □□□□□ □□□□□□ □ □□□□□□. xsuaa □□□ □□□□□ □□□□□□□ □□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following is a valid SAP Fiori app ID?

- A. 12345678
- B. 1234
- C. 123
- D. 12345

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which of the following is a valid SAP Fiori app ID?

- A. `const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, () =>{ console.log(` ${row.ID} `)}})`
- B. `const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, () =>{ output.log(` ${row.ID} `)}})`
- C. `const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities()this.on('each',Supplier, () =>{ output.log(` ${row.ID} `)}})`
- D. `const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.on('each',Supplier, () =>{ console.log(` ${row.ID} `)}})`

Answer: ([SHOW ANSWER](#))

C_HCDEV_03 is a SAP Fiori app ID. DumpTop is a SAP Fiori app ID. C_HCDEV_03 is a SAP Fiori app ID. DumpTop C_HCDEV_03 is a SAP Fiori app ID. DumpTop C_HCDEV_03 is a SAP Fiori app ID. DumpTop C_HCDEV_03 is a SAP Fiori app ID.

https://www.dumptop.com/SAP/C_HCDEV_03-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)