

SAP.C_HRHFC_2211.v2023-11-20.q32

□□□□:	C_HRHFC_2211
□□□□:	SAP Certified Integration Associate - SAP SuccessFactors Full Cloud/Core Hybrid 2H/2022
□□□:	SAP
□□ □□ □ □□:	32
□□:	v2023-11-20
# □□ □:	863
# □□ □□ □:	320
https://www.krdump.com/SAP.C_HRHFC_2211.v2023-11-20.q32.html	

NEW QUESTION: 1

SAP SuccessFactors Employee Central□□ SAP ERP□ □□ □□□ □□□□ □□□ □
□□□□ □□ □□□□ □□□□□ □□□. □□ □□□□□ □□□□ □□ □□□ □□
□□□?

□□: □ □□□ □□ □□□ 2□□□□.

A. □□ □□ □□□□ □□ □□□ □ □□□ □□□□□.

B. □□ □□□ □□□ □□□ □□ □□□ □□□□□.

C. □□□ □□ □□□ □□□ □□ □□□ Infotype □ □□ □□□ □□□□□.

D. □□ □□□□ VC ECPAO MAP□□ □□ □□□ □□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Business Integration Builder□□ □□□ SAP SuccessFactors Employee Central(EC)□ □
□□ □□ SAP ERP□ □□ □□ □□ □□ □□□ □□□□ □□□. □□ □□ □□□ □□
□ □ □□□□?

□□: □ □□□ □□ □□□ 3□□□□.

A. □□□ □□□□.

B. SAP ERP□□ □□ □□□□ □□ EC □□□ □□□ □□□.

C. □□□ □□□/EC □□□ □□□□□.

D. □□□ □□□□ □□ □□□□□.

E. □□□□ □□□ □□□□□.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

SAP ERP□ SAP SuccessFactors □□□ □□ □□□ □□□□□ □□□. □□ □□□□
SFAPI □ SFAPI □□ □□□ □□□□□□?

- A. SAP SuccessFactors □□ □□ □□
- B. SAP SuccessFactors □□□□□
- C. SAP SuccessFactors □□ □□
- D. SAP SuccessFactors □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□ □□ □□□□ SAP Cloud Platform □□ □□□□ □□□□ □□ SAP ERP□□ □□
□□ □□□ □□□□□?

□□: □ □□□ □□ □□□ 3□□□□.

- A. SAP ERP□ □□□ □□ □□ PA_SE_IN 100□ □□□□□.
- B. SAP ERP□ Trust Manager□□ SAP Cloud Platform □□ □□□□ □□ □□□□ □□
□□□.
- C. SAP ERP□□ ALE □□□ □□□□□.
- D. SAP ERP□□ □□□ ODTF REPL_ CC□ □□□□□.
- E. SAP ERP□□ □□ □□ □ □□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

OData API□ □□□□ □□□ □ □□ □□□ □□□□□?

□□: □ □□□ □□ □□□ 2□□□□.

- A. □□ □□ □□□ □□□ □□□□□.
- B. □□□□□ □□□□□□ □□□ □□□ □□ □□□□ □□□.
- C. □□ □□ □□ □ □□ □□□ □□□□ □□□□ □□□ □□□□□□ □□□□□.
- D. □□ □□ □□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□ "□□ □□□ □□"□ □□□□ OData □□ □□□ □□ □□□ □□□□□ □□□.

□□□ □□□ □ □□ □□□ □□□□□?

□□: □ □□□ □□ □□□ 2□□□□.

- A. □□□□□ □□□ □□□ □□
- B. □□ □□ □□□ □□
- C. □□□ □□□ □□
- D. □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which of the following is a valid SAP SuccessFactors SAP ERP integration scenario? ☐

A. ☐ SAP ERP to SAP SuccessFactors

☐ SAP SuccessFactors to SAP ERP ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

B. ☐ SAP ERP to SAP SuccessFactors

☐ SAP SuccessFactors to SAP ERP ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

C. SAP SuccessFactors to SAP Employee Central

☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

D. ☐ SAP ERP to SAP SuccessFactors

☐ SAP SuccessFactors to SAP ERP ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors ☐ SAP SuccessFactors to SAP Employee Central ☐ SAP Employee Central to SAP SuccessFactors

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following is a valid SAP SuccessFactors integration scenario? ☐

A. ☐ SAP SuccessFactors to SAP ERP

B. ☐ SAP SuccessFactors to SAP Employee Central

C. ☐ SAP SuccessFactors to SAP SuccessFactors

D. ☐ SAP SuccessFactors to SAP SuccessFactors

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which of the following is a valid SAP SuccessFactors integration scenario? ☐

A. ☐ SAP SuccessFactors to SAP ERP

B. ☐ SAP SuccessFactors to SAP Employee Central

C. ☐ SAP SuccessFactors to SAP SuccessFactors

D. ☐ SAP SuccessFactors to SAP SuccessFactors

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which SAP Cloud Platform service is used to connect SAP ERP to SAP SuccessFactors Employee Central? endpoint URL?

- A. SAP Cloud Platform --+ SAP SuccessFactors
- B. SAP Cloud Platform --+ SAP SuccessFactors
- C. SAP Cloud Platform --+ SAP SuccessFactors
- D. SAP Cloud Platform --+ SAP SuccessFactors

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which SAP ERP HCM service is used to connect SAP SuccessFactors Employee Central to HR? SAP Infoporter is used to connect SAP SuccessFactors Employee Central to HR. SAP Infoporter is used to connect SAP SuccessFactors Employee Central to HR. SAP Infoporter is used to connect SAP SuccessFactors Employee Central to HR.

- A. SAP Cloud Platform --+ SAP SuccessFactors
- B. SAP Cloud Platform --+ SAP SuccessFactors
- C. SAP Cloud Platform --+ SAP SuccessFactors
- D. SAP Cloud Platform --+ SAP SuccessFactors
- E. Side-by-Side SAP Cloud Platform --+ SAP SuccessFactors

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which SAP Cloud Platform service is used to connect SAP SuccessFactors Employee Central to SAP SuccessFactors Employee Central? SAP SuccessFactors Employee Central is used to connect SAP SuccessFactors Employee Central to SAP SuccessFactors Employee Central.

- A. OData SAP SuccessFactors Employee Central
- B. SAP SuccessFactors Employee Central
- C. SFAPI SAP SuccessFactors Employee Central
- D. SAP SuccessFactors Employee Central

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which SAP Cloud Platform service is used to connect SAP SuccessFactors Employee Central to SAP SuccessFactors Employee Central? SAP SuccessFactors Employee Central is used to connect SAP SuccessFactors Employee Central to SAP SuccessFactors Employee Central.

- A. SAP Cloud Platform --+ SAP SuccessFactors
- B. SAP Cloud Platform --+ SAP SuccessFactors
- C. SAP Cloud Platform --+ SAP SuccessFactors
- D. SAP Cloud Platform --+ SAP SuccessFactors

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□ □□□ Infotype □□ □□□ □□□ □□ □□□ □□□□□?

- A. □□□ □□ □□
- B. □□□ □□□ □□
- C. □□□ □□ □□
- D. □□□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Business Integration Builder□□ □□ □□ ID□ □□□□ SAP SuccessFactors Employee Central □□□ □□□□□?

□□: □ □□□ □□ □□□ 2□□□□.

- A. □□ ID
- B. □□ □□
- C. □□
- D. □□ □□□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

SAP ERP□□ Successfactors Employee Central□ □□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□?

□□: □ □□□ □□ □□□ 3□□□□.

- A. SAP Cloud Platform □□ □□□ □ SAP ERP□□ □□□ □ □□□ □□□□□.
- B. SAP Cloud Platform Integration □□□□□ !Doc □□□□ □□□□□.
- C. □□ □□ □□□□ □□ □□□ □□□ □□ SAP Cloud Platform □□ □□□□□ □□ □ □□□□□.
- D. SAP Successfactors Employee Central □ SAP ERP□□ □□ □□ □□□□ □□□□ □.
- E. SAP ERP□ SAP □□□□ □□□ □□ □□□ □□ SAP □□□□ □□/□□□ □□□□ □□□□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

C_HRHFC_2211 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HRHFC_2211 □□! DumpTop □ □□ **C_HRHFC_2211** □□ □□□ □□□□□□,
DumpTop C_HRHFC_2211 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_HRHFC_2211 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HRHFC_2211-dump.html (96 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 17

Which SAP ERP HCM infotype is used to store the employee's date of birth (0171) and date of termination (0168)?
Which SAP ERP infotype is used to store the employee's date of birth (0171) and date of termination (0168)?

Which SAP ERP infotype is used to store the employee's date of birth (0171) and date of termination (0168)?

- A. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- B. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- C. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- D. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

SAP Cloud Platform Integration is used to integrate SAP SuccessFactors Employee Central with SAP SuccessFactors Employee Central.

Which SAP SuccessFactors Employee Central infotype is used to store the employee's date of birth (0171) and date of termination (0168)?

- A. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- B. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- C. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- D. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which SAP ERP HCM infotype is used to store the employee's date of birth (0171) and date of termination (0168)?
Which SAP ERP HCM infotype is used to store the employee's date of birth (0171) and date of termination (0168)?

- A. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- B. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- C. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- D. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which SAP ERP HCM infotype is used to store the employee's date of birth (0171) and date of termination (0168)?
Which SAP SuccessFactors Employee Central infotype is used to store the employee's date of birth (0171) and date of termination (0168)?

- A. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- B. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- C. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.
- D. Infotype 0171 and 0168 are used to store the employee's date of birth and date of termination.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

□□□ □□ □□ □□□□□ □□□□ □□ □□□ □□□□? □□: □ □□□ □□ □□□
2□□□□.

- A.** SAP Data Replication Monitor
B. SAP SuccessFactors Employee Central
C. SAP SuccessFactors Employee Central
D. SAP SuccessFactors Employee Central

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 22

SAP ERP HCM □□□ □□□□□ □□ □□□□ □□□ □ □□ ERP □□□□□□□ □
□□□ □□ IMG □□□ □□□□□?

- A.** □□ □□□ □□□ □ □□ □□ □□□ □□ □□□□□ □□□□□.
- B.** SAP SuccessFactors Employee Central□□ □□ □□□ □□□□□.
- C.** □□□ □□ □ □□□ □□□□□□□.
- D.** □□ □□□□ □□ □□□ □□ SAP SuccessFactors Employee Central□□ □□□ □
□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 23

□□□ Hire Rehire BAdl(EX_PAOCF_EC_DECIDE_HIRE_REHIRE)□ □□□□□ □□□.
CV_PERN □ CV_NEW_HIRE □□□□□ □□□ □ □□ □□ □□□□ □□□ SAP ERP
HCM□□ □□□□ □□ □□ □□□ □□□□□□?

- A.** CV_PERNR: □□□ID
CV_NEW_HIRES: X
- B.** CV_PERNR: □□□
CV_NEW_HIRES: □□
- C.** CV_PERNR: X
CV_NEW_HIRES: □□
- D.** CV_PERNR: □□ □□
CV_NEW_HIRES: □□□ID

Answer: B (LEAVE A REPLY)

NEW QUESTION: 24

SAP SuccessFactors Employee Central□□ SAP ERP□ □□ □□□ □□□ □□□ □□
 □ □ SAP SuccessFactors HCM □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□
 □□□□□?

- A.** □□ □□□ □□

B. ☐☐☐☐ ☐☐☐ ☐☐

C. ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

D. ☐☐ ☐☐ ☐☐☐☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

□□□ □□□□ □□□□ □□ Compound Employee API□ □□ MDF(Metadata Framework) □□□ □□□□ □□□. □□ □ □□□□ □□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 3□□□□.

A. MDF □□□ □□□ □□□ □□□□.

B. MDF □□□ □□ □□□□ □□□.

C. MDF □□ □□ □□□ □□ □□□□ □□□□□.

D. MDF □□□ □□ API □□□□ □□ □□ □□ □□ □□□□ □□□□□.

E. MDF □□□ □□□□□□ □□□.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 26

□□□ SAP ERP HCM□□ SAP SuccessFactors□ □□ □□□ □□□□□ □□□□□.
SAP ERP□□ □□ □□ □□□ □□□□□?
□□: □ □□□ □□ □□□ 2□□□□.

A. EC ☐☐☐ ☐☐

B. EC ☐☐ ID

C. EC ☐ ☐

D. EC ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□ □ □□ □□□□ □□□□ SAP SuccessFactorsEmployee Central □□ □□ □□□
 □ □□□ □ □□ SAP □□ □□□ □□□□□?
 □□: □ □□□ □□ □□□ 3□□□□.

A. □□(0006)

B. (0007)

C. □□ □□(0001)

D. $\square\square\square(0008)$

E. (0016)

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 28

□□□ SAP SuccessFactors Employee Central□□ cust_shop □□□ □□ □□ □□□ □
□□□ □□□□.

□ □□□ □□ □□□ □□ □□□ □□□□□ □□□□□ □□□ □□□□□.

SAP ERP □□□□ □□ □ cust_shop □□ □□□ □□□ □□□ □□□□□?

A. cust_shop □□□ □□ □ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□□ □□ □□ □□□□□.

B. cust_shop □□□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □ □□ □□□□ □ □□□□.

C. □□ □□□ □□ □□□□ □□□□ □□ □ □□ □□ □□□ □□□□□.

D. SAP ERP□□ □□ □□□ □□ BAdI □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

HTTP PUT □ POST □□□ □□□□ □□□□ □□□□ □□□□□?

A. FOCostCenter

B. □□

C. □□ □□

D. FO□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

SAP ERP HCM□ HR □□ □□ □□ □□□ □□□□ □□□□ □□□□□?

A. T535N

B. TSAD5

C. T77PAOMDCF

D. PAOCFEC_EEKEYMAP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□ SAP SuccessFactors Employee Central □□□□□□ OData API □□□ □□□ □

HTTP □□ □□□ □□□□□. SAP□□ □□□□ □□□ □□□□□?

A. □□□ □□ □□ □□□□□□.

B. □□□□□□ □□ □□□ □□ □□□□□□.

C. □□□ □□□ API □□□ □□□□□.

D. 5□ □ □□ □□□□□□.

Answer: ([SHOW ANSWER](#))

C_HRHFC_2211 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HRHFC_2211 □□! DumpTop □ □□ **C_HRHFC_2211** □□ □□□ □□□□□□,
DumpTop C_HRHFC_2211 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_HRHFC_2211 □□□ □□□□□.

https://www.dumptop.com/SAP/C_HRHFC_2211-dump.html (96 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

SOAMANAGER□□ Business Integration Builder□ □□□□ □□ □□□ □□□ □□ □
□ □□□ □ □□□□ □□□□ □□□□?

- A. EmployeeMasterDataReplicationRequest_ In
- B. EmployeeOrganisationalAssignmentReplicationRequest_ In
- C. EmployeeMasterDataBundleReplicationRequestJn
- D. EmployeeMasterDataAndOrgAssignmentBundleReplicationRequestJn

Answer: ([SHOW ANSWER](#))

C_HRHFC_2211 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_HRHFC_2211 □□! DumpTop □ □□ **C_HRHFC_2211** □□ □□□ □□□□□□,
DumpTop C_HRHFC_2211 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_HRHFC_2211 □□□ □□□□□□.
https://www.dumptop.com/SAP/C_HRHFC_2211-dump.html (96 Q&As Dumps,
30%OFF Special Discount: KrDump)