

SAP.C_SECAUTH_20.v2022-09-02.q56

□□□□:	C_SECAUTH_20
□□□□:	SAP Certified Technology Associate - SAP System Security and Authorizations
□□□:	SAP
□□ □□ □□ □:	56
□□:	v2022-09-02
# □□ □:	833
# □□ □□□:	560
https://www.krdump.com/SAP.C_SECAUTH_20.v2022-09-02.q56.html	

NEW QUESTION: 1

□□ □ □□□ □□□ □□ □□□ □□□ □□ □□ □□ □□□□□? □□:
□ □□□□ 3□□ □□□ □□□□.

- A. □□ □□ □□□ □□□□ SM19□ □□□□ □□□□□□ □□□.
- B. □□□□ RECCLIENT□ □□□□ STMS□□ □□□□□ □□□.
- C. □□□□ SE13□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□.
- D. □□□□□□ □□ □□□□ □□□□ □□□□ rec/client□ □□□□ □□□.
- E. □□□□□ □□ □□□ □□ □□ □□□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

SAP □□ □□ □□□ □□□ □ □□ □□□□ □□□ □□□□□?

- A. SM20
- B. SM18
- C. □□
- D. SM19

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□ □□□□ □ □□ □□□ □□□□□ □□□ □ □□ OData Services□ □□ □□ □
□□ □□□ □ □□ □□□□□ □□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. /IWFND/GW_SYS_ALIAS
- B. /IWFND/MAINT_SERVICE
- C. /UI2/GW_MAINT_SRV
- D. /IWFND/GW_CLIENT

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□ □ SAP Security Optimization Service□□ SAProuter□ □□ □□□□ □□□ □□□ □□?

□□: □ □□□□ 3□□ □□□ □□□□.

A. □□ □□□□ □□ □□

B. SAPrountab □□

C. □□□□ □□

D. □□□ □□ □□

E. □□ □□ □□□ □□

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □ Authorization Object □□□□ □□ □□□ □□□□□?

A. 1~10□□ □□ □□ □□□ □□ □□□□□.

B. □□ □□□ □□□ □ □□ □□ □□ □□□ □□□□□.

C. □□ □□ □□□ □□ □□□ □□□□□.

D. □□ □□□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

□□ □ SAP Code Vulnerability Analysis□ □□□□ □□ □□□ □□□□□? □□: □□ □□

2 □ □□□ □□ □□□□□.

A. □□□ □□ ABAP □□ □□□□□ □□

B. □□ □□ □□□ □□ □□

C. □□ □ □□ □□□□□□ □□ □□□

D. □□ □ □□ □□ □□ □□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ □□□ □□ □□□□ □□□□□ □□ □□ □□□ □□□□□?

A. S_USER_SYS

B. S_USER_AUT

C. S_USER_VAL

D. S_USER_AGR

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

OData □□ □□□ □□□ □□ SAP Fiori □□ □□ □□ □□□□ S_SERVICE□
□□ □□□□ □□ □□ □□□□. □□: □ □□□□ 2□□ □□□ □□□□.

A. S_SERVICE □□ □□ □□□ SRV_NAME □□ OData □□□□ □□ □□□□.

B. □□□ □□ □ □□□ □□ □□ □□ □□ □□□ □□□ S_SERVICE □□ □□□ □
□□□ □□□□.

C. S_SERVICE □□ □□ □□□ SRV_NAME □□ OData □□□□ □□□□□.

D. □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□ S_SERVICE □□
□□ □□□ □□□□ □□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 9

SAP S/4HANA Cloud□□ □□ □□□ □□ □□□□ □□□□□□□?

A. □□□□ □□

B. □□

C. □□ □□ □□

D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

□□ □ □□□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□□ □ □□□□ □□ □
□ □□□ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

A. S_BTCH_EXT

B. S_RZL_ADM

C. S_LOG_COM

D. S_PROGRAM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

SAP AUDIT MANAGEMENT □□ □□□□□ □□ □□□ □□□□□? □□: □ □□□□
3□□ □□□ □□□□.

A. □□□□□□ □□

B. □□ □□

C. □□ □□ □□□□

D. □□ □□

E. □□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□ □□□ □ □□ □□ □□ □□□ □□□ □□ □□ □□□ □□ □□□□□? □□: □
□□□□ 2□□ □□□ □□□□.

- A. E071K
- B. E070
- C. E071
- D. E070L

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following is a valid SAP client name? (Select all that apply):

- A. SM19
- B. RECCLIENT
- C. STMS
- D. rec/client
- E. SE13

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following is a valid SAP client name? (Select all that apply):

- A. REGENERATE_SAP_NEW
- B. SAP_NEW
- C. SAP_NEW
- D. SAP_NEW

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which of the following is a valid SAP client name? (Select all that apply):

- A. ID
- B. SOAP
- C. SOAP
- D. ID

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

AS Java UME AS ABAP

- A.

- B. □□ □□□
- C. J2EE □□□
- D. □□ □□□ □□□

Answer: B ([LEAVE A REPLY](#))

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□, □
 DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □
 □□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□. □
https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 17

□□□□ □□□ □□ □□□ □□ □□ □□□ □ □□ □□□□□ □□□□□?

- A. SUPC
- B. PFCGROLEDIST
- C. PFCG
- D. PFCGMASSVAL

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

"□□ □□□□ □□ □□□□ □□" □□□□ □□□ □ □□ □□□ □□ □ □□□□□□?
 □□:

- □□□□ 2□□ □□□ □□□□.
- A. □□□□ RSUSR_ROLE_MENU
- B. □□ SUIM, (□□ □□ " □□ □□")
- C. □□□□ SUIM(□□ □□ "□□")
- D. □□ RSUSR_START_APPL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

□□ □□□ □□□ □ □□□ □□ □□ □□□□ □□□□□ □□□. □□ □□ □□ □□
 □ □□□□ □□□?

- A. S_USER_VAL
- B. S_USER_AGR
- C. S_USER_TCD
- D. S_USER_ADM

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□ □ SAP Audit Management □□ □□□□□ □□□ □□□□□? □□: □ □□□□ 3
□□ □□□ □□□□.

- A. □□ □□
- B. □□ □□
- C. □□ □□ □□□□
- D. □□ □□
- E. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

SAP Access Control □ SAP Cloud Identity and Access Governance □□ □□ □□□ □ □
□ □□□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□ □□□□□
- B. □□ □□
- C. □□□□ □□
- D. □□ □□□
- E. □□

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ SUIM □□□ □ □□□□ □□ □□ □□□ □□□ □□□□ □ □□□ □ □□ □□
□□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. □□ □□□ □□ □□□
- B. □□□ □□ □□□ □□ □□
- C. □□□ □□
- D. □□□ □□□ □□ □□□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□ SM31□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □
□□□ □□□ □□ □□ □□ S_TABU_DIS □ □□ DICBERCLS□ □□□□□□. □ □□
□ □□□□ □□□□ □□□□□ □□□ □□ □□□?

- A. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.
- B. □□ □□□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□.
- C. □□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □ □□□□.
- D. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which SAP ID is used for multi-login users?
A. /multi_login_users
B. /disable_multi_rfc_login
C. /disable_multi_gui_login
D. /disable_multi_login_users?

- A. /multi_login_users
- B. /multi_login_users
- C. /disable_multi_rfc_login
- D. /disable_multi_gui_login

Answer: (SHOW ANSWER)

NEW QUESTION: 25

Which SAP Fiori PFCG role is used for WAPA?
A. WAPA
B. SAP UI
C. SAP OData
D. SAP WAPA
E. OData

- A. WAPA
- B. SAP UI
- C. SAP OData
- D. SAP WAPA
- E. OData

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 26

Which SAP user is used for S_USER_AGR?

- A. S_USER_AGR
- B. S_USER_SYS
- C. S_USER_VAL
- D. S_USER_AUT

Answer: A (LEAVE A REPLY)

NEW QUESTION: 27

Which SAP role is used for IWSC?

- A. IWSC
- B. IWSV
- C. OSOD
- D. IWSG

Answer: B (LEAVE A REPLY)

NEW QUESTION: 28

Which SAP role is used for IP?

- A. IP

- B. □□□ □□
- C. □□□□ GPS □□□
- D. □□□
- E. □□ □□□ □□ □□ □□

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□□□□□ □□ □□(SLG1)□ □□□ □□□□□□?

- A. rsau/local/file □□□□□ □□□ □□
- B. □□□□□□□□
- C. DIR_LOGGING □□□□□ □□□ □□□□
- D. DIR_TRANS □□□□□ □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

SNC □□□□ □□□ □□□ ABAP □□□□ □□□ □□□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. SNCCONFIG
- B. SNC0
- C. SNCWIZARD
- D. □□□□□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□ □ □□ □□ □□□□ □□ □□□□ □□□□□ □□□□ □□ □□□□□ □□□□ □□?

- A. rsau/□□□
- B. rdisp/TRACE
- C. □□/□□□□□
- D. □□□□

Answer: ([SHOW ANSWER](#))

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□□,
 DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
 □□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□.

https://www.dumpstom.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

□□ □ □□ □□□□ □□□□ □□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□ □□.

- A. □□□□□□ □□□□
- B. □□□ □□
- C. □□□□□ □□□
- D. RFC □□□
- E. □□□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□ □ Authorization Object Class□ □□ □□□ □□□□□?

- A. □□ □□□ □□□ □ □□ □□ □□ □□□ □□□□□.
- B. □□ □□ □□□ □□ □□□ □□□□□.
- C. 1 ~ 10□□ □□ □□ □□□ □□ □□□□□.
- D. □□ □□ □□□ □□□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

S_BTCH_JOB □□ □□ □□□ □□□□ □□ □□□□□? □□: □ □□□□ 3□□ □□ □□□□.

- A. □
- B. 02(□□)
- C. 01(□□□)
- D. □□
- E. RELE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Easy Access □□ □□□□ SAP □□□ □□□ □□□. Authorization Object S_USER_ADM□ □□ □□ □□□ □□□□□?

- A. SSM_CUST
- B. USR_CUST
- C. PRGN_CUST
- D. USR_CUST_S

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□ □□□ □□□ □ □□□ □□ □□ □□□□ □□□□□ □□□. □□ □□ □□ □□□ □□□□ □□□?

- A. S_USER_ADM

- B. S_USER_AGR
- C. S_USER_VAL
- D. S_USER_TCD

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 37

SAP NetWeaver AS Java UME()
 ?
 : 3 .

- A.
- B. /usr/sap
- C. LDAP
- D. UDDI
- E. ABAP

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 38

RFC
 ?

- A. S_USER_STA
- B. S_USER_SYS
- C. S_USER_AUT
- D. S_USER_AGR

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 39

Plant Manager
 150

- A.
- B. Copy Data
- C.
- D. PFCGMASVAL

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 40

SAP_NEW
 2

- A. SAP_NEW
- B. SAP_NEW

C. REGENERATE_SAP_NEW □□□□ □□□□ □□□ □□□ □□ SAP_NEW□ □□ □□ □□□.

D. □□□ SAP_NEW□ □□□□□ □□□□ □□ □ □□ □ □□□ □□ □□ □□□ □ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□ □ SAP □□ □□□ □□□(SOS) □□□□ □□ □□□□ □□ □□? □□ 3 □ □□□ □□ □□□□□.

- A. □□ □□□: □□ □□ □□ □□
- B. □□ □□□: □□□ □□□ □□□□□ □□
- C. □□ □□□ : CQC □□□ □□□ □□
- D. □□ □□□: □□□□ □□
- E. □□ □□□ : □□ SAP □□□□□ □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Easy Access □□ □□□□ SAP □□□ □□□ □□□. Authorization Object S_USER_ADM□ □□ □□ □□□ □□□□□?

- A. SSM_CUST
- B. USR_CUST_S
- C. USR_CUST
- D. PRGN_CUST

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

□□ □ □□ □□□ □□□□ □□□ □□ □□□□□? □□: □ □□□□ 2□□ □□□ □ □□□.

- A. □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.
- B. □□□ □□ □□□ □□□ □ □□
- C. □□□ □□ □□ □□□□ □□□□□.
- D. □□□ □□□ □□ □□ □□□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

ABAP □□□ □□ SNC□ □□□□□ □ □□□ □□□□ □□□ □□□□□? □□: □ □ □□□ 3□□ □□□ □□□□.

- A. □□
- B. □□□□
- C. RZ10
- D. SU01

E. PFCG

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which of the following is a SAML 2.0 protocol element that is used to convey the user's identity information to the service provider?

A. The `AuthnContext` element in the `AuthnRequest` message is used to convey the user's identity information to the service provider.

B. The `AuthnContext` element in the `AuthnResponse` message is used to convey the user's identity information to the service provider.

C. The `AuthnContext` element in the `AuthnRequest` message is used to convey the user's identity information to the service provider.

D. The `AuthnContext` element in the `AuthnResponse` message is used to convey the user's identity information to the service provider.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which of the following is a valid IP address for a host in a network with a 10.0.0.0/24 subnet mask?

A. 10.0.0.1

B. 10.0.0.255

C. 10.0.0.0

D. 10.0.0.1

E. 10.0.0.255

Answer: A,B,E ([LEAVE A REPLY](#))

C_SECAUTH_20 SAP dumps are available at DumpTop. Visit https://www.dumpst.com/SAP/C_SECAUTH_20-dump.html for more information. **C_SECAUTH_20** SAP dumps are available at DumpTop. Visit https://www.dumpst.com/SAP/C_SECAUTH_20-dump.html for more information.

https://www.dumpst.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 47

Which of the following is a valid IP address for a host in a network with a 10.0.0.0/24 subnet mask?

A. 10.0.0.1

B. 10.0.0.255

C. 10.0.0.0

D. 10.0.0.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

OData □□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□ TADIR □□□ □□
□□□ □□□□□?

- A. OSOD
- B. IWSV
- C. IWSC
- D. IWSG

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 49

"□□ □□□□ □□ □□□□ □□" □□□□ □□□ □ □□ □□□ □□ □ □□□□□?
□□:

- □□□□ 2□□ □□□ □□□□.
- A. □□□□ SUIM(□□ □□ "□□")
- B. □□□□ RSUSR_START_APPL
- C. □□□□ RSUSR_ROLE_MENU
- D. □□ SUIM, (□□ □□ "□□ □□")

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

□□ □ SAP Fiori Launchpad□ □□□□ Web Dynpro □□□□□□□ □□ □□□ □□
□□□□ □□□□□ □□ □□ □□ □□□ □□□□□?

- A. S_TCODE
- B. S_SERVICE
- C. S_PERSONAS
- D. S_START

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

SAP□□ □□□□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□ □□□. □□
□ □ □□ □□ □□□ □□□□ □□□?

- A. USOBHASH
- B. USOBX
- C. USOBX_C
- D. USOBT_C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

□□ □ □□ □□□□ □□□□ □□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□
□□.

- A. □□□ □□
- B. RFC □□□

- C. □□□□□ □□□
- D. □□ □□
- E. □□□□□□ □□□□

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□ □□□□ □□ □□□ □□□ □ □□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□ □□
- B. RFC/CPIC □□□
- C. □□□ □□
- D. □□ □□ □□□
- E. □□□ □□ □□

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□□ □□ □□□□ □□ □□ □□□ □□ □□ □□□□ "□□ □□□" □□□ □□□□□
□. □ □□ □□□□ □□□ □□□□□?

- A. □□□ □□ □□□ SU24□□ □□ □□□□ □□□□ □□□□ □□□ □□ □□ □□ □□ □□ □□□ □□□□ □ □□□□□□□.
- B. SU24□ □□□ □□ SU25□ □□□ SAP □□□ □□□ □□□ □□ □□□ □□□□ □ □□□ □□□□□□.
- C. □ □□ □□ □□□ □□□ □□□ □□□□□□□□.
- D. □□ □□ □□□ □□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

□□ □□□□ □□ □□□ □□□ □ □□□□ □□ □□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. □□□□□□ □□ □□□ □□ □□
- B. PFCG □□□ □□□□□□□□ □□□ □□ □□ □□□ □□□□ □□
- C. PFCG □□ □□□ SAP Fiori Tile Groups□ □□□ □□
- D. PFCG □□□ □□ □□□□□ □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□ □ "□□"□ □□□□ □□ □□□□□?

- A. □□□ □ □□ □□□ □□□□ □□□ □□□ □□
- B. □□ □□□□ □
- C. TCP/IP □□ □□□ IP □□ □□
- D. □□□□ □□□□□□ □□□□

Answer: ([SHOW ANSWER](#))

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□,
DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□.
https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,
30%OFF Special Discount: KrDump)