

# SAP.C\_SECAUTH\_20.v2023-01-12.q53

□□□□:	C_SECAUTH_20
□□□□:	SAP Certified Technology Associate - SAP System Security and Authorizations
□□□:	SAP
□□ □□ □□ □:	53
□□:	v2023-01-12
# □□ □:	638
# □□ □□□:	530
<a href="https://www.krdump.com/SAP.C_SECAUTH_20.v2023-01-12.q53.html">https://www.krdump.com/SAP.C_SECAUTH_20.v2023-01-12.q53.html</a>	

## NEW QUESTION: 1

□□ □ SAML(Single Sign-On) □□(SAML) 2.0□ □□□ □□□□ □□□ □□ □□□□ □?

□□: □ □□□□ 2□□ □□□ □□□□.

- A. ID □□□□ □□ □□□ □□ □□□□ □□□ □□□□□.
- B. □□□ □□□□ □□□□□ □□ □□ □□□ □□□□□.
- C. ID □□□□ □□□ □□□□ □□□□□ □□□□□.
- D. ID □□□□ □□□□□ □□ □□ □□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

## NEW QUESTION: 2

□□ □□□□ □ □□ □□□ □□□□□ □□□ □ □□ 0 □□□ □□□□ □□ □□ □ □□ □□□□ □□□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

- A. /UI2/GW\_MAINT\_SRV
- B. /IWFND/GW\_CLIENT
- C. /IWFND/GW\_SYS\_ALIAS
- D. /IWFND/MAINT\_SERVICE

Answer: A,D ([LEAVE A REPLY](#))

## NEW QUESTION: 3

□□ □ "□□"□ □□□□ □□ □□□□□?

- A. □□□ □ □□ □□□ □□□□ □□□ □□□ □□
- B. TCP/IP □□ □□□ IP □□ □□
- C. □□□ □□ □□□□□□ □□□

D. □□ □□□□ □

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 4**

□□□ □□□ □□ □□□□ □□□□□ □□ □□ □□□ □□□□□?

- A. S\_USER\_VAL
- B. S\_USER\_AGR
- C. S\_USER\_AUT
- D. S\_USER\_SYS

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 5**

□□ □ □□ □□□□ □□□□ □□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□ □□.

- A. □□□ □□
- B. □□□□□□ □□□□
- C. RFC □□□
- D. □□□ □□
- E. □□□□□ □□□

Answer: B,D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

□□□ □□ □□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □ □□□□?

- A. □□ □□□□ PFCG□□ □□□ □□ □□ □□ □□□ □□
- B. □□ □□□□□ PRGN\_CUST □□□□ □□□ □□□□ □□
- C. □□ □□□□ PRGN\_CUST □□□□ □□ □□□ □□□□ □□
- D. □□ □□□□□ PFCG□ □□□ □□ □□ □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

□□□□ □□□ □□ □□□ □□ □□ □□□ □ □□ □□□□□ □□□□□?

- A. PFCGMASSVAL
- B. SUPC
- C. PFCG
- D. PFCGROLEDIST

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

□□ □ SAP Fiori □□ □□ □□□ □□ □□□ □□□□□? □□: □ □□□□ 2□□ □□ □□□□.

- A. □□□ □□□□ □□□ □□□□□.



D. E071K

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

SNC □□□□ □□□ □□□ ABAP □□□□ □□□ □□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. □□□□□
- B. SNC0
- C. SNCCONFIG
- D. SNCWIZARD

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 14**

□□□□ □□□ □□ □□□ □□ □□ □□□ □ □□ □□□□□ □□□□□?

- A. PFCG
- B. PFCGROLEDIST
- C. PFCGMASSVAL
- D. SUPC

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 15**

SNC □□□□ □□□ □□□ ABAP □□□□ □□□ □□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. □□□□□
- B. SNCCONFIG
- C. SNCWIZARD
- D. □□□□

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 16**

□□ □ □□□ □□□ □□ □□□ □□□ □ □□□□ □□□ □□□□□? □□: □ □□ □□ 2□□ □□□ □□□□.

- A. □□□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □ □□□□.
- B. □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□ □ □□□□.
- C. □□□ □□□ □□□ □□ □□ □□□ □□ □□□□□.
- D. □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□.

Answer: A,C ([LEAVE A REPLY](#))



- A. SAP Hot News Notes (SAP Notes 1, 2)
- B. SAP Hot News Notes (SAP Notes 1, 2)
- C. SAP Hot News Notes (SAP Notes 1, 2)
- D. SAP Hot News Notes (SAP Notes 1, 2)

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

SAP ETD(Enterprise Threat Detection) is used to detect and prevent threats to SAP systems. Which of the following are supported by ETD?

- A. SAP ASE
- B. SAP ASE
- C. SAP HANA
- D. SAP IQ

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

Which of the following is a role for SAP Fiori?

- A. PRGN\_CREATE\_FIORI\_FRONTENDROLE
- B. PRGN\_COMPARE\_ROLE\_MENU
- C. PRGN\_PRINT\_AGR\_MENU
- D. PRGN\_CREATE\_FIORI\_BACKENDROLES

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

Easy Access SAP Fiori Authorization Object S\_USER\_ADM is used to authorize users. Which of the following is a role for S\_USER\_ADM?

- A. USR\_CUST
- B. PRGN\_CUST
- C. USR\_CUST\_S
- D. SSM\_CUST

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

ABAP CDS is used to create CDS views. Which of the following is a CDS view type?

- A. CDS View
- B. CDS View
- C. SQL View
- D. CDS View
- E. CDS View

Answer: A,B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

□□□□ □□□ □□□ □□□□□. □□□ □□□□ □□□ □□□□ □□ □□□□ □□  
□□ □□ □ □□□□□ □□□□ 150□ □□□ □□□ □□□ □ □□ □□□ □□□□  
□. □□□ □□□□ □ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□ □ □□□□ Copy Data □□ □□
- B. □□□ □ □□□ □□□□□ □□□□ □□□□
- C. □□ □□□ □□□□ □□□□ □□□ □□□ □ □□□□
- D. □□□□ PFCGMASVAL□ □□□□ □ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 26**

□□ □ □□ □□ □□□□ □□ □□□□ □□□□□ □□□□ □□ □□□□□ □□□□  
□?

- A. rdisp/TRACE
- B. rsau/□□□
- C. □□□□
- D. □□/□□□□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

OData □□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□ TADIR □□□ □□  
□□□ □□□□□?

- A. IWSC
- B. IWSV
- C. OSOD
- D. IWSG

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 28**

SAP Access Control□ SAP Cloud Identity and Access Governance □□ □□ □□□ □ □  
□ □□□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□□□ □□
- B. □□
- C. □□ □□□□□
- D. □□ □□
- E. □□ □□

Answer: B,C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

□□□□ □□□ □□□ □□□□□. □□□ □□□□ □□□ □□□□ □□ □□□□ □□  
□□ □□ □ □□□□□ □□□□ □ □□□□ □□□ □ □□ □□□ □□□□□.

150

□□. □□□ □□□□ □ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□ □ □□□□ Copy Data □□ □□
- B. □□□□ PFCGMASVAL□ □□□□ □ □□
- C. □□□ □ □□□ □□□□□ □□□□ □□□□
- D. □□ □□□ □□□ □□ □ □□ □□ □□ □ □□

Answer: (SHOW ANSWER)

### NEW QUESTION: 30

OData □□□ □□□ □□ SAP Fiori □□ □□ □□ □□□ □□□□ S\_SERVICE□ □□  
□□□□ □□ □□□□ □□ □□□ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

- A. S\_SERVICE □□ □□ □□□ SRV\_NAME □□ OData □□□□ □□□□□.
- B. S\_SERVICE □□ □□ □□□ SRV\_NAME □□ OData □□□□ □□ □□□□.
- C. □□□ □□ □ □□□ □□ □□ □□□ □□ □□ □□□ □□□ S\_SERVICE □□ □  
□ □□□ □□□□ □□□□.
- D. □□□ □□ □ □□□ □□ □□ □□ □□ □□ □□□□ □□□ S\_SERVICE □□ □  
□□ □□□□ □□□□.

Answer: B,D (LEAVE A REPLY)

### NEW QUESTION: 31

□□ □ □□□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□□ □ □□□□ □□ □□  
□ □□□ □□□□□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. S\_LOG\_COM
- B. S\_PROGRAM
- C. S\_RZL\_ADM
- D. S\_BTCH\_EXT

Answer: A,C (LEAVE A REPLY)

**C\_SECAUTH\_20** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□  
C\_SECAUTH\_20 □□! DumpTop □ □□ **C\_SECAUTH\_20** □□ □□□ □□□□□□□,  
DumpTop C\_SECAUTH\_20 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □  
□□□ □□□ □□□□ □□ DumpTop C\_SECAUTH\_20 □□□ □□□□□.

[https://www.dumptop.com/SAP/C\\_SECAUTH\\_20-dump.html](https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html) (85 Q&As Dumps,

**30%OFF** Special Discount: **KrDump**)

### NEW QUESTION: 32

□□ □ Solution Manager □□□ □□□□ □□□□ □□ □□□□□? □□: □ □□□□  
3□□ □□□ □□□□.

- A. □□ □□□ ABAP □□□□ □□□□ □□ □□ □□ □□□□□ □□□□□ □□□□ □□□.
- B. SAP SOS □□ □□□□ □□ □□□□□ □□□□ □□ □□□ □□□□□□.
- C. □□ □□□ □□ □□ □□□ □□□□□□ □□□ □ □□□□.
- D. SAP EWA□ □□ □□□□ □□ □□□ □□□□□.
- E. □□□ □□ □□□ □□□□□ □□□ □□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 33**

□□ □ SAP SOS(Security Optimization Service) □□□□ □□□□ □□□ □□ □□□□  
□? □□

3 □ □□□ □□ □□□□□.

- A. □□ □□□: □□□□ □□
- B. □□ □□□: □□□ □□□ □□□□□ □□
- C. □□ □□ □□□: □□ □□ □□ □□
- D. □□ □□□ : CQC □□□ □□□ □□
- E. □□ □□□ : □□ SAP □□□□□ □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 34**

□□ □ SAP ETD(Enterprise Threat Detection) □□□□□□ □□□□ □□ □□□□□?  
□□: □□□□

□ □□□ □□ □□ 2□.

- A. □□□ □□□
- B. SAP ASE
- C. SAP HANA □□□ □□□ □□□□
- D. SAP IQ

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 35**

□□ □ SAPUI5 Fiori □□□□□□ □□□ □□□□□□? □□: □ □□□□ 2□□ □□□ □  
□□□.

- A. □□□□
- B. □□□
- C. □ □□□
- D. □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 36**

□□□ □□□□ □□□□ □□□□ □□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□□□ □□□
- B. □□□ □□
- C. □□□ □□
- D. □□ □□□ □□
- E. □□□□□ □□ □□

**Answer: A,B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 37**

icm/server\_port\_<xx> □□□□□□ VCLIENT □□□ □□□□ □□ □□ □□: □ □□□ □□ □□□ 3□□□□□.

- A. VCLIENT=1, □□□ □□□□□□□ □□□ □□□ □□□□□.
- B. SSL □□□ SSLCONFIG□ □□ □□□ □□ VCLIENT □□ □□□□ □□□.
- C. VCLIENT □□□□ 1□□□.
- D. VCLIENT □□□□ 0□□□.
- E. VCLIENT=0, SSL □□□□□ □□□ □□□□ □□□ SSL □□□ □□□□.

**Answer: A,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

□□ □□ □ (SAML) 2.0 □□ □ □□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□?

- A. ID □□□□ SOAP □□□ □□ □□□ □□□□□□ □□ □□□ □□□□.
- B. □□□ □□□□ SOAP □□□ □□ ID □□□□□□ □□ □□□ □□□□.
- C. □□□ □□□□ □□□□ ID □□□□ □□□□□□ □□ □□□ □□□□ SAML □□ □□□ □□□□□.
- D. □□□ □□□□ □□□□□ □□ □□ □□□ □□□□□.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 39**

□□ □ SAP Fiori □□□□ □ □□□ □□□ □□□□□ □□□ □ □□ □□□□□ □□ □□□?

□□: □ □□□□ 2□□ □□□ □□□□.

- A. /UI2/FLPCM\_CUT
- B. /UI2/FLPD\_CUST
- C. /UI2/FLPCM\_CONF
- D. /UI2/FLPD\_CONF

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

□□ SUIM □□□ □ □□□□ □□ □□ □□ □□□ □ □□□ □ □□ □□ □ □□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

- A. □□□ □□□ □□ □□□
- B. □□□ □□ □□□ □□ □□
- C. □□□□□ □□ □□□
- D. □□□ □□

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

OData □□□ □□□ □□ SAP Fiori □□ □□ □□ □□□□ S\_SERVICE □□ □□□□ □□ □□ □□□□. □□: □ □□□□ 2□□ □□□ □□□□.

- A. S\_SERVICE □□ □□□ SRV\_NAME □□ OData □□□□ □□ □□□.
- B. □□□ □□ □ □ □□ □□ □□ □□□ □□ □□ □□□ □□□ S\_SERVICE □□ □ □ □□□ □□□□ □□□□.
- C. □□□ □□ □ □□□ □□ □□ □□ □□ □□ □□□□ □□□ S\_SERVICE □□ □ □□ □□□□ □□□□.
- D. S\_SERVICE □□ □□ □□□ SRV\_NAME □□ OData □□□□ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

OData □□□ □□□□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□ RFC □□□ □□□□ □□ □□ □□ □□ □□□ □□□□□? □□: □ □□□□ 2□□ □□□ □□□ □.

- A. S\_RFC
- B. S\_START
- C. S\_RFCACL
- D. S\_SERVICE

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 43**

□□□ □□ □□□□ □□□□ □□□ □ □□□□ □□ □□ □□□□ □□□ □□□ □□ □□□□. □□ □□□□ □□□□□ GDPR□□ □□ □□ □□□ □□□□?

- A. □□□ □□□□
- B. □□□ □□
- C. □□□ □□□□
- D. □□□ □□□□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 44**

□□□ □□□□ □□□□ □□□□ □□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□ □□□
- B. □□□□ □□□
- C. □□□□□ □□
- D. □□ □□ □□
- E. □□□□□ □□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 45**

SAP ETD(Enterprise Threat Detection)□ □□ □□□ □□□□□? □□: □ □□□□ 3□ □□□□ □□□□.

- A. □□ □□ □□
- B. □□□ □□
- C. □□ □□□ □□□□
- D. □□□ □□
- E. GDPR □□ □□□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 46**

□□□□ SM31□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □ □□□ □□□ □□ □□ □□ S\_TABU\_DIS □ □□ DICBERCLS□ □□□□□□. □ □□ □ □□□□ □□□□ □□□□□ □□□ □□ □□□?

- A. □□ □□□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□.
- B. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.
- C. □□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □ □□□□.
- D. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

**C\_SECAUTH\_20** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□  
C\_SECAUTH\_20 □□! DumpTop □ □□ **C\_SECAUTH\_20** □□ □□□ □□□□□□, DumpTop C\_SECAUTH\_20 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □ □□□ □□□ □□□□ □□ DumpTop C\_SECAUTH\_20 □□□ □□□□□.  
[https://www.dumptop.com/SAP/C\\_SECAUTH\\_20-dump.html](https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html) (85 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 47**

ABAP □□□ □□ SNC□ □□□□□ □ □□□ □□□□ □□□ □□□□□? □□: □ □ □□□ 3□□ □□□ □□□□.

- A. PFCG
- B. □□□□
- C. □□□□□
- D. RZ10
- E. SU01

Answer: B,C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 48**

□□□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□ □ □□□ □ □  
 □ □□ □□□ □□□□□?

- A. US\_PROF
- B. US\_AUTH
- C. US\_PASS
- D. US\_USER

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 49**

SAP Solution Manager System Recommendations □ □□□ SAP Notes □ □□□ □□□  
 □□? □□: □ □□□□ 2□□ □□□ □□□□.

- A. □□□ □□ SAP □□ □□ □□□ □□□□ □□
- B. □□□ □□□ □□□□ □□ □□ □□□ □□□□□.
- C. SAP □□□ □□□ Legal Change Notes □□
- D. SAP Hot News Notes □□(□□□□ 1, 2)

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

AS Java UME □□ □□□□ AS ABAP □□□ □□ □□□□ □□□□ □□ □□□□□?

- A. □□ □□□ □□□
- B. J2EE □□□
- C. □□ □□□
- D. □□ □□□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 51**

□□ □□ □□□□ □□ □□□□ □□□□□ □□ □□□□ □ □□ □□ □□□□ □□  
 □?

- A. □□/□□□□□
- B. rsau/□□□
- C. rdisp/TRACE
- D. dir\_logging

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 52**

SAP Security Library □□ □□□□ CommonCryptoLib □□□□□□ □□□ □ □□ □□ □□□□□□?

- A. □□□□ □□ □□(HSM)
- B. SSL/TLS
- C. □□ □□ □ □□(SSF)
- D. SPNEGO/ABAP

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 53**

SAP Cloud Identity and Access Governance □ □□ □ □□ □□□□□ □□□□ □□□□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□□ □□□
- B. □□□ □□ □□
- C. □□ □□ □□
- D. □□ □□□
- E. □□□ □□

Answer: A,B,C ([LEAVE A REPLY](#))

C\_SECAUTH\_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□  
C\_SECAUTH\_20 □□! DumpTop □ □□ C\_SECAUTH\_20 □□ □□□ □□□□□□□,  
DumpTop C\_SECAUTH\_20 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □  
□□□ □□□ □□□□ □□ DumpTop C\_SECAUTH\_20 □□□ □□□□□.

[https://www.dumptop.com/SAP/C\\_SECAUTH\\_20-dump.html](https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html) (85 Q&As Dumps,

**30%OFF Special Discount: KrDump**)