

SAP.C_SECAUTH_20.v2023-11-13.q52

□□□□:	C_SECAUTH_20
□□□□:	SAP Certified Technology Associate - SAP System Security and Authorizations
□□□:	SAP
□□ □□ □□ □:	52
□□:	v2023-11-13
# □□ □:	876
# □□ □□□:	520
https://www.krdump.com/SAP.C_SECAUTH_20.v2023-11-13.q52.html	

NEW QUESTION: 1

AS Java UME □□ □□□□ AS ABAP □□□ □□ □□□□ □□□□ □□ □□□□□□?

- A. □□ □□□
- B. □□ □□□
- C. □□ □□□ □□□
- D. J2EE □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

OData □□□ □□□ □□ SAP Fiori □□ □□ □□□□ □□□□ S_SERVICE□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□□□?

□□: □ □□□ □□ □□□ 2□□□□□.

- A. □□□□□ □ □□□ □□ □□ □□□ □□ □□ □□ □□□ S_SERVICE □□ □□□ □□□□ □□□□.
- B. □□□□□ □ □□□ □□ □□ □□ □□ □□□ □□□ S_SERVICE □□ □□□ □□ □□ □□□□.
- C. S_SERVICE □□ □□□ SRV_NAME □□ OData □□□□ □□□□□.
- D. S_SERVICE □□ □□□ SRV_NAME □□ OData □□□□ □□ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □ GDPR□ □□ □□□ □□□□□□? □□: □ □□□ □□ □□□ 3□□□□□.

- A. □□□ □□□
- B. □□□ □□
- C. □□□□ □□

NEW QUESTION: 8

□□ □ □□□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. □□ □□
- B. □□ □□
- C. □□□ □□
- D. □□□
- E. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

□□ □ □□□ □□□ □□□ □□ □□, □□□ □□□□□ □ □□□□□ □□□ □□ □ □□□□□ □□□ □□□ □□□ □□□ □□□ □ □□ □□ □□□□□?

- A. SAP □□ □□□
- B. SAP □□□ □□□
- C. SAP □□ □□□□ □□
- D. SAP □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □ SAP Fiori Launchpad□ □□□□ Web Dynpro □□□□□□□ □□ □□□ □□ □□□□ □□□□ □ □□□ □□ □□□ □□□□□?

- A. S_PERSONAS
- B. S_□□□
- C. S_TCODE
- D. S_START

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Easy Access Menu □□□□ SAP □□□ □□ □□□□. Authorization Object S_USER_ADM□ □□ □□ □□□ □□□□□?

- A. USR_CUST_S
- B. USR_CUST
- C. PRGN_CUST
- D. SSM_CUST

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□ □ □□□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□ □? □□: □□□□ 3 □ □□□ □□ □□□□□.

- B. □□ □□□ □□
- C. □□ □□ □□
- D. □□□□ □□□
- E. □□□ □□

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□ □ □□/□□□ SAP_NEW□ □□□□ □□□□ □□ □□□□□? □□: □ □□□ □ □□□ □□□□□.

- A. REGENERATE_SAP_NEW □□□□ □□□□ □□□ □□□ □□ SAP_NEW□ □□ □□ □□□.
- B. SAP_NEW □□□ □□ □□□□□ □□ □□□ □□□ □□□□ □□□□.
- C. □□□ SAP_NEW□□ □□ □□□ □□ □□
- D. SAP_NEW □□□□ □□ □ □□ □ □□□□ □□ □□□ □□ □□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□□□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □ □□□ □ □□ □□ □□□ □□□□□?

- A. USJJSER
- B. US_AUTH
- C. US_PROF
- D. US_PASS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□ □ □□□□□ □□ □□ □□□ □□□ □□□□ □ □□□ □ □□ SUIM □□□□ □□□□□? □□: □ □□□ □□ □□□ □□□□□.

- A. □□□ □□
- B. □□ □□□ □□ □□□
- C. □□□ □□ □□□ □□ □□
- D. □□□ □□□ □□ □□□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

□□ □ □□ □□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□ □□□□□ □□ □□□?

- A. dirjogging
- B. rec/□□□□□
- C. rdisp/□□
- D. rsau/□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

SAP Security Library □□ □□□□ CommonCryptoLib Scenario □□ □□□ □ □□ □□ □ □□□□□?

- A. SSL/TLS
- B. □□ □□ □ □□(SSF)
- C. SPNEGO/ABAP
- D. □□□□ □□ □□(HSM)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□ □ GDPR □ □□ □□□□ □□ □□□□□? □□: □ □□□ □□ □□□ 3□□ □□.

- A. □□ □□□ □□ □□ □□
- B. IP □□
- C. □□□□ GPS □□□
- D. □□□
- E. □□□ □□

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□ □□ □ (SAML) 2.0 □□□ □ □□ Single Sign-On □□□ □□□□ □□□□ □□ □ □□□□?

- A. □□□ □□□□ SOAP □□□ □□ ID □□□□□□□ □□ □□□ □□□□.
- B. □□□ □□□□ □□□□□ □□ □□ □□□ □□□□□.
- C. ID □□□□ SOAP □□□ □□ □□□ □□□□□□□ □□ □□□ □□□□.
- D. □□□ □□□□ □□□□ ID □□□□ □□□□□□□ □□ □□□ □□□□ SAML □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□ □ SAP Fiori □□□□ □ □□□ □□□ □□□□□ □□□ □ □□ □□□□□ □□ □□□?

□□: □ □□□ □□ □□□ 2□□□□□.

- A. /UI2/FLPCM_CONF
- B. /UI2/FLPD_CUST
- C. /UI2/FLPD_CONF
- D. /UI2/FLPCM_CUT

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□ □ SAP Fiori Launchpad □□□ □□□□ □□□□ □□□ □□□□□? □□: □ □□
□ □□ □□□ 3□□□□.

- A. SAP Fiori Launchpad □□□ □□ □□ □□
- B. □□ □□□ □ □□
- C. □□□□ □□ □ □□
- D. □□□□□ □□ □□ □□ □□
- E. 0 □□□ □□□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

□□ □ GDPR□ □□ □□ □□□□ □□ □□□□□? □□: □ □□□ □□ □□□ 3□□
□□.

- A. □□□
- B. □□□ □□
- C. IP □□
- D. □□□□ GPS □□□
- E. □□ □□□ □□ □□ □□

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 31

OData □□□ □□□□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□ RFC □□□
□□□□ □□ □□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. S_RFC
- B. S_□□□
- C. S_START
- D. S_RFCACL

Answer: A,D ([LEAVE A REPLY](#))

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□□,
 DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
 □□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□.

https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 32

□□□ □□ □□□□ □□ RFC □□ □□□ □□ □□□□ □□□□ UCON □□□ □□
□□□?

- A. □□
- B. □□□
- C. □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□ □ □□/□□□ SAP_NEW□ □□□□ □□□□ □□ □□□□□? □□: □ □□□ □ □□□ □□□□□.

- A. □□□ REGENERATE_SAP_NEW□ □□□□ □□□ □□□ □□ SAP_NEW □□□ □□□□ □□□.
- B. SAP_NEW □□□□ □□ □ □□ □ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□.
- C. SAP_NEW □□□ □□ □□□□□ □□ □□ □□□□ □□□□ □□□□ □□□□.
- D. SAP_NEW □□□□□ □□ □□□ □□ □□□□ □□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 34

SAP Solution Manager System Recommendations□ □□□ SAP Notes□ □□□ □□□ □□□? □□:

- □□□ □□ □□□ □□□ □□□□□.
- A. □□□ □□ □□□ □□ □□ □□ □□ □□
- B. □□□ □□ SAP □□ □□□ □□□□□.
- C. SAP □□ □□ □□ □□(□□ □□ 1 □ 2)
- D. SAP □□□ □□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

□□□□ SM31□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □ □□□ □□ □□□□ S_TABU_DIS □ □□ DICBERCLS□ □□□□□□□. □□□□ □□ □ □□ □ □□□ □□□ □□□ □ □□□□?

- A. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.
- B. □□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □ □□□□.
- C. □□ □□□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□.
- D. □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□ □ SAP Enterprise Threat Detection(ETD) □□□□□□ □□□□ □□ □□□□□? □□: □ □□□ □□ □□□ □□□□□.

- A. SAP ASE

- B. SAP IQ
- C. □□□ □□□
- D. SAP HANA □□□ □□□ □□□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□ □□□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. □□ □□□ □□□□ LDAP □□□: HTTPS(SSL)
- B. Business Explorer□□ SAP Netweaver□: DIAG/RFC(SNC), HTTPS(SSL)
- C. □□ □□□ □□□□□□□ □□ □□□ □□□: DIAG/RFC(SNC), HTTPS, RADIUS
- D. SAP GUI□□ SAP Netweaver□: DIAG/RFC(SNC)
- E. □□ □□□ □□□□ SAP Netweaver□: RFC(SNC)

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□□□ □□□ □□ □□ □□□□ SAP Fiori □□□□ □□ PFCG □□□ □□□ □ □ □□□ □□ □□□ □□□□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. □□ □□ UI □□□
- B. WAPA □□□□ □□ □□□
- C. SAP □□□□
- D. □□ □□□ □□ □□□□
- E. 0 □□□ □□□□ □□ □□ □□

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 39

□□ □ SAP □□ □□□ □□□(SOS) □□□□ □□□□ □□□□ □□ □□□□□? □ □ □□□ □□ □□□□□.

- A. □□ □□□: □□ □□□□ □□ □□
- B. □□ □□□ : CQC □□□ □□□ □□
- C. □□ □□□: □□ SAP □□□□□ □□□ □□□□ □□ □□
- D. □□ □□□: □□□ □□□ □□□□□ □□□□□.
- E. □□ □□□: □□□ □□

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □ SAP Fiori □□□□ □ □□□ □□□ □□□□□ □□□ □ □□ □□□□□ □□ □□□? □□: □□□ 2□□□□.

- A. /UI2/FLPCM_CUST
- B. /UI2/FLPD_CONF
- C. /UI2/FLPD_CUST
- D. /UI2/FLPCM_CONF

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

□□ □ □□ □□□□ RFC □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□ □□
 □ □ □□ □□□ □□□□□?

- A. S_USER_AUT
- B. S_USER_STA
- C. S_USER_SYS
- D. S_USER_AGR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

ABAP CDS□ □□ □□□□ CDS □□ □□□ □□ □□□ □□□□□? □□: □ □□□
 □□ □□□ 3□□□□.

- A. SQL □□
- B. □□□ □□
- C. □□□□□ □□
- D. CDS □ □□□
- E. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

PFCG □□□ □□ □□ □□□□ SAP □□ □□ □□□ □□□ □ □□□□? □□:
 □ □□□ □□ □□□ 3□□□□.

- A. □□ □□
- B. □
- C. □□
- D. □□
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

□□ □ □□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□□□? □□: □ □
 □□ □□ □□□ 2□□□□.

- A. E070
- B. E070L
- C. E071

D. E071K

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□□□□□ □□ □□(SLG1)□ □□□ □□□□□?

- A. rsau/local/file □□□□□ □□□ □□
- B. DIR_LOGGING □□□□□ □□□ □□□□
- C. □□□□□□□□
- D. DIR_TRANS □□□□□ □□□ □□□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

SAP AUDIT MANAGEMENT □□ □□□□□ □□ □□□ □□□□□? □□: □ □□□ □
□ □□□ 3□□□□.

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□
- E. □□ □□□□

Answer: ([SHOW ANSWER](#))

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□□,
DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□.
https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 47

SAP Solution Manager System Recommendations □ □□□ SAP Notes □ □□□ □□□
□□? □□: □ □□□ □□ □□□ 2□□□□.

- A. □□□ □□ SAP □□ □□□ □□□□ □□
- B. □□□ □□ □□□ □□ □□ □□ □□ □□
- C. SAP □□ □□ □□ □□(□□ □□ 1 □ 2)
- D. SAP □□□ □□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

□□ □ SAP □□ □□□ □□□(SOS) □□□□ □□□□ □□□□ □□ □□□□□? □
□:

□ □□□ □□ □□□ 3□□□□.

- A. □□ □□□: □□□□ □□
- B. □□ □□□: □□ SAP □□□□□ □□□ □□□□ □□
- C. □□ □□□: CQC □□□ □□□ □□
- D. □□ □□□: □□ □□□□ □□ □□
- E. □□ □□□: □□□ □□□ □□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

□□ □ □□ □□□ □□□ □□□□ □□□ □□□□□? □□: □ □□□ □□ □□□ 3□
□□□.

- A. □□ □□
- B. □□□□□□ □□□□
- C. RFC □□□
- D. □□□□□ □□□
- E. □□□ □□

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

□□□□ □□□ □□ □□ □□□□ SAP Fiori □□□□ □□ PFCG □□□ □□□ □ □
□ □ □□ □□□ □□□□ □□□? □□: □ □□□ □□ □□□ 3□□□□.

- A. WAPA □□□□ □□ □□□
- B. □□ □□□ □□ □□□□
- C. □□ □□ UI □□□
- D. SAP □□□□
- E. OData □□□□ □□ □□ □□

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 51

ABAP □□□ □□ SNC□ □□□□□ □□ □□□ □□□□ □□□ □□□□□? □□: □
□□□ □□ □□□ 3□□□□.

- A. PFCG
- B. □□□□□
- C. SNC0
- D. SU01
- E. RZ10

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□□□ SU01□ DBMS □□ □□□□ □□ □ □□ □□□□□ □□ □□□□□□ □□
□□□ □□□ □ □□□□?
□□: □ □□□ □□ □□□ 2□□□□.

- A. □□□□ CDS Views□ □□□□ □□ □□
- B. □□□□□□□ □□ □□□ SAP BW□ □□ □□ □□ □□□□ □□ □□□□
1:1 □□□ □□□ □□□ □□
- C. □□□□ SAP BW□□ □□ □□□ □□□□ □□ □□
- D. □□□□ □□□□□□□ □□ □□□□□ □□□□□□□ □□□□ □□ □□

Answer: B,D (LEAVE A REPLY)

C_SECAUTH_20 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
C_SECAUTH_20 □□! DumpTop □ □□ **C_SECAUTH_20** □□ □□□ □□□□□□□,
DumpTop C_SECAUTH_20 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □
□□□ □□□ □□□□ □□ DumpTop C_SECAUTH_20 □□□ □□□□□□.
https://www.dumptop.com/SAP/C_SECAUTH_20-dump.html (85 Q&As Dumps,
30%OFF Special Discount: KrDump)