

SAP.E_HANAAW_17.v2023-04-18.q63

□□□□:	E_HANAAW_17
□□□□:	SAP Certified Development Specialist - ABAP for SAP HANA 2.0
□□□:	SAP
□□ □□ □□□:	63
□□:	v2023-04-18
# □□ □:	888
# □□ □□□:	630
https://www.krdump.com/SAP.E_HANAAW_17.v2023-04-18.q63.html	

NEW QUESTION: 1

SAP HANA Studio□ □□ □□ □□ □ □□ □□ □□□□□? (□□ 3□)

A. SAP HANA Studio□ SAP GUI□ □□□ > 7.40

B. SAP HANA Studio□ SAP HANA □□□□□□ □□, □□□ □□ □□ □ □□, □□□ □ □□ □□ □□ □□ □□ □□ □□ □□ □□□□.

C. SAP HANA Studio□ □□ □□ □□ HANA □□□□ □□□□□ □ □□□ □ □□ □ □□□□ □□□□□.

D. SAP HANA Studio□ HANA □□□□ □□□□□ □□□□ □ □□□□ Eclipse □□ IDE(□□ □□ □□)□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

□ □□ □□(SOJD □)□ □□ NET_AMOUNT □□ □□□ □□□□ ABAP CDS(□□ □ □□ □□□) □□□ □□□□□ □□□. □□□ □□ SELECT □□ □□□□□□□□□? □ □□ □□□ □□□.

A. snwd_so {so_id(sum(net_amount) as sum_amount) □□□□ □□}

B. snwd_so {sojd, sum(net_amount) as sum_amount}□□ □□

C. net_amount□□ snwd_so {so_id(sum(net_amount) as sum_amount) □□□□ □□

D. snwd_so {so_id(sum(net_amount) as sum_amount) □□□□ sojd□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□ □□□□ □□ ABAP □□ □□□□ □□□ □□□□ □ □□□□?

A. □□□□ SE11□□ □□ □□ □□□ □□□□□.

B. □□□□ SE11□□ □□□ □□□ □□□□□.

C. Native SQL □□□ ALTER SEARCH HELPO □□ □□□□ □□□□□.

D. □□ ACCURACY □□□ □□ □□□□ □□□□ □□□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

ADT□□ □□□ □ □□ □ □□ □□□□ □□□□□? □ □□□□ 2□□ □□□ □□□□.

- A. ABAP(□□□□)
- B. □□□□(□□□□)
- C. SAP(GUI)
- D. □□□□□(□□□□)

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□ □□ □□□ □□ □□ □□□ □□□□ □□□ □ □□ □□ □□□□□? □□□ □ □□ □□□.

- A. ABAP □□□
- B. □□ □□
- C. □□□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

□□□□□ □□□ □□□□ □□ □□□ □□□ □□ □□□? □□□ □□□□□□

- A. □□ □□□□ □□□ □□ □□□□ □□□□
- B. View□□ □□□ □□□ □□ □□□□ □□□□
- C. □□ □□□ □□ □□□□ □□□□ □□□□
- D. Semantics □□□□ □□□ □□ □□ □□□□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

SAP NetWeaver□ ABAP □□ □□□ □□□□ ABAP □□□□□ □□□□□□. □□□ □□□ □ □□□□? 2□

- A. □□□□ □□□ □□□□ □□□□□ □□□ □□□ □□□□ □□□□ □□ □□ Run As -► ABAP Application□ □□□□□.
- B. ABAP □□ □□□□□□□ ABAP □□□□□ □□ □□ □□ F8□ □□□□ □□□□ □.
- C. Open Development Object □□ □□(CTRL+SHIFT+A)□ □□□□ □□ □□□ <Program_Name>/Execute□ □□□□□.
- D. ABAP Development Perspective□□ ABAP □□□□□ □□ □□ □□ F1□ □□□□ □□□□□.
- E. □□□□ SRUN_ADIT□ □□□□ ABAP □□□□□ □□□ □□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

SAP HANA Modeling CO-PA □□□□□□ □□□ □ □□ □ □□ □□□ □□□ □□ □□□? □ □□□□ 2□□ □□□ □□□□

- A. □□ □□ □□□
- B. □□□ □□ □□□
- C. □□ □□ □□□
- D. □□ □□ □□ □□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

ABAP □□□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□ "□□□ □□ SELECT * □" □□□ □□ □□□□ □□□□. ABAP □□□ □□□ □□□ □□□□ □ □□□□?

- A. Open SQL SELECT RELEVANT □□ □□□□□.
- B. Native SQL □ □□□□ SELECT * □□ □□□□□.
- C. ABAP □□□□ ##OPTIMIZE_QUERY □ □□□□□.
- D. □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □□ □□ □ □□ □□ □□□ □□□ □ COUNTS □ □□□□ □□□□. □□□ □□ □□□ □□□□ □□□□□□.

- A. AT □□□ 11
AT □□□ 15
DE □□□ 13
DE □□□ 13
- B. □□□ 11□□
AT □□□ 15
DE □□□ 13
- C. □□□ 11□□
DE □□□ 13
- D. □□□ 26□□
DE □□□ 26

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

ABAP □□□□□ □□ □□□ ABAP □□ □□□□□□ □□□□(AMDP) □ □□□□□ □□□. □□□□ Open SQL □□ SAP HANA Native SQL □ □□□□ □□□. □□ □ □□ □ □□□ □□ □□□□□? □□: □ □□□□ 3□□ □□□ □□□□.

- A. □□ n□ □ □□ □□

B. ☐☐ ☐☐ ☐☐ ☐☐

C. ORDER BY

D. ☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐

E. ☐☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 12

SAP HANA□ □□□ □□□ □□□□□?

<□>: □

B. C++

C. ☐ ☐

D. ☐ ☐

Answer:

B

NEW QUESTION: 13

□□ □□ SAP HANA □□□ ABAP □□□□ □□□ □□□□ □□□. HTC(SAP HANA Transport Container)□ □□ SAP HTA(ABAP□ HANA Transport)□ □□□□□ □□□.

HTA□ □□□□ □□□ □□□□□?

□□: □ □□□□ 2□□ □□□ □□□□.

A. ☐☐☐☐☐ ☐☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐☐

B. ☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

C. ☐☐ ☐☐ SAP HANA ☐☐ ☐☐☐☐ ☐☐☐☐

D. SAP ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 14

□□ □ □□□ □□□ □□□ □□ □□? □□□ □□□ □□□.

A. Joined ☐☐☐☐ ☐☐

B. □□□ □□□□□□ □□□□□□ □□□ □□

C. □□ □□□ □□□□ □□□□.

D. ☐☐ ☐☐☐ ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 15

□□ SAP HANA □□□ □□ □□□ □□□□□? (2 □□)

A. ☐ ☐ ☐ ☐

B. OLAP ☐☐

C. ☐ ☐ ☐ ☐

D. SQL ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

ETL(□□, □□ □ □□) □□□□□□ □□□ □□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A. ABAP □□ □□□□□□ □□□□(AMDP)
- B. □□□ □□ □□ □□(SADL)
- C. ABAP □□□ □□(AMC)
- D. □□□□ □□□□ □□□□□(PAF)

Answer: (SHOW ANSWER)

E_HANAAW_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
E_HANAAW_17 □□! DumpTop □ □□ E_HANAAW_17 □□ □□□ □□□□□□,
DumpTop E_HANAAW_17 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop E_HANAAW_17 □□□ □□□□□.

https://www.dumptop.com/SAP/E_HANAAW_17-dump.html (176 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 17

SAP HANA □□ □□□□□ □□□□□□ □□ □□□□ □□□□□□□□□? □ □□□□
3□□ □□□ □□□□

- A. □□□ □□□□□ □□ HANA □□
- B. □□□ SAP HANA □□□□ □□ □□ SAP □□□□□□
- C. HANAAccelerators
- D. HANA □□□
- E. Business Suite on HANA/ BW on SAP HANA

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 18

□□□□□□ □□ □□ □ □□□ □□ □□□ □□□□ □□□ □□ □□□? □ □□□□
3□□ □□□ □□□□.

- A. □□□□□□□ □□ □□□□ ABAP □□□□ □□□ □□ □□□ □□□□□.
- B. □□□□ SQL□ □□□□ SAP HANA □□ □□ □□□ □□□□□□.
- C. □□□□□□□ □□□□ □□□□ □□□ ABAP □□□□ □□□□□.
- D. □□□□□□□□ □□□ □□□ □□□□□.
- E. ABAP □□□□□□ □□□□ □□□ □□ □□ □□□ □□□□□.

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 19

□□ □□ □ □□ □□□ □□□(CDS) □□□ □□ □□□□ □□ □□□ □□□□□?

- A. 000 00
- B. 000 00 00 00
- C. 000 00000
- D. 000 00 000

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

SAP HANA 00 000 000 000 00000? 0 0000 200 000 0000

- A. 000000 000 000 0000 00000 000.
- B. SAP HANA for Information Management00 0000 0000 0
- C. SAP HANA 000 000 000 00 000 "000"0 0000 000.
- D. ERP 0000 00 0000 0000 000.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

SAP HANA 00000 0000 000 00000? 000 000 000.

- A. 0000 00 000 000 000 000 00 0000 00000.
- B. 00000 00000000 000 000
- C. 000 00000 00 00
- D. 000000 0 00 00 00

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

000 STUDENT_A0 000 00 000 000 000000. 000 000 00 00
000 00000?

- A. 000
- B. SYS_BI
- C. STUDENT_A
- D. _SYS_BIC

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

00 000 0000 0 000 00000? 0 0000 300 000 0000.

- A. 000 000 0 00
- B. 000 000 00
- C. 00000 000 00
- D. 00 0000 000 0 00
- E. 0000 000 0 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Open SQL _____ CASE _____ _____
_____. GROUP BY _____ _____?

- A. CASE _____
- B. _____; GROUP BY _____.
- C. _____ SELECT _____ CASE _____
- D. SELECT _____ CASE _____

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

New Open SQL _____? _____ 2 _____.

- A. _____
- B. _____
- C. _____
- D. _____

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

_____ - _____ _____
_____ 3 _____.

- A. _____
- B. _____
- C. _____
- D. _____
- E. _____

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

_____ (_____ 2)

- A. _____.
- B. _____.
- C. _____.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

_____ _____? _____ 2 _____.

- A. _____ Open SQL
- B. _____
- C. _____
- D. _____

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

ABAP □□ □□□ □□□(CDS) □□□□ □□ CDS □□□□ □□□□ □□ □□□ □□ □□ □□ □□□□□? □□□ □□□ □□□.

- A. □□ □□□□ □□ □□□□□ □□
- B. □□□ □□□ □ □□ □□ □□□ □□□□□.
- C. □□ □□□□ □□□ □□□□□.
- D. ON □□□ □□□ □□ □□□ □□ □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

ABAP □□ □□□□□□ □□□□(AMDP)□ □□□□ □□□□□. USING □ □□ □□□ □□□□ □□□? (□□ 3□)

- A. □□□□ □□□□ □□□□ SAP HANA □
- B. □□ □□□ □□□□ AMDP
- C. □□□□ □□□□ □□□□ □□
- D. □□□□ □□□□ □□□□ ABAP □□ □□
- E. □□□□ □□□□ □□□□ ABAP □□ □□□

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 31

HANA Transport Containers□ □□□□ □□□□ □□□ □□□□□? □ □□□□ 3□□ □□□ □□□□.

- A. □□ □□□□ □□□ □□ □□ □□□□
- B. □□ □□ □□
- C. □□□□□ Transport Container □□
- D. □□ □□ □□□□
- E. □□□□ □□□ □□ SAP HANA □□□ '□□□□'□ □□□□.

Answer: B,D,E ([LEAVE A REPLY](#))

E_HANAAW_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
E_HANAAW_17 □□! DumpTop □ □□ E_HANAAW_17 □□ □□□ □□□□□□□,
DumpTop E_HANAAW_17 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop E_HANAAW_17 □□□ □□□□□.

https://www.dumptop.com/SAP/E_HANAAW_17-dump.html (176 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

□□□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□. □□□ □□□ □□□.

- A. IT □□□
- B. □□□ □□□
- C. □□ □□□ □□□
- D. Model-II □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□ □□ □□□ □□□ □□ □□ □□□□□ □□□ □ □□ □□□ □□□□□? (□□ 4□)

- A. □□
- B. □□
- C. □□
- D. □□□
- E. □□□□
- F. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

SQLScript□ □□ □□□□ □□ □□? (2 □□)

- A. SQLScript□ SQL□ □□ □□ □□□□□.
- B. SQLScript□ □□□ □□□ □□□ □□□□□□□ □□□□ □ □□□□□.
- C. SQLScript□ □□□ □□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□ □ ABAP □□□□□□ □□(ADBC) API□ □□□□ □□□□□? 2□

- A. CL_EXEC_SQL
- B. CL_SQL_RESULT_SET
- C. CL_SQL_STATEMENT
- D. CL_SQL_EXECUTE_QUERY
- E. CL_ADBC_SQL_STATEMENT

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□ □□ □□□ □□ □□□ SAP HANA High Availability Per Datacenter□ □□□ □□ □□□? □ □□□□ 2□□ □□□ □□□□

- A. □□ □□□ □□□ □□ □ □□□ □□
- B. □□ □□□ □□ □□□□
- C. □□□ □□□ □□ □□ □□ □□□
- D. □□□□ □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□ □□□ (3 □□)□ □□□ □ □□□□.

- A. □□ □□
- B. □□ □□
- C. SQL □□
- D. □□ □□
- E. □□□

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□ □ □□ □□□ □□□ □□ □□ □□□ □□□□□? □□□ □□□ □□□.

- A. □□ □□□ □□□□□ ABAP □□ □□(ADT)□ □□□□ □□□.
- B. □□ □□□ □□□□ □ □□ SQL□ □□□ □ □□□□.
- C. SAP HANA □□ □□ □□□□ □□ □□□ □□□ □□□.
- D. □□ □□ □□□ SAP HANA □□ □□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

□□ □ SAP HANA□ □□ □□□□ □□□□□?

- A. SAP HANA 1.0
- B. SAP HANA 1.6 SP03
- C. SAP HANA 2.0 SPS 04
- D. SAP HANA 1.0 SP06

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

HAN A□ □□ ALV□ □□ □□□ □□ □□□ □□□□□? □□□ □□□ □□□.

- A. □□□ □□□ □□ 20□ □□ □□□□□.
- B. □□□□□□□□ □□□□□ □□□□□ □□□□ □□
- C. □□□ □□□□ □□□ □ □□□
- D. □□ □□ □□□□□ □□□ □□ □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□ □□ □□ □□□ □□□ SAP HANA□ □□□□□□ □□□□□□□ □□□ □ □□
□□ □□□ □□□□□?

- A. U □□□□ SFW5□ □□□□ □□□□□□ □□□□□□ □□ □□□□□ ABAP □□
□ □□ □□□ □□□□□□.
- B. □□□ □□ □□□□□□ □□□□ □□□ □□□ □ □□□□ □□□□ □□□□□□
□□□□(SE14)□ □□□□ □□□□□□ □□□ □□□ □□□□□.

□□ □□□ □□□(CDS) □□□ □□□ □□□ □ □□ JOIN □□□ □□□□□? 2□

- A. □□ □□
- B. □□ □□ □□
- C. □□ □□
- D. □□□ □□ □□
- E. □□ □□ □□

Answer: D,E ([LEAVE A REPLY](#))

E_HANAAW_17 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
E_HANAAW_17 □□! DumpTop □ □□ E_HANAAW_17 □□ □□□ □□□□□□,
DumpTop E_HANAAW_17 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop E_HANAAW_17 □□□ □□□□□.

https://www.dumptop.com/SAP/E_HANAAW_17-dump.html (176 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 47

SAP HANA□ □□□□ □□ □□ □□□□□□ □□□ □□□□□? □ □□□□ 2□□ □
□□ □□□□.

- A. □□ □□ □□ SAP HANA
- B. SAP HANA □□ □□
- C. SAP HANA □□ □□□ □□
- D. SAP HANA □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

□□ □ □□□ □□ □□□ □□□ □□□ □□□□□□?

- A. □□ □□ □□ □□□□□□ □□□□ □□□□ □□ □□
- B. □□ □□□□□□ □□ □□, □□□□ □ □□□
- C. □□□ □□□ □□
- D. HANA □□ □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 49

SQLScript□ □□ □□□ □□□□□? (2 □□)

- A. SQLScript□ □□ SQL□□ □□□□.
- B. SQLScript □□□ □□□ □□ □□ □□□ □ □□□□.
- C. SQLScript□ □□ SQL□□ □ □ □□□□ □ □□□□.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 50

SAP HANA Transport Container□□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□□□? (□□ 2□)

- A. □□ □□ □□
- B. □□□□□ □□□ □□□□ □□ □□□ □□□.
- C. □□□□□ □□□□ □□ □□□□ □□□ □□
- D. □□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

ABAP □□ □□□□□□ □□□□(AMDP) □□□□□□ □□□ □□□□□? (□□ 2□)

- A. AMDP□ □□ □□□ □ □□□□□□ □□□□□ □□□□□.
- B. AMDP□ □□ □□□□ □ □□□□□□ □□□□□ □□□□□.
- C. □□□□□□ □□□□□ □□□ □□□ □□□□□ □□□□□.
- D. □□□□□□ □□□□□ □□□□ □□ □□□ □□□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

□□ □□□□□ □□□ "Open SQL SELECT FOR ALL ENTRIES □□ □□ SQL□?"□ □□ □□ □□□ □□□□□? □□□ □□□□□□.

- A. □□□ □□□
- B. □□□□□□ □□□
- C. HANA □□ □□
- D. □□ □□□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

AM DP□ □□□□ □□□□□. USING □ □□ □□□ □□□□ □□□? □ □□□□ 3□ □□□ □□□□.

- A. □□□□ □□□ □□□□ AMDP
- B. □□□□ □□□ □□□ ABAP □□ □□
- C. □□□□ Body□□ □□□□ CE □□
- D. □□□□ □□□ □□□ SAP HANA □□
- E. □□□□ □□□ □□□□ ABAP □□ □□□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□□ □□ □□□□ it_books□ □□ SQLScript □□□□□ □□□□. □□□□ □□□ □□ □□□□ □□□□ □□ □□□□□ □□□□□ □□□. □□□□□ □□□ □□□□ □? □□□ □□□ □□□.

- A. it_books

- B. :it_books
- C. {it.books}
- D. @it_books

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

ADT□□ □□ □□□□□ □□ □□ □□□□□ □□ □□. □□□□ □□□□□

- A. □□ □□ □□
- B. □□ □□ □□
- C. □□□ □□□ □□
- D. □□□ □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□ □□□ □ □□□ □□□ □□ □□□ □□□ □□□ □□□□ □□□□□?

- A. _SYS_REPO
- B. _SYS_BI
- C. _SYS_BIC
- D. _SYS_XS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Eclipse□ ABAP □□ □□□□ ABAP □□□□□ □□□ □□□□□? (□□ 2□)

- A. ABAP □□□□ □□ ABAP □□□ □□□ □□ □□□□ □□□□□.
- B. SAP HANA □□□ □□ □□□ □□□□□.
- C. ABAP □□□□ □□ □□□ □□□□□.
- D. ABAP □□□ □□□ □□□□ □ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 58

SAP HANA Full Text Search□□ □□ □□□ □□□□? □ □□□□ 2□□ □□□ □□□
□

- A. □□ □□ □□□ □□□ □ □□□□.
- B. SQL□□ □□□□ □□□ □□
- C. □□□□ □□ □□□ □□
- D. □□□ □□ □ □□□ □□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

ABAP □□ □□(ADT)□ □□□□ ABAP □□□□□ □□□□□□ □□□. □□□□ □□
□ □□□□□? □□□ □□□ □□□.

D. ☐☐☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐

E. SQLScript ☐☐

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 63

□□ □□□ □□□(CDS)□ □□□□□?

A. SAP HANA □□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□

B. ABAP □□□□□□ □□ □□□□ □□□ □□□□□□ □□□□ □□□□ □□ □□
□ □□□ □□

C. □□□ □□□ □□□ □□□ □□ □ □□□ □□ □□□□ □□ □ □□□ □□

D. SAP HANA ☐☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ **ABAP** ☐
☐ ☐☐☐☐☐☐ ☐☐☐☐☐

Answer: ([SHOW ANSWER](#))

```
E_HANAAW_17 00 000 00000 00 DumpTop 00 0000 000
E_HANAAW_17 00! DumpTop 0 00 E_HANAAW_17 00 000 000000,
DumpTop E_HANAAW_17 00 000 00000000 000 00000000. 00
00 000 0000 00 DumpTop E_HANAAW_17 000 00000.
```

https://www.dumptop.com/SAP/E_HANAAW_17-dump.html (176 Q&As Dumps,

30%OFF Special Discount: KrDump)