

SUSE.SCA_SLES15.v2023-02-18.q49

□□□□:	SCA_SLES15
□□□□:	SUSE Certified Administrator in Enterprise Linux 15 (050-754)
□□□:	SUSE
□□ □□ □□□:	49
□□:	v2023-02-18
# □□ □:	703
# □□ □□□:	490
https://www.krdump.com/SUSE.SCA_SLES15.v2023-02-18.q49.html	

NEW QUESTION: 1

Linux ☐ openSUSE Leap ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐? (2 ☐ ☐)

- A.** □□ □□ □□□ □□□ □□□
- B.** □□□□□ □□□ □□
- C.** □□□
- D.** □□□□ □□ □□
- E.** □□□ □□ □□

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 2

□□□□ □□□□ □□□ □□□ □ □□ □□□ □□□□□? (2□ □□)

- A. ☐☐☐
- B. whoami -g
- C. ☐☐☐
- D. ☐☐☐
- E. ☐☐☐

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 3

□□ □□ □□□ □□ □□□□ □□ □□? (2□ □□)

- A.** `/etc/logrotate.conf` ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
- ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐.
- B.** `/etc/cron.daily/logrotate` ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
- ☐ ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐.
- C.** `/usr/sbin/logrotate` ☐☐☐☐ `/etc/logrotate.conf` ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐.

D. /etc/logrotate.d/ ☐☐☐☐☐ ☐☐ ☐☐☐ /etc/logrotate.conf ☐ ☐☐ ☐☐ ☐ ☐☐.

E. /etc/logrotate.d/ ☐☐☐☐☐ ☐☐ ☐☐☐ /etc/cron.daily/logrotate ☐ ☐☐ ☐☐☐ ☐☐☐.

Answer: (SHOW ANSWER)

NEW QUESTION: 4

RPM ☐ ☐☐ ☐☐ ☐☐☐☐? (2 ☐ ☐)

A. RPM ☐☐ ☐☐

B. RPM ☐☐ ☐

C. RPM ☐☐☐☐

D. RPM ☐☐☐☐☐☐

E. RPM ☐☐☐

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 5

☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐?

A. Btrfs

B. nfs

C. ☐☐3

D. Ext4

E. XFS

Answer: A (LEAVE A REPLY)

<https://documentation.suse.com/de-de/sles/15-GA/html/SLES-all/cha-filefilesystems.html>

NEW QUESTION: 6

☐ ☐☐ ☐☐: ☐ ☐☐ ☐☐☐☐☐ ☐☐☐ Vim ☐☐ ☐ ☐☐☐ ☐☐ ☐ ☐☐☐.

A. ☐☐

B. ☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

☐☐☐ ☐☐ 4 ☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐?

A. yast repo-manag

B. libzypp --remove-repo 4

C. rpm -rr 4

D. ☐☐ rr 4

E. yumrepo -del 4

Answer: (SHOW ANSWER)

NEW QUESTION: 8

TMPDIR□□□ □□□ □□ □□□□ □□□ □□□□□?

- A. "STMPDIR" □□
- B. □□ TMPDIR'
- C. □□ STMPDIR
- D. val "STMPDIR"
- E. □□ 'STMPDIR'
- F. \$TMPDIR □
- G. □□ TMPDIR

Answer: F ([LEAVE A REPLY](#))

NEW QUESTION: 9

SSH□ □□ □□□ □□ □□□□ □□□ □□ □□□□□□ □□□□□ □□□. □□ □
□□□□ □□□ □□ □□□?

- A. /var/ssh/config □□□□ Authorized □□□ □□□□□.
- B. /etc/ssh/sshd_config □□□□ Authorized □□□ □□□□□.
- C. /etc/ssh/sshd_config □□□□ AllowUsers □□□ □□□□□.
- D. □□ □□ □□□ Assh/sshd_configfile□□□.
- E. ~/.ssh/sshd_config □□□ Permitted □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

file1.txt □□□ □□ □ □□□□□ □□ □□ touch -7file1.txt □□□ □□ □□□ □□□□
□?

- A. file1.txt□ □□ □□□□ □□□ □□□ □□□□□.
- B. □ □□□ file1.txt□ □□ □□□□□ □□□□ □□□□□.
- C. □□ file1.txt □□□ □□□□ □□□ □□□ □□□□ □□□ 0□□□ □□□ □□□□
□.
- D. □ □□□ file1.txt□ □□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□□.
- E. □□ file1.txt □□□ □□ □□□□ □□□□□.
- F. □□ file1.txt □□□ □□ □ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□ □□□ □□□□ □□ □□□□ □□□□□?

- A. Btrfs
- B. nfs
- C. □□3
- D. Ext4
- E. XFS

Answer: ([SHOW ANSWER](#))

□□

NEW QUESTION: 12

rpm □□□ □□□ □ -U □□□ -F □□□ □□□□ □□ □□ □□□□ □□ □□? (2□ □□)

- A. -F □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□□ □□ □□□.
- B. -F □□□ RPM □□□□□□□ □□□ □□□□ □□□ □□ □□□□□ □□(□□)□ □□.
- C. -U □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□.
- D. -U □□□ □□□□ □□ □□□□□ □□ □□□□□ □□□□ RPM □□□□□□□ □□□□□□□.
- E. -F □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□□.
- F. -U □□□ RPM □□□□□□□□□ RPM□ □□□ □□ □□□□, □□□□, □□ □ □ □ □□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

nice □□□ □□□ □ -15□ 7 □ □□ □□ □ □□ □□□□□□□?

- A. -15
- B. □□ □□ □□ □□ □□ □□ □□ □ □ □□□□. \
- C. □□ □□ □ □□□□□□ □□□ □□□ □□ □□□ □□ □□□□.
- D. 7

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□□□ VNC □□□□□□ VNC □□ □□□ □□ □□□ □□ □□□ □□□□□?

- A. SLE 15□□ VNC □□□□□□ □□□ CA□ □□□□□□ □□□□□.
- B. VNC □□□□□□ VNC □□ □□ □□□□ Verisign□ □□ □□□ □□ CA□ □□□ □ □ □□□ □□□□□.
- C. □□ □□□ SSL □□□
- D. VNC□ Telnet □□□□□ □□□□ □□□ VNC □□□□□□ □□ □□ □□□□ □□ □ □□□□□□.
- E. VNC □□□ VNC □□□ □□□ □ □□□ □□□ VNC □□□□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□□ □□□□ □□ □ □□□□ □□□ □□□□□?

- A. help -man
- B. □□□

C. ☐ ☐

D. ☐

E. ☐ ☐

Answer: ([SHOW ANSWER](#))

11

```
man □□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □ □ □□□□. man □□□
□□□□ □□□□ □□ □□□ zypper install man□ □□□□ □□□□□□.
```

<https://documentation.suse.com/sles/15-GA/html/SLES-all/pre-sle.html>

NEW QUESTION: 16

□□ □□□□ □□ □□□ □□□ □ □□□□ □□□ □□□□ □□ □□□ □□□□□?

A. udev

B. devmgr

C. devfsd

D. ☐

E. initramfs

Answer: A (LEAVE A REPLY)

```
SCA_SLES15 00 000 00000 00 DumpTop 00 0000 000
SCA_SLES15 00! DumpTop 0 00 SCA_SLES15 00 000 000000,
DumpTop SCA_SLES15 00 000 000000000 000 00000000. 000
0 000 0000 00 DumpTop SCA SLES15 000 00000.
```

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump)**

NEW QUESTION: 17

□□ □□□ □□□□ □□ yast2□ □□□□ □□□ □□□?

A. YaST □ □ □ □ □ □ □ □ .

B. YaST ☐ ncurses ☐☐☐ ☐☐☐ ☐ ☐☐☐ ☐☐☐

C. YaST □ □□ □□□□ □□□□ □□□□□.

D. YaST □□ □□□ □□□□□.

E. YaST ☐ ncurses ☐ ☐ ☐ ☐ ☐ ☐.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

rpm □□□ □□□ □ -U □□□ -F □□□ □□□□ □□ □□ □□□□ □□ □□?
(2□ □□)

A. -F □□□ RPM □□□□□□□ □□□ □□□□ □□□ □□ □□□□□ □□(□□)□
□□.

E. SLE □□□□ □□ □□□ 13□□ □□ □□□ □□□□. 10□□ □□ □□ □ 3□□ □ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ □□□□ □□□ □ □ □□□□? □□ □□□"

A. □ □□ □□□ □□ □□□□ clear □□□ □□□ c□ □□□ □ □□□□.

B. alias□□ □□□ □□ □□□ □□□□ □□□□.

C. c□ □□□□ clear □□□ □□□ □ □□□□.

D. clear□ □□□□ c □□□ □□□ □ □□□□.

E. clear □□□ □□□ c□ □□□ □□ clear □□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

bash □□□ □□ □□□□ □ □□ □□□ □□□□□?

A. /etc/profile

B. /etc/profile .alias

C. -/□□□

D. -/□□

E. /etc/bash

Answer: A ([LEAVE A REPLY](#))

□□

https://www.gnu.org/software/bash/manual/html_node/Bash-Startup-Files.html Bash□ □

□□ □□□ □□ □□□□□ --login □□□ □□ □□□□ □□ □□□□ □□ /etc/profile

□□□ □□ □□ □□ □□□□ □□□ □□ □□□□□. □□ □□□ □□ □

~/.bash_profile, ~/.bash_login, ~/.profile□ □□□ □□ □□□□ □□ □ □□ □ □□ □□

□□ □□ □□□□□. --noprofile □□□ □ □□□ □□□□ □□ □□ □□□ □ □□□

□ □□□□.

NEW QUESTION: 24

□□□□ □□ □□□ □□□ □□□ □□□□ □□□ □ □□□□□ □□□□ □□□ □□

□ □□□□□ □ □□□ □□□□□ □□□□. □ □□□ □□□□□ □□ □□□ □□□□

□□□?

A. bg

B. -tty-release

C. □□

D. Ctrl-fa, r

E. bg -term □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□□□ □□ □□□ □□ □□□ □□□ □□□ □□□□□?

A. etc/sysconfig/group

B. /var/share/group

C. /var/lib/group

D. /etc/group

E. /etc/second.grp

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□ □□ 4□ □□□□ □□□ □□□ □□□□□?

A. yumrepo -del 4

B. rpm -rr 4

C. yast repo-manag

D. □□ rr 4

E. libzypp --remove-repo 4

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

SUSE Linux Enterprise Server□ □□ □□□ VNC □□□ □□□□□? (2□ □□)

A. □□□ □□

B. □□ □□

C. □□ □□ □□

D. □□ □□

E. □□ □□ □□

Answer: ([SHOW ANSWER](#))

□□

SUSE Linux Enterprise Server□ □ □□□ VNC □□□ □□□□□. □□□□□□ VNC □
□□ □□□□ □ "□□□□" □□□ □□□ □□□□□ □□□ □□□ "□□ □□" □□ □
□□□□.

5.1 □□□ VNC □□

5.2 □□ VNC □□

<https://documentation.suse.com/sles/11-SP4/html/SLES-all/cha-vnc.html#:~:text=SUSE%20Linux%20Enterpris>

NEW QUESTION: 28

□□ □□□□□ initrd □□□ □□□□ □□□□?

A. /startup/grub2

B. /□□

C. /□□

D. /boot/grub2

E. /loader/grub

F. /□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

cp □□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□□? (3□ □□)

A. □□ -cp

B. mancp cp

C. cp □□

D. cp--help

E. □□ --cp □□□

F. □□□ cp

G. □□ cp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

ext3 □□ □□□□ □□□□ □□□ 50□ □□□□□ □□□□ □□□□. □□ □□□ □
□□□□□□□?

A. fdisk -o

B. mkfs

C. tune2fs

D. dumpe2fs

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□ □□□ □□□ □□ □□□□ □□□□□□ □□□□ □□ □□□ □□□□□?

A. /mnt/fstab

B. /etc/fstab

C. /var/Ub/fstab

D. /etc/sysconfig/fstab

E. /etc/sysconfig/storage/fstab

Answer: ([SHOW ANSWER](#))

SCA_SLES15 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
SCA_SLES15 □□! DumpTop □ □□ **SCA_SLES15** □□ □□□ □□□□□□,
DumpTop SCA_SLES15 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
□ □□□ □□□□ □□ DumpTop SCA_SLES15 □□□ □□□□□.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 32

tftp□□ □□□□ □□ □□ □□□ □□□ □ tftp□ □□□□ □□□□□ □□ □□□ □□
□ □□□□□?

- A. systemctl □□ tftp
- B. systemctl enable-start tftp
- C. □□□ □□ tftp
- D. systemctl enable tftp
- E. chkconfig add tftp

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□ □□ □□□□ □□ □□? (3□ □□)

- A. □□ □□□□□ □□□ □□ □□□ □□□ □□□□ □□□□.
- B. □□□ □□ □□□ □□□ □□□□□ □□ □□ □□□□ □□□□□ □□□□□.
- C. □□ □□□□□ □□□□□ □□□ □□□□ □□□□□.
- D. □□□□□ □□ □□□□□ □□□□□.
- E. □□ □□□□□ □□□ □□□□ □□□□□.
- F. □□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□□□.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□□ □□ □□□ □□□□□□. (2□ □□)

- A. udev
- B. □
- C. □□□
- D. □□□□
- E. □□□□
- F. □□□
- G. □□

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□ □□□□ □□□□□ □□□□□ □□ □ □□ □□□ □□□□□□□□? (2□ □□)

- A. □□□
- B. ./□□
- C. ./□□□
- D. □□
- E. □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

Btrfs □□ □□□□ □□ □□□ □□ □□ □ □(2□ □□)

A. Btrfs □□ □□□□ □□ □□ □□□□ "@" □□□ □□□□ □□□ □□□ □□□.

B. Btrfs□ □□ □□□ □□ □□□□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□.

-o □□

C. □□□□ □□□ □□ Btrfs □□ □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□.

D. Btrfs □□ □□□ □□□ □□ □□ □□ □□□□ □□ □ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

nice □□□ □□□ □ -15□ 7 □ □□ □□ □ □□ □□□□□□□?

A. □□ □□ □□ □□ □□ □□ □□ □ □ □□□□.\

B. -15

C. 7

D. □□ □□ □ □□□□□□ □□□ □□□ □□ □□□ □□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

tftp□□ □□□□ □□ □□ □□□ □□□ □ tftp□ □□□□ □□□□□ □□ □□□ □□ □□□□□□?

A. chkconfig □□ tftp

B. □□□ □□ tftp

C. systemctl enable tftp

D. systemctl □□ tftp

E. systemctl enable-start tftp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

□ □□□□ □□□ scripts □□ □□□□□□ tstparse.sh□□ □□□ □□□□. jsmith □ □□□ □ □□□ □□ □□ □□□ □□□ □□ ACL□ □□□□□ □□□. □□ □□□ □ □□□ □□□□?

A. setacl -a □□□:jsmith:rwX -/scripts/tstparse.sh

B. setfacl -mu:jsmith:rwX -/scripts/tstparse.sh

C. extacl -a user=jsmith:rwX -/scripts/tstparse.sh

D. modacl □□□=jsmith:rwX -/scripts/tstparse.sh

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □□□ □□□ □□□ □□□□ □□□□□? (2□ □□)

A. □□□ /etc/sysconfig/routes

B. IP

C. IP RS

D. □□□ -a

E. ipconfig -rd

Answer: A,B (LEAVE A REPLY)

11

<https://www.suse.com/support/kb/doc/?id=000016843>

NEW QUESTION: 41

□□ □□□□□ initrd □□□ □□□□ □□□□?

A. /loader/grub

B. /

C. /startup/grub2

D. /□□

E. /boot/grub2

F. /□□

Answer: E (LEAVE A REPLY)

NEW QUESTION: 42

NFS □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □ □ □ ?

A. `/usr/sbin/rpc.mountd -□□ □□`

B. systemctl nfsserver.service

C. systemd - nfsserver.target ☐ ☐ ☐ ☐

D. /etcyinit.d/nfsd -□□ □□

E. /bin/nfsd - □□ □□

Answer: E (LEAVE A REPLY)

NEW QUESTION: 43

□□□□ □□□ □□□ □□ □□□□ □□□□□□ □□□□ □□ □□□ □□□□□?

A. /mnt/fstab

B. /etc/sysconfig/storage/fstab

C. /etc/sysconfig/fstab

D. /etc/fstab

E. /var/Ub/fstab

Answer: C (LEAVE A REPLY)

NEW QUESTION: 44

□□ □□□ □□□□ SLES□□ □□□□ □□□□ □□□□□ □□□ □□□□□?

A. □□

B. ☐☐☐ ☐☐

- C. ☐☐☐
- D. ☐☐
- E. VPN

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐ ☐☐☐? (2 ☐ ☐)

- A. ☐☐
- B. ps-k
- C. ☐
- D. psterm
- E. ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Linux ☐ openSUSE Leap ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐? (2 ☐ ☐)

- A. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
- B. ☐☐☐
- C. ☐☐☐ ☐☐ ☐☐
- D. ☐☐☐☐☐ ☐☐ ☐☐
- E. ☐☐☐☐ ☐☐ ☐☐

Answer: C,E ([LEAVE A REPLY](#))

SCA_SLES15 ☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐ ☐☐
 SCA_SLES15 ☐☐! DumpTop ☐ ☐☐ **SCA_SLES15** ☐☐ ☐☐ ☐☐☐☐☐
 DumpTop SCA_SLES15 ☐☐ ☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐
☐ ☐☐☐ ☐☐☐ ☐☐ DumpTop SCA_SLES15 ☐☐ ☐☐☐☐.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 47

GRUB2 ☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
☐☐. ☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐? (2 ☐ ☐)

- A. systemctl reload systemd ☐☐☐ ☐☐☐☐.
- B. mkinitrd ☐☐ ☐☐
- C. /boot/grub2/menu.cfg ☐☐☐ ☐☐☐ MENU_DEFAULT ☐ 3 ☐☐ ☐☐☐.
- D. grub2-mkconfig ☐☐ ☐☐
- E. /etc/grub2/custom.cfg ☐ ☐☐☐ GRUB_MENU ☐ 3 ☐☐ ☐☐☐.

F. /etc/default/grub □□□ □□□□ GRUB_DEFAULTX□ 2□ □□□□□.

Answer: D,F ([LEAVE A REPLY](#))

NEW QUESTION: 48

VNC □□□□□□ □□□□ □ □□□□ □□ □□□ □□□□□?

A. TCP 5901

B. DP 5901

C. TCP 5801

D. DP 5801

Answer: A ([LEAVE A REPLY](#))

□□

https://en.wikipedia.org/wiki/Virtual_Network_Computing#:~:text=VNC%20by%20default%20uses%20TCP,Ja VNC□ □□□□□ TCP □□□ □□□□□. 5900+□ □□□□□ □□□□□(□□□□□ □□□ □□□□□□ □□ :0). □□ □□□ □□ □□ 5800+N□□ □□ HTTP □□□ □□□□ VNC □□□ Java □□□□□ □□□□□ Java □□ □ □□ □□□ □□ □□ □□□ □ □□□□. □□□□□□ □□□ □□ □□□□ □□□□ □□ □□ □□ □□□ □□□ □ □□□□. □□ □□□□□ HTML5 VNC □□□□□ □□ (□□□□□ □□ □□)□ □□□□.[8]

NEW QUESTION: 49

□□ □/□□ □□ □□ □□□□ □□□□□ □□ □□□□□ □□ □□□□□ catch all□ □□□□□?

A. /tmP

B. /var

C. /mnt

D. /□

E. /etc

Answer: E ([LEAVE A REPLY](#))

SCA_SLES15 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
SCA_SLES15 □□! DumpTop □ □□ **SCA_SLES15** □□ □□□ □□□□□□,
DumpTop SCA_SLES15 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
□ □□□ □□□□ □□ DumpTop SCA_SLES15 □□□ □□□□□.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)