

SUSE.SCA_SLES15.v2023-11-01.q51

□□□□:	SCA_SLES15
□□□□:	SUSE Certified Administrator in Enterprise Linux 15 (050-754)
□□□:	SUSE
□□ □□ □□□:	51
□□:	v2023-11-01
# □□ □:	603
# □□ □□□:	510
https://www.krdump.com/SUSE.SCA_SLES15.v2023-11-01.q51.html	

NEW QUESTION: 1

□□ □□□ □□□□□ □□□□□ □□□ □□ □□□□□. □□ □□ □□□ □□□□
□□□□□□ □□□□□□□□?

- A. bg
- B. □□□+&
- C. Ctrl+Z
- D. fg--bg--□□
- E. &&

Answer: A ([LEAVE A REPLY](#))

http://fsl.fmrib.ox.ac.uk/fslcourse/unix_intro/job.html

NEW QUESTION: 2

□□□ □□ □ □□□ □□ □□□□□□ □□ □□□ □□□ □ □□□ □□ □□□ □□
□□□ □□□ □□ □□□?

- A. ~/.alias□□ □□□ □□□ □□ □□□ □□ □□□ □□□□.
- B. □□ □□□ □□□□□ /etc/.history/USER_NAME □□□ □□□□□.
- C. □□□ □□□ □□ □□□ □□□ □□□ □ □□□□.
- D. □□□ □□□ □□□ □ --keep □□□□□ □□□□□.
- E. alias --list □□□ □□□□ □□□
-Abashrc □□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

umask□ □□□□ □□□ □ □□□ □□ □□□□ □□ □□? (2□ □□)

- A. □ □□□ □□ □□□ 444□ □□□□□.
- B. □ □□□ □□ □□□ 644□ □□□□□.
- C. □ □□□ □□ □□□ 754□ □□□□□.

D. 666 .

E. 755 .

F. 770 .

Answer: A,F (LEAVE A REPLY)

NEW QUESTION: 4

□□□ □□ □□□ □□□□□□. (2□ □□)

A. ☐☐☐

<□>: □□□

B. □□

C. null

D. □□□□

E. udev

F. ☐ ☐ ☐ ☐

Answer: D,F (LEAVE A REPLY)

NEW QUESTION: 5

VFS □ □ □ □ □ □ □ □ □ ?

A. VFS □□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□
□□□□ □□□□ □□□ □□□ □□□□□.

B. VFS□ □□ □□□□□ □□□ □□□□□ □□□ □ □□□ □□ □□ □□□□□.

C. VFS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ BtrFS ☐ ☐ ☐ ☐ ☐ ☐ AN ☐ ☐ ☐.

D. VFS ☐ YaST ☐ parted ☐
☐

E. VFS ☐ ext2 ☐ ReiserFS☐☐☐ ☐☐☐ ext4 ☐☐☐☐☐☐
☐☐☐ ☐☐☐☐☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 6

□□ □□□□ □□□□□ □□□□□ □□ □□□ □□ □□□ □□□□□? (2□ □□)

A. ./□□

B. ☐ ☐

C. ☐ ☐ ☐

D. ./□□□

E. □ □ □ □

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 7

□□ □□ □□□ □□ □□□□ □□ □□ □□□□? (2□ □□)

A. /etc/logrotate.d/ □□□□□ □□ □□□ /etc/cron.daily/logrotate□ □□□ □□□□ □
□□□□.

B. /etc/logrotate.conf □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□ □ □□□
□□ □□□ □□ □□□ □□□□□.

C. /etc/logrotate.d/ □□□□□ □□ □□□ /etc/logrotate.conf□ □□□ □□□□ □ □□
□□.

D. /etc/cron.daily/logrotate □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□ □ □
□□□□ □□□ □□ □□□ □□□□□.

E. /usr/sbin/logrotate □□□□□ /etc/logrotate.conf □□□□ □□□ □□□ □□□□ □
□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□ □□□ □□□ □□□□ zypper □□□ □□□□□?

A. zypper □□□

B. □□□ □□

C. □□□ IP

D. zypper □□-□□

E. □□□ □

Answer: ([SHOW ANSWER](#))

□□

□□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□.

□□ □□

□□□□ □□□ □□ □□ □□□ □□□□ □ □□□□ □□ □□□ □□□ □ □□□□.

zypper □□ <□□ □□>

<https://www.thegeekstuff.com/2015/04/zypper-examples/>

NEW QUESTION: 9

VNC □□□□□□ □□□□ □ □□□□ □□ □□□ □□□□□?

A. TCP 5901

B. DP 5901

C. TCP 5801

D. DP 5801

Answer: A ([LEAVE A REPLY](#))

https://en.wikipedia.org/wiki/Virtual_Network_Computing#:~:text=VNC%20by%20default%20uses%20TCP,Java%2Denabled%20web%2Dbrowser.

VNC□ □□□□□ TCP □□ 5900+N,[6][7]□ □□□□□. □□□ N□ □□□□□ □□□
□□(□□□□□ □□□ □□□□□□ □□ :0). □□ □□□ □□ VNC □□□ Java □□□
□□ □□□□ □□ □□ 5800+N□□ □□ HTTP □□□ □□□□ Java □□ □ □□□□
□ □□ □□ □□□ □ □□□□. □□□□□□ □□□ □□ □□□□ □□□□ □□ □□
□ □□ □□ □□□ □□□ □ □□□□. □□ □□□□□ HTML5 VNC □□□□□ □□
(□□□□□ □□ □□)□ □□□□□.[8]

NEW QUESTION: 10

□□□ □□ 4□ □□□□ □□ □ □□□ □□□□□?

A. libzypp --remove-repo 4

B. □□□ -del 4

C. yast repo-manag

D. rpm -rr 4

E. zypperrr4

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□ □□□ □□□□ □□ □□□□ □□□□□?

A. Btrfs

B. nfs

C. Ext3

D. Ext4

E. XFS

Answer: A ([LEAVE A REPLY](#))

□□

<https://documentation.suse.com/de-de/sles/15-GA/html/SLES-all/cha-filesystems.html>

NEW QUESTION: 12

□□ □ □□□ □□□ □□□ □□□ SUES 15 □□□ □□□□ □□□□.

□□ □□□ □□ □□□ □ □□□ □□□ □□□ □□ □□□ □□□ □□□□□?

A. VFAT

B. XFS

C. Ext3

D. ReiserFS

E. □□2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□□□ □□ □□ □□□ □□□□ Vim □□□ □□□□□?

A. q!

B. w-□□ □□

C. □□!

D. □

<□>: □!

Answer: D ([LEAVE A REPLY](#))

□□

Vim□ □□ □□ / Vi #Vim□ □□□ □□□□ □□□□ :w□□□□.

SCA_SLES15 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
SCA_SLES15 □□! DumpTop □ □□ **SCA_SLES15** □□ □□□ □□□□□□,
DumpTop SCA_SLES15 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
□ □□□ □□□□ □□ DumpTop SCA_SLES15 □□□ □□□□□.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 17

rpm □□□ □□□ □ -U □□□ -F □□□ □□□□ □□ □□ □□□□ □□ □□ □□□
□□?

(2□ □□)

A. -U □□□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□
□□□.

B. -F □□□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□
□□□.

C. -F □□□ RPM □□□□□□□□ □□□ □□□□ □□□ □□ □□□□□ □□(□□)□
□□.

D. -U □□□ RPM □□□□□□□□ RPM□ □□□ □□ □□□□, □□□□, □□ □ □
□ □□□ □□□□□.

E. -F □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□□.

F. -U □□□ □□ □□□□□ □□□□ □□ □□□□□ □□□□ RPM □□□□□□□ □
□□□□□□□.

Answer: C,F ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□□ □□ □□ □□□ □□□□ Vim □□□ □□□□□?

A. q!

B. w-□□ □□

C. □□!

D. □

<□>: □!

Answer: ([SHOW ANSWER](#))

Vim / Vi□ □□ □□ #

Vim□ □□□ □□□□ □□□ :w□□□.

□□□□ □□□□ □□ □□□ □□□□□ Esc□ □□ □□ □□□ □□ □□□□ :w□ □
□□ □□ Enter□ □□□□□.

<https://linuxize.com/post/how-to-save-file-in-vim-quit-editor/>

NEW QUESTION: 19

BtrFS □□ □□□□ □□ □□□ □□ □□ □ □□ □□ □□□□□(2□ □□)

- A.** □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□ □□□□□□.
- B.** □□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□□□.
- C.** □□ □□□□ □□□□ □□□□ □□□□□.
- D.** □□□ □□ □□□□ □□□□□□ □□□□ □□ □□ □□□□ □□□ □□□ □□□
□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24

SLE □□□□□ □□□□□□ □□□ □□□□□?

- A.** ☐☐ ☐☐
- B.** ☐☐☐☐
- C.** ☐☐☐☐☐ ☐☐
- D.** SUSE ☐☐ ☐☐ ☐ SLE ☐☐ ☐☐ ☐☐ ☐☐
- E.** SUSE Customer Center ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 25

SSH □□ □□□ □□ □□□□ □□□ □□ □□□□ □□□□□ □□□. □□ □□□
□ □□ □□□ □□ □□□?

- A.** ~/.ssh/sshd_config ☐☐☐☐ Permitted ☐☐ ☐☐
- B.** /var/ssh/config ☐☐☐☐ Authorized ☐☐☐☐☐☐.
- C.** /etc/ssh/sshd_config ☐☐☐☐ AllowUsers ☐☐☐☐☐☐.
- D.** /etc/ssh/sshd_config ☐☐☐☐ Authorized ☐☐☐☐☐☐.
- E.** ☐☐ ☐☐ ☐☐ Asssh/sshd config ☐☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

ext3 □□ □□□□ □□□□ □□□ 50□□□ □□□□□ □□□□. □□ □□□ □□□□
□□□□?

- A.** fdisk -o
B. tune2fs
C. dumpe2fs
D. mkfs

Answer: (SHOW ANSWER)

NEW QUESTION: 27

RPM □ □ □ □ □ □ □ ? (2 □ □)

- A.** RPM □□□
- B.** RPM □□□
- C.** RPM □□□□
- D.** RPM □□□□□□

E. RPM

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 28

□□□ □□ □□□ □□□□□□. (2□ □□)

A. null

B. ☐ ☐ ☐ ☐

C. ☐ ☐ ☐

D. ☐ ☐ ☐

E. ☐ ☐

F. udev

G. ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

systemd ☐ ☐☐☐ ☐☐☐☐ ID ☐ ☐☐☐☐☐?

A. □□□ ID□ □□ □□□ □□□□□□□□.

B. 1

C. 1001

D. 0

Answer: B (LEAVE A REPLY)

```
systemd □□□□□ □□□□ ID□ 1□ □□□□□□□□. □□□□ □□□□ □□□□ □□□□
□□ □□□ □□□. systemd□ □□□ □□ □□ □□□□ □□□□□ □□□□□ □□□□
□ □□ 9□ □□□□□□. □□ □□ □□□□□□ systemd □□ □□ □□□□ □ □□□ □□
□□ □□□□□.
```

<https://documentation.suse.com/sles/15-GA/html/SLES-all/cha-systemd.html>

NEW QUESTION: 30

□□ □□□□ □□□□□ □□□□□ □□ □□□ □ □□ □□□ □□□□□? (2□ □□)

A. ☐ ☐ ☐

B. □□□□

C. ☐ ☐

D. ./□□

E. ./□□□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 31

```
rpm □□□ □□□ □ -U □□□ -F □□□ □□□□ □□ □□ □□□□ □□ □□ □□□□
□□? (2□ □□)
```

A. -U □□□ RPM □□□□□□□□ RPM□ □□□ □□ □□□□, □□□□, □□ □ □
□ □□□ □□□□□.

B. -U □□□ □□ □□□□□ □□□□ □□ □□□□□ □□□□ RPM □□□□□□□
□□□□□□□.

C. -F □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.

D. -F □□□ RPM □□□□□□□ □□□ □□□□ □□□ □□ □□□□□ □□(□□)□
□□.

E. -U □□□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□
□□□.

F. -F □□□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□□
□□.

Answer: B,D (LEAVE A REPLY)

```
SCA_SLES15 00 000 00000 00 DumpTop 00 0000 000
SCA_SLES15 00! DumpTop 0 00 SCA_SLES15 00 000 000000,
DumpTop SCA_SLES15 00 000 000000000 000 00000000. 000
0 000 0000 00 DumpTop SCA_SLES15 000 00000.
```

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, 30%OFF

Special Discount: KrDump)

NEW QUESTION: 32

[illegible]

A. ☐ ☐ ☐ ☐

B. newinitfs

C. mkinitrd

D. makeinitfs

E. ☐ ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐

A. /var/□□/□□

B. /var/lib/□□

C. /□□/□□

D. etc/sysconfig/□□

E. /etc/second.grp

Answer: (SHOW ANSWER)

NEW QUESTION: 34

SSH는 어떤 프로토콜을 사용하여 통신하는가?
A. TCP B. UDP C. ICMP D. SCTP

- A. ~/.ssh/ssh_config 파일을 사용하여 설정한다.
- B. /etc/ssh/ssh_config 파일을 사용하여 설정한다.
- C. /etc/ssh/ssh_config 파일을 사용하여 설정한다.
- D. /etc/ssh/ssh_config 파일을 사용하여 설정한다.
- E. /etc/ssh/ssh_config 파일을 사용하여 설정한다.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

/etc/hosts 파일의 주석은 무엇인가?

- A. #
- B. ;
- C. //
- D. ;
- E. ;

Answer: A ([LEAVE A REPLY](#))

<https://documentation.suse.com/ko-kr/sles/15-SP1/html/SLES-all/cha-network.html>

NEW QUESTION: 36

GRUB2는 어떤 파일로 구성되는가? (2개 선택)

- A. grub2-mkconfig
- B. /etc/grub2/custom.cfg
- C. /etc/default/grub
- D. systemctl reload systemd
- E. mkinitrd
- F. /boot/grub2/menu.cfg

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

initrd는 무엇인가?

- A. /boot/grub2
- B. /startup/grub2
- C. /boot/grub2
- D. /boot
- E. /boot
- F. /boot

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

_____ SUSE Linux Enterprise_____ _____ _____ _____ _____ _____
_____? (2 _____)

- A. /etc/rsyslog.conf
- B. /etc/syslog.conf
- C. /var/log/syslog-ng.conf
- D. /ar/log/_____
- E. /etc/syslog-ng

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

_____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____?

- A. _____
- B. devmgr
- C. initramfs
- D. devfsd
- E. _____

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

_____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____
_____ _____ _____ _____ _____?

- A. bg
- B. _____+&
- C. Ctrl+Z
- D. fg--bg--_____
- E. &&

Answer: A ([LEAVE A REPLY](#))

http://fsl.fmrib.ox.ac.uk/fslcourse/unix_intro/job.html

NEW QUESTION: 41

SUSE Linux Enterprise_____ _____ _____ _____ _____ "_____*_____ _____ _____ _____
_____?

- A. _____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____
_____.
- B. _____ _____ _____ _____ _____ _____ _____ _____ _____ _____.
- C. _____ _____ _____ _____ _____ _____ _____.
- D. _____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

RPM □ □ □ □ □ □ □ □ ? (2 □ □)

- A.** RPM □□□
- B.** RPM □□□
- C.** RPM □□□□
- D.** RPM □□□□□□
- E.** RPM □□□ □□□

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 43

posix □□ □□□□□ □□□ □ □□ □ □□ □□□ □□□□□? (3□ □□)

- A.** ☐ ☐
- B.** ☐ ☐ ☐ ☐
- C.** ☐ ☐
- D.** ☐ ☐
- E.** ☐ ☐ ☐
- F.** ☐ ☐
- G.** ☐ ☐
- H.** ☐ ☐

Answer: A,G,H (LEAVE A REPLY)

11

<https://documentation.suse.com/sles/12-SP4/html/SLES-all/cha-security-acls.html>

NEW QUESTION: 44

tftp□□ □□□□ □□ □□ □□□ □□□ □ tftp□ □□□□ □□□□□ □□ □□□ □□
 □ □□□□□?

- A.** systemctl □□□ tftp
B. systemctl enable-start tftp
C. systemctl □□ tftp
D. chkconfig □□ tftp
E. □□□ □□ tftp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

nice ☐☐☐ ☐☐☐ ☐ ☐☐ ☐ ☐☐ ☐☐☐ ☐ ☐☐ -15 ☐☐ 7☐ ☐☐☐☐☐?

- A. □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ \
- B. -15
- C. 7
- D. □□□ □□□□□ □ □□□□□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□□□ □□ □□□ □□□ □ □□ □□□ □□□□□? (2□ □□)

A. □□□

B. □□□

C. □□

D. □□□

E. whoami -g

Answer: B,C ([LEAVE A REPLY](#))

SCA_SLES15 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
SCA_SLES15 □□! DumpTop □ □□ **SCA_SLES15** □□ □□□ □□□□□□,
DumpTop SCA_SLES15 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
□ □□□ □□□□ □□ DumpTop SCA_SLES15 □□□ □□□□□.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 47

□ □□□□ □□□ scripts □□ □□□□□□ tstparse.sh□□ □□□ □□□□. jsmith □
□□□ □ □□□ □□ □□ □□□ □□□□ □□ ACL□ □□□□□ □□□. □ □□□ □
□□□ □□□ □□□□□?

A. setacl -a □□□:jsmith:rwX -/scripts/tstparse.sh

B. modacl □□□=jsmith:rwX -/scripts/tstparse.sh

C. extacl -a □□□=jsmith:rwX -/scripts/tstparse.sh

D. setfacl -mu:jsmith:rwX -/scripts/tstparse.sh

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 48

GRUB2 □□ □□□ □ □□ □□□ □□□ □□ □□□ □□□□□ □□□. □ □□□ □
□□□□ □□ □□□ □□□□ □□□?

A. /etc/grub.d/custom.cfg

B. /etc/default/grub

C. /etc/boot/grub.cfg

D. /boot/grub2/menu.cfg

E. /boot/grub2/custom.cfg

Answer: E ([LEAVE A REPLY](#))

<https://documentation.suse.com/sles/12-SP4/html/SLES-all/cha-grub2.html>

NEW QUESTION: 49

□□□ □□□□ □□□□ □□□ □□□ □□□□□? (2□ □□)

A. cat /etc/sysconfig/routes

- B. ip □□ □□
- C. IP RS
- D. □□□ -a
- E. ipconfig -rd

Answer: (SHOW ANSWER)

<https://www.suse.com/support/kb/doc/?id=000016843>

NEW QUESTION: 50

□□ □□□□ □□ □□□ □□□ □ □□□□ □□□ □□□□ □□ □□□ □□□□□?

- A. devmgr
- B. udev
- C. initramfs
- D. □
- E. devfsd

Answer: (SHOW ANSWER)

NEW QUESTION: 51

bash □□□ □□□ □□□□ □ □□ □□□ □□□□□?

- A. /etc/profile
- B. /etc/profile.alias
- C. -/□□□
- D. -/□□
- E. /etc/bash

Answer: (SHOW ANSWER)

https://www.gnu.org/software/bash/manual/html_node/Bash-Startup-Files.html Bash□ □
 □□ □□□ □ □□ --login □□□ □□ □□□□ □□ □□□□ /etc/profile □□□ □□□
 □ □□ □□ □□ □□□□ □□□ □□ □□□□□. □□ □□□ □□ □ ~/.bash_profile,
 ~/.bash_login □ ~/.profile□ □□□□ □□ □□□□ □□ □ □□ □□ □□□□ □□□
 □□ □□□□□. □ □□□ □□□□ □□ □□ □□□ □ --noprofile □□□ □□□ □ □
 □□□.

SCA_SLES15 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 SCA_SLES15 □□! DumpTop □ □□ **SCA_SLES15** □□ □□□ □□□□□□,
 DumpTop SCA_SLES15 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
 □ □□□ □□□□ □□ DumpTop SCA_SLES15 □□□ □□□□□.

https://www.dumptop.com/SUSE/SCA_SLES15-dump.html (72 Q&As Dumps, **30%OFF**)

Special Discount: KrDump)