# SailPoint.IdentityIQ-Engineer.v2026-11-21.q142

| | |
|---|---|
| □□□□: | IdentityIQ-Engineer |
| □□□□: | SailPoint Certified IdentityIQ Engineer |
| □□□: | SailPoint |
| □□ □□ □□□: | 142 |
| □□: | v2026-11-21 |
| # □□ □: | 112 |
| # □□ □□□: | 1420 |
| https://www.krdump.com/SailPoint.IdentityIQ-Engineer.v2026-11-21.q142.html | |

**NEW QUESTION: 1**
□□□ IdentityQ □□□ □□□□□?
□□□: □□□ □□ □□□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
IdentityIQ □□□ □□□ □□ □□□ □□□□ □□□□□. IdentityIQ □□□ □□□ □ □□□ □□ □□ □□ □ □□□ □□□ □□ □□ □ □□ □□□ □□□ □□ □□□□. □□ □□□ □□□ IdentityIQ□ □□ □□ □□ □□ □□ □□□□□ □□□□ □□□ □□□□□□□.
□□:
SailPoint IdentityIQ □□ □□□
SailPoint IdentityIQ □□□□ □□

**NEW QUESTION: 2**
IdentityQ□ □□□ □□□ □□ □ □□□ □□□□□?
□□ □□: SailPoint API□ □□□□ □□□ □□ Java/BeanShell □□□□ □□□□ □□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
IdentityIQ□ □□□□ □□□□ □□□ □□ Java □□ BeanShell □□ □□□ SailPoint API□ □□□□ □□□ □□ □□□□ □□□ □ □□□□. □ □□□ □□ □□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □ □□□□□. SailPoint API□ □□ □□□□ □□□ □□ □□ □□ □□□ □□□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□□.
□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□□ □□□□ □□□□ □□, □□ □□□□□ □□□□ □□ API □□ □□□ □□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□□□ □□□ □□□ □□□□ □ □□□.

**NEW QUESTION: 3**
□□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□ □□□, □ □□□ □□ □□□ □□□□□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□?

□□ □□: □□□ □□□□□ □□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
QuickLink □□□ □□□□□ □□ □□□□ □□ □□□ □□ QuickLink □□ □□□□ □□□ □□□ □□□□. QuickLink□ IdentityIQ □□□□□□ □□ □□□□ □□ □□□□ □□□□□ □□ □□□ □ □ □□ □□ □ □□□□□, QuickLink □□□ □□□□□ □□□□ □□ □□□□. QuickLink□ □□□ □□□ □□□□ □□□□□ □□ □□□□ □□ □□□ □□□□□ □□□.
□□□ □□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□, □□ □□ □□ □□□ □□(□: "□□□")□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□. □□□ □□□ B□□□. □□ □.

**NEW QUESTION: 4**
IdentityQ□ □□□□ □□□□ □□□□ □ □□ □□ □□ □□□□ □ □□□ □□ □□□□□ □□□□.
□ □□ □□□ □□□ □□□□□ IdentityIQ□ □□ □□ □ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.
IdentityQ□□ SMTP □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□ □□□□ □□ □□ □□□□□?
□□□: □□□ □□□□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□, "□□□ □□□□"□ □□□□□ SMTP □□□□ □□□□ □□□ □□ □□□□ □□ □□□ □□□□. □□ □□□□ □□ □□ □□, □□, □□ □□(□□□ □□ □□□ □□□ □□□□ □), □□□ □ □ □□(SSL/TLS □)□ □□□□□. □□□ □□□□(□: SMTP)□ □□□□□ □□□□ □□□ □□□, IdentityIQ □□□ □□□ □□□□ □□ □□ □□□ □□□□. □□ □□□ □□ □□ □□ □□□□□ □ □□□ □□□□.
□□:
SailPoint IdentityIQ □□ □□□(□□□ □ □□ □□) SailPoint IdentityIQ □□ □□□(□□□ □□□ SMTP □□)

**NEW QUESTION: 5**
IdentityIQ □□ □□ □ □□□ □□ □□ □□□ □□□□?
□□□ □□□:
□□ □□□□□□□ □□□□ □□□ □□ □□□□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□ □□□ □□□□□. IdentityIQ□ □□□□□ □□□ □□□□□ □□□ □ □□ □□□ □□ □□□□□□ □□□□ □□□ □□□. □□ □□□□□□ □□□ □□, □□ □□, □□□ □□□ □□ □□ □□ □ □□ □□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□□. IdentityIQ □□□ □□□□□ □□□□ □□ □□□□□ □□□ □□, □□ □□, □□□□□, □□□□, □□, □□ □□ □□ □□ □□ □ □□ □□ □□ □□ □□□□□□ □□□□□ □□□ □□□ □□□□□. □□ □□□□ □□ □□□□□□□ □□□ □□□ □□□□ □□□□□ □□ □□□ □□□ □□□ □□ □□ □□ □□□ □ □□□ □ □□. □□ □□ □□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□ □ □□ DOMC □□□ □□□□ □□ □□□ □□□□□. □□□□□ BeanShell □□ □□□□ □□ □□□□□□ □□ □□ □□□□ □□ □□□ □□□□□ □□□ □□□ □□□□□. □□/□□: IdentityIQ □□□□ - □□ □□□□□, BeanShell □□ □□□, □□ □□□□□, □□ □□, □□ □□.

**NEW QUESTION: 6**
Syslog□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□□: UI□ □□□ □□□ □□□ □□ □□□ □□□□□.
**A.** □

**B.** □□□
**Answer: (SHOW ANSWER)**
Syslog□ UI□ □□□□ □□□ □□□ □□ □□□ □□□□ □ □□□ □ □□□□. □□□ □□□ □□□□ IdentityIQ□ □□□□□ □□□ □□ □□□, □□ □□ □ □□ □□ □□□ Syslog □□ □□□ □□ □ □□ □□ □□□□□□ □□□□□. □□□ □□ □□□□□ □□□ □□□ □□□□ UI□□ □□□ □□ □□□ □□□□ □□□ □ □□□□.
SailPoint IdentityIQ □□ □ □□□□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□ □□ □□)

**NEW QUESTION: 7**
IdentityIQ □□ □□ □ □□□ □□ □□ □□□ □□□□?
□□□ □□□:
IdentityIQ □□□ □□□ □□ BeanShell □□□ □□□ □□□□ □□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□ □□□ □□□ □□□□. IdentityIQ□ BeanShell □□□ □□□ □□ □□ □□□ □□□□ □□ □□ □□□□.
□□□ □□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□ □□□□□.
□□ □□□ □□, □□□, □, □□□□□ □□, ID □□ □□ □□□ □□□□□ □□□□□□□. □□ □□□ □□ □□, □ □□, □□, □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□ □□□□, null □□ □□□ □□□ □□□□ □□ □ □□□□. □□ □□□□ □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□. BeanShell □□□ □□ SailPoint□□ □□□ □□□ □□□ □□□ □□□□.
object.SailPointObject;□ □□ □□ □□ □□□□ null□ □□□ □ □□□□. □□□ □□□ □□ □ □□□□□ □□□ □□□□□□□. IdentityIQ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□ □□□ □□ □□□□□. □□ □□/□□: IdentityIQ □□□□ - BeanShell □□, □□ □□□□□, □□ □, □□ □□ □□□□, □□/□□ □□.

**NEW QUESTION: 8**
□□□ IdentityQ □□□ □□□□□?
□□□: □□□□ □□□□ □□□□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
IdentityIQ □□□ □□□ □□□□ □□□□ □□□□ □□ □□□□. IdentityIQ □□□ □□, □□ □ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□□□□□. □□□ □□□ □□ □□ □□ □□□ □□□□□ □□ □□ □□□ □□□□.
SailPoint IdentityIQ □□ □□□
SailPoint IdentityIQ □□□□ □□

**NEW QUESTION: 9**
"Common Rules Library"□□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□□ □□□□ □ □□□□?
□□□:

```
<ReferencedRules>
    <Reference class="sailpoint.object.Rule" name="Common Rules Library"/>
</ReferencedRules>
```

**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**

□□□, □□□□ □□□ □□ □□□ "Common Rules Library"□□ □□□ □□ □□□□□□ □□□ □□□□ □ □□□□ □□□□. □□ □□□□□□ □□□□□ □ □□ □□□□□□□ sailpoint.object.RuleLibrary □□□□ □□□□ □□□. □ □□ □□□□ □□ □□□□□ □□□ □□□□ □□ sailpoint.object.Rule □□□□ □□ □□□□ □□□□.
□□□ □□(□ □□ □□□ □□):
<□□□□>
<Reference class="sailpoint.object.RuleLibrary" name="□□ □□ □□□□□"/>
</□□□□>
□□:
SailPoint IdentityIQ □□ □□□□□ □□□
SailPoint IdentityIQ □□ □□□(□□ □ □□ □□□□□ □□)

**NEW QUESTION: 10**
□□□□ □ □□ □□□□(□□ □□□□)□ □□ □□ □□□ □□□□□?
□□□ □□□:
□□□ □□ □□□□□ □□□□□□□ □□ LCM □□ □□□□□□ □□□ □□□□ □□ □□ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. □□□ □□ □□□□□□ □□□ □□ □□□□□ □□□□□ □□ IdentityIQ □□□□ □□□□ □□□□ □□□□□. □□□ □□ □□□□□ □□□□ □□□□□□ □ □□□□□ □□□ □□ □□ □□ □□□ □□□□□ □□□□□. □□ □□□ □□ □□□□□ □□□□□ □□□□ □□□ □□ □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□□.
SailPoint□ □□□□□□ □□□□□□ □□□ □□□□□□ □□□□ □□ □□ □□□ □□□□□□□□ □□□□ □ □□ □ □□ □□ □□□ □□□ □□□□ □□□□□. □□ LCM □□□□□□ □□□, □ □ □□, □□□□□, □□ □□, ID □□ □□, □□ □ □□ □□□ □ □□□ □□□□□ □□□□□. □□□ □□ □□□□□□ □□ □□□□□□□ □□□□ □□ □□□□□□□ □□□ □□/□□ □□□ □□ □ □ □□□□.
□□□ "□□□ □"□□□ □□ □□ □□ LCM □□ □□□□□ □□□ □□□□ □□ □□□□□ □□□□. □□□□□ □□ □□, □□ □, □□□□ □□, □□□□□ □□ □□ □ □□□□ □□□ □□□□ □ □ □□□□ □□□ □□□□ □□□. □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□ □□□.
□□□ □□□□□ □□□□ □□□ □□□ □□ LCM □□ □□□□□ □□□□ □□ □□□ □□ □□ □□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - LCM □□□□, □□ □□□□ □□□, □□□ □□□ □□□□ □□□□, □□□□ □□, □□□□□ □□□ □□.

**NEW QUESTION: 11**
□□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□ □□ □□□ □□□□ □□□□□□□ □□□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□ □□□□ LCM □□□□□□ □□ □□□ □□□□ □ □□ □□□ □□□□ □□□□□□□ □□□□ □□ □□□□□ □□□□□□. □□ □□□ □□□□□□ □□, □□□□□ □□, □□ □□ □ □, □□□, QuickLink □□ □ □□ □□ □□□ □□ □□□□□. LCM □□□□ □□ □□□ □□ □□□ □□□□□ □□ □□(□□ □□, □□ □□, □□□□□ □□, □□, □□□□□/□□□□□ □□, □□/□ □□ □□ □ □□□ □□ □□)□ □□□ □□□□. □□□ □□□ □□□□□□ □□□ □□ □□ □□ □□□ □□□□ □□□□. □□□□□□□ □ □□ □□□ □□□□□ □□□□□□ □□□□, □□ □□ □□ □□/□□□ □□□, LCM/QuickLink □□□ □□ □□ □□□ □□□□ □□□. □□□ □□□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□□□. □□ □□/□□:
IdentityIQ □□□□ - LCM □□□□□, □□ □□, □□□□□□ □□□□□ □□, □□ □□ □□, □□ □□/□□□ □□□ □□.

**NEW QUESTION: 12**
□□□□ □□□□ □□□ □□ □□□ □□□□□ □□□.
□□□ □□□□ IdentityQ□ □□ □□ □□ □□□□ □□□ □ □□ □□ □□ □□□□□?
□□□: □□□□ □□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, "□□□□ □□"□ SailPoint IdentityIQ□□ □□□□ □□□ □□ □□□□ □□ □□□ □ □□ □□ □□ □□□□□. □□□□ □□□ □□□□□ □□ □ □□ □□ □□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□. □□□□ □ □□ □□□ □□□□ □□□□ □□□ □□□ □□□ □□□□□ □□□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□□ □□ □□ □□)

**NEW QUESTION: 13**
IdentityQ□ □□□ □□□ □□ □ □□□ □□□□□?
□□ □□: □□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□□, □□□□□ □□□□ □□□ □□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□ □□□□. SailPoint IdentityIQ□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□ □ □□□, □□□□□ □□□□ □□□ □□□ □□□ □ □□□□. □□□□ □□□ □□□ □ □□ □□□ □□□□ □□□ □□□□□□ □□□□ □□□ □□ □□□ □□ □□□ □ □□□□. □□□□ □□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□□□.
□□:
SailPoint IdentityIQ □□□ □□□
SailPoint IdentityIQ □□ □□□(□□□ □□ □□□ □□)

**NEW QUESTION: 14**
Identity□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□□ □□□:
□□ □□ □□□ □□ □□□ □□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. ID □□□ ID □□ □ ID □□ □□□ □□□□□ □□□□□□, □□ □□ □□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □ □□□□ □□□□. "□□ □□"□ □□/□□ □□□□□ □□□ ID □ □ □□□ □□□ □□ □□□□. □□ □□ □□ □□ □□ □□□□□ □□□□□ □□ □□□ □□ □□ □□, □□ □□□, □□/□□□ □□ □□ □□ □□ □□□□ □□ □□□□ □□□. ID □□□ □□□□ □□ □□□ □□□ □□ ID □□□ □□□□□. ID□ □□ □□□ □□□□□□ □□ □□/□□□ ID □□□□ □□□□□ □□□□ □□□ □□□□. □□ □□□□□□ Syslog □□□ □□ □□□ □□□□□ □ □ □□ □□□□ □□ □□□□ □□□□ □□□ □□□□□. □□□ □□□ □□ □□□ ID □□ □□□ □□□ □□□□ □□□□. □□ □□/□□: IdentityIQ □□□□ - ID □□, □□ □□ □□, □□ □□, □□ □□, □□ □□.

**NEW QUESTION: 15**
ID □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□?

□□ □□: Identity □□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
"Identity □□□ □□□ □□□□□"□□ □□□ □□□□□. ID □□□ □□□ □□ □□ □□□ □□□ □ Identity □□□ □□□ □□□□□. □□ □□ □□□ □□ □□ □□□ □□□ □□ Identity □□□ □□ □ □□□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□□ □□□□ □□□□ □□, □□ □□□□□□ Identity □□□ □□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□□□ □□□ □□□□□.

**NEW QUESTION: 16**
□□□ IdentityQ □□□ □□□□□?
□□□: □□□□ □□□ □□ □□□ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
IdentityIQ □□□ □□ □□ □ □□□ □□□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□. □ □□□□ □□ □□□, □□□ □□ □□□ □□□□ □□□□ □□ □ □ □ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □ □□□□. □□□ □ □□□□ □□□□ □□□□□□ □□□ □□ □□□ □□□□ □□□□□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□ □.
□□□□ □□□ A, □ '□'□□□.

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)

**NEW QUESTION: 17**
IdentityQ□ syslog □□□ □□□□ □□ □□ □□□ □□□□□?
□□□: IdentityIQ□ □□ □□□□ □□ □□ □□□ □□□□□□ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□ □□□□. □□ □ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□□□, □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□ □□ □ □□□ □□□□. □□□ □□□ □□ □□ □□□ □□□ □□ □□□, □□ □ □□ □□ □□□□□ □□ □□ □□ □□□ □□□ □ □□□□ □□ □□□□ □□□□ □□ □□□□. IdentityIQ□□ □□□□ □□ □□□ □□□□ □□□ □□ □□ □□□, □□ □□ □□, □□□□ I/O □□□ □□ □□□ □□ □□ □□ □□ □□□ □□ □□□ □□□□□.
□□:
SailPoint IdentityIQ □□ □ □□ □□□
SailPoint IdentityIQ □□ □□ □□□

**NEW QUESTION: 18**
□□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□?

□□□: □□□ □ □□ □□ □□□ □□□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, □□ □□□□ Lifecycle Manager(LCM) □□□□□□ □□ □□□ □□□□ □□□ □ □□ □□□ □□□ □□□ □ □□□□. IdentityIQ□□ LCM □□□□ □□ □□ □□□ □□ □□□□ □□□ □□□ □ □□ □□□ □□□ □ □□□, □□□□ □□□□ □□□ □ □□ □□, □□ □□ □□□□□□□ □□□□□ □□□□ □□ □□□□□. □□ □□□□ □□ □□□ □ □□ □□□ □□□ □□□□ □□ □□ □ □□□□ □□□□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ Lifecycle Manager □□□ □ □□□□ □□□□□ □□□ □□□, □□ □□□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□, □□□ □ □□ □□□ □□□ □□□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□□.

**NEW QUESTION: 19**
□□ □□□□□□ □□ □□ □□ □□□ □□□□□□□. □□ □□□ □□□ □□□□.
□□: □□ □□□ □□□□
□□□□ □□□□□: □□ □□□□□□, □□ □□
□□ □□: □□□□ □□□□□□, □□ □□ □□
□□□ 1: □□ □□□□ □□□□ □□
□□□ 2: □□□ □□□ □ □□
□□□ 3: □□□ □□
□□□□□ □□ □□□ □□□□ □□ □□ □□□ □ □□ □□□ □□□□ □□□?
□□ □□: □□ □□: □□ □□
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□□ □□ □□□ □□□□□ □□ □□□ "□□ □□: □□□□□□ □□" □□□ □□□□ □□ □□□□□. □ □□ □□□ □□ □□□□□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□□ □□□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ IdentityIQ □□□□ □□□□ □□□□. □□□□□□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□ □ □ □□□ □□□□□□□□ □□ □□ □□□□ □□ □□ □□□□ □□□ □□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□ □□□□ □□, □□ □□□□□□ □□□ □□ □□ □ □□□ □□ □□ □□ □ □□□□□□ □□ □□□ □□ □□□□□. □□ □□ □□□□ □□□□ □□ □ □□□ IdentityIQ □□□□ □□□ □ □□□ □□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 20**
□□□□□ □□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□. □ □□□ □□□□ □□ □ □□ □□□ □□□□□?
□□ □□: □□□ □□ □□ □□□ □□ □□ XML□ □□ □□□ □□ □□ □□□ □□ XML□ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
SailPoint IdentityIQ□□ □□□ □□ □□ □□□□ □□□□ □□□□ □□□ □□ □□ □□□ □□ □□ XML□ □□ □□□ □□ □□ □□□ □□ XML□ □□□□ □□□□ □□□ □□□□□. □□ □□ XML□ □□□ □□□ □□□□, □□ XML□ □□□ □□□ □□ □□□ □□□□□□ □□□□□. □□□ □□□ □□□ □□ □□ □□□□ □□□□ □ □□□□□, □ □□ □□□ □□□ □□ □□□ □□□ □□. □□□ □□□ SailPoint IdentityIQ □□ □□□, □□ □□□ □□ □□□ □ □□ □□ □□□ □□□□□□.

**NEW QUESTION: 21**
IdentityQ □□□□□□□□ □□□□□□ □□□ □□□□ □□□□□□ □□□□□ □□□□ □□ □□ □□ □ □□□□ □□ □□□ □□□□□?
□□ □□: □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□□□ □□□□ □□ □□□□□ □□□□ □□□□ □□ IdentityIQ □□□□□□□□ □□□□□□ □□□ □□□□ □ □□□ □□□□□□ □□□□□ □□□□ □□□ □□□ □□□□. □□□□ □□ □□□ □□□□□ □□ XML □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□ □□□ IdentityIQ □□□ □□□□ □□ □□□□□□ □□□□□ □□□□ □□□. □□ □□□□□ □□ □□□ □□ □ □□□□□□ □□□□□ □□□□□ □□□□ □□□□.
□□:
SailPoint IdentityIQ □□□ □□ □□□
SailPoint IdentityIQ □□ □ □□ □□□

**NEW QUESTION: 22**
Syslog□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□□: □□ □□□ □□□ □□ □□□□ □□
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
Syslog□ □□□□ □□ □□□ □□□ □□□ □□ □□□□. IdentityIQ□□ □□□ □□□□ □□□ □□□□□□□ □□ □□□ □□ □□□□ □□ □□□□, □ □□□□ □□□□□ □□□□, □□□ □□ □ □□ □□□□, □□ □□□□ □□□□□. □ □□□□ IdentityIQ □□□ □□□□□ □□ API□ □□□□ □□, □□ □□□□□ □□□□ Syslog□ □□□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□□
SailPoint IdentityIQ API □ UI □□□

**NEW QUESTION: 23**
□ □□□ □□□□ □□ □□□□□?
□□□ □□□:
□□ □□□ □□□ □□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□. □ □□ □□ □□□□□□. IdentityIQ□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□ □□□□.
□□ □□ □□□ □□□□□ □□ □□ □□□ □□ □□, □□ □□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□□□ □□□. □□□ IdentityIQ □□□□□ □□ □□□ □□□□, □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□□□, □□ □□□ □□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□□ □□□ □□□□□ □□□□□ □□□□ □□□□.
□□□ □□ □□ □□□ □□ □□□ □□□ □ □□□ □□ □ □□ □□□□□, □□□ □□□ □□□□. □□ □□, □□ □□□ □□□□□ □□□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□ □□□ □□□ □□□ □□□□.
SailPoint□ □□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□□□. □□ □□ □□□ □□□□ □□□ □□□□□, □□ □□ □□□ □□□ □ □□□□.
□□□ "□□ □□ □□□ □□□ □□□ □□□ □ □□"□ □□□ □□□ □□□ □□□□□.

□□ □□/□□: IdentityIQ □□□□ - □□□ □□, □□ □□, □□□ □□□, □□ □□ □□, □□ □□ □□.

**NEW QUESTION: 24**
IdentityQ□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ □□□ □ □□□□?
□□ □□: □□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □ □□□ IdentityIQ□□ □□□□□□ □□□ □□□□ □□□□ □□□ □ □□□□. □□□□□□□ □□□ □, □□ □□□(□□□)□ □□□ □ □□ □□□ □□□□ □□□□ □□□□ □ □□□□□ □ □□ □□□ □ □□□□. □□□□□ □□ □□ □□□□ □□□□□ □□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□ □□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□□□□□ □□□ □□□□ □□□□ □□, □□ □□ □ □□ □□□□ □□ □□ □□□ □□□□ □□□□□ □□ □□ □ □□□□□□ □□ □□ □□□ □□□ □□□ □□.

**NEW QUESTION: 25**
□□ □□□ □□□□□?
□□ □□: □□ □□□□□□ □□□ □□□□ Identity □□□ □□□ □□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□ □□ □□□□□□ □□□ Identity □□□ □□□□ □□□□ □□ □□ □□□□. □□□□ □ □□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□ □□□□□□, □□ □□□ □□ □□. □□□□□□□ Identity □□□ □□ □□□□ □□□ □□□ □ □□□□. IdentityIQ□ □□□ □□□ □□ □□□□□□□□ □□□□ □□□□ □□ □□ □□□ □□□□□. □□□□□□ □□□ □□ □ □□□ □□ □□□ □□□ SailPoint IdentityIQ □□□□□□ □□ □□□□ □□□□□□.

**NEW QUESTION: 26**
□□□ IdentityIQ □□ □ □□ □□□ □□ □□ □ □□□□□?
□□□ □□□:
IdentityIQ□□ □□□□ □□□ □ □□ □□□ □ □ □□ □□□ □□□□ □□□ □□□ □□ □□□□□ □□□□, □□□ □□□ □□□□ ID□ □□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. IdentityIQ□ □□ □□ □□□ □□□□ SPRights□ □□ □□□ Capabilities□ □□□□ □□ □□□ □□ □□□ □□□□□. SPRights□ □□, □□, □, □□□ □ □□ □□□ □□ □□□ □□□□□.
□□□ □□□ □□ □ □□ □□□ □□ □□□ □□ □□□ □ □□ □□□ □□□□ □□□□□□.
□□□ □□ □□□ □□ □□ ID□ □□□ □□ □□□ □ □□□□.
□□□ □□ □□ □□□□ □□ □□□□□ □□□ □□ □□□□. □□□ □□□□ ID□ □□ □□□ □□□ IdentityIQ□ □□ □□□□ □ □ □□ □□ □□□ □□□ □ □□ □□ □□ □□ □□□ □□□□ □ □□□□ □□□□ □ □□□□□.
□□(Capabilities)□ □□(Scopes)□ □□□□□ □ □□□. □□□ □□□□ □ □ □□□ □□□ □ □□ □□□ □□ □□ □□□ □□□□ □□, □□□ □□□□ □□□ □ □□□ □□□ □□/□□□ □□□□ □. □ □ □□ □□□□□ □□ □□□ □ □□□□.
SailPoint □□□□ ID□ □□□ □□ □□□ □ □□□, □□ □□□ □□ □□□□ □□□□ □ □□ IdentityIQ □□□ □□□□□ □□□□□ □□ □□□□.
□□ □□/□□: IdentityIQ □□□□ - SPRights, □□, □□□ □□, □□ □□, □□ □□ - □□□ □□, □□.

**NEW QUESTION: 27**
'□□□ □□'□ '□□□□□' □□ □□□□ □□ □□□ □□□ □ □□□□?
□□ □□: □□ □□ □□□ □□ □□□□□ □□□ □□□□ □□ □□□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, "□□□ □□"□ "□□□□□" □□□ □□ □□ □□□□□ □□ □□□□□ □□□ □□□□ □□□□ □ □□□□. □ □□□ □□ □□□□ □□□ □□□□□ □□□ □□□□□□ □□ □□ □□□□□ □□□ □□□□ □□□□ □□□□□ □□□□□ □□ □□□□□ □□□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□□(□□□□□ □□ □ □□ □□□)

**NEW QUESTION: 28**
'□□□ □□'□ '□□□□□' □□ □□□□ □□ □□□ □□□ □ □□□□?
□□ □□: □□ □□ □□□ □□ □□□□□ □□□ □□□□ □□ □□□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, "□□□ □□"□ "□□□□□" □□□ □□ □□ □□□□□ □□ □□□□□ □□□ □□□□ □□□□ □ □□□□. □ □□□ □□ □□□□ □□□ □□□□□ □□□ □□□□□□ □□ □□ □□□□□ □□□ □□□□ □□□□ □□□□□ □□□□□ □□ □□□□□ □□□ □ □□□□.
SailPoint IdentityIQ □□ □□□(□□□□□ □□ □ □□ □□□)

**NEW QUESTION: 29**
Identity□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□□ □□□:
□□□ □□□□□□ □□□□ □□□ □□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. ID □□□ UI□ □□□□ □□□ □□□ □□□□ □ □□□□□ □ □□□. UI □□□ □□□□□ syslog, □□□□□□ □□, □□ □□, □□□□ □□, □□□ □□ □□ □□ □ □□ □□□ □□ □□□ □□. ID □□□ ID □□□ □ ID □□ □□□□ □□□□, □□□ □□ □□, □□□ □□ □□□, □□□ □□, □□□□ □□ □□ □□ □□□/□□□□□□ □□□ □□□□ □□□□. Wordbank□ Syslog □□ □□□ □□□ □□□ □□□□□. IdentityIQ□ □□□ □□ □ □□ □□□ Syslog□ □□□□□ Syslog□ □□□□ UI□ □□□□ □□□ □□□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□□□□ □□ □□□ ID□ □□□□□ □□□ □□□□□. ID □□□ □□ □□□ □□□ □□ □□□□ □□ □ □□□ □ □ □□□ □□ □□ □□ □□□ □□□□ □□□ □□□□. □□ □□/□□: IdentityIQ □□□□ - ID □□, Syslog □□, □□□□ □□, UI □□ □□ □□, □□ □ □□.

**NEW QUESTION: 30**
IdentityIQ□ □□□□ □ □□ □□ □□ □□□□ □ □□□ □□ □□□□□ □□□□ □□ □□□□. □ □□ □□□ □□□ □□□□□ IdentityIQ□ □□ □□ □ □□ □□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□.
IdentityIQ□□ SMTP □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□ □□□□ □□ □□ □□□□□?
□□□ □□□:

□□ □□ □□□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□ □□□□ □□□□ SMTP □□□ □□ IdentityIQ □□ □□□□ □□ □□□ □□□□. IdentityIQ□ SMTP □□□/□□ □□, SMTP □□, □□□ □□□ □□ □□□ □□ □□□ □□□ □□ □□ □□ □□, □□□ TLS/SSL □□ □□□ □□□ □□□. □□□□ SMTP□ □□□□ □□□□□ JVM □□□□□□□□□ □□□ □□□ □□□□ □□□ □□ □□ □□□□ □□□ □ □□□, □□□□ □□ SMTP □□□□ "□□ □□ □□□"□ IdentityIQ □□ □□ □□□ □□ □□□□. □□ SMTP □□□ □□□ □□□□ □□□□□, □□ □□□, □□, □□ □□□ □□ □□□□ □□□□□. □□□□ □□□□□ □□ □□ □□ □□ □□□□□ □□□ □□/□□ □□ □□ □□□□□. TLS □□□ □□□ □□□ □□ Java/□□□□□□ □□ □□□□ □□□ □□□ □□□□ □ □ □□□, □□ IdentityIQ □□ □□ □□□□ □ □□□□ □□□□ □□□ □□□□. □□ □□
/□□: IdentityIQ □□□□ - □□□ □□, SMTP □□, □□ □□□, SMTP □□, □□, TLS/SSL □□ □□.

**NEW QUESTION: 31**
□ □□□ □□□ □□□□□ □ □□□□ □□ □□□ □□ □□□□□?
□□ □□: #if (SremindersRemaining > 0)□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □ □□□□. □□□ □□□□ □□ □□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□ □□□ □□□□□□□□. SailPoint IdentityIQ □□□ □□□□□□ #if, #else, #end□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.
IdentityIQ□ □□□ □□(□□□□□ Apache Velocity □□)□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □□ □□□ □□□□□.
□□:
SailPoint IdentityIQ □□□ □□□ □□□
SailPoint IdentityIQ□ Apache Velocity □□□ □□□

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)

**NEW QUESTION: 32**
□□ IdentityQ □□□ □□ .HBM □□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□ □ □□□□?
□□□: □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□□ Link □□□ □□ □□ □□□ □□ .HBM(Hibernate Mapping) □□□ □□ □□□□□□ □□□ □ □□□□. □□ IdentityIQ □□□ □□□□□ □□□□□ □□□□□ □□□□□□ □ □□ □□ □ □□□ □□ Java □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□□. .HBM □□□ IdentityIQ□ □□ □□□ □□□□□□ □□□□, □□□□ □□□□ □□□ □□□□ □□ □ □□□ □□□□ □□ □□□□ □□□ □□□□□ □□□□. □□□ □□□ IdentityIQ □□□□□□ □□□□□ □□ ManagedAttributes □□ CustomAttributes□ □□ SailPoint□□ □□□□ □□ □□□ □□□□ □ □□□ □□□. IdentityIQ □□ □□□ □□ □□□ □□□ SailPoint IdentityIQ □□□ □□ □□□ □ □□ □□ □□□ □□□□□□.
□□□ □□□
□□ □□

**NEW QUESTION: 33**
□ □□□ □□ □□□□ □□□ □□□□ □□□□.
□□ □□□ □□□ □ □□□ □□□ □□□ □□□ □□□□. □□ □□□□ □□□ □□□□□, □□ □□□□ □□□ □□□ □□□ □□□□. □□ □□ □□□ □□□□ □□ □□□ □□□□□.
□□□ □□ □□□ □□□□ □ □□□ □ □ □□ IdentityIQ □□ □□ □□ □ □□□□□?
□□□ □□□:
□□ □□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□. □□ □□□ IdentityIQ Lifecycle Manager□□ □□ □□□ □□□ □□ □□□□ □□ □□ □□ □□ □□ □ □□□ □□□□. □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□. □□ ID□□ □□ □ □□□□ □□, □□ ID□□ □□□ □□□ □□□ □□□□ □□□. IdentityIQ□ □□□ □□□ □□ □□ □□ □□□ □□□□□.
SailPoint□□ □□□□ □□ □□ □□□□ ID □□, ID □□, □□ □□, □□ □□, □□ □□□/□□□□, □□ □□ □□, □□ □□, □□ □□, □□ □□, □□ □□ □ □□ □□□ □□□□□. "□□ □□"□ □ □□□ □□ □□ □□ □□□□ □□□□ □□□□. □□ □□□□ □□□□□□. □□□ □□□□□□ □□□□ □□ □□□□ □□□□ □□□ □□□, □□□□□ □□ □□□□□ ManagedAttribute□ □□□ □□.
□□ □□□ □□□□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□□□.
□□□ □□□ □□ □□□ □□, '□□ □□'□ □□□ □□ □□□ □□□ □ □□, '□□ □□'□ □□□ □□ □□□ □□□ □ □□□□. □□□ '□□ □□'□ □□□□ □□□□ □□ □□ □□□ □□□, □□□ □□□□ □□□□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□□□□ □□□ □□ □□, □□ □□, □□ □□, □□ □□□ □□ □□ □□, □□ □□.

**NEW QUESTION: 34**
□□□ IdentityQ □□□ □□□□□?
□□ □□: □□□□ □□□ □□ □□□ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
IdentityIQ □□□ □□ □□ □ □□□ □□□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□. □ □□□□ □□ □□□, □□□ □□ □□□ □□□□ □□□□ □□ □ □ □ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □ □□□□. □□□ □ □□□□ □□□□ □□□□□□ □□□ □□ □□□ □□□□ □□□□□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□ □.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□ □□□□ □□, □□ □□□□□ □□□ □□ □□ □□ □ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□.

**NEW QUESTION: 35**
□□□ □□□□ □□□□ □□□□ □□□□□?
□□□: □□□ □□□□□ □□ □□□ □□□□□□ □□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□ □□□□□ □□□ □□□□□ □□ □□□ □□□□□□ □□ □□□ □□□□, □□ □□ □□ □□□□□□ □□□ □□□□□□ □□□□ □ □□□□□. □□□ □□□□ □□□□□ □□□ □□□ □□ □ □□□□ □□□ □□□□□□ □□ □□□ □□□□ □□ □□□□ □□, □□ □□□□ □□□□ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□□□.

□□□□ □□□ B□□□. □□□.
□□: □ □□□ SailPoint IdentityIQ Lifecycle Manager □□□□ □□□□ □□, □□ □□□□□□ □□ □□ □□ □□□□□ □□□ '□□' □□□□ '□□ □□' □□□□ □□□□ □□□□□.

**NEW QUESTION: 36**
□□ □□□□ □□□□ □□ □□ □□□ □□□□□?
□□□ □□□:
IdentityIQ□ □□ □□□ □□□ IdentityIQ □□□□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. IdentityIQ □□□ □□□ □□□□□ □□□□□□ □□□ □□□ □□□□ □□ □□□□.
IdentityIQ□ □□□□□□ □□ □□□□ □□□□□, □□□ □□□ □□□□□/□□□ □□/□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□ □□ □□□□□. □□□ □□□□ □□ □□□ □□□ □ □□ □ □□□□□□ □□□□ □□□□□□□ □□□□□ □□□ □ □□□, □□ □□□ □□ □□□□□ □□□□ □□□□.
"□□ □□□ □□□ IdentityIQ □□□□□□ □□□ □□□□"□ □□□ □□□□□ □□□□ □□□□. □□□□□□ □□□□□ □□ □□□□□□ □□□ □□□ IdentityIQ □□□ □□□ □ □□□□ □□ □ □□ □□□ □□ □□□□□□ □□ □□□□ □□□□ □□ □□□ □ □ □□□□. IdentityIQ□ □□□□□□ □□ □□ □□□ □□ □□, □□ □□, □□□ □□□□□, ID, □□□□□□ □ □□□□ □□□ □□ □□□□□□. □□□ □□□□ IdentityIQ □□/□□ □□□□□□ □□ □□□□ □□□ □□ □□□ IdentityIQ□□ □□□□, □□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□ □□□□. □□ □ □/□□: IdentityIQ □□□□ - □□ □□□□, □□ □□, □□□ □□□□, □□□□□□ □□ vs. □□□□□□ □□ □□.

**NEW QUESTION: 37**
□□□□□ □□□□□□□ □□□ □ □ □□ □□□ □□□□□□?
□□□ □□□:
□□ □□
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
IdentityIQ□ □□□□□□□□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□ ID □□□ □□□□□□. □□ □□□□ IdentityIQ□ □□ □□□ □□□□ □□ □□□ □□□□□. □□□ □□ □□□ IdentityIQ□ □□□ □□□ □□□□□, □□□□, □□□□, □□□□□□ □ □□□ □□□□ □□ ID □□ □□□ □□□. ID □□□ □ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□. □ □□□ □□ □ IdentityIQ□ □□ □□□□□ □□□ □□□□ □□□ □ □□□□. □□ □□ □□ □□, □□ □□ □□, □□□ □□, □□□□□ □ ID □□□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□ □□□. □ □□ □□□ □□□□□□ □□□ □□ □□□, □□□ □□, DN, □□ ID, □□ □□, □□□□□□ □ □□ □□ □□ □□ □□□□ □ □□□□.
□□□ □□ □□ □□□ □□□□□□. □□ □□□□ □□□□□□□ □□□ □□□ □□□ □□ ID □□□ □□□ □□□. □□ □□/□□: IdentityIQ □□□□ - □□□□□□ □□□, ID □□, □□□□ ID, □□ □□, □□ □ □□ □□.

**NEW QUESTION: 38**
□□ □□□□ □□□□ □□ □□ □□□ □□□□□?
□□ □□: □□□ □□□ □□□□□□□ □□□ □□□□□ '□ □□□' □□ □□, □□□□ '□□□' □□ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□ □□□ □□□□. SailPoint IdentityIQ Reporting □□□ □□□□□□□ □□□ □□□□ "□□□" □□ □□□□. □□□ □□□□ □□□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□ □□□□ □ □□□. □□□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□□ "□ □□□" □□ □□□□. "□ □□□" □□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□.

□□:
SailPoint IdentityIQ □□□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□□□□ □□ □□)


**NEW QUESTION: 39**
IdentityQ□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ □□□ □ □□□□?
□□ □□: □□□ □□ □□ □ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, □□□ □□ □□ □□□□□ □□□□ □□ SailPoint IdentityIQ□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□ □ □□ □□□□□. □□ □□□□ □□□ □□ □□ □□□ □□□ IdentityIQ □□ ID□ □□□□ □□□ □□□□ □ □□ □□□□□. □□□ □□□ □□ □□□ □□ □□ □□□ □□□ ID□ □□□ □ □□□ □□□ □□□ □ □□□□.
SailPoint IdentityIQ □□ □□□(□□ □□□□ □□ □□) SailPoint IdentityIQ □□□□□□ □□ □□□(□□ □□□□ □□ □□)

**NEW QUESTION: 40**
IdentityQ□□ Quicklink □□□□ □□□□ □□□ □□□□□ □□□ □ □□□□?
□□ □□: IdentityQ□□ □□□□ □ ID □□□ □□□ □ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
IdentityQ□□ □□□□ □ ID □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □ □□ □□□□□□□. □□□ □□□□ IdentityQ □□□□□□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□ □□□□ □□□□ □ □□□□□. ID □□ □□□ □□□ □□□□□ □□□□, ID □□ □□□ □□□□□ □□ □□□□, API □□ □□ IdentityQ □□□ □□ □□ □□ □□□ □□ □□□□□. ID □□ □□□□ □□□ □□□□ □ □□ □□□□□ □□□□, □□□ UI □□□ □□ □□□□□□ □□□□ □□□□.
□□□□ □□□ B□□□. □□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□ □□□□ □□, □□ □□□□□□ QuickLink □□□□ □□□ □□□ □□□□ UI □ □□□ □□□ □□□□ □□□ □□□□□, ID □□ □□□ □□ □□ □ □□□ □□□□ □□□□ □□□□□.


**NEW QUESTION: 41**
□□□ IdentityIQ □□□ □□□□□□ □□□□□ □□□. □□□ □ □□ IdentityIQ UI □□ □□□ □□□ □□□. □ □□□ □□□□□?
□□ □□: □□□□ □□□□ IdentityQ □□ > □□ □□□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
IdentityIQ □□□ □□□□□□ □□ □ □□ □□□ IdentityIQ □□ > □□ □□□□□ □□□□ □□□□. □□ □□□ □□□ □□□□□ IdentityIQ UI □□□ □□ □□□□□ □□□ style.css □□ □□ □□□ □□ CSS □□□ □□ □□□□□. □□□□ □□ CSS □□□ □□□□□ IdentityIQ □□ □□□ □□□ □□□□ □ □□□, □□ □ □□ □□□ □□□ □□□□ □□□ □ □□□□.
□□□□ □□□ B□□□. □□□.
□□:
□ □□□ SailPoint IdentityIQ □□□ □□□□ □□□□ □□, □□ □□□□□□ □□ □□□ □□ CSS □□□ □□□□ □□□ □□□ UI□ □□□ □□□ □□□□ □□□ □□□ □□□□□.

**NEW QUESTION: 42**

□ □□□ □□□ □□□□ □ □□ □□□ □□ □□□ □□□□□□. □□□□ □□□ □□□□ □□□ □□□□□.


Users cannot be members of the AccountsPayable group in AD and have the CreateVendor access right in the Vendor System ap
at the same time.
Select a match:
Advanced
Entitlement SOD
Account
Role SOD
Risk
Activity
Users can have two accounts on a given system, but no more.
Select a match:
Advanced
Entitlement SOD
Account
Role SOD
Risk
Activity
Users who have either the VPN role or the Travel role cannot also be in the Contractor role.
Select a match:
Advanced
Entitlement SOD
Account
Role SOD
Risk
Activity

**Answer:**




□□:

□ □□ □□□ □□□□ □ □□ □□□ □□ □□□ □□□ □□□□.

* □□□□ Active Directory□ AccountsPayable □□ □□□□□□ □□□ □□□□ □□□ □□□□□□□□ CreateVendor □□□ □□□ □□ □ □□□□. □□: □□ SOD
* □ □□□ □□ □□(□: □□ □□□ □ □□ □□ □□)□□ □□□□ □□ □□ □□ □□□ □□□□. "□□ □□ □□"(SOD)□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□□.
* □□□□ □ □□□□ □ □□ □□□ □□ □ □□□, □ □□□ □□□□□□. □□: □□
* □ □□□ □□□□ □□□□□ □□ □ □□ □□ □□ □□ □□□□. "□□" □□ □□□ □□□□ □□□ □ □□ □□ □□ □□ □□□ □□□□□.
* VPN □□ □□ □□ □□ □ □□□ □□ □□□□ □□□ □□□ □□ □ □□□□.

□□ SOD

* □ □□□ □□ □□□ □□□ □□□□. "□□ □□"(Role SOD)□ □□□□ VPN □□□□ □□□, □□ □□ □□□□ □□□□□ □□ □□□□ □□□ □□ □□□□ □□□□□.

IdentityIQ □□□□□ □□ □□□ □□□ □□□□□ □□□ □□

* □□ SOD(□□ □□): □ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□ □□□□□. □□ □□, □□ □□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□ □□.

IdentityIQ□ □□ □□□ □□□□ □□□ □□□□ □□ SOD(Entitlement SOD)□ □□□□ □□□ □□□□□ □□□□□.

* □□: □ □□□ □□□ □□□□ □□ □□□□□ □□ □ □□ □□ □□ □□□□□. IdentityIQ□ □□ □□□ □□□□ □□□□ □□□ □□ □(□: 100□)□ □□□□ □□□ □□□.

□: □□□□ □ □□ □□□ □□ □□)

* □□ SOD(□□ □□): □□□ □□□□ □□(□: VPN □□ □□ □□□ □□□ □□□ □□□□ □□) □□ SOD □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□. □□□ □ □□ □□□ IdentityIQ□□ □□ □□ □□□ □□□ □□□□□.
SailPoint IdentityIQ □□□□□□ □□□ □□□(□□ □□(SOD) □□ □□ □ □□ □□ □□).

**NEW QUESTION: 43**
□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□□□ 2□□ □□ □□□□. □□□ □□ □□ □□□□ □□□□□ □□□□ □□□, □□ □□□ □□□□□ □□□□ □□□□. □□ □□□ □□□ □□ □ □□□□□□ □□□□ □□□.
□□□ □□ □□□ □□□ □□□ □ □□□□?
□□□: □□ □□ □□□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□ □□□ □□□ □□ □ □□ □□□□ □□□□□ □□□□□□, □□□□□ □□ □□ □□(□: Active Directory □□) □ □□□ □□ □□□ □□□ □□□.
□□□ □□□ □□□ □□ □□□ □□□□□ □□ □□ □□□ □□□ □□□□ □□□□□ □□□ □□□□. □□□ □□□ □□ □□□ □□□ □□□ □□□□□ □□ □□□□, □□ □□ □□□ □□□ □□ □ □□□ □□□□ □□□□.
□□□ □□□ B□□□. □□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□ □□ □□□□□□. □□ □□□□□□ □ □□ □□□ □□□ □□□ □□□ □□□□ □□□, □□ □□ □□□ □□□ □□ □□ □□□ □□ □□ □□□ □□ □□□.

**NEW QUESTION: 44**
□ □□□ □□□ □□□□□ □ □□□□ □□ □□□ □□ □□□□□?
□□ □□: □□□ □□ □□□ □□ □□□ □□□□ ID □□□ □□□□ □□□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□□□□□. SailPoint IdentityIQ□ □□□ □□□□ Identity □□□ □□□□ □□□□□ □□□□ □□□□. WorkItems, CertificationItems □□ □□□□ □□ □□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□ □ □□□□. □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □ □□□ □□□ □□□ □□□ □ □□□ □□□□□.
□□:
SailPoint IdentityIQ □□□ □□□ □□□
SailPoint IdentityIQ API □□ □□

**NEW QUESTION: 45**
□□□ IdentityQ □□□ □□□□□?
□□□: □□□ □□ □□□ □□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
IdentityIQ □□□ □□□ □□ □□□ □□□□ □□□□□. IdentityIQ □□□ □□□ □ □□□ □□ □□ □□ □ □□□ □□□ □□ □□ □ □□ □□□ □□□ □□ □□□□. □□ □□□ □□□ IdentityIQ□ □□ □□ □□ □□ □□ □□□□□ □□□□ □□□ □□□□□□□.
SailPoint IdentityIQ □□ □□□

SailPoint IdentityIQ □□□□ □□

**NEW QUESTION: 46**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□□□ □□□□ □□□ □ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□□□ □□□□□, □□ □□ □□□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□ □□□□□ □□□□.
Rapid Setup□□ □□□ □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□ □□□□□□ □□□ □□□□ □□ □□□□ □□□ □□ □□ □□ IdentityIQ ID □□□ □□□□□. □□ □□ □□□□□□ □ managerEmail □□□ IdentityIQ □□□ □□□ □□□ □ □□□□. Rapid Setup□□□ □□□□□□□ □□□ □□□ □□ □□ □□ □□□ □□□□□.
IdentityIQ □□□□□ □□□ □□ □□□ □□□□□, □□ □□□ □□ □□□ □□ □□□□□□.
SailPoint□ □□□ □□ □□ □□□ □□□ □□□-□□ □□□□□□ □□□□ □ □□□□ □□□□□□ □□□□ □□□□□. □□□ □□ □□ □□□ □□ □□□ □□ □□□□□□□ □□ □□ □□□ □ □ □□□□□.
□□□ □□□ □□□□□. □□ □□□ □□ □□ □□(Rapid Setup)□ □□ □□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□, □□ □□ "□□□"□□ □□□□ □□□□ □□ □□□□□. □□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□□ □□□ DOMC □□□□ □□□ □□□□.
□□ □□/□□: IdentityIQ Engineer - □□ □□, □□□ □□ □□, □□ □□ □□ □□, □□□ □□ □□ □□, □□□□□□ □□ □.

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)

**NEW QUESTION: 47**
□ □□□ □□□□□ IdentityIQ □□□□ □□□ □□ □□□ □ □□□ □□□□□?
□□□ □□□:
□□□ □□□ □□ □□□ □
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. IdentityIQ □□□□□ □□□ □ ID □□ □□□ □□□□□. □□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □ □□□ □□ □□□□□. □□□□□ □□□□□ □□ ID□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□□ □□□, □□□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□ □□□, □□□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□ □□□□ □ □□.
SailPoint□ □□, □□□ □ □□□□ □□□ □□□ □□ □□□□, □□ □□ □□□□ □□□ □□□□ □ □□ □□□ □□□□ □□ □□□□ □□□□ □□□□□ □□□□□ □□□□□. ID □□□ ID □□ □□□ □□ □□□□□ □□□□ □□(□: ID □□ □□, □□ □□, □□, □□ □□ □□, □□ □□ □ □□ □□□□□ □□)□ □□□ □□□ □□□□. IdentityIQ□ □□ □□ □□□□ ID □□ □□ □□□□□ □, □□, □□, □□, □□□□, □□□□□□ □ □□ □□□ □□□□ ID □□ □□□ □□ □□□□ □□□□□.
□□□ □□□ □□□□□ □□ □□□□□ □□□□ □□□□□ □□□□□ □□ □□□□□ □□□□□□ □□□ □□ □□□□□ □□□□ □□□.
□□ □□/□□: IdentityIQ □□□□ - □□□□ □□, □□□□ □□□ □□□, □□ □□ □□, ID □□, ID □□, □□ □□ □□□.

**NEW QUESTION: 48**
□ □□□□□ □□□□ □□ □□□ □□ □□(SSB)□ □□□□ IdentityQ □□□□□ □□□□ □□□□. SSB□ □□□□□ □□□ □ □□□□□ □□□ □ □□ □□□ □□□□□?
□□ □□: □□□□□□ □□ □□ □□ □□□ □□ □□□ base/patch □□□ □□ jar □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, □□ □□□ □□□□□. SailPoint IdentityIQ□□ □□□ □□ □□(SSB)□ □□□ □, □□ jar □□□ □□□ base/patch □□□ □□□□ □□ □□□ □□□□□. □, □□ □□□ □□□□□□□ □□ □□ □□□ □□□□ □□□. □□□ □□ □□ □□□□□ □□□ □□□ □□□□ IdentityIQ □□□□□ □□□ □□□ □□ □□□ □□□□□ □ □ □□□□.
SailPoint IdentityIQ □□□ □□ □□ □□□
SailPoint IdentityIQ □□ □ □□ □□ □□□

**NEW QUESTION: 49**
□□ □□□□□□ □□ □□ □□ □□□ □□□□□□□. □□ □□□ □□□ □□□□.
□□: □□ □□□ □□□□
□□□□ □□□□□: □□ □□□□□□, □□ □□
□□ □□: □□□□ □□□□□□, □□ □□ □□
□□□ 1: □□ □□□□ □□□□ □□
□□□ 2: □□□ □□□ □ □□
□□□ 3: □□□ □□
□□□□□ □□ □□□ □□□□ □□ □□ □□□ □ □□ □□□ □□□□ □□□?
□□ □□: □□ □□: □□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ "□□ □□: □□ □□" □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□. "□□ □□: □ □□□ □□□□□□, □□ □□ □□"□□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□□ □□□□□□□ □□ □□□□□. □□□ "□□ □□"□□ □□□□ □□□ □ □□□□ □□□ □□ □□ □□ □□□□□ □ □□□□. □□□ □ □□□□□□□ "□□ □□: □□ □□"□ □□□□□ □ □□□.
□□:
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□ □□ □□) SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□)

**NEW QUESTION: 50**
□□□□ □□ □□ □ □□□□ □□ □□ □□□ □□□□□?
□□□ □□□:
□□□□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. IdentityIQ□ □□□ □□□□ □ □□ □□ □□ □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□. □□□ □□ □□□ □□□□□ □□□□□ □□□□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□.

□□□□ □□□ □□□□, □□, □□ □□□□, □□□, □□ □ □□ □□□ □□□ □ □□□, □□□□□ □□□ □□ □ □□□□ □□□ □□□ □□□□ □ □□□□. □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□ □ □□□□. BeanShell □□□ □□□ □□ □□□□□ □□ □□□ □□□ □ □□□, □□ □□□□□ □□□ □□ □□□□□□ □□□ □ □□, □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□□.

Catch □□□ □□□□□□ □□ □□□ □□□□ □□, □□, □□, □□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □ □ □□□□□. □□□ Catch□ □□ □□ □□□□□□, □□□□□ □□□ □ □□ □□ □□□ □□□□□ □□□□□ □□ □□ □□□□.

□□□□□ □□ □□□□, □□, □□ □□□□ □ □□□ □□ □□□ □□□ □□ □□□□ □□ □□□□ □□□□□ □□□□. □□□ □□□□ □□ □□ □□□□ □□□□□. "□□ □□□ □□□ □□□□ □ □□"□ □□□□ □□ □□□ □ □□□ □□□ □□□□.

□□ □□/□□: IdentityIQ □□□□ - □□□□ □□ □□, □□ □□, catch □□, BeanShell □□, □□ □□□□ □□ □□, □□□□ □□ □□.

**NEW QUESTION: 51**

'□□□ □□'□ '□□□□□' □□ □□□□ □□ □□□ □□□ □ □□□□?

□□ □□: □□□□□□□ □ □□□ □□ □□ □□□ □□□□□.

**A.** □

**B.** □□□

**Answer: A (LEAVE A REPLY)**

□, IdentityIQ□ "□□□ □□" □□□ □□ "□□□□□" □□□ □□□□□□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □ □□ □□□□□ □□□□□ □□□ □□, □□ □□ □□□□ □□□ □□□□ □□□□□ □□□ □□ □□□ □□□ □□□□□. □□ □□□□ □□□□□ □□□ □□□□□□ □□□ □□□□ □ □□□□□□.

SailPoint IdentityIQ □□ □□□(□□□□□ □ □□)

SailPoint IdentityIQ □□□□□ □□□

**NEW QUESTION: 52**

□□□ IdentityIQ □□□ □□□□□□ □□□□□ □□□. □□□ □ □□ IdentityIQ UI □□ □□□ □□□ □□□. □ □□□ □□□□□?

□□ □□: □□□ □□□□ □□□□ □□□ □□□□□ □□□ □□ □□ □□□□□.

**A.** □

**B.** □□□

**Answer: A (LEAVE A REPLY)**

□, IdentityIQ □□□ □□□□ □□□□ □□□ □□□□□ □□□ □□ □□ □□□□□. IdentityIQ□ □□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□ □□ □□ □□□□ □□□□. □□□□□□ □□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □ □□□□.

□□□□ □□□ A, □ '□'□□□.

□□:

□ □□□ SailPoint IdentityIQ □□□ □□□□ □□□□ □□, □□ □□□□□□ □□□ □□□□□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□ UI □□□□ □□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 53**

□□□□□ □□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□.

□ □□□ □□□□ □□ □ □□ □□□ □□□□□?

□□□ □□□:

AuditConfig □□ XML□ □ AuditAction□ □□□□□.

<ObjectAttribute displayName="□□□ □□" editMode="□□" extendedNumber="2" name="userType" type="string" />

**A.** □

**B.** □□□

**Answer: (SHOW ANSWER)**
□□□ □□□□ □□ □□□□□ □□□□ □□□□. □□□□□ □□□□□ □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□□□. □□□ □□□ XML □□□ userType□□□ □□□ □□ ObjectAttribute □□□ □, AuditAction □□□ □□□□. ObjectAttribute □□□ □□ □□ □□□□□□ □□□ □□, □□ □□, □□ □□, □□ □ □□□ □□□□ □ □□□□□. □□ AuditConfig □□□ □□□ □□ □□/□□□□ □□□□ □□ □□□□. □□□ □□ □□□ □□□ AuditAction □□ □□ □□ □□□□ AuditConfig □□□ □□□□ □□ □□ □□, □□ □□ □ □□□ □□□ □□□□ □ □□. □□□ XML □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□. IdentityIQ □□□□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□.
□□□ □□ □□□ □□□ XML □□□ □□□□□. □□ □□/□□: IdentityIQ □□□□ - AuditConfig XML, AuditAction □□, ObjectAttribute □□, □□□ □□ □□ □□□ □□.

**NEW QUESTION: 54**
Rapid Setup □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □ □□□□?
□□ □□: □□□ □□□□ □□□ □□□ □, □□ □□□ □□□ □□□□ □□ □□□□□□□ □□□ □□□□□□, □□ □□□ □□□ □□□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□ □□ □□ □□□ □□□□□□ □□ IdentityIQ □□□ □□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□□□□ □□□□□□□. □□□ □□□□ □□ □ □□□ □□ □□□□ □ □□ □□ □□□ □□□□.
□ □□ □□□ □□□□ □□□ □□□ □ □□ □□□ □□□ □□□□ □□ □□□□□□□ □□□ □□□□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□. □□□ Rapid Setup □□□□□□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□ □□(□□□□ vs. □□)□ □□□□ □□□ □□□□ □□□□.
□□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□ □□□□ □ □ □□ □□□ □□□ □ □□□□. □□□ □□□ B. □□□□□□.
□□:
□ □□□ SailPoint IdentityIQ □□ □□ □□□□ □□□□ □□, □□ □□□□□□ □□ □□ □□□□□□ □□□ □□□ □□□□□. □□□□ □□□, □ □□□ □□□□□ □□ □□ □□□□ □□□ □ □ □ □□□ □□□□ □□□ □□□ □□□□□.

**NEW QUESTION: 55**
"Common Rules Library"□□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□□ □□□□ □ □□□□?
□□□:

```
<ReferencedRules>
    <Reference class="sailpoint.object.Rule" name="Common Rules Library"/>
</ReferencedRules>
```

**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□, □□□□ □□□ □□ □□□ "Common Rules Library"□□ □□□ □□ □□□□□□ □□□ □□□□ □ □□□□ □□□□. □□ □□□□□□ □□□□□ □□ □ □□ □□□□□□□ sailpoint.object.RuleLibrary □□□□ □□□□ □□□. □ □□ □□□□ sailpoint□ □□ □□□□ □□□□.
object.Rule □□□□ □□ □□□□□□ □□□□□ □□□□ □□□□.
□□□ □□(□ □□ □□□ □□):
< □□ □□ >
<Reference class="sailpoint.object.RuleLibrary" name="Common Rules Library" />
< /□□□□ >
SailPoint IdentityIQ □□ □□□□□ □□□
SailPoint IdentityIQ □□ □□□(□□ □ □□ □□□□□ □□)

**NEW QUESTION: 56**
□□□□ □ □□ □□□□(□□ □□□□)□ □□ □□ □□□ □□□□□?
□□ □□: □□ □□□□□ □□ 3□□□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□ □□□ □□□ □□□□. SailPoint IdentityIQ□□□ □□ □□□□(□□ □□□□)□ □□ 3□□□□ □□□□ □ □□□ □□□ □□□□. □□□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□□□ □□□ □ □□□□. □□, □□ □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□□, □□ □□□ 3□□□ □□□□ □□ □□□ □□□□.
SailPoint IdentityIQ □□□□□ □□□
SailPoint IdentityIQ □□ □□□(□□□□□ □□ □□ □□ □□ □□)

**NEW QUESTION: 57**
IdentityQ□ □□□□ □□□□ □□□□ □ □□ □□ □□ □□□□ □ □□□ □□ □□□□□ □□□□.
□ □□ □□□ □□□ □□□□□ IdentityIQ□ □□ □□ □ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□ □□□.
IdentityQ□□ SMTP □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□ □□□□ □□ □□ □□□□□?
□□□: □□□ □□□□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□, "□□□ □□□□"□ □□□□□ SMTP □□□□ □□□□ □□□ □□ □□□□ □□ □□□ □□□□. □□ □□□□ □□ □□ □□, □□, □□ □□(□□□ □□ □□□ □□□ □□□□ □), □□□ □ □ □□(SSL/TLS □)□ □□□□□. □□□ □□□□(□: SMTP)□ □□□□□ □□□□ □□□ □□□, IdentityIQ □□□ □□□ □□□□ □□ □□ □□□ □□□□. □□ □□□ □□ □□ □□ □□□□□ □ □□□ □□□□.
SailPoint IdentityIQ □□ □□□(□□□ □ □□ □□) SailPoint IdentityIQ □□ □□□(□□□ □□□ SMTP □□)

**NEW QUESTION: 58**
IdentityIQ□ IdentityExtended.hbm.xml □□□ □□□ □□ □□ □ □□□□□□□.

```
<property name="extended1" type="string" length="450"
          index="spt_identity_extended1_ci"/>
<property name="extended2" type="string" length="450"
          index="spt_identity_extended2_ci"/>
<property name="extended3" type="string" length="450"
          index="spt_identity_extended3_ci"/>
<property name="extended4" type="string" length="450"
          index="spt_identity_extended4_ci"/>
<property name="extended5" type="string" length="450"
          index="spt_identity_extended5_ci"/>```

<property name="extended6" type="string" length="450"
          index="spt_identity_extended6_ci"/>

<property name="extended7" type="string" length="450"
          index="spt_identity_extended7_ci"/>
<property name="extended8" type="string" length="450"
          index="spt_identity_extended8_ci"/>
<property name="extended9" type="string" length="450"
          index="spt_identity_extended9_ci"/>
<property name="extended10" type="string" length="450"
          index="spt_identity_extended10_ci"/>

<property name="employeeId" type="string" length="450"
          access="sailpoint.persistence.ExtendedPropertyAccessor"
          index="spt_identity_employeeId_ci"/>
<property name="status" type="string" length="450"
          access="sailpoint.persistence.ExtendedPropertyAccessor"
          index="spt_identity_status_ci"/>

<many-to-one name="extendedIdentity1" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity2" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity3" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity4" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity5" class="sailpoint.object.Identity"/>
```

□ □□□ □□□ □□ □□□ □□□□□?

□□□ □□□:

□ □□□□□□□ employeeId□ status□□ □ □□ □□ □□□ □□□□ □□□□. □ □□□□ firstname□ lastname□ □□ □□ □□□ □□□□ □□ □□□□.

**A.** □

**B.** □□□

**Answer: B (LEAVE A REPLY)**

KrDump
krdump.com

□□□. IdentityExtended.hbm.xml □□□ □□□□ Identity □□□ □□ □□□ □□ □□ □□□ □□□□ □□□□, Identity □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□. □□□ □□□ □□□□ employeeId □ status□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ Identity □□□ □□ □□□ □□□□□ □□□ □□□□.
IdentityIQ□ □□□□ □□ □□□ □□ □ □□ □□ ID □□□ □□□ □□□. SailPoint□ ID □□ □□□□ ID, □□□, □□□, □□, □□ □□□ □□ □□□ □□□□□ □□□□□. □□□ □□ □□□ □□ □□ □□ □□□□ □□□ □□□□□. IdentityExtended.hbm.xml□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□ ID □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□.
□□□□□□ IdentityExtended.hbm.xml □□□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□, □□ □□□ □□□ □□ Identity □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.
□□□ □□□ □□ □ □□□ □□□ □□□□ □□□□ □□□□□ □□□□□□ □□□□ □□ □□□ □□□□.
□□ □□/□□: IdentityIQ □□□□ - Identity □□, Identity □□, IdentityExtended.hbm.xml, □□ Identity □□, □□ □□, □□ □□□ □□.

**NEW QUESTION: 59**
□□□□ '□□ □□'□ □□ □□ □□□ □□ □□□ □□ □□□ □□□ □ □□□ □□□, □ □□□ '□□□□□□ □□□(LCM)'□□ □□□□ □□□?
□□□ □□□:
□□□□ QuickLink □□□ □□ □□ □□ QuickLink □□□□ "□□ □□ □□ □□"□ □□□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. □□ □□□□□ '□□ □□' □□□ □□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□. □□□ QuickLink □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □ □□□ □□□□ □□□. "□□ □ □ □□ □□"□ □□□□ □□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□□.
□ □□□ □□ □□ □□ □□□ □□□□□ □□□. □□□□□□ □□□□ □□ □□ □□□ □□ □□□, □□□□, □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□ □□ □□□ □□□□□. □□□ □□ □ □□□ □□□□ □□ □□□□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□□. □ □□ □□ □□□ □□□ □□□□ □□□.
□ □□□ ODT□ □□ □□□□ □□□ □□□□. □□□ □□□□ □□□ □□□□□□ □□ □□□(Rehire) □□□ □□□□□ □□□□□. □□□ □ □□□□□ □□ □□ □□ □□□ □□ □□□□□ □□ □□□(QuickLink) □□ □□□ □□□□□.
□□□ □ DOMC □□□□ □□□ □□□ □□ □□ '□'□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□□□□ □□□, □□ □□ □□□, □□□ □□, □□ □□ □□, □□ □□ □□, □□ □□ □□.

**NEW QUESTION: 60**
□□ IdentityQ □□□ □□ .HBM □□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□ □ □□□□?
□□□: WorkItem
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□□□ □□ □□□ □□ Hibernate □□(.HBM) □□□ □□□□□□ □□□ □ □□□ □□□□□□□. □□□ WorkItem □□□ □□□ □□ □□□ □□□ □□□□ □□□□. WorkItem□ □□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□ □□□□□. .HBM □□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□. □□□□□□ □□□□ □□□ □ □ □□□□ Identity □□ Account □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□. WorkItem □□□ HBM □□□ □□ □□□□□ □□ □□□ □□ □□□ □□□ □ □□□, SailPoint□ □□ □□□ □ □□□□ □□□□.
□□:
SailPoint IdentityIQ □□□ □□ □□□
SailPoint IdentityIQ □□ □□ □□

**NEW QUESTION: 61**

"□□□ □□"□ "□□□□□" □□ □□□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□□□□□ □□□ □□□ □□□□□□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□. □□□ □□□ □□□□□ □□□ □□□□□ □□□□□ □□□ □□ □□□, □□□ □□ □□□□□□□ □□ □□□/□□□□□□ □□ □□□ □□□□ □□□ □□□□.
□□□□□ □□□□□ □□□ □□ □ □□ □□(□: □□□□□□ □□ □□□, □□□□□□, □□□□□, □□ □□□ □□□□□)□ □□ □□□ □□□ □ □□□□. □□□□□ □□□□ □□□ □□□□ □ □□□□ □□□ □□□□ □□□ □□□□□□ □ □□□ □□□ □ □□□□. □□□ □□ □□ □□□□□□ □□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□ □□□ □□□□.
□□□□□□ □□ □□□ □□□□□□ □□/□□□ □ □□ □□□□□□ □□ □□□ □□ □□□□□ □□ □□□□□. □□□□□ □□ □□, □□ □□, □□□ □□ □□, □□ □□□ □□, □□□ □□□, □□□□ □□ □□ □□ □□ □□□□ □□ □□□ □ □□□□. □□□ □□□□ □□□ □□□ □□□□□□□ □□ □□□ □□□ □□ □□□□.
DOMC □□□ □□□ □□□ □□□□□ □□□□□. □, □□□□ □□□□ □□□□□□ □□□□□□ □□ □□□□□ □□□ □□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□ □□, □□□□□ □□□□, □□□□□□ □□ □□□, □□□ □□ □□, □□□□□ □□.

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 62**
□ □□□ □□□□ □□ □□□□□?
□□□ □□□:
□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□ □□□ □□ □□□□ □□□□ □□□□□ □□□ □□□ □□ □□□□□ □□□□. □ □□ □□ □□ □□□□□.
□□□ □□ □□□□□□ □□□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□□□, □□□ □□□ ID□ □□ □□ □□□ □□□ □□□□□ □□□□. IdentityIQ□ □□ □□ □□ □ □□□□ □□□ □□□ □□□□□ □□□□□. □□ □□, □□ □□□□ □□ ID□ □□□ □ □□□, □□ □□□□ □□□ □□□ □□□□ □□□ ID□ □□□ □□□ □□□ □ □□□□.
□□□□□ IdentityIQ□ □□ □□□□□ □□□□□ □□□□ □□□ □□ □□□ □□□□□. □□□□□□ □□□□ □□□ □□□□ □□□□□□□ □□ □□ □□□ □□□□, □□ □□□□ □□□□ □□ □ □□□ □□□ ID□ □□□□, □□ □□ □□□ □□ □□ □□ □□□ □□□□ □□ □□□□□. □□□□ □□ □□ □□□ □□ □□□ □□□ □□□□.
□□□ □□□ □□ □□ □□□ □□□□ □□□□□ □□□ □□□□ □□□□ □□□□.
"□□"□□ □□□□□. □ □□□ □□□ IdentityIQ□ □□□□ □□□ □□ □□ □□□ □□□/□□□ □□ □□□ □□□□ □□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□□, □□ □□□, □□ □□ □□□ □□, □□□□□□ □□□ □□, □□□□ □□.

**NEW QUESTION: 63**
□□□□□ □□ □□□ IT□□ Senior IT□ □□□ □ □□□□□ □□□□ □□□, □□□□ □□□□ □□□□ □□□□□.
□□□□□ □□□□□□ □□□□ □□ □□□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□□□?
□□□ □□□:
□□□ □□□ '□□'□ □□□□ □□□□□.

**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□ □□□□ □□□□□□□. □ ID□ □□□□□ IdentityIQ□□ □□ □□□ □ □□ □□ □□□□□□ □□□ □□□□ □□□□□. □□ □□□ □ ID□ □□ □□ □□□ □□ ID□ □□ □□□ IT□□ Senior IT□ □□□□ □□ □□ □□□□. □□ □□□□ □□ □□ □□ □□□□□□□. □□ □□□□ □□ □□□ □□ □□ ID □□ □□ □□ □□□ □□ □□ □□□□ □□□□□ □□□□ □□□□. □□ □ □□ □□ □□□ '□□□□ □□□□□ □'□ □□□□ □□□□. □□□ □□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□□. □□ □□□□ □□□□ □□□ □□□ □□□□□ □□ □ □□□ □□□ ID □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□□. □□ □□□□□□ □□□ □□□□□□ □□□ □□ □□□□□□. □□/□□ □□□□ □□ □□ □□ □□ □□□□ □□□ □ □□□□. □□ □□/□□:
IdentityIQ □□□□ - □□□□□□ □□□, □□ □□□, □□ □□ □□□, □□ □□□, ID □□ □□.

**NEW QUESTION: 64**
□□□ □□ □□□ □□□ □□ □□□□□?
□□ □□: IdentityQ □□ □□□ □□□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□ □□□ □□□□□. SailPoint IdentityIQ□□□ □□□ IdentityIQ □□ □□□ □□□□□ □□□ □ □□□□. IdentityIQ□ □□□ □□□□ □□□ □□ □□ □□(□: ID □□, □□□ □□, □□ □□)□ □□□ □ □□□ □□□ □□□□ □□□□. □□□ □□ □□□ □□□□□□ □□ □□□ □□□ □□□□ IdentityIQ □□ □□□ □□□ □ □□ □□□ □□□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□) SailPoint IdentityIQ □□ □□□(□□ □ □□ □□)

**NEW QUESTION: 65**
□ □□□ □□□ □□□□□ □ □□□□ □□ □□□ □□ □□□□□?
□□ □□: #if (SremindersRemaining > 0)□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □ □□□□. □□□ □□□□ □□ □□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□ □□□ □□□□□□□. SailPoint IdentityIQ □□□ □□□□□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.
#if, #else, □ #end. IdentityIQ□ □□□ □□□ □□□□□ Apache Velocity□ □□□□, □□ □□ □□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □□ □□□ □□□□□.
□□ □□:
SailPoint IdentityIQ □□□ □□□ □□□
SailPoint IdentityIQ□ Apache Velocity □□□ □□□

**NEW QUESTION: 66**
□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□ □□: SailPoint □□□□□□ □□□ □□/□□/□□□□ □ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**

□□ □□□ □□□ □□□□. □□□ □□ □□□□ "□□ □□" □□□ SailPoint □□□□□□ □□□ □□, □□ □□ □□□□ □□ □□ □□□□. □□ □□□ □ □□□ □□□□ □□ □□□ □□□□ □ □ □□□□. □ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□ □ □□□, □□□□□□ □□□ □□ □□□□□ □□□□. □□□□□□ □□□ □□, □□ □□ □□□□□ □□□□ □□□□□ □□ IdentityIQ API □□ □□□□□□ □□□□□ □□□□ □□□.
SailPoint IdentityIQ □□□ □□□(□□□ □ □□ □□ □□) SailPoint IdentityIQ □□□ □□□(□□ □ □□□ □□ □□)

**NEW QUESTION: 67**
□□□ □□ □□□ □□□ □□ □□□□□?
□□□ □□□:
□□□ □□□ □□□ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□. □□□ □□ □□□ □□□□□ □□□□ □□ IdentityIQ □□ □□□□ □□□□□. IdentityIQ□ □□□ ID□ □□□□ □□ □□□ □□□ □□□ □ □□□ □□ □□□ □□ □□□□ □□□□□. □□ IT □ □ □□□ □□, □□ □□□□ □□□ □□□ □ □□□□ □□□ □□□ □□□□□. □□□ Active Directory □□ □□□ □□□ □□ □□ □□□ □□ □ □□ □□ □□□□□□□ □□ □□□ □□□ □ □□ □□.
□□ □□□□□ □□□□□ □□□□ □□□□ □□ □□□ □□□ □□□ □ □□ □□ □□□ □□□□ □□□□. SailPoint □□□ □□□ □□□□ □□□□□□□ □□ □□ □□□□ □□□□□ □□□ □□ □ □□□ □□□ □□□ □ □□□□. □□ □□ □□□ □□□ □□ □□□ □ ID□ □□□□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□□ □ □□□□.
□□□□ □□□ □□□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□□, IT □□, □□ □□□, □□ □□□□□, □□ □□ □□□ □□.

**NEW QUESTION: 68**
IdentityQ□ syslog □□□ □□□□ □□ □□ □□□ □□□□□?
□□□: IdentityIQ □□ □ □□ □□□ □□□□□□ □□□ □□ □□ □□□ □□□ □□, □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□ □□□□. □□ □ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□□□, □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□ □□ □ □□□ □□□□. □□□ □□□ □□ □□ □□□ □□□ □□ □□□, □□ □ □□ □□ □□□□□ □□ □□ □□ □□□ □□□ □ □□□□ □□ □□□□ □□□□ □□ □□□□. IdentityIQ□□ □□□□ □□ □□□ □□□□ □□□ □□ □□ □□□, □□ □□ □□, □□□□ I/O □□□ □□ □□□ □□ □□ □□ □□ □□□ □□ □□□ □□□□□.
□□:
SailPoint IdentityIQ □□ □ □□ □□□
SailPoint IdentityIQ □□ □□ □□□

**NEW QUESTION: 69**
□□□□□ SCIM 2.0 □□□□□□□ □□□ □ □ □□ □□□ □□□□□?
□□□: □□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**

SailPoint IdentityIQ□□ SCIM 2.0 □□□□□□□ □□□ □ "□□" □□ □□□ □□□□□. "□□" □□□ IdentityIQ □□□ □□□□□□□ □□□□ □ □□□ □□ □□□□□□. □ □□□ □□□ □□□□ □□□□□□□ □□□□ □ □□□□ □□, □□ □ □□ □□□□□ □□ □□□□□. □□□ □□□□ □□□ IdentityIQ□□ SCIM 2.0 □□□□□□□ □□□ □□□□ □□ □□□ □ □□□□.
SailPoint IdentityIQ SCIM 2.0 □□□□□□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□□□□□ □□ □ □□ □□)

**NEW QUESTION: 70**
□□□□ □□ □□ □ □□□□ □□ □□ □□□ □□□□□?
□□□ □□□:
□□□□□ □□□□ □□□□□ "□□"□□ □□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□. □□□□□ □□□□ □□□□ □□ "□□"□□ □□□ □□□ □□□ □□□ □□ □□□□. IdentityIQ □□□□□ □□ □□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□. □□ □□□□□□ □□□□□ □□ □□ □□ □□□ □□□□□, □□ □□□□ □□□ □□□□□ □□□ □□ □□□□ □□□□ □□□□□, □□ □□□ □□ □□□ □□□□. □□□□□ □ □□ □ □□ □□ □, □□ □□□□ □□□ □□□ □, □□ □□□□□ □□□ □ □□□ □ □□□□.
□□□ □□ □□□ □□ □□□□□. □□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□□. □□□□□ □□□ □□, □□, □□ □□, □□/□□ □ □ □ □□ □□□ □□□□ □□□. □□□□ □□□□ 'end'□□ □□□ □□□□ □□, □□ □□ □□ □□□ □ □□ □□ □□□ □□□□. □□ □□
□□: IdentityIQ □□□□ - □□□□ □□ □□, □□ □□, □□□□ □□, □□□□ □□□□ □□□, □□□□ XML □□.

**NEW QUESTION: 71**
IdentityQ□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ □□□ □ □□□□?
□□ □□: □□□ □□ □□ □ □□□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□□ □□ □□ □□□□□ □□□□ □□ SailPoint IdentityIQ□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□ □ □□ □□□□□. □□ □□□□ □□□ □□ □□ □□□ □□□ IdentityIQ □□ ID□ □□□□ □□□ □□□□ □ □□ □□□□□. □□□ □□□ □□ □□□ □□ □□ □□□ □□□ ID□ □□□ □ □□□ □□□ □□□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□□(□□ □□□□ □□ □□) SailPoint IdentityIQ □□□□□□ □□ □□□(□□ □□□□ □□ □□)

**NEW QUESTION: 72**
□□□ □□□□ □□□□ □□□□ □□□□□?
□□□: □□□ □□□□ □□□ □□□□□ □□□ □□□ □□□ □ □□□ □□□□□□. □□ □□□ □□ □□□ □□ □□ □□□□□ □□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□ □□□ □□□□□□ □□□□ □□□□□. □□□ □□□□□□ □□□□ □□□□□ □□ □ □□□ □□□□ □□ □□□ □□□□ □□ □ □□ □□□ □□□□□□ □ □ □□□□□. □ □□□□□ □□ □□ □□□ □□ □□□ □□□□□□□□ □□□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□. □□ □□ □□□ □□ □□ □□□□ □ □□ □□ □□□ □□□ □□□□ □□ □ □□□□□.
□□□□ □□□ A, □ '□'□□□.

**NEW QUESTION: 73**
□□ □□□ ID □□□□□ □□□ □□ □□□□?
□□ □□: ID □□□□□ □□□ □□□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □□□□□ ID □□ □□□ □□□□ ID□ □□□ □ □□□□□ □□□ □□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, SailPoint IdentityIQ□□□ ID □□□□□ □□□ □□□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □□□ □ □□□□. □□ □□ "ID □□" □□□ □□□□ □ ID□ □□□ □□ □□ □□ □□□ □□□ □□ □□□ □ □□□ □□□. □ □□□ □□□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □ □□□ □□□.
□□:
SailPoint IdentityIQ □□ □□□(ID □□□□□ □□ □ □□ □□□ □□ □□ □□) SailPoint IdentityIQ □□ □□□(□□ □□ □ □□□ □□)

**NEW QUESTION: 74**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
ID □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. □□ □□(Rapid Setup)□ □□□□□□ □□□ □□ □□□ □□ □□ □□□ □□□□□ □□□□□.
□□□ □□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□□ IdentityIQ ID □□□□ □□□□□. □□ □□(Rapid Setup)□□ □□ □□ □□□ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□□ □. □□□ □□ □□□ □□ □□□□□ □□□ □□□ □□□ □□□□□□ □□□ □□□□ □□ □□□(□□□□□ □□)□ □□□ □□ □□ □□□□ □□□□ □ □□□□ IdentityIQ ID □□□ □□□□□. □□ □□ □□ □□ □□ □□ □□□□, □□□ □□□□□ □□□□ □□□ □□□□ Identity Cube□ □□□ □□□ □□ □□□□ □ □□ □□□ □□□□□. □□ □□, □□□ managerEmail□ IdentityIQ □ □□ ID □□□ □□□ □ □□□□. □ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□ □□ □□ □□□ □□□ □ □□□, Rapid Setup□ □□ □□ □□ □□□ □□□□□.
□□□□ □□□ □□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□, □□□ □□ □□, □□□□□□ □□, ID □□, □□ □ □□ □□.

**NEW QUESTION: 75**
ID □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□?
□□ □□: Identity □□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
"Identity □□□ □□□ □□□□□"□□ □□□ □□□□□. ID □□□ □□□ □□ □□ □□□ □□□ □ Identity □□□ □□□ □□□□□. □□ □□ □□□ □□ □□ □□□ □□□ □□ Identity □□□ □□ □ □□□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.

**NEW QUESTION: 76**
□□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□ □□□, □ □□□ □□ □□□ □□□□□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□?

□□ □□: "□□□" □□□ □□□□ □□□ □□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□□□□ □□□ □ □□ □□□ □□ □□□□ □□ □, □□□ □□□ "□□□" □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□. □□□ □□□□ □□, □□ □□ □□ □□□ □□ □□□ □□ □ □ □□□□ □□□ □ □□ □□□□ □□□□ □ □□□□□. "□□□" □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□ □□□ □ □□ □□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□ □□□□ □□□□ □□□, □□ □□□□□□ QuickLink □□□ □□□□ □□□ □□ □□ □□ □□□ □□ QuickLink□ □□ □□□□ □□□□ □□□ □□□□□.

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)

**NEW QUESTION: 77**
□ □□□ □□ □□□□ □□□ □□□□ □□□□.
□□ □□□ □□□ □ □□□ □□□ □□□ □□□ □□□□. □□ □□□□ □□□ □□□□□, □□ □□□□ □□□ □□□ □□□ □□□□. □□ □□ □□□ □□□□ □□ □□□ □□□□□.
□□□ □□ □□□ □□□□ □ □□□ □ □ □□ IdentuyIQ □□ □□ □□ □ □□□□□?
□□ □□: □□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
"□□ □□" □□ □□ □□□ □□□ □□□□□ □□□□□ □□□□□□ □□ □□□ □□□□ □□□ □□□□ □□□□□. "□□ □□"□ □□ □□□ □□□□□ □□□ □□□□ □ □□□□□, □□□ □□ □ □□□□ □□ □□(□: □□□ □□□ □□□□□ □□□ □□□ □□□□ □□)□□ □□□□ □□ □ □□□□. □□□ □□□ □□□□ □□ □□ □□□□□□□ "□□ □□□□", "□□ □□ □□" □□ □ □ □□ □□□ □□□□□ □□ □□ □□ □□ □□□ □ □□□□□.
□□:
SailPoint IdentityIQ □□ □□ □□ □□
SailPoint IdentityIQ □□ □□□(□□ □□ □□)

**NEW QUESTION: 78**
□□□ □□□ □□□□ □□□□ □□□□□?
□□□ □□□:
□□□ □□□ □□□ □□ □□ □□□ □□□□□□, □□ □□□□ □□ □□ □□□ □□ □□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. □□□ □□ □□□□ □□ □□□ □□□□□□ □□□□□□. □□ □□□ □□□ □□□ □□□ □□ □□□, □□ □□□□ □□□ □□□ □□□ □□□ □□□□□. IdentityIQ Lifecycle Manager(LCM) □ □□ □□ □□□ □□□□□ □□□□□ □□□ HR □□□ □□ □□ □□ □□ □□□□ □□□□□. □ □□□□□ Identity Cube□ □□ □□ □□□□□, □□ □□ □□□ □□□□, □□□ □□□□□ □□ □□ □□□□□□□, □□□ □□□□, □□□ □□□□□, □□□ □□ □ □□□□. □□□□□ □□ □□□□□ □□ □□□□ □ □□ □□□□□ □□□ □□□□. □□□ □□□ □□□ □□, □□ □□ □□,

□□□□□ □□, □□□□□□ □□ □□ □ □□ □□□□□ □□□□ □□□□□ □□□. □□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□□□ □□□□ □□□□□. □□ □□/□□: IdentityIQ □□□□ - □□ □□□ □□□□□□ □□□, LCM □□□, □□ □□ □□□, □□ □□, □□□□□ □□, □□ □□.

**NEW QUESTION: 79**
IdentityIQ□ JVM □□□ □□□□□ □□□ □□ □□□ □□□□□.
□□ □□: □□ JVM □□ □□□ □□□ □□□ □□□□□?
□□ □□□ □□□ □ □□□ □□□□□.
**Answer:**
725.617 MB
□□:
JVM □□□ □□□□ □□□□ "□ □□□" □□ □□ JVM □□ □□□ □□□ □□ □□□□□. □□□ □□□□□ "□ □□□"□ 725.617MB□ □□□□□. □□ JVM □□ □□ □□ □□ □□□ □□□, JVM□ □□□ □ □□□ □□□□ □□ □□□□□□.
SailPoint IdentityIQ □□ □□ □ □□□□ □□□
SailPoint IdentityIQ □□ □□□(JVM □ □□□ □□ □□)

**NEW QUESTION: 80**
□□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□?
□□ □□: □□ □□□ □□□□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□ □ □□□□. SailPoint IdentityIQ□□□ LCM □□□□□ □□□ □□□□ □□□□□ □□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□. □□□□ □□□□ □□□ □□ □□(□: □□□ □□ □□□□)□ □□□□ □□ □□□□□ □□□ □□ □□□ □□□□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□□□ □□□□ □□□□ □□, □□ □□□□□□ □□ □□□ □□ □□□□□ □□□□ □□□ □□□□ □□ LCM □□□□□□ □□ □□□ □□□□ □□□ □□□□ □.

**NEW QUESTION: 81**
□□ IdentityIQ □□□ □□ □□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□ □ □□□□?
HBM □□□□□?
□□□ □□□:
□□ □□
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. CertificationItem□ □□□□ □□ □□/Hibernate □□ □□□ □□ □□□□□□ □□□□ □□□□□ □□□ □ □□ IdentityIQ □□ □□ □ □□□□□. □□ .hbm □□□ □□□□□□ □□□ IdentityIQ □ □□□□□ □□□ □□□□ □□□ □□ □ □□ □□□ □□□ □□□□ □□□□. □□ □□ □□□ □□, □□ □□□□, □□ □, □□ □□□□□ □□ □□□ □□ □□ □□□ □□ □□□□□□ □□□□ □ □ □□□ □□ □□□□ □ □ □□□□. □□ □□□□□ □□ □□ □□□□ □□□□ □ □□□. Word □□□ □□□ □□ □□□□□ □ □□□□ □□□ □□□□□. □, Hibernate □□□ □□□□□□, □□ □ □□□□ □□□□□ □□□□, □□□□□□ □□□ □□□ □□□□ IdentityIQ □□□□□□□ □□□□□ □□□ □□, □□□□□□ □□□ □□□□ □□ ObjectConfig□ □□□□□□ □□□□. □□□ □□□□□ □□□□ □□ □□□ □□ □□□□□ □□□ □□ CertificationItem□ □ □□□ □□ □□□ □□□ □□□□□. □□ □□/□□:

IdentityIQ □□□□ - □□ □□, CertificationItem, Hibernate □□, □□ □□□, ObjectConfig.

**NEW QUESTION: 82**
□□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□?
□□ □□: □□ □□□ □□□□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□ □□□□ □□□□□□ □□□(LCM) □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□ □ □□□□. SailPoint IdentityIQ□□□ LCM □□□□□ □□□ □□□□ □□□□□ □□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□. □□□□ □□□□ □□□ □□ □□(□: □□□ □□ □□□□)□ □□□□ □□ □□□□□ □□□ □□ □□□ □□□□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.

**NEW QUESTION: 83**
□□□□□ □□□□ □□□ □□□□ □□□□.

```
<Transition to="Provision" when="launcher.equals(identityName)" />
<Transition to="Approve" when="identityName != null" />
```

□□□ □□ □□ □□ □□□ □□□□.

| Variable | Value |
| --- | --- |
| launcher | Aaron.Nichols |
| identityName | Catherine.Simmons |

□□□□□ □ □□□□ □□ □□□□□?
□□□: □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□□ □□□ □□□□ □□ □□□ "identityName != null"□ □ "□□" □□□ □□□□□. □ □□□ identityName □□□ null□ □□□ □□□□□. □□□ □□□□□□ identityName □□□ "Catherine.Simmons"□□ □□ □□□□ null□ □□□□. □□□ "□□" □□□ □□□□ □□□ □□□ □□□□ □□□□□ "□□" □□□ □□□□□.
□□□ □□□ "□□" □□□ □□□□ □□ □□□ □□□□, □□□□ □□□□ □□□ □□ □□□ □□□ □ □□□□. □□ □□□ □□□□ □□□□□ □□ □□□□ □□□ □□□□ □□ □□□□□ □□ "□□□"□□ □□□□. □□□ □□□ □□□ □□□□□ "□□" □□□ □□□ □□□□.
□□:
SailPoint IdentityIQ □□□□ □□
SailPoint IdentityIQ □□□□ □□□(□□□□□□ □□ □ □□)

**NEW QUESTION: 84**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□ □□: ID □□□ □□ □□□ □□□□ □□ □ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**

□□ □□(Rapid Setup)□ □□□□ ID □□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□□. □□ IdentityIQ□ □□□ ID□ □□□ □□□□□ □□□□ □□□ □□□□□ □□ □□□□□. □□□ □□ □□ □□□ □□□□□□ □□□ □□ □□ □□ □□□ □□□□ □□□ □ □□□ □□ □□□ □□□□ □□□□.
□□:
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□)

**NEW QUESTION: 85**
□□ □□□ ID □□□□□ □□□ □□ □□□□?
□□ □□: ID □□ □ □□ □□ □□□□ □□□□ □□□□ □□ ID □□□ ID □□□□□ □□□ □□□□ □□□□ □□□ □□ □□ □□ ID□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
SailPoint IdentityIQ□ ID □□ □□□□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□ □ ID □□ □□□□ □□ □□□□□ □□ □ □□□ □□□□□ □□□□□□□. □□□ □□□ □□ □□ □□□ ID□ □□ □□ □ □□ □□ □□ □□□ □□ □□□□ □□□ □□ □□ □□ □□□.
□□ □□ □□□□ ID□ □□□□ □□ □□□□□ □□□ □□ □□, □□ □□□ □□ □ ID□ □□□□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□ □□ □□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.
□□: □ □□□ SailPoint IdentityIQ □□□□□ □□□□ □□□□ □□, □□ □□ □□ □□□□ □□□□ □□□□ □□□□□□ ID □□ □ □□ □□ □□□ □□□□ □□ □□□□□ □□□ □□□ □□□ □□ □□□□□.

**NEW QUESTION: 86**
IdentityQ□ IdentityExtended.hbm.xml □□□ □□□ □□ □□ □ □□□□□□□.

```
 <property name="extended1" type="string" length="450"
           index="spt_identity_extended1_ci"/>
 <property name="extended2" type="string" length="450"
           index="spt_identity_extended2_ci"/>
 <property name="extended3" type="string" length="450"
           index="spt_identity_extended3_ci"/>
 <property name="extended4" type="string" length="450"
           index="spt_identity_extended4_ci"/>
 <property name="extended5" type="string" length="450"
           index="spt_identity_extended5_ci"/>```

 <property name="extended6" type="string" length="450"
           index="spt_identity_extended6_ci"/>
 <property name="extended7" type="string" length="450"
           index="spt_identity_extended7_ci"/>
 <property name="extended8" type="string" length="450"
           index="spt_identity_extended8_ci"/>
 <property name="extended9" type="string" length="450"
           index="spt_identity_extended9_ci"/>
 <property name="extended10" type="string" length="450"
           index="spt_identity_extended10_ci"/>

 <property name="employeeId" type="string" length="450"
           access="sailpoint.persistence.ExtendedPropertyAccessor"
           index="spt_identity_employeeId_ci"/>
 <property name="status" type="string" length="450"
           access="sailpoint.persistence.ExtendedPropertyAccessor"
           index="spt_identity_status_ci"/>

<many-to-one name="extendedIdentity1" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity2" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity3" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity4" class="sailpoint.object.Identity"/>
<many-to-one name="extendedIdentity5" class="sailpoint.object.Identity"/>
```

□ □□□ □□□ □□ □□□ □□□□□?

□□ □□: □ □□□□ □□□ □□ □□ □□□ □□□□. □□ □□ > ID □□□ □□□□ ID □□□ □□□ □ □□ □□□ □□ □□□ 12□□ □□□□□. □□ ID □□ □ □□□ □□□ □□ □□□ □□ □□ □ □□□□ □□□□.

**A.** □

**B.** □□□

**Answer: (SHOW ANSWER)**

SailPoint IdentityIQ□□ □□□□ □□□ IdentityExtended.hbm.xml □□□ □□□ □□□ ID □□ □□□ □□□□ □□□□. □□□ □□(extended1, extended2 □)□ □□ ID □□ □□□ □□□□ □□□ □□ □□□□, ID □□ □□ □□□□ □□□□□.

SailPoint IdentityIQ □□ □□□ □□□, □□ □□ > ID □□□□ ID □□□ □□□ □ IdentityIQ □□□ □□□ □□ □□□ □□ □□□ □□ 12□□ □□□□□. □ □□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□ □□□ □□ □□□□□. □□ □□ □□□ □□ □□□□ □□□□ □□□ □□ □□□ □ □□ □□□□□.

□□ □□□ □□ 12□□ □□□ □□□ □□ □□□ □□□ □ □□□, □□ □□□ □□ □□□□ □□ □□□□. □, □□□ □□□ □□□□ □□□□, □□□ □ □□ □□□□ □□□ □ □□□ IdentityIQ □□ □ □□□□□□ □□ □□□□□ □□□ □ □□□□.

□□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□, □□ ID □□□ □□□ □□□ □ □□□□□. □□□ □□ □□□ □□□□, SailPoint IdentityIQ□ □□ □□□ ID □□□ □□□□ □□□□ □□ □□ □ □□□□ □□□□□.

□□:

□ □□□ SailPoint IdentityIQ □□ □□□□ ID □□ □ □□ □□□ □□ □□ □□□ □□□□ □□□. □□, □□□ □ □□ □□ □ □□ □□□ □□□ □□□ □□□□ □ □□□ □□□□.

**NEW QUESTION: 87**

ID □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□?

□□ □□: ID □□ □□ □□□□ □□□ □□ ID □□□ □□□□□□□ □□□□ □□□.

**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□□□□□. ID □□□ □□□ □□ □□ □□ □□□ □□□□ □□□ □, □□ □□□□ ID □□□ □□□□□□□ □□□ □□□ □□□□. SailPoint IdentityIQ□□□ □□ □□ □□□ □□ ID □□ □□ □□□□ IdentityIQ□ □□ □□ □□□□□ □□□□□ □□□ □□ □□□ □□□□□□□ □□□□ □□□□□. □□□□ □□□ □□□□□ □□□ □□□ □□□, □□□□□ □□ □□□□□.
□□:
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □ □□ □□ □□)

**NEW QUESTION: 88**
□ □□□ □□□ □□□□□ □ □□□□ □□ □□□ □□ □□□□□?
□□□ □□□:
□□ VTL □□ □□□ □□□ □□□□□□: $identityName, ${identityName}, $!
identityName. { □□□ □□ □□□□□ □□□ □□□□ ! □□□ □□□ null□ □ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□. IdentityIQ □□□ □□□□ Apache Velocity Template Language(VTL)□ □□□□, □□□ □□□ □□□ Velocity □□ □□□□□. $identityName□ □□□□ □□ □□□□□. ${identityName}□ □□ □□□ □ □□□□□, □□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □ □ □□ □□□□□. □□ □□ □□□ □□ □□□□ □□□□□□ □□□ □ □□□, Velocity□ □□ □□□ □□ □□□ □□□ □ □□□ □□□□.
□□□ □□□ □□□ □□□□□. $!identityName □□ □□□□ □□□ □□□ $!
{identityName}-Velocity□ □□□□ null□ □ □□□ □□□ □□□□□. □□ □□□ □□□□□ □□□□□. □□□ □□ □□ □□□□ □□□ □ $identityName□ □□ □□□□ □□□□ □□□ □□ □□□ □□.
SailPoint□ IdentityIQ □□□□ $identityName, ${identityName} □ $!□ □□□□□ □□□□ □□□□.
identityName□ VTL □□ □□ □□□□ □□□□, □□ □□□□□ □□ □□□ □□□□□ □□ □□□□□□. IdentityIQ □□□ □□□□ □□□ □□□ □□ □□□ □□□ VelocityContext□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - EmailTemplate □□, Apache Velocity, VTL □□, □□ □□, □□□ □□.

**NEW QUESTION: 89**
□ □□□ □□□□ □□ □□□□□?
□□□: □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
"□□□ □□□□ □□ □□□ □□□□□"□□ □□□ □□□ □□□□. SailPoint IdentityIQ□□ □□ □□□ □□ □□□ □□ □□□□ □□ □□□□□. □□ □□□ □□□□ □□ □□□□ □□□□□ □□□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□□ □□□□ □ □□□□□. □□□ □□ □□ □□□□ □□□□ □□□ □□□□.
□□□□ □□ □□□□□ □□ □□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□□□. □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□ □ □□□ □ □ □□□ □□ □□ □ □□□□.
□□:
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□ □□ □□)

**NEW QUESTION: 90**
□□ □□□ □□□□□?
□□□ □□□:
□□ ManagedAttribute □□□ Identity □□□ □□□□ □□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. IdentityIQ□□ ManagedAttribute□ □□□□□□ □□/□□ □□□ □□ □□ □□□□□□ □□□□, Identity □□□ □□□□ □□□ □ □□□□. □□□□ □□□ □□□□ □□□□□. □□ □□□□ □□ □□□, □□, □□□ □□ □□, □□ □□ □ □□ □□□□ □□ □□□□ □□ □□□ □□□ □ □□ □□□□□.
□□ □□ □□ □□□ □□□□ ID□ □□ □□□□□ □□ □□□□ □□□, □□ □□□□ □□□ □□□□□□□ □□□□ □□□□ □□□ □□ □□□□□ □□□□. □□□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□. □□ □□, Active Directory □□□□□□□□ □□□ □□□□□□ □□□□ □□ □ □□□, □□ □□□□ □□□□ □□ AD □□□□ □□ □□ □□□□ □□□□ □□ □ □□ □□.
□□□ "□□ □ □□"□□ □□□ □□□□□. IdentityIQ□ ID□ ManagedAttribute□ □□□□ □□□□□. □□□ □□ □□□□ □□□□ □□ □□□ □□ □□□ □ □□□□.
/□□□ □□ □□ □□ □□ □□□□□ □□ □□□□□.
□ □□□ ManagedAttribute□ □□□ □□□□□□ □□□□□ □□□□ □□□□. ManagedAttribute□ □□□□□□□□ □□□ □□□□ □□□□ □□□□ □□, □□ □□□□ □□ □□□□ □□ □□□ □ □□□□.
□□ □□/□□: IdentityIQ □□□□ - ManagedAttribute □□, □□ □□□□, □□ □□□, □□□□□□ □□□, □□ □□□, □□ □□.

**NEW QUESTION: 91**
□□ □□□ □□□□□?
□□ □□: IdentityQ □□ □□□ □□□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□ □□□ □□□□□. SailPoint IdentityIQ□□□ □□□ IdentityIQ □□ □□□ □□□□□ □□□ □ □□□□. IdentityIQ□ □□□ □□□□ □□□ □□ □□ □□(□: ID □□, □□□ □□, □□ □□)□ □□□ □ □□□ □□□ □□□□ □□□□. □□□ □□ □□□ □□□□□□ □□ □□□ □□□ □□□□ IdentityIQ □□ □□□ □□□ □ □□ □□□ □□□ □ □□□□.
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □□) SailPoint IdentityIQ □□ □□□(□□ □ □□ □□)

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 92**
□□ □□□ □□□□□?
□□ □□: □□ □□□□□□ □□□ □□□□ Identity □□□ □□□ □□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**

SailPoint IdentityIQ□ □□ □□□□□□ □□□ Identity □□□ □□□□ □□□□ □□ □□ □□□□. □□□□ □ □□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□ □□□□□□, □□ □□□ □□ □□. □□□□□□□ Identity □□□ □□□□ □□ □□□ □□□ □ □□□□. IdentityIQ□□ □□□ □□□ □□ □□□□□□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.
SailPoint IdentityIQ □□□□□□ □□□ □□ □ □□□ □□ □□□ □□□ SailPoint IdentityIQ □□□□□□ □□ □□□□ □□□□□□.

**NEW QUESTION: 93**
□□□ IdentityIQ □□□ □□□□□□ □□□□□ □□□.
□□□ □ □□ IdentityIQ UI □□ □□□ □□□ □□□. □ □□□ □□□□□?
□□□ □□□:
□□□ □□□ HTML□ □□□ □□□□ □□ □□ □□□□ □□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. □ □□ □□□ □□□ IdentityIQ □□□ □□□□□□□□ SailPoint □□□ □□□ □□□□ □□ □□ SailPoint □□□ □□□□ □□□□ □□□□. □□□ □□, CSS □□□, □□□ □□□, □□ □ □□ □□□ □□ □□□ □□ □□□ □□□ □□□□□ □□ □□□ □ □ □□□, □□□□ □□□ □□□□□□ □□ SailPoint □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□.
□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□□. IdentityIQ□ □□□ □□□ □□□ □□ □□□ □□□ □□□ HTML□ □□□□□ □□ IdentityIQ □□□□□ □□□ □□□□□ □□□. □□□□ SailPoint □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□. "Powered by SailPoint IdentityIQ"□ □□ □□ □□□ □□□ □□□ □□□□□ □□□. □□ □□ □□□□ □□□ □□□ □□ □□ □ □□ □□□□ □□□ □□□ □□□ □□□□ □□□□.
□□□ □□ □□□ □□□□□, □□□ □□ □□□ □□ □□□ □□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - UI □□ □□, □□ SailPoint □□□ □□ □□, □□□ □□□, SailPoint □□ □□ □□, □□□□□ □ □□□ □□□.

**NEW QUESTION: 94**
□□ □□ □□□□ □□□ □□□ □□□ □□□ □□□ □, '□□ □□' □□□ □□ □□□ □□ □□□ □□ □ □ □□□ □□□□ □□ □□□□□?
□□□ □□□:
CSV □□□□ / CSV □□□□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
CSV □□□□/□□□□□ □□ □□ □□ □□□ □□ □□□ □□ □ □□ □□ □□□□ □□□ □ □□ □□□ □□□ □□□□. IdentityIQ□□ □□ □□ □□□□ □□□ □□ □ □□□□□ □□ □□, □□, □□, □□ □□ □□ □□□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□. CSV □□ □□□□ □□ □□□□□ □□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□. □□ □ □ □□□ □□□□□ □□□□ □□□□□□ □□ □□□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□. □□□□□ □□ □□□ □□ □□□□□ □□□□ □□□ □ □□ □□ □□ □□□□ □□□□ □□□□□. □□□ □□□ □□ □□□ CSV □□□ □□ □□ □□ □□ □□ □□ □□□ □□ □□□□□ □□□. □□□ □□□ □□ □□□ □□ □□ □□□□ □□□ □ □□ □□□ □□□ □□□□. □□ □□/□□: IdentityIQ □□□□ - □□ □□ □□□, □□ □□, □□ □□, □□ □□, □□ □□□ □□.

**NEW QUESTION: 95**
□□□ IdentityIQ □□□ □□□□□□ □□□□□ □□□.
□□□ □ □□ IdentityIQ UI □□ □□□ □□□ □□□. □ □□□ □□□□□?
□□□ □□□:
□□ □□□ SailPoint□ □□□□ □□ □□□ □□□ "Powered by SailPoint IdentityIQ"□ □□□□ □□□.
**A.** □
**B.** □□□

**Answer: (SHOW ANSWER)**
□. IdentityIQ□ □□ UI □□□ □□ □□□ □□□□□, □□ □□ □□ □□□ □□□ □□□□□.
□□□ □□ □□ □□ □□ UI □□□□ SailPoint □□□□ □□□□ □□, "Powered by SailPoint IdentityIQ"□ □□ □□□ □□□ □□□ □□□□ □ □□ □□ □□ □□□ □□□□ □□□. □□ □□□□ □ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□. □□□□□ □□□□ UI □□□ □□□ □□□ □ □□□□□ □□□ □□□□□ □□□□ □□□□ □□, □□□, □□□□ □□ □□ □□ □□ □ □□□□ □□□ □□ □□□. □□ □□□ □□ UI □□□ □□□□□ □ □□ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□. □□□ □□□ □□□ □□□ □□ □□□□ □□□ □ □□□ □□□□□ SailPoint □□ □□□ □□□□□ □□□□□. □□ □□/□□:
IdentityIQ □□□□ - UI □□ □□, □□□ □□ □□, □□□ □□, □□□□□ □ □□□ □□ □□, □□□ UI □□.


**NEW QUESTION: 96**
□□ □□□ ID □□□□□ □□□ □□ □□□□?
□□ □□: ID □□□□□ □□□ □□□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □□□□□ ID □□ □□□ □□□□ ID□ □□□ □ □□□□□ □□□ □□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, SailPoint IdentityIQ□□□ ID □□□□□ □□□ □□□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □□□ □ □□□□. □□ □□ "ID □□" □□□ □□□□ □ ID□ □□□ □□ □□ □□ □□□ □□□ □□ □□□ □ □□□ □□□. □ □□□ □□□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □ □□□ □□□.
SailPoint IdentityIQ □□ □□□(ID □□□□□ □□ □ □□ □□□ □□ □□ □□) SailPoint IdentityIQ □□ □□□(□□ □□ □ □□□ □□)

**NEW QUESTION: 97**
□□ □□□ □□□□□ □□□ □□□□ □□□□□ □□□ □□□□□?
□□ □□: □□ □□ > IdentityQ □□ □□ > □□ □□□□ □□□ □□ □□□ POP3□ □□□□ □□□ □□□□□ □□□□ Identity □□□ □□□ □□□□□ □□□□ □□□□□ □□□□□□ □□□□□ □.
**A.** □□
**B.** □
**Answer: A (LEAVE A REPLY)**


**NEW QUESTION: 98**
□□□□ □□□□ □□□ □□ □□□ □□□□□ □□□.
□□□ □□□□ IdentityIQ□ □□□ □□ □□□□ □□ □□□ □ □□ □□ □□ □□□□□?
□□□ □□□:
□□□ □□□□ □□□□ □□□□ IT □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□ □□□ "□□□ □□□□ □□□□ □□□"□□□. IdentityIQ□ □□ □□□ □ □□ □□□ □□ □□□ □□□□□ □□□□ □□ □□□ ID□ □□□□ □□□ □□□ □□□ □□□□□.
IT □□□ IdentityIQ □□ □□□ □□□ □ □ □□□ □□□ □□ □□□ □□□ □ □□□□.
□□□, □□□ □□□□ □□□ □□ IT □□□ □□□□ □□□□ □□, □□□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□□ □□□ □□□□ □□□□. □□□□ □□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□.
□□□ □□□ □□ □□□ □□□□ □□□□□ □□□ □□ □□ □□□□ □□ □□ □□□ □□□ □ □□ □□□ □□ □□□□. □□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □.

□□□□□□ □□ □□□□ □□□ □□□ □□□ □□ □□□ HR □□□ □□□ □□□ □□□, □□□□ □□□ □□□ □□□ □□□□□ □□□□□. □ IT □□ □□ □□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□□ □□, IT □□, □□ □□, □□□ □□, □□□ □□ □□ □□, □□ □□.

**NEW QUESTION: 99**
IdentityIQ □□□□□ □□□□□□ □□ □ IdentityIQ □□□□□□□ □□□ □□□□ □□□.
□ □□□ □□□□ □□ □□□ □□ □ □□ □□□ □□□□□?
□□□ □□ □ □□ □□□□ □□□□ □□□ □□, □□□ □□□□ □□□□□.




**Answer:**




□□:

IdentityIQ □□□□□□□ □□□ □ □□□ □□□□ □ □□□ □□ 4□□□ □□□ □□□, □ □□ □□□ □□□ □□□□ □□□□ □□□.

□□ Hibernate □□□ □ □□□□ □□□□□□□□.

Hibernate □□ □□□ □ □□□□ □□□□□□ SailPoint IdentityIQ □□□□□□□ □□□□□□□ □ □ □□ □□□ □□□ □ □□□□. □ □□□ □□ □□ □□□ □□(ORM)□ □□□□□ □□□ □□□ □□□□ □□□.

IdentityIQ □□□□□□□ □□□□□□ □□□□□ □□□□ □□□ □□□□□□.

Hibernate □□□ □□□□□□ □□□ □□□□ □□□□□ □□□□□. □ □□□□□□ Hibernate □□□ □□□ □ □□□ □□□□ □□□□□□ □□□□ □□□□ □ □□□ SQL □□□ □□□□ □□□ □.

□□□□□□ □□□ □□□ □□ IdentityIQ □□□□□□□□ □□□ extendedSchema □□□□□ □□□□□□.

□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□ □□□□□□ □□□ □□□□ □□□.

□ □, □□□ □□□ □□□□ □□ extendedSchema □□□□□ □□□□□□□□ □□□□□.

□□□□□□ □□□ □□□□ □□ ObjectConfig□ □□□□□□□□.

□□□□□□ □□□□ □□□□□□ IdentityIQ □□□□□□ □□□ □□ □□□□ SailPoint□ ObjectConfig□ □□□□ IdentityIQ □□□□□ □□□ □ □□□ □□□□□□.

□□ IdentityIQ □□□□ □□ □□□ □□□ □□□□□ □□□ □□: Hibernate □□ □□□□: □ □□□□□ □□□□□□□ □□□□ □ □□□ □□□□□ Hibernate XML □□ □□□□□ □□ □□ □□□ □□□□□. SailPoint IdentityIQ□ ORM□□ Hibernate□ □□□□□ □□ □ □□□□□□ □□□ □□ □ □□□□ □□□□□ □□□.
□□□ □□□□ □□□□ □□: SailPoint□ □□□□□ Hibernate □□□ □□ □□□□□□□ □□□ □□ □□□□□ □□□□ □□(□□□□□ iiq □□ □□ □□ □□□ □□ □□ □□)□ □□□□□. □□ □□ □□□□□□□ □□□□□□□ □□□ □□□□ □□□□ □□□□□.
□□□ □□□□ □□□□ □□: □□□□□□ □□□ □□□ □□□□ □□□□□□□□ □□□ □□□□ □□□□□ □□□□□. □ □□□□□ □□ □□□ □□□ □ □, □□□ □□ □□ □□□ □□□□□.
ObjectConfig □□□□: □□□□□□□ □□□□□□ □□□□□□ □□□ □□ □□□□ ObjectConfig(□□□□□ IdentityIQ □□ UI□ □□)□ □□□□□□ □ □□□ □□□□□ □□□.
□ □□□ □□ □□□ □□ □□□□, □□ □ ID □□□□□ □□□ □□□ □□□ □□□ □ □□ □□□.
SailPoint IdentityIQ □□ □ □□ □□□(□□□ □□ □□ □ □□□ □□□□ □□ □□).

**NEW QUESTION: 100**
□ □□□ □□□ □□□□□ □ □□□□ □□ □□□ □□ □□□□□?
□□ □□: □□□□ □□ □□□ □□ □□ □□□ □□□□ ID □□□ □□ □□ □□□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
* □□ □□□ □□□□□□□. SailPoint IdentityIQ□ □□□ □□□□ Identity □□□ □□□□ □□□□□ □□□□ □□□□. WorkItems, CertificationItems □□ □□□□ □□ □□□ □□ □□□□ □□□ □ □ □□□ □□□ □□□□ □□□ □ □□□□. □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □ □□□ □□□ □□□ □□□ □ □□□ □□□□□.
□□ □□:
SailPoint IdentityIQ □□□ □□□ □□□
SailPoint IdentityIQ API □□ □□

**NEW QUESTION: 101**
IdentityQ□ syslog □□□ □□□□ □□ □□ □□□ □□□□□?
□□□: IdentityIQ □□ □ □□ □□□ □□□□□□ □□□ □□ □□ □□□ □□□ □□, □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□□ □□□ □□□□. □□ □ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□□□, □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□ □□ □ □□□ □□□□. □□□ □□□ □□ □□ □□□ □□□ □□ □□□, □□ □ □□ □□ □□□□□ □□ □□ □□ □□□ □□□ □ □□□□ □□ □□□□ □□□□ □□ □□□□. IdentityIQ□□ □□□□ □□ □□□ □□□□ □□□ □□ □□ □□□, □□ □□ □□, □□□□ I/O □□□ □□ □□□ □□ □□ □□ □□ □□□ □□ □□□ □□□□□.
SailPoint IdentityIQ □□ □ □□ □□□
SailPoint IdentityIQ □□ □□ □□□

**NEW QUESTION: 102**
□□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□ □□□, □ □□□ □□ □□□ □□□□□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□?
□□ □□: □□□ □□□□□ □□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**

QuickLink □□□ □□□□□ □□ □□□□ □□ □□□ □□ QuickLink □□ □□□□ □□□ □□□ □□□□. QuickLink□ IdentityIQ □□□□□□ □□ □□□□ □□ □□□□ □□□□□ □□ □□□ □ □ □□ □□ □ □□□□□, QuickLink □□□ □□□□□ □□□□ □□ □□□□. QuickLink□ □□□ □□□ □□□□ □□□□□ □□ □□□□ □□ □□□ □□□□□ □□□.
□□□ □□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□, □□ □□ □□ □□□ □□(□: "□□□")□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□. □□□ □□□ B□ □□. □□□.
□□: □ □□□ SailPoint IdentityIQ □□□ □□□□□ □□□□ □□□□ □□, □□ □□□□□□ □□□□ □□, □□ □ □□□□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 103**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□ □□: □□ □□□ □□□□ □□ □□ □ □ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□ □□□□□□ □□□□ □□ □□□ □□□□□□ □□□□□□, □□□□□ □□ □□□ □□□□ □□ □□ □□ □ □ □□ □□□ □□ □□ □□ □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□□□ □□ □□ □□□□□ □□□□ □□ □□□□□□ □□ □□□ □□□ □□ □□□□□ □□□□□ □□□□ □□□ □□□□ □□□.
□□:
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□□□□□ □□□ □ □□ □□ □□ □□ □□)

**NEW QUESTION: 104**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□□□ □□□ □□□□ □□ □□□ □ □□□ □□□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. Rapid Setup□ □□ □□ □□□□, □□ □□□ □□ □ RPA/□ □□□ □□ □□ □□ □□ □□ □□□ □□□□ □□□□. □□□ □□□ □□ □□□□□ □□□ □□ □□□□□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□□.
□□ □□.
Rapid Setup□ □□□□□□ □□□ □□ □□ □□ □□□□ □□□ □□ □□ □□□ □□ □□□ □□□□ □□□□. □□□ □□□ □□□□□ □□ □□, □□□ □□ □□ □□ □□□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□ □□□□, Rapid Setup□ □□□/RPA □□ □□□□ □□□□ □□□ □□□ □□ □□ □ □□□ □□□□.
□ □□□ □□ □□ □□□ □□ □□□□ □□□□. □□ □□□□□ Rapid Setup□ □□ □□□ □□□□ □□/□ □□□ □□□ □ □□□ □□, □□ '□□□'□□□. □□□ □ □□□□□ '□□□ □□'□□ □ □□□□□□, DOMC □□□ □□ □□□ '□□□'□□□□ □□□ □□□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□ □□□□□□ □□□, □□□ □□ □□ □□, RPA □□ □□ □□, □□ □□, □□□ □□ □□.
□□□ □□□□ □□□ □□ □□□□ □□□□ □□□. □□ □□□□ □□ □□ □□□□□ □□ □□□□□□□ □□□□□. □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□ □□□□□. □ □□ □□ □ □□ □□ QR □□□ □□□□ □□□□ □□□ □□ □□ □□□□□ □□□□□ □□□□.
□□□ □□□□ QR □□□ □□□ □□□ □□□ □□□ □□□ □□□ □ □□□□. □□□ □□□□□ □□ □□ □□, □□ □□, □□ □□□, □□ □□, □□ □ □□ □□□□ □□□□ □□ □ □□□□ □ □□ □□ □□□□ □□ □ □□□□.
□□ □□ □□ □□□□□ □□□ □□□ □□ □□ QR □□ □□□ □□□ □□□□□ □□□□□ □□□□ □□□□.
□□ □□: □□, □□ □ □□□ □□ - □□□ □□□, QR □□ □ □□□ □□ □□.

**NEW QUESTION: 105**
□□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□ □□□, □ □□□ □□ □□□ □□□□□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□?
□□ □□: □□ □□ □□□ □□□ □□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□ □□□ □□□□□. SailPoint IdentityIQ□□ □□□ □□ □□□□ □□□ □, □□ □□□□ □□□ □□□□□ □□□□ □□ □□□□□. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □. □□□ □□ □□□□ □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□□ □ □□□ □□□□□ □□□□□.
SailPoint IdentityIQ □□□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□□ □□ □□ □□ □ □□□□ □□)

**NEW QUESTION: 106**
IdentityQ□ syslog □□□ □□□□ □□ □□ □□□ □□□□□?
□□□: □□□ □□ □□ □□□ □□□□ □□□ □□ □ □□□□. □□□ □□□ □□ □□□□□□ □□□ □□□□ □□ □□□ □□□ □□, □□□□ □ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□, □□□□ □□□ □□□□□. SailPoint IdentityIQ□ □□ □ □□ □□□ □□□□□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□ □ □□□□. □□□ □□□□□ □□□□ □□ □□□□ □□□□□, □□□ □□□□ □□□ □□ □□□ □□□ □ □□□□. □□ □□□□ □□□ □□ □ □□ □□□ □□□□ □□□□ I/O □ □□□□ □□□□ □□□□ □□□ □□ □□□ □□□ □ □□□□.
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □ □□ □□□(□□□ □□□ □□)

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 107**
□□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□ □□□, □ □□□ □□ □□□ □□□□□ □□□ □ □□□ □□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□?
□□ □□: □□ □□ □□□ □□□ □□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□ □□□ □□□□□. SailPoint IdentityIQ□□ □□□ □□ □□□□ □□□ □, □□ □□□□ □□□ □□□□□ □□□□ □□ □□□□□. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □. □□□ □□ □□□□ □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□□ □ □□□ □□□□□ □□□□□.
□□:
SailPoint IdentityIQ □□□ □□ □□□

SailPoint IdentityIQ □□ □□□(□□□ □□ □□ □□ □ □□□□ □□)

**NEW QUESTION: 108**
'□□□ □□'□ '□□□□□' □□ □□□□ □□ □□□ □□□ □ □□□□?
□□ □□: □□□□□□□ □ □□□ □□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, IdentityIQ□ "□□□ □□" □□□ □□ "□□□□□" □□□ □□□□□□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □ □□ □□□□□ □□□□□ □□□ □□, □□ □□ □□□□ □□□ □□□□ □□□□□ □□□ □□ □□□ □□□ □□□□□. □□ □□□□ □□□□□ □□□ □□□□□□ □□□ □□□□ □ □□□□□□.
□□:
SailPoint IdentityIQ □□ □□□(□□□□□ □ □□)
SailPoint IdentityIQ □□□□□ □□□

**NEW QUESTION: 109**
SailPoint XML □□ □□□ IdentityIQ□ □□□ □ □ □□□ □□□ □□ □□□□□?
□□□ □□□:
□□ □□ > □□□□ □□□□□□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. SailPoint XML □□□ IdentityIQ□□ □□□□ □□□□ □□□□□ □□ □□□ □ □□□, □□□ □□□□□ □□□ □□ □□ > □□□□ □□□□□ □□□□ □□ XML □□ □□□ □□□□ □□□ □□ □□□. XML □□□□□ □□, □□□□, □□□□□□, □□, □□, □□□ □□□, □□ □□ □ □□ SailPoint □□□ □□ IdentityIQ □□ □□□ □□ □□ □□□□ □ □□□□□ □□□□□. □□□□□ □□ □□□ □□ □□□□ □□□ □□ IdentityIQ □□□ □□□□ □□□ □□ □□□, □□ □□□ □□□ □□ UI □□□ □□□□□ □□ □□□□. □□□ □□□□ □□ □□ > □□□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□, □□□ '□□□ □□'□□□. □□□ □□ □□□ □□□ XML□ □□ □□ □□□□ □□□ □□□□. □□ □□, ID, □□ □ □□□ □□ □□□ □ □□□ □□□ □ □ □□ □□□□□. □□ □□/□□:
IdentityIQ □□□□ - XML □□ □□□□/□□□□, □□ □□ □□□□, □□ □□□□□□, □□ □□.

**NEW QUESTION: 110**
IdentityIQ □□ □□ □ □□□ □□ □□ □□□ □□□□?
□□□ □□□:
IdentityIQ □□□ □□□□□□ □□ □□□□□ "□□" □□□□ □□ □□□ □ □ □□□□ □□ □□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□ □□□ □□□□□. IdentityIQ □□ □□□□ □□□ □□ □□□ □□□ □ □□ □□/□□ □□□ □□□ □□ □□□□ □□□ □□□□ □□□□□ BeanShell □□□ □□□ □ □□□ □□ □□ □□□□□ □□. □□□□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□ IdentityIQ□ □□□□ □□□□ □□□ □ □□□ □□□□ □□ □□ □□ □□□□□. □□ □□□ □□ □□□□ □□ □□□ □□□ □ □□ □□□ □□ □□□□ □□, □ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□□ □□□□ □□□ □□□□□. □□ □□ □□□ □□ □□ □□□ □□□ □□□ □□ □□□ □□. □□ □□ □□, □□□□□ □□, □□□□ □□ □ □□ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □□□ □□□□ □□ □□□□ □□ □□□□□ □□□□□□ □□□□ □□ □□□ □□□ □ □□□ BeanShell □□□ □□□ □□□ □ □□□□ □□□□□. □□ □□/□□:

IdentityIQ □□□□ - BeanShell □□ □□□, □□ □□, □□ □□□□□, □□ □□, □□ □□ □□.

**NEW QUESTION: 111**
□□□□□ Active Directory □□□□□□□ □□□ □ □ □□ □□□ □□□□□?
□□□ □□□:
□□□ □□□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□□ □□□□ □□□□□ □□□□ □□□□□□ □□ □□□□□. □ □□□ □□ □□□□□ Active Directory□□ □□□□ □□□□□. □□□ □□□□ □□□□ □□ □□□□□□□ □ □ □□□ □□□ □□□□ □□□□□ □□□□ □□ □□ □□□□ □□ □□□□□□ □□□ □□□ □ □□□□.
□□ □□, □□ □□□ □□□□□□ □□□□□ □□□ □□□ □□□□ □□□ □ □□□□ □□ □□ □□□□ □ □□□□□□ □□□ □□□□ □□□□ □□□□. □□ □□□□□□ □□ □□□□ □□□ □ □ □□□, IdentityIQ□ Active Directory□ □□□□□, □□ □□ □□□ □□□□□, □□□ □□□□□□, □□□ □□□□□, □□□ □□□ □□□□□□ □□□ □□□□.
SailPoint□ □□□□□□ □□ □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□□□□□ □ □ □□□□□□ □□□ □□□□ □ □□□□ □□□ □□□□ □□□□□. □□ □□□□□□ ID, □□□, □□□□/□□□ □□ □ □□ □□ □□□ □□ □□ □□□ □□□□ □□□□□ □□□□.
□□□ □□□□□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□ □ □□□, Active Directory □□□□□□□ □□□ □□□ □□□ □□□□□ □□ □ □□□ □ □□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□ □□□, □□□□□□ □□, □□ □□□, Active Directory □□□, □□□ □□□□□□ □□.

**NEW QUESTION: 112**
□ □□□ □□□□□ IdentityIQ □□□ □□□ □□ □□□ □ □□□□ □□□□ □□ □□□□□?
□□□: □□□□ □□ □□□□ □□□□□?
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□ IdentityIQ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□□□, □□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□.
□□ □□□□ IdentityIQ□ □□□ □□ □□□□ □□□ □□□□ □ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□, □□ □ □□□□ □□□□□. □□□ □□□□ □□□□ □□ □□□□ □□ □□ □ □ □□ □□□ □□ □□□ □□□□ □□□□ □ □□ □□□□□.
□□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□□□ □ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□□ A. □□□□.
□□:
□ □□□ SailPoint IdentityIQ □□ □□□□ □□□ □□ □□□ □□□□ □□, □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□□□ □□ □□□□□.

**NEW QUESTION: 113**
□□ □□□□□ IdentityQ□ □□ □□□ □□□□ □□□.
□□□ □□□□ □□□□ □□ □□□□ □□□ □□, □□□ □□□□ □□□□□.


Options
Move options from here to the answer list
Answer List
Move options here and sort them into a desired order
Add to answer list
Update all necessary Hibernate XML files to include custom attributes.
Remove
Create the IdentityIQ database.
Add to answer list
Create the IdentityIQ database.
Add to answer list
Configure iiq.properties file with database credentials and datasource.
Add to answer list
Generate database schema to include custom attributes by executing 'iiq schema'.
Add to answer list
Ensure all of the application servers are stopped.
Add to answer list
Initialize default IdentityIQ system objects from 'iiq console' using the 'import' command.
Add to answer list
Start all of the application servers.
Add to answer list
Apply the latest patch.
Add to answer list
Un-jar the IdentityIQ WAR file in the desired directory of each application server.
KrDump

**Answer:**

**Options**

*Move options from here to the answer list*

- Update all necessary Hibernate XML files to include custom attributes.
- Create the IdentityIQ database.
- Create the IdentityIQ database.
- Configure iiq.properties file with database credentials and datasource.
- Generate database schema to include custom attributes by executing 'iiq schema'.
- Ensure all of the application servers are stopped.
- Initialize default IdentityIQ system objects from 'iiq console' using the 'import' command.
- Start all of the application servers.
- Apply the latest patch.
- Un-jar the IdentityIQ WAR file in the desired directory of each application server.

**Answer List**

*Move options here and sort them into a desired order*

1. Ensure all of the application servers are stopped.
2. Un-jar the IdentityIQ WAR file in the desired directory of each application server.
3. Configure iiq.properties file with database credentials and datasource.
4. Create the IdentityIQ database.
5. Generate database schema to include custom attributes by executing 'iiq schema'.
6. Initialize default IdentityIQ system objects from 'iiq console' using the 'import' command.
7. Start all of the application servers.
8. Apply the latest patch.

KrDump
krdump.com

□□:
SailPoint IdentityIQ□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□.
□□ □□□□□□ □□□ □□□□□□ □□□□□□.
□□ □□ □ □□□ □ □□ □□□□ □□□□ □□□ □□□□□ □□ □□□□□□ □□□ □□□□ □□ □□□□□.
□ □□□□□□ □□□ □□□ □□□□□ IdentityIQ WAR □□□ □□□ □□□.
IdentityIQ WAR □□□ □□□□□□ □□□ □□□ □□□ □□ □□□□□. □ □□□ □□ IdentityIQ □□□□□□ □□□ □□□□□.
iiq.properties □□□ □□□□□□ □□ □□□ □□□ □□□ □□□□□□.
IdentityIQ □□□□□□□ □□□□□ iiq.properties □□□ □□□ □□□□□□ □□ □□ □ □□□ □□ □□□□ □□□□□□ □□□.
IdentityIQ □□□□□□□ □□□□□.
□□□□ □□ □□□ IdentityIQ □□□□□□□ □□□□ □□□. □ □□□□□□□ □□ IdentityIQ □□□□ □□□ □□□ □□□.
'iiq schema' □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□□□ □□□□ □□□□□.
iiq schema □□□□ □□□□ IdentityIQ□ □□□ □□□□□□ □□□□ □□□□□□. □□□□ □□□, □□ □□ □ □□ □□□ □□ □□□ □□□□□.
'import' □□□□ □□□□ 'iiq □□'□□ IdentityIQ □□□□ □□ □□□ □□□□□□.
IdentityIQ □□□ □□□□ □□□ □□□□ □□, □□ □ □□ □□□ □□ □□ □□□ □□□ □□□□□. □□□ □□ □□ □□□ □□□□□.
□□ □□□□□□ □□□ □□□□□□.
□□ □□□ □□□□ □□□□□□ □□□ □□□□ IdentityIQ □□□□□□□ □□□ □ □□□ □□□□.
□□ □□□ □□□□□.
□□□□□, □□□□ □□ □□ □ □□ □□ □□□ □□□□□ □□□ □□□□□□.
IdentityIQ □□□□□ □□ □□□ □□□ □□□□□ □□□ □□□□□. □□ □□□ □□□□ WAR □□ □ □□□□□□ □□ □□□□□ □□□□ □□□□□ □□□ □□ □□□□□□ □□□ □□□□ □ □□.
WAR □□□ □□□ □□ IdentityIQ□ □□ □□□□ □□□ □□□□ □□□ □□□ □ □□ □□□.
iiq.properties □□□ □□□□ IdentityIQ□ □□□□□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.
IdentityIQ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□□ □□□ □□□□□□.
iiq schema□ □□ □□□□□□ □□□□ □□□□ ID, □□□ □ □□ □□□□ □□□□ □ □□□ □□□□ □□□ □□□□□.
□□□ □□ □□□□ IdentityIQ □□□ □□□ □□ □□(□□, □□ □ □□□ □□ □)□ □□□□□.
□□□□□□ □□□ □□□□ IdentityIQ □□□ □□□□□ □□□□ □□ □□□ □□□ □ □□□□.
□□ □□□ □□□□ SailPoint□□ □□□□ □□ □□ □□, □□ □□ □ □□ □□□□□ □□□□ □□ □□□ □□□□□.
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □ □□ □□).

**NEW QUESTION: 114**
□□ □□□□ □□□□ □□ □□ □□□ □□□□□?
□□ □□: □□□ □□□ □□□□□□□ □□□ □□□□□ '□ □□□' □□ □□, □□□□ '□□□' □□ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□ □□□ □□□□□. SailPoint IdentityIQ Reporting □□□ □□□□□□□ □□□ □□□□ □□ □□□ □□□□.
"□□□" □. □ □□□□ □□□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□ □□□□ □□□□. □□□□ □□□□ □□□ □□ □□□(□□□□ □□□ □□□)□ "□ □□□" □□□ □□□ □ □□ □□. "□ □□□" □□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□.
SailPoint IdentityIQ □□□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□□□□ □□ □□)

**NEW QUESTION: 115**
□□□□□ □□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□.
□ □□□ □□□□ □□ □ □□ □□□ □□□□□?
□□□ □□□:
AuditConfig □□ XML□ □ AuditAction□ □□□□□.
<AuditAction displayName="□□□ □□ □ □□ □□□" enabled="true" name="actionname" />
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□□ □□□ □□□□□. IdentityIQ□□ □□□ □□ □□ □□□□ □□□□□ □□ □□□□□□ □□□ □ □□□ □□□/□□□ □□□□ □□□. AuditConfig □□ XML□ AuditAction □□□ □□□□ □□ □ □□ □□ □□□□□. □ □□□ □□ □□ □□, □□ □□ □ □□□ □□□ □□□□□. □□ □□ □□, □□, □□□□ □□ □□□□ □□ □□□ □□□ □ □□□ □ □□ □□ □□ □□ □□□□□□. □□ □□□ □□ □□ □□□□ □□□□, □□□="true"□ □□□□ □□□□ □□□□□.
□ □□□□□□ □□ □□□□ □□ □□□□. □□□□□ □□ □□□ □□□□ □□□ □□□□, □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□□. □□□ □□□ □ □□□ □□ □□ □ □□□□ □□ □□□, □□□ '□□'□□□. □□ □□/□□: IdentityIQ □□□□ - AuditConfig, AuditAction XML, □□□ □□ □□ □□, □□ □□□ □□□, □□ □□□ □□.

**NEW QUESTION: 116**
□□□□□ SCIM 2.0 □□□□□□□ □□□ □ □ □□ □□□ □□□□□?
□□□: □□ □□
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□□ SCIM 2.0 □□□□□□□ □□□ □ "□□ □□" □□ □□□ □□ □□□ □□□□. "□□ □□" □□□ □□□□□ □□ □□□□ CSV □□ □□ □□□□□ □□ □□ □□□□ □ □□ □□□. SCIM 2.0□ □□□□ □□□□ ID□ □□□□□ □□□ RESTful API □□ □□□□□□□ □ □□□ SCIM 2.0 □□□ □□□□ □□□□. □□□ SCIM 2.0 □□□□□□□ □□□ □ □ □□□ □□□ □□□□.
SailPoint IdentityIQ SCIM 2.0 □□ □□□
SailPoint IdentityIQ □□□□□□ □□ □□□(SCIM □ REST API □□)

**NEW QUESTION: 117**
IdentityIQ □□ □□ □/□□ □□□ □□ □□ □□□ □□□□□?
□□□ □□□:
IdentityIQ□ □□ □□ □□□□ □□□ □□□□□□ □□□ □□ □□□□ □□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. IdentityIQ□ □□ □□ □□□ □□□ □□□ □□□ □□ □□ □□ □□□□ □□ □□ □□□□□. SailPoint□ □□ □□ > □□ □□□□ □□ □□ □□ □□□ □□□□□ □□□, □□□□ □□□□ □□ □□, ID □□ □□, □□ □□ □□, □□□ □□ □ □□ □□□□ □□ □ □□ □□□ □□ □□□ □□□□ □□□ □ □□□□.
□□□ □□□ □□ □□ □□□ □□□ □□□□. □□ □□ □□, □□□□□ □□□□ □□□□, □□□/□□ □□□□, □□□□□□ □□, SailPoint □□ □ □□ □□□ □□ □□ □□ □□ □□□ □□□□ □. □□ □□□ □□□□ □□ □□□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□ □ □□□, □□□□ □□ □□□ □□□ □□ □□□ □□ □□□□□□ □□ □□ □□□□.

□□□ □□□ IdentityIQ □□□□□□ □□□□□. □□ □□□ □□□□ □□□□ □□□□ □□□□, □□ □□□ □□ □□ □□□□ □□□□ □□□□□ □□□□, □□□ □□□ □□ □□ □□□□ □ □□ □ □□□ □□□. □□□ "□□ □□ □□□"□ "□□□ □□ □□□"□ □□□ □□ □□□ □□□□ □□ □□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□, □□ □□, □□□ □□, □□ □□□□, □□ □□.

**NEW QUESTION: 118**
IdentityQ□ □□□ □□□ □□ □ □□□ □□□□□?
□□ □□: □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, □□□□. IdentityIQ□ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□. □□□□ □□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□ □ □□□, □□□ □□ □ □□ □□□□ □□ □□□ □□□□□. □□ □□ □□□ □□ □□□□ □□ IdentityIQ□ □□□□ □ □□□□.
□□:
SailPoint IdentityIQ □□□ □□□
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□□ □□ □□ □□)

**NEW QUESTION: 119**
□□□□□ □□ □□□ "/7"□□ "□□ IT"□ □□□ □ □□□□□ □□□□ □□□, □□□□ □□□□ □□□□ □□□□□.
□□□□□ □□□□□□ □□□□ □□ □□□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□□□?
□□ □□: □□ □□□ □□□□ □□□□ □□□□, □□□□ □□ □□ □□ □□ "/7"□□ □ □□ □□ □□ "Senior IT"□ □□ True□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□ □□□□□ □□□□ □□□□ □ "□□" □□ □□ □□ □□□ "□□ IT □□□"□ □□□ □□ □□□□□ □□□□□ □□ □□□□□. □□□ □□□□ "□□" □□□ □□□ □□□□ □□□□ "□□" □□ □ □□ □□ □ □□ □□□□ □□□□.
□□□ □ □□ □□□□ □ □□ □□□ □□□□.
□□□ □□: SailPoint IdentityIQ□□ □□ □□ □□□ □□□□ □□□□□ ID □□ □□□ □□□□ □□□□□, □□ □□ □ □□ □□ □□□□ □□□ □□□□ □ □□□□ □□□□ □□ □□ □□□ □□ □□. □□, □□ □□ □□□□ □□□□□ □□□□□□ □□ ID □□□□□□ □□□□ □□□ □□ □□□ □□□ □□□ □□ □□ □□ □□ □□□ □□ □□□□□ □□□□□.
□□ □□□ □□: □□□□ □□□□□ □□□□ □□□ □□□□ □□□ □□□□ □□□□ □□ □□□, □□□□ □□ □□ □□□□□□ □□□ □□□ □□□□ □□ □□□□□□.
□□□ □□□□ □□□ □□□ □□□ □ □□□, IdentityIQ□□ □□ □□□□ □□□ □□□ □□ □□□ □□ □□□□□□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□ □□(□: □□□□ □□□□ □ □□ □□)□ □□□□□ □□ □□□□□□ □□□ □□□□/□□□ □□□□ □□□□.
□□□, □□□ □□ □□□ □□□□□□ □□□, IdentityIQ□□ □□□ □□□□ □□□ □□□□□ □□□□ □□□ B. □□□□□□.
□□:
□ □□□ SailPoint IdentityIQ Lifecycle Manager □□□□ □□□□ □□, □□ □□□□□□ □□□□□□ □□□ □ □□□ □□□ □□ □□ □□□ □□□ □□□□□□ □□ □ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 120**
IdentityIQ□ □□□ □□□ □□ □ □□□□ □□□□ □ □□□ □□□□□?
□□□ □□□:
□□□ □□ □□□□□ □□ □□□ log4j □□□ □□□ □□□□□.

**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□. IdentityIQ□ □□□ □□ □□□ □□ □□□ Log4j □□□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□□□. IdentityIQ □□ □□ □ □□□□□ □□□□ □□ □□□□ □□□ □□ □ □ □□□□□□□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □ □□□ □□□□□.
□□□ □□□ □□ □□ □□, □□ □□, □□□ □□ □□□, □□□ □□ Log4j □□ □□ □□□ □□□ □□□ □ □□ □□□□□□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □ □□□□.
□□□ □□ □□□□□□ □□□ □□ □□ □ □□ □□□ □□ □□□□ □□□ □□□□. □□□ □□□□□ □□□ □□□ □□□ □□□□ □□□ □□□. □□□□ □□□□ □□ DEBUG □□ TRACE□ □ □□□□ □□ □□ □□ □□□□ □□□ □□□□ □□ □ □□□□. □□□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□ □□□□□□□□ □□□□ □□ □□ □ □□ □□ □□□ □□ □□ □□□□ □□□.
□□□ □□□ □□ □□□□ □□ □□□ Log4j □□□ □□□ □□□ □ □□□ □□□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□□ □□, Log4j □□, □□□ □□ □□, □□ □□, □□□□□□ □□ □□.

**NEW QUESTION: 121**
□□□ □□□ □□ IdentityIQ □□□ □□ □□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□. □□ □□□ □□□ □□□ □□ □ □□ □□□ IdentityIQ □□□ □□ □□□ □□ □□□□□. IdentityIQ □□□ □□□ □□ □□□□ □□□□ □□□□. □□ □□□ □□□ □□□ □□□□ □□□ □ □ □□, □□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□ □□ □□□□□□ □□□□□□□ □□□□ □□□□□. □□ □□□ □□ □□ □□□ □□ □□□□ □□ □ □ □□□□. □□ □□ □□□ IT □□□ □□□ □ □□, IT □□□ □□ □□ □□ □□□□□□ □□□ □□□ □ □□□□. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□ □□□□ □□ □ □ □□□□. □□□ □□□□□ □□ □□□ □□ □□□, □□□ □□ □ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□ □□□□. □□□ □□ □□□ □□ □□ □□ □□□□□ □ □□ □□□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□□. □□ □□/□□: IdentityIQ □□□□ - □□ □□ □□, □□ □□, □□ □□, □□□□ □□, IT □□, □□ □□ □□□ □ □.

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 122**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?
□□□ □□□:
□□□ □□□ □□□□ □□ □□□ □ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□. □□ □□ □□□□□□ □□□□ □□ □□ □ □□ □□□□ □□□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□ □ □□□□.

□□□ □□□ □□□, □□, □□ □□, □□ □□□, □□ □ □□□□ □□ □□□ □□ □□□ □□□ □□ □ □□□□ □□□□ □□ □□□ □□□□. □□□□ □□□□□ □□ □□□ □□□ □ □□ □□□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□□. □□ Rapid Setup□ □□□ □□□□□. □, □□□□□ □□ □□□□ □□□ □□ □□□ □□ □□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□ □ □□□ □□□. □□□ □ □□□ □□□ □□□ □□ □□□□ □□ □□□□□□ □□□ □□ □□□ □□□□□□. □□□ □□ □□ □□□ □□□ □□ □□ □□, □□ □□ □□ □□□ □□ □□□ □□□ □□ □□□□ □ □□□□ □□□□□□ □□□ □□□ □ □□□□. □□□ □□□ □□ □□□ □□□ Rapid Setup □□□ □□□□□. □□ □□/□□: IdentityIQ □□□□ - Rapid Setup, □□□□□□ □□□, □□ □□, □□□ □□, □□ □□ □□.

**NEW QUESTION: 123**
□□□□□ □□ □□□ IT□□ Senior IT□ □□□ □ □□□□□ □□□□ □□□, □□□□ □□□□ □□□□ □□□□□.
□□□□□ □□□□□□ □□□□ □□ □□□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□□□?
□□□ □□□:
□□□ □□(managerStatus) □□□ □□ □□ true□□ □ □□ false□ □□□ □□ □□ □□ □□□ □□□ □□□□ □□□□, □□□□ □□(division) □□□ □□ □□ IT□□ □ □□ Senior IT□ □□□ □□ □□□ ID □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□ □□□ □□□□□ □□ □□□ □□□□□ □□□□. □□□□□ □□□□ □□ □□□□ □□□□ managerStatus □□ □□□ □□□ Division □□□ IT□□ Senior IT□ □□□□ □□□□. □□□ □□□ □ managerStatus□ true□□ false□ □□□□ □□ □□□□□ □□□□ □□□, □□ □□□ □□□□ □□□ □□ □□□□□ □□□. □□□□□ Division □□ □□□ □□□□ □□□□□ □□□ □□□□ □□□, □□□□ □□□ □□□ □□□□ □□□ □□□□. Division □□□ □□□ ID □□□ □□□□ □□□ □□□ □□□□ □□□□. □□□□ □□□□□□ □□□□ managerStatus □□□ □□□ □□ □ □□□ □□□□□.
□□□ □□□□ □□ □□ □□ □ □□□□ □□□□, □□□ □□(managerStatus)□ □□ ID□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□□□. □□□ □□□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □ □□□□. □□ □□/□□: IdentityIQ □□□□ - □□□□□□ □□□ □□□, □□ □□ □□□, □□□ ID □□, ID □□ □□, □□□□ □□ □□.

**NEW QUESTION: 124**
□□ □□□ ID □□□□□ □□□ □□ □□□□?
□□□ □□□:
IdentityIQ UI□ □□ ID□ □□□□□ □□□ □ □□□ ID □□□□□ □□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. ID □□□□□ □□□ ID □□ □ ID □□□ □□ ID □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□□□. □□□ □□□ □□ □□ ID □□□ □□□□□, □□ □□□ □□□□, □□ □□□□□ □□□ □□□□□, □□□ □□ □□□ □□ □□ □□ □ □□□ □□□□□□ □□□ □ □□□□.
ID □□□ □□, ID □□ □□□□□ □□□ □□ □□ □□□□ IdentityIQ□ □□ ID□ □□□ □ □□□□ □□□ □□□□□. □□□□/□□ □□ □□ □□□ ID □□□□□ □□□ □□ □□□□ □□□ □ □□ □□. □□ □□ □□ □ ID □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ ID □□ □□□ □□□ □ □□□□.
□ □□□ □□□□□ □□ □□ □ □□ □□ □□□□ □□□□. □□□□□□ □□ □□ □□ □□ □□ ID □□ □□□ □□□□□ □□□ ID □□□ □□□ □ □□□□ □/□□□ □□ □□□ □□□ □□□ □ □□□. □ □ □□ □□ IdentityIQ UI□ □□ □□/□□ □□□ □□ □□□ □□□□ DOMC □□□□ □□□□.
□□□□ □□ □□□ □□□ □□□□ □□ '□'□□□.
□□ □□/□□: IdentityIQ □□□□ - ID □□□□□ □□, ID □□, ID □□, □ □□, □□□ □□, ID □□ □□ □□.

**NEW QUESTION: 125**
Rapid Setup □□□□□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?

□□ □□: □□ □□□ □□□□ □□ □□ □ □ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□ □□ □□□□□□ □□□□ □□ □□□ □□□□□□ □□□□□□, □□□□□ □□ □□□ □□□□ □□ □□ □□ □ □ □□ □□□ □□ □□ □□ □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□□□ □□ □□ □□□□□ □□□□ □□ □□□□□□ □□ □□□ □□□ □□ □□□□□ □□□□□ □□□□ □□□ □□□□ □□□.
SailPoint IdentityIQ □□ □□ □□□
SailPoint IdentityIQ □□ □□□(□□□□□□ □□□ □ □□ □□ □□ □□ □□)

**NEW QUESTION: 126**
□□□ IdentityIQ □□ □ □□ □□□ □□ □□ □ □□□□□?
□□□: □□□□ ID □□□□□ □□ □□□ □□□□ □□ QuickLink Populations□ □□ □□□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□□□ Identity Warehouse □□ □□□ □□□□ □□ QuickLink Populations□ □□ □□□□□ □□□ □□□□□□□. IdentityIQ□ QuickLink Populations□ Identity Warehouse□ □□ □□ □□□ □□ □ □□□ □□ □□□, □□ □□ □□, □□ □□ □□ □□□□□□ □□□□□□ □□ □□ □□□ □□ ID□ □□□□□ □ □□ □□□□□.
Identity Warehouse□ □□ □□ □□□ □□ □□ □□ □□(RBAC), □□ □ IdentityIQ □ □□□ □□□ □□ □□□□□. □□□ □□□□ □□□□ Identity Warehouse□ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□□ □□□□□.
□□□ □□□ B□□□. □□□.
□□:
□□ SailPoint IdentityIQ □□ □□□□□ □□□□□, □□ □□□□□□ QuickLink Populations□ □□□ IdentityIQ□□ □□□ □□□ □□□□ □□□ □□□ □□□□□.

**NEW QUESTION: 127**
"Common Rules Library"□□ □□□ □□ □□□□□□ □□ □□□ □□□□ □□□ □□□□ □ □□□□?
□□□ □□□:
< □□□ □□ >
<Reference class="sailpoint.object.RuleLibrary" name="Common Rules Library" />
< /□□□□ >
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□. □□□ XML□ □□ □□□□ □□□□□ □□□ □□□□ □□□□. IdentityIQ□□ □□ □□□□□□ □□□ □□□ BeanShell □□□□□□ □□□□ □□ □□□ □□ □□□□□. □□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ sailpoint.object.RuleLibrary □□□□ □□□ Rule □□□□ □□□.
□□□ □□□ □□□ □□□ □□ □□□□ □□□□□□ □□ □□□□ □□□□ □□□□. □□ □□□□□□ □□□□ □□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□ □ □□□□ □□□ □□□ □□□ □□□ □□□□ □ □□□□□. □□□ XML □□ □□□□ □□□ IdentityIQ □□ □□□□ □□□□ □□□. □□□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□□□. □□ □□ □□□□□□ □□□□ □□ □□□ □□□□□, □ □□ □□□ □□□□ □□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□□□□, ReferencedRules XML, □□ □□ □□, BeanShell □□ □□□, XML □□ □□.

**NEW QUESTION: 128**

IdentityIQ□ syslog □□□ □□ □□□ □□ □□ □□□ □□□□□?
□□□ □□□:
□□ □□ □□□□□ □□□ □□ □□□□ □□□ □, □□□□ □□ □□□ □□□□□ □□□ □□ □□□□ □□□ □ □□□□.
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□ □□□ □□□□ □□□□. IdentityIQ□ □□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□□.
□□□□ □□□ □□□□□ □□□□ □□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□□ □ □□□□□, syslog □□□ □□□ □□ □□□□□□. □□□□ □□□□□ syslog □□□□ □□□□ □□ □□, □□□□ □□, □□□ □□, □□□□□ □□, □□ □□, □□ □□ □ □□□□□□ □□□ □□□□□. □□ □□ □ □□ □□ □□□ □□ □□□□ □□ □ □□□ □□□□ □□□ □□□□ □□□□□ □□ □ □□□ □□□ □□□□□□□. □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□□ □□□ □□□ □ □□ □□□□ □□ □□□□ syslog □□□ □□ □□□□ □□□. □□ □ □□□□□ □□□ □□□□ □□□ □□□ □□ □ □ □□□ □, □□□ □□ □□□□□ □□□□ □□□□. □□ □□/□□: IdentityIQ □□□□ - syslog □□, □□ □□, □□□□ □□ □□ □□, □□□ □ □ □□, □□ □□.

**NEW QUESTION: 129**
□□ □□□□ □□□□ □□ □□ □□□ □□□□□?
□□□ □□□:
IdentityIQ□ □□ □□ □□□□ TaskDefinition □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. IdentityIQ □□□□ □□□□ □□□ □□□□□□ □□□□ □□□□ □□□□. □□ □□ □□□ □□□□ □□□/□□□ □□□ □□□□, □□□ □□□ □□□ □□ □□, □□□□ □□ □□ □□, □□□ □□ □□□ □□□□ □□ □□□ □□□□□. IdentityIQ□□ □□ □ □□ □□□ □□□□□ □□□ □□□□□ TaskDefinition □□□ □□□□, □□ □□ □□ □□ □□□ □□□ □□□□ □□ □□□□□. □□□ □□□ □□□ □□□ □□□□ □□□□. TaskDefinition□ □□□ □□□ □□ □□ □□□ □□□ □□□ □□□□ □□, □□ □□□□ □□□□ □□□/□□□ □□ □□□□ □□□□□. □□□□□ IdentityIQ □□□ □□ □□□ □□□ □□, □□□□, □□□□, □□□ □□ □□ □□ □□□ □ □□□□ □□□ □□□ □□□□□. □□□ □□□ □□□ □□ □□ □□□□ □□□ □□/□□□□ □□□□ □ □□□□. □□ □□/□□: IdentityIQ □□□□ - □□ □□□□□, TaskDefinition □□, □□□ □□□, □□□ □□, □□□ □□□ □□.

**NEW QUESTION: 130**
□□ IdentityQ □□ □□□ □□ □□□ □□□□□.
□□□□ □□□ □□□□ □□□ □□□□□. □□□□ □□□ □□ □□□ □ □□ □□□ □ □□□, □□ □□□ □□ □□□□ □□ □ □□□□.




krdump.com
KrDump

connectorDebug

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

source

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

list

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

provision

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

**Answer:**

connectorDebug

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

source

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

list

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

provision

*Select a match:*

- call one of the exposed connector methods using the specified application
- evaluate and execute a provisioning plan
- display the current time in HH:MM:SS
- execute a file of commands
- define a list of objects
- list objects
- view and check out an object
- import objects from a database
- run a rule in a separate thread
- create a new workflow
- associate a rule to an application
- authenticate to IdentityIQ as another user
- debug the connector to identify issues in the connector
- evaluate but do not execute the provisioning plan

krdump.com
KrDump

□□:
SailPoint IdentityIQ □□ □□□ □□ □□□ □□□ □□□□.
* connectorDebug: □□□□ □□□ □□□□ □□ □□□□ □□□□□□.
* □□: □□ □□□□ IdentityIQ□ □□□□□.
* □□□: □□□ □□.
* □□□□□: □□□□□ □□□ □□□□ □□□□□.
IdentityIQ □□□□□ □□ □□□ □□□ □□□□□ □□□ □□
* □□□□□□:
SailPoint IdentityIQ □□ □□□(□□□ □□ □□ □□).
□□:
□ □□□ □□□□ IdentityIQ □□□ □□□ □□ □□□□ □□□ □ □□□□. □□□□ □ □□ □□□□□ □□ □□□□ □□□□ □□□ □□□□□ □ □□□□□. □□: SailPoint IdentityIQ □□□ □□□ (□□□ □□ □ □□ □□).
□□:
□ □□□ □□□ □□ □□ □□ □□□ □□□ □□□□□. IdentityIQ□□ □□□□ □□□□□□, □□, □□ □□ □□□ □ □□□□. □□: SailPoint IdentityIQ □□ □□ □□□(□□ □ □□ □□).
□□:
□□□□□ □□□ □□□□□ □□□ □□□□ □□□□□. □□ ID □□□□□□ □□□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□□□□□. (□□: )
SailPoint IdentityIQ □□□□□ □□□(□□□□□ □□ □□).
□□□ □□□□ □□□ □□□ □□□□□□ IdentityIQ □□ □□□ □□□□ □□□ □□ □ □□ □□ □□□□ □□□ □□□ □ □□□□.

**NEW QUESTION: 131**
IdentityIQ□ □□□ □□□ □□ □ □□□□ □□□□ □ □□□ □□□□□?
□□□ □□□:
□□□÷□□ □□□□ □□ □ □□□ □□□ □, □□□ □□□□ ID□ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□. IdentityIQ□□ □ □□□ □□□□ □□□□□□ □□□ □□ □□□□ □□□□, IdentityIQ□ □□ □ □□ □□ ID□ □□□ □ □□□□. □□ ID□ □□□□ □□□□□□□□ □□□□ □□ □□□□□, □ □ □□□ □□□ □□□ □□ □□ □□□□□□. □□□□□ □□□ □□□ □□ □□□ □□□□□ □□□ □ □ □□□□ □□□□ □□ □□□□□. □ □□□ □□ □□□ ID□ □□□□□□ □ □□□. □□ □ □□ □□ □□□ □□□□□ □□□□□ □ □□ □□□□□.
□□ ID □□□ □□ XML□ □□□□□ □□□□ □□ □□□□ □□ □□ □ □□□□□. □□□ XML□□ □□ ID□ □□□□ IdentityIQ□□ □ □□□□ □□□ □ □□□□. □□□ □□ □□□ □□□□□, □ □□□□ □□□□ □□ □□ □□, □□□ □□, □□ □□□ □ □□ □□□ □□□□ □□□□ □□□. □□ □□/□□: IdentityIQ □□□□ - □□□ □□ □□□, □□ □□□, □□ ID □□, □□ □□□ ID□ □ □, XML □□□□ □□□.

**NEW QUESTION: 132**
□□ IdentityQ □□□ □□ □□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□ □ □□□□?
HBM □□□□□?
□□□: WorkItem
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**

SailPoint IdentityIQ□□□ □□ □□□ □□ Hibernate □□(.HBM) □□□ □□□□□□ □□□ □ □□□ □□□□□□□. □□□ WorkItem □□□ □□□ □□ □□□ □□□ □□□□ □□□□. WorkItem□ □□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□ □□□□□. .HBM □□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□. □□□□□□ □□□□ □□□ □ □ □ □□□□ Identity □□ Account □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□. WorkItem □□□ HBM □□□ □□□□□ □□□□ □□□ □□ □□□ □□□ □ □□□, SailPoint□ □□ □□□ □ □□□□ □□□□.

□□ □□:

SailPoint IdentityIQ □□□ □□ □□□

SailPoint IdentityIQ □□ □□ □□

**NEW QUESTION: 133**

□□□ IdentityIQ □□□ □□□□□?

□□□ □□□:

□□□□□ □□□ □□□□□□ □□□□ □□

**A.** □

**B.** □□□

**Answer: A (LEAVE A REPLY)**

□. IdentityIQ □□□ □□□□□ □□□ □□□□□□ □□□□ □□□ □□ □ □□□□□. □□ □□ □□□□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□□. □□ □□□□ □□□□ □□ □□□□ □□□□, □□ □□□ □□□ □□□□ □□□□, □ □□ □□□□ □□ □□ □□□ □□□□□ □□□ □ □□□□. □□ □□ □□ □□, □□□□ □□ □□ □□ □□□□□ □□□ □□□□ □□□□ □□ □□□□□. □□□ □□ □□□ □□□□□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□□□□ □□□□ □□□ □□□ □□□ □ □□□ □ □□□□. □□□ □□□□ □□ □ □□ □□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□. □□□ □□□□□ □□□ □□□□□□ □□□□ □□ IdentityIQ □□ □□□ □□□□□. □ □ □□/□□: IdentityIQ □□□□ - □□ □□□ □□, □□□ □□, □□ □□ □□, □□ □□, □□ □□.

**NEW QUESTION: 134**

□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□□□ 2□□ □□ □□□□. □□□ □□ □□ □□□□ □□□□□ □□□□ □□□, □□ □□□ □□□□□ □□□□ □□□□. □□ □□□ □□□ □□ □ □□□□□□ □□□□ □□□.

□□□ □□ □□□ □□□ □□□ □ □□□□?

□□□: □□□□□□ □□□ □□

**A.** □

**B.** □□□

**Answer: B (LEAVE A REPLY)**

□□□□□□ □□□ □□□ □□ □□ □□□□□□□ □□□ □□ □ □□□ □□□□ □ □□□□□. □□□□□□ □□□□ □□□□□□ □ □□ □□□ □□□□ □□□□, □□ □□□ □□ □□□□□□ □ □□ □□□ □□ □□□ □□□□□ □□□□ □ □□□□□.

□□□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□□□ □□ □□ □□□ □ □□□□□. □ □□□ □□□ □□, □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□.

□□□ □□□□□□ □□□ □□□□□□ □□ □□□ □□□ □□□ □□□□□ □□ □□□ □□□ □□□ □ □□□□. □□□ B□□□. □□□.

□□: □ □□□ SailPoint IdentityIQ□ □□ □□□□ □□□□ □□, □□ □□□□□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□.

**NEW QUESTION: 135**

IdentityQ□□ □□□□□ □□□□ □□ □□□□□?

□□□: □□ □□

**A.** □

**B.** □□□

**Answer: B (LEAVE A REPLY)**
SailPoint IdentityIQ□□ "□□" □□□ ID □□□□ □□□□□□ □□□□□. □ □□□□ □□□□ □□□□ □□□□□ □□□ □ □□□ □□ □□□ □□ □□ □□ □□□ □□□□□. □□ □□ □□□ □□ □ □□□□.
□□ □□: □□ □ □□ □□ □□□ □□□ □□□ □□□ □□□□□.
IT □□: □□□□□ □□ □□□□ □□□ □□□□ □□□□, □□□ □□□□ □□ □□□□□□□□ □□□□ □□□□ □□□ □□□□.
□□□□□□ □□: □□ □□□□□□□ □□□□ □□□, □□ □□□□□□□ □□□□ □□□□ □□□ □□□□□.
□□ □□: □□□□ □□ IT □□□ □□ □□□□ □□□□ □ □□ □□□ □□□ □□□□ □.
SailPoint IdentityIQ□□□ "□□ □□(Entitlement Role)"□□□ □□□ □□ □□ □□□□ □□□□ □□□□. □□□ □□□ □□ □□□ □ □ □□□, "□□ □□" □□□ □□□□ □□ □□□ □□ □□□ □□ □□. □□□ □□□ B. □□□□□□.
□□:
□ □□□ SailPoint IdentityIQ □□ □□ □□□□ □□□□ □□, □□ □□□□□ □□□ □ □□ □□ □□ □ □□□□ □□□ □□□□ □□□□. □□□□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□□, "□□ □□(Entitlement Role)"□ □ □□□ □□□□ □□ □□□□.

**NEW QUESTION: 136**
□□ □□□□□ IdentityQ□ □□ □□□ □□□□ □□□.
□□□ □□□□ □□□□ □□ □□□□ □□□ □□, □□□ □□□□ □□□□□.

**Options**

*Move options from here to the answer list*

**Answer List**

*Move options here and sort them into a desired order*

Add to answer list

Update all necessary Hibernate XML files to include custom attributes.

Remove

Create the IdentityIQ database.

Add to answer list

Create the IdentityIQ database.

Add to answer list

Configure iiq.properties file with database credentials and datasource.

Add to answer list

Generate database schema to include custom attributes by executing 'iiq schema'.

Add to answer list

Ensure all of the application servers are stopped.

Add to answer list

Initialize default IdentityIQ system objects from 'iiq console' using the 'import' command.

Add to answer list

Start all of the application servers.

Add to answer list

Apply the latest patch.

Add to answer list

Un-jar the IdentityIQ WAR file in the desired directory of each application server.

KrDump
krdump.com

**Answer:**




---

□□:

SailPoint IdentityIQ□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□.

* □□ □□□□□□ □□□ □□□□□□ □□□□□□.
* □□ □□ □ □□□□ □□□□ □□□ □□□□□ □□ □□□□□□ □□□ □□□□ □□ □□□□□.
* IdentityIQ WAR □□□ □ □□□□□□ □□□ □□□ □□□□□ □□ □□□□□.
* IdentityIQ WAR □□□ □□□□□□ □□□ □□□ □□□ □□ □□□□□. □ □□□ □□ IdentityIQ □□□□□□ □□□ □□□□□.
* iiq.properties □□□ □□□□□□ □□ □□ □ □□□ □□□ □□□□□□.
IdentityIQ □□□□□□□ □□□□□ iiq.properties □□□ □□□ □□□□□□ □□ □□□ □□□ □□ □□□ □□□□□□ □□□.
IdentityIQ □□□□□□□ □□□□□.
* □□□□ □□ □□□ IdentityIQ □□□□□□□ □□□□ □□□. □□ □□ IdentityIQ □□□□ □□□ □□□ □□□.
* 'iiq schema' □□□ □□□□ □□□ □□ □□□ □□□□ □□□□□□ □□□□ □□□□□.
* iiq schema □□□□ □□□□ □□□ □□□□□□ □□□□ □□□□□□. □□□□ IdentityIQ□ □□□ □□□, □□ □□ □ □□ □□□ □□ □□□ □□□□□.
* 'import' □□□ □□□□ 'iiq console'□□ IdentityIQ □□□□ □□ □□□ □□□□□□.
* IdentityIQ □□□ □□□□ □□□ □□□□ □□, □□ □ □□ □□□ □□ □□ □□□ □□□ □□□□□. □□□ □□ □□ □□□ □□□□□.
* □□ □□□□□□ □□□ □□□□□□.
* □□ □□□ □□□□ □□□□□□ □□□ □□□□ IdentityIQ □□□□□□□ □□□ □ □□□ □□□□.
* □□ □□□ □□□□□.
* □□□□□, □□□□ □□ □□ □ □□ □□ □□□ □□□□□ □□□ □□□□□□.
IdentityIQ □□□□□ □□ □□□ □□□ □□□□□ □□□ □□
* □□ □□□ □□□□ WAR □□ □ □□□□□□ □□ □□□□□ □□□□ □□□□□ □□□ □□ □□□□□□ □□□ □□□□ □□□.
WAR □□□ □□□ □□ IdentityIQ□ □□ □□□□ □□□ □□□□ □□□ □□□ □ □□ □□□.
* iiq.properties □□□ □□□□ IdentityIQ□ □□□□□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.
IdentityIQ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□□ □□□ □□□□□□.
* iiq schema□ □□ □□□□□□ □□□□ □□□□ ID, □□□ □ □□ □□□□ □□□□ □ □□□ □□□□ □□□ □□□□□.
* □□□ □□ □□□□ IdentityIQ □□□ □□□ □□ □□(□□, □□ □ □□□ □□ □)□ □□□□□.
* □□□□□□ □□□ □□□□ IdentityIQ □□□ □□□□□ □□□□ □□ □□□ □□□ □ □□□□.
* □□ □□□ □□□□ SailPoint□□ □□□□ □□ □□ □□, □□ □□ □ □□ □□□□□ □□□□ □□ □□□ □□□□□.
SailPoint IdentityIQ □□ □□□(□□ □□ □ □□ □ □□ □□).

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)

**NEW QUESTION: 137**
□ □□□ □□□□□□ □□□(LCM) □□□ □□ □□□□□?
□□□: ID □□
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, "ID □□"□ □□□□□□ □□□(LCM) □□□ □□ □□□□□. □ □□□ □□□ □□□ ID□ □□□□ □□□□□ □□□□ "□□□" □□□□ □□□□ □□□□. LCM □□□□ □□ □□□□, □□□ □ □ □□, □□□ □□ □□□□□ □□□□ □ □□□ □□ □□□ □□□□ □□□□□ □□□□ □□□□.

□□□□ □□□ A, □ '□'□□□.

**NEW QUESTION: 138**
Rapid Setup □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □ □□□□?
□□ □□: □□(Mover) □□□ □□ □□ □□□□□□□ □□ □□□ □□□□□□ □□ □□□ □□ □□□ □□□□□.
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□□□ □□□□□ Mover □□□ □□ □□ □□□□□□□□ □□□ □□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□□. SailPoint IdentityIQ□ Rapid Setup □□□ □□□□□□ □□ □□□ □□ □□□□, □□ □□ □□ □□ □□, □□□□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□ □□□□□.
□□□ □□ □□□□□ □□ □□□□ □□ □□ □□ □□□ □□□ □□□□□ □□□□□ □□ □□ □□□□□□ □□□ □□□□ □ □□□ □□□ □□□□□. □□ □□□□ □□□□□ □□ □□□ □□ □□ □□ □□ □□□□□ □□ □□□ □□ □□□□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□.
□□□ □□ □□ UI□ □□□ □□□ □□□ □□□ □ □□□□ □□□ B. □□□□□□.
□□:
□ □□□ SailPoint IdentityIQ Lifecycle Manager □□□□ □□□□ □□□□□□, □□ □□□□□ □□ □□ □□□□□□ □□ □□□ □ □□ □□□ □□□ □□ □□□□□ □□ □□□ □□ □□□ □□□ □ □□□□.

**NEW QUESTION: 139**
□□□□□ BeanShell □□□□□ sailpoint.api.IdentityService□ □□□□ □□□□□□ 'MagicBox'□ □□ ID□ □□ □□ □□ □□□ □□□□ □□□□ □□□□. □ □□ □□□ □□□□□?
□□□ □□□:
sailpoint.api.IdentityService□ □□□□□.
SailPoint.api.SailPointContext□ □□□□□.
sailpoint.object.Identity□ □□□□□.
sailpoint.object.Link□ □□□□□.
sailpoint.tools.GeneralException□ □□□□□.
public List getAccountNames(SailPointContext context, Identity identity) throws GeneralException { IdentityService service = new IdentityService(context); List < String > accountNames = new ArrayList < String > (); Link link = service.getLink(identity, " MagicBox " ); while (link != null) { accountNames.add(link.getNativeIdentity());
}
□□ □□□ □□□□□.
}
**A.** □
**B.** □□□
**Answer: B (LEAVE A REPLY)**
□ □□□ □□□□ □□□□. □□ □□□ MagicBox □□□□□□□□ □□ ID□ □□ □□ □□ □□□ □□□□ □□□□, □□□ service.getLink(identity, "MagicBox")□ □□□□ □ □□□ Link□ □□□□ □. □ □□□ □□□ while (link != null) □□□ link □□□ □□ □□□□ □□□□, Link□ □□□□ □□□ □□□ □□□□ □□□ □□□□ ID□ □□□□ □□□□□ □□□□. □□□ □□□ □□□□□□ □ □□ □□□□ □□ ID□ □□□□□□□ □□□□ □□ Link □□□ □□ □□, □□ □□□ □□□□□ □ □□□ □□□□ ID□ □ □□ □□□□ □□□. □□ ArrayList □□ List□ □□ □□□ □□□□□ □□ □, BeanShell □□□ □□ □□□□ □□□ □□ □ □□□□. □□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□□□. IdentityIQ □□ □□□□ Link □□□ □□□□, □□□ □ □□ □□□ □□ □□ □ □□□□□□□□ □□□ ID□ □□ □□ □□□ □□□ □ □□□□.
□□ □□/□□: IdentityIQ □□□□ - IdentityService, □□ □□, □□□□ ID, BeanShell API □□□, □□ □□ □□.

**NEW QUESTION: 140**
□□ □□ □□□□ □□□ □□□ □□□ □□□ □□□ □, '□□ □□' □□□ □□ □□□ □□ □□□ □□ □ □ □□□ □□□□ □□ □□□□□?
□□□ □□□:
□□□□
**A.** □
**B.** □□□
**Answer: (SHOW ANSWER)**
□□ □□□ □□ □□□ '□□'□ □□□□ □□ □□□ □□□□, □ □□ □□ □□□□□ □□□ □□□ □□□ □□□. IdentityIQ □□ □□ □□□□□□□ □□ □□ □□□ □□ □□□□ □□ □□□□.
□□ □□ □□□ □□□□ □□ □□, □□□ □□ □□ □□□ □□□□ □□□□□. '□□' □□□ □□ □□□ □□□ □ □□□ □□□□ □ □□□□, □□□ □□ □□□, □□, □□□ □□ □□ □□ □□□□ □ □□ □□□ □ □□□□. □□ □□□ □□□ □□□□□ □□□□ '□□' □□□ □□ □□□ □□□□ '□□' □□□□ □□□□. □□ □□ □□□□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□ □ □□□□. □□□□□□ □□ □□□ □□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□ □□ □□□ □ □□□□. □□□□ □□ □□□ □□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□□.
□□ □□/□□: IdentityIQ □□□□ - □□ □□ □□ □□, □□ □□, □□/□□ □□, □□, □□, □□ □□ □□□.

**NEW QUESTION: 141**
□□□ IdentityIQ □□□ □□□□□□ □□□□□ □□□. □□□ □ □□ IdentityIQ UI □□ □□□ □□□ □□□. □ □□□ □□□□□?
□□ □□: IdentityIQ □□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ UIConfig □□□ ColumnConfig □□□ □□ □□□□ □□□□□.
**A.** □
**B.** □□□
**Answer: A (LEAVE A REPLY)**
□, IdentityIQ □□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ UIConfig □□□ ColumnConfig □□□ □□ □□□□ □□□□□. IdentityIQ□ UIConfig □□□ □□□□□□ □□□ □□□□ □□□□ □ □□□ □□□□ □□□ □□□□□□ □□□ □□□ □□□□ □□□ □□□. □□□□ □ □□ □□ ColumnConfig □□□ □□□□ □□ □□□□ □□□□ □□ □□, □□ □□ □ □□□□ □□□ □□ □ □ □□□ □□□ □ □□□□.
□□□□ □□□ A, □ '□'□□□.
□□:
□ □□□ SailPoint IdentityIQ □□ □□□□□ □□□ □ □□□, □□ □□□□□□ UIConfig □ ColumnConfig □□□ □□□□ □□□ □□□□□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 142**
Identity□ □□ □□□ □□□□ □□□ □□□ □□ □ □□□□?
□□□ □□□:
□□□□□ □□□□ □□ □□ □□□□□.
**A.** □□
**B.** □
**Answer: B (LEAVE A REPLY)**

**IdentityIQ-Engineer** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ IdentityIQ-Engineer □□! DumpTop □ □□ **IdentityIQ-Engineer** □□ □□□ □□□□□□, DumpTop IdentityIQ-Engineer □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop IdentityIQ-Engineer □□□ □□□□□. https://www.dumptop.com/SailPoint/IdentityIQ-Engineer-dump.html (**269** Q&As Dumps, **30%OFF Special Discount: KrDump**)