

Salesforce.B2B-Commerce-Developer.v2022-01-08.q28

□□□□:	B2B-Commerce-Developer
□□□□:	Salesforce Accredited B2B Commerce Developer
□□□:	Salesforce
□□ □□ □□□:	28
□□:	v2022-01-08
# □□ □:	751
# □□ □□□:	280
https://www.krdump.com/Salesforce.B2B-Commerce-Developer.v2022-01-08.q28.html	

NEW QUESTION: 1

□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□□?

Salesforce B2B Commerce□?

- A. □□ □□□ □□□□□□ □□□ □ □□□ □ □□□ □□□ □□ □□□□.
- B. □□ □□□ API□ □□□□ □□□ □ □□□□.
- C. □□ □ □□□ □□ □□□□ "□□ □□□"□ □□□□ □□□ □□ □□□ □□□□.
- D. Salesforce B2B Commerce□ □ □□ □□□ □□□□□□ □□□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Mass Order(2□ □□)□ □□ □□□□ □□ □□?

- A. □□ □□ □□ □□□ □□ □□□ □□ □□□□□.
- B. □□ □□□ ccrz □□□□ □□□□ □□□□□ □□□ □ □□□□.
- C. □□ □□□ □□ □□□□□□ □□□□□.
- D. □□ □□□ SKU□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Salesforce B2B Commerce□ ccUtil apex □□□□ □□□ □□□□□ □□□ □ □□ □□ □□□□ □□□ □□□□□.

Global API□ □□ □□ □□ □□□□ □□□□ □ □□ □□□ □□□□□? (2 □□)

- A. ccrz.ccUtil.isEmpty(Map<String, Object>) □
ccrz.ccUtil.isEmpty(□□<□□>)
- B. ccrz.ccUtil.isEmpty(Map<String, Object>) □ ccrz.ccUtil.isEmpty(List<Object>)
- C. ccrz.ccUtil.isValid(Map<String, Object>) □
ccrz.ccUtil.isValid(□□<□□>)
- D. ccrz.ccUtil.isValid(Map<String, Object>) □ ccrz.ccUtil.isValid(List<Object>)

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which of the following is a valid CSS selector?

- A. `div#container div#main div#content CSS` is a valid CSS selector.
- B. `div#container div#main div#content` is a valid CSS selector.
- C. `div#container div#main div#content` is a valid CSS selector.
- D. `div#container div#main div#content` is a valid CSS selector.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following is a valid Visualforce component? (2 correct)

- A. `apex:form` is a valid Visualforce component.
- B. `apex:form` is a valid Visualforce component.
- C. `apex:form` is a valid Visualforce component.
- D. `apex:form` is a valid Visualforce component.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following is a valid Visualforce component? (3 correct)

- A. `apex:form` is a valid Visualforce component.
- B. `CC` is a valid Visualforce component.
- C. `CO.overrideFlow` is a valid Visualforce component.
- D. `CO.useDef` is a valid Visualforce component.
- E. `apex:form` is a valid Visualforce component.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which of the following is a valid Visualforce component?

- A. `ccrz.ccService.queryWithoutSharing()`
- B. `ccrz.ccService.query()`
- C. `ccrz.ccAPI.queryService()`
- D. `ccrz.ccService.initSVCDao()`

Answer: ([SHOW ANSWER](#))

E. Map<String, Object> □□ SObjects □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

□□□□ □□□ □□□ □□□ Salesforce B2B Commerce □□□ □□ □□□□ □□□ □□□?

A. □□□□ □□

B. □□

C. □□□ □□□

D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Salesforce B2B Commerce □□□ □□ □ □□□ □□□□□ apex:form□ □□ □□ Visualforce □□□ □□□ □□□□ □□ □□□ □□□□□?

A. □□□□ □□ Visualforce "scopes" □□□ □ □□□ □□□ "ccrz"□ □□□□□.

B. Javascript □□□□ apex:form □□□ □□□ □□□□ □□□□.

C. Apex:form□ DOM □□ □□□ □□□ □□□□□□.

D. CCRZ Javascript □□□ apex:form □□□ □□□ □□□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

Salesforce B2B Commerce API □□ □□ □□□ □□ □ □□ □□□□ □□ API □□ □ □□□ □□□ □ □□□□? (3 □□)

A. □□□ □□□ □□□□ □□□□.

B. SZ_ASSC□ □□□□□.

C. SZ_ASSC□ □□□□ □□□□.

D. □ □□ □□□ □□□ □□ □□ □□□ □□□□□.

E. □□□ □□□ □□ □□ □□□□ □□□ □□.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□ Salesforce □□ □□ □□ □□□□ □□□□ □□ Salesforce B2B Commerce □□ □□ □□□ □□□□ □□ □ □□ □ □□ □□(2□ □□)

A. Salesforce B2B Commerce□ □□ SalesForce □□ □□□ □□□□ □□□□.

B. □□ □□□ □□ □□□ APEX □□□□ Salesforce B2B Commerce □□□□ □□□ □□□□□.

C. Salesforce B2B Commerce □□□ □□ □□ □□□□ □□□ □ □□□□.

D. □□ □□ □□□ Salesforce B2B Commerce □□□ □□□□ □ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

- B. *.□□
- C. *.□□
- D. *.pay
- E. □□

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□ □□□ □□□ □□□ □□□□□. Salesforce B2B Commerce□□ □□□□□ □□
□ □□□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. "__ccrz"
- B. □□□ □□ □□
- C. □□ "S"
- D. "*" □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Salesforce□ □□ ccLog□ □□□□ □ □□ □□□ □□□□□?
□□ System.debug □□□? (3 □□)

- A. □□□ □□ □□□□ □□□ □□□ □□□□.
- B. □□□ □□□□ □□□ □□□□□ □□ □□□ URL □□ #ccLog=<Logging Token
Name>□ □□□□□.
- C. □□□ □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□ □□□ □□□□.
- D. ccLog□ JavaScript□□ □□□ □□ □□□ □□□□ □ □□□□.
- E. □□□ □□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□
□.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

Global API □□ □□□ □□ □ □□ □□ □ □□ □□? (3 □□)

- A. API □□□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□
ccrz.ExceedsMaxAPIVersionException□ □□□□□ □□□□ □□ □□□ □□□□□.
- B. □□ API_VERSION□ 1□□ □□ API □□□ □□□□ □□□□. □: □□□□
Salesforce B2B Commerce Release-4.5□□ 4, Salesforce B2B Commerce Release 4.6□
□ 5 □□□□.
- C. API □□□ □□□ □□□ □□□ □□□ □□□ API □□□□□.
- D. API □□□ 1□□ □□ □□□□ □□□□ □□ □□□
ccrz.BelowMinAPIVersionException□ □□□□□ □□□□ □□□□ □□□ □□□□□.
- E. Global API□ API_VERSION□ □□□ □□□ □□□, Salesforce B2B Commerce
Managed Package □□□ □□ Global API□ □□□ API □□□ □□□ □ □□□□.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

[illegible]

- A.** `ccrz.ccUtil....` (`Map<String.Object> mp`, `□□□ □`, `□□ ob`)
- B.** `ccrz.ccUtil.defv` (`Map<String.Object> mp`, `□□□ □`, `□□ ob`)
- C.** `ccrz.ccUtil.defaultValue`(`Map<String.Object> mp`, `□□□ □`, `□□ ob`)
- D.** `ccrz.ccUtil.defVal` (`Map<String.Object> mp`, `□□□ □`, `□□ ob`)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Salesforce B2B Commerce □□□ CC Admin□ □□ □□□ □□□□ □ □□□□ □□ □
□□□□?

- A.** `□□ □□□□ □□□ □□□□ □□□.`
- B.** `Salesforce□□ □□□ □□□ □□ □□□□ □□□□ □□□.`
- C.** `□□□□ head □□□□ □□□ □□□□ □□□.`
- D.** `□□□□□□ □□□ □□□ "□□"□ □□□□ □□□.`

Answer: D (LEAVE A REPLY)

NEW QUESTION: 26

□□□□ □□□□□ □□□ □□□□ □□□□□ □□□ □□ □□□ □□□□□□.

□□□□ □□□ □□□□ □□□ □□□ □ □□□ □□□ □□□□□?

- A.** □□□□□ □□□□ □ □□ □□□□ □□□ □ □□□ □□□□ □□□□□ □□
□ □□ □□□□ □□ CCAAdmin□ □□□ □□□ □□□□□□□.
- B.** □□□□□ □□□□ □ □□□ □□□□ □□□ □ □□□ □□□□ □□□□□ □
□□ □□ □□□□ □□ CCAAdmin□ □□□ □□□ □□□□□□□.
- C.** □□□□ □□□□ □□ □□□□ □□□□□ □ □□□ □□□□ □□□□□ □□□
□□ □□□□ □□ CCAAdmin□ □□□ □□□ □□□□□□□.
- D.** □□□□ □□□□ □□□ □□□□ □□□□□ □ □□□ □□□□ □□□□□ □□
□ □□ □□□□ □□ CCAAdmin□ □□□ □□□ □□□□□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 27

Salesforce B2B Commerce□□ □□□ □□ □ □□ ccLog □□□ □□□□□? (2 □□)

- A.** `crz.ccLog.log(System.LoggingLevel.DEBUG, 'D:myOrderList', myOrderList),` ☐ ☐ ☐
`myOrderList` ☐ ☐ ☐ ☐ ☐ ☐.
- B.** `crz.ccLog.log(System.LoggingLevel.DEBUG, 'D:myOrder', myOrder),` ☐ ☐ ☐ `myOrder` ☐
☐ ☐ ☐ ☐ ☐ ☐.
- C.** `crz.ccLog.log(System.LoggingLevel.WARN, 'D:something', '□□□ □□ □□ □□□□`
`□□: pl□ □□ □□□□ □□□□ □□□ □□□□□,')`

D. ccrz.ccLog.log(System.LoggingLevel.ERROR, 'D:something', myCallToGetMessage(pl)), □□□ myCallToGetMessage(pl)□ □□□ □□□□□.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 28

ccrz.cc_hk_UserInterface apex □□□, HTML □□ □□ □□ □ HTML □□ □□ □ Cloudcraze □□□ □□ □□□ □□□□ HTML <head> □□□ □□ □□□□ □□□ □ □□□□. Cloudcraze □□□ □□ □□□□ ccrz.cc_hk_UserInterface □□□ □□□□ □ □□□□ □ □□ □□□ □□□□□? (2 □□)

A. HTML□ <head> □□□ <div> □□□ □□□□ □□□□.

B. HTML□ <head> □□□ □□□ □□□□ □□□□.

C. Salesforce apex:include□ □□□ □□□□□.

D. Salesforce apex:include□ □□□ □□□□□.

Answer: B,D (LEAVE A REPLY)

B2B-Commerce-Developer □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □ □□ B2B-Commerce-Developer □□! DumpTop □ □□ **B2B-Commerce-Developer** □□ □□□ □□□□□□, DumpTop B2B-Commerce-Developer □□ □□□ □□□□ □□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop B2B-Commerce-Developer □□□ □□□□□. <https://www.dumptop.com/Salesforce/B2B-Commerce-Developer-dump.html> (223 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)