

Salesforce.B2B-Commerce-Developer.v2022-07-21.q28

□□□□:	B2B-Commerce-Developer
□□□□:	Salesforce Accredited B2B Commerce Developer
□□□:	Salesforce
□□ □□ □□□:	28
□□:	v2022-07-21
# □□ □:	612
# □□ □□□:	280
https://www.krdump.com/Salesforce.B2B-Commerce-Developer.v2022-07-21.q28.html	

NEW QUESTION: 1

□□□□ □□□□□ □□□ □□□□ □□□□□ □□□ □□ □□□ □□□□□□.
□□□□ □□□ □□□□ □□□ □□□ □ □□□ □□□ □□□□□?

- A. □□□□□ □□□□ □ □□□ □□□□ □□□ □ □ □□□ □□□□ □□□□□ □
□□ □□ □□□□ □□ CCAdmin□ □□□ □□□ □□□□□□□.
- B. □□□□□ □□□□ □ □□ □□□□ □□□ □ □ □□□ □□□□ □□□□□ □□
□ □□ □□□□ □□ CCAdmin□ □□□ □□□ □□□□□□□.
- C. □□□□ □□□□ □□ □□□□ □□□□□ □ □ □□□ □□□□ □□□□□ □□□
□□ □□□□ □□ CCAdmin□ □□□ □□□ □□□□□□□.
- D. □□□□ □□□□ □□□ □□□□ □□□□□ □ □ □□□ □□□□ □□□□□ □□
□ □□ □□□□ □□ CCAdmin□ □□□ □□□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ API□□ □□ □□□ □□□ □□□□□?

- A. API □ □□□ □□□ □□ □□□□
- B. ccrz.cc_Output(ccrz.cc_Input □□)
- C. □□<□□<□□>>
- D. □<□□□, □□>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ SEO □□□ □□□ □ □□□ □□□ Salesforce □□□□ □□□□ □□ □
Salesforce B2B Commerce Visualforce □□□□ □□□□□ □□□? (2 □□)

- A. □□ □
- B. CCAatSiteMap
- C. CCSizeIndex

D. ☐ ☐ ☐ ☐

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 4

Salesforce B2B Commerce □□ □□□□ □□□ □□□ □□ □ □□ □□ □ □□ □□?
(3 □□)

A. CCRZ.pubSub□ □□□ □□□ □□□ □ □□ □□□, □□ □ □ □□ □ □□ □□□ □□□□□.

B. Salesforce B2B Commerce□ CCRZ.pubSub□□ □□□ Salesforce B2B Commerce □
□ □□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□□□.

C. CCRZ.pubSub ☐ Backbone.Events JavaScript ☐ ☐ ☐ ☐ ☐.

D. Salesforce B2B Commerce ☐ ☐☐☐ Javascript ☐☐ ☐☐☐ ☐☐☐☐.

E. □□□ □□ Backbone JS □□ □ □□□ □□ □□□□ □□ □□□□ Salesforce B2B Commerce Backbone □□ □ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Salesforce B2B Commerce□ ccUtil apex □□□□ □□□ □□□□□ □□□ □ □□ □□
□ □□□□ □□□ □□□□□.

[illegible]

A. `ccrz.ccUtil.isEmpty(Map<String, Object>)` ☐ `ccrz.ccUtil.isEmpty(List<Object>)`

B. `ccrz.ccUtil.isValid(Map<String, Object>)` ☐ `ccrz.ccUtil.isValid(List<Object>)`

C. `ccrz.ccUtil.isEmpty(Map<String, Object>)` ☐

```
ccrz.ccUtil.isEmpty(□□<□□>)
```

D. `ccrz.ccUtil.isValid(Map<String, Object>)` ☐

```
ccrz.ccUtil.isValid(□□<□□>)
```

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 6

☐ ☐ CO.NewOrder ☐ TRUE ☐ ☐☐☐☐. ☐ ☐ ☐ ☐ ☐☐☐

☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐

A. pmt.whitelist □□ □□□□ □□□ □□□ □□□□ □□ □□□ □□ □ □□ □□□ □
□ □□□□ □□□□□□.

B. □□□ □□ □□□□ □□□□□ □□□ □□ □□□□ □□ □□ □□□□ □□□□
□□□ □□□□□□.

C. ☐ ☐ ☐ ☐ ☐ ☐ Visualforce ☐ ☐ ☐ ☐ ☐ ☐.

D. CO.pmts□□ □□ □□□□ □□□ □□ □□□ □□□ □□ □ □□□ □□ □□□□
□□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 7

□□ □□(2□ □□)□ □□ □□□□ □□ □□?

- A. □□ □□□ □□ □□□□□□ □□ □□□□□.
- B. □□ □□ □□ □□□ □□ □□□ □□ □□□□□.
- C. □□ □□□ ccrz □□□□ □□□□ □□□□□ □□□ □ □□□□.
- D. □□ □□□ SKU□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

□ □□ □□□□ □□□ □□□□ □ □□□□.

□□□□□ B2B □□□? (3 □□)

- A. □□□ □□ □□□□
- B. □□
- C. □□ □□ □□ □
- D. □□□□ □□
- E. □□□□□□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□ □□□ □□□ □□□ □□□□□. Salesforce B2B Commerce□□ □□□□□ □□
□ □□□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. □□ "S"
- B. "*" □□
- C. "__ccrZ"
- D. □□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□□□ □□ □□ JavaScript □□□ □□□ □□□□.

□□□ □□ □□ □□□ □□□□□□□□□?

- A. CCRZ.cc_CallContext
- B. CCRZ.cc
- C. CCRZ.
- D. CCRZ.RemoteInvocation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

□□ □□□ □□□□ □□ □□□□ □□ □□ □□ □□□ □□ □□□ □ □□□□ □□
□ □□□□□?

- A. CCRZ.uiProperties □□□ autoComplete.search_input.minLength □ □□□
- B. CC Admin□□...minLength □□□ □□□□□ □□ □ □□□ □□□□ □□□□□□.

D. `robots.txt` is not a file in the Salesforce B2B Commerce.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Salesforce B2B Commerce `robots.txt` is used to prevent search engines from indexing the site. Which of the following is a valid `robots.txt` entry? (3 correct)

- A. `Disallow: /`
- B. `robots.txt` is not a file in the Salesforce B2B Commerce.
- C. `robots.txt` is a file in the Salesforce B2B Commerce.
- D. `robots.txt` is a file in the Salesforce B2B Commerce.
- E. `robots.txt` is a file in the Salesforce B2B Commerce.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 20

Salesforce B2B Commerce `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map. Which of the following is a valid `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` entry? (3 correct)

- A. `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- B. `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- C. `JavaScript` `CCRZ.pagevars.pageLabels['PAGE_LABEL_NAME')` is used to process the page label map.
- D. `cc admin` `'CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- E. `JavaScript` `((('PAGE_LABEL_NAME')))` is used to process the page label map.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which of the following is a valid `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` entry? (3 correct)

- A. `CC Admin` `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- B. `CC Admin` `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- C. `Visualforce` `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.
- D. `Apex` `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` is used to process the page label map.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which of the following is a valid `CCRZ.processPageLabelMap('PAGE_LABEL_NAME')` entry? (3 correct)

- A. `UserInfo.getUserType()`

- B. ccrz.cc_CallContext.isGuest
C. ... ☐☐☐☐
D. ccrz.cc_CallContext.currUser.isGuest

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Salesforce B2B Commerce ☐ ☐☐☐☐☐ ☐ ☐☐☐☐
☐☐☐☐☐☐☐☐☐☐☐☐?

- A. ☐☐ ☐☐ ☐☐ ☐☐ ccLog ☐ ☐☐☐☐☐☐☐☐☐
B. CC Admin ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐
C. CC Admin ☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐
D. CC Admin ☐☐ "Cloudcraze Logging" ☐☐☐ ☐☐.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Salesforce B2B Commerce Global API ☐ Salesforce ☐☐☐☐ ☐☐☐ ☐☐ ☐☐
☐☐ ☐☐☐☐?

- A. ☐☐ ☐☐ ☐☐ ☐ ☐☐ ☐ ☐☐☐
B. ☐☐ ☐☐ "c" ☐ ☐☐☐☐☐. ☐☐ ☐☐ ☐☐☐
C. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
D. Salesforce ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

☐☐☐ ☐☐☐ ☐☐ Salesforce B2B Commerce ☐☐☐☐ ☐☐ ☐ ☐☐☐ ☐☐
☐☐ ☐☐☐☐☐? (3 ☐☐)

- A. CC ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐
☐☐☐
B. ☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
C. Salesforce b2B Commerce ☐☐☐☐ ☐☐ VisualForce ☐☐☐☐ ☐☐☐
D. ☐☐ "c." ☐ ☐☐☐☐. ☐☐ ☐☐☐ ☐☐ ☐☐☐
E. CC ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

Salesforce B2B Commerce ☐ ccUtil apex ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐
☐ ☐☐☐ ☐☐ ☐☐☐☐. ☐☐ null ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐
☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐?

- A. ccrz.ccUtil.defaultValue(Map<String.Object> mp, ☐☐☐ ☐, ☐☐ ob)
B. ccrz.ccUtil.... (Map<String.Object> mp, ☐☐☐ ☐, ☐☐ ob)
C. ccrz.ccUtil.defVal(Map<String.Object> mp, ☐☐☐ ☐, ☐☐ ob)

D. ccrz.ccUtil.defv (Map<String.Object> mp, ☐☐☐ ☐, ☐☐ ob)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

☐☐☐ ☐☐☐ ... Global API☐☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐☐☐☐. ☐
true☐ ☐☐ ☐☐☐☐ ☐☐ API ☐☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐☐
API ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐

A. ccrz.ccAPISizing.ASSC

B. ccrz.ccAPI.SZ_ASSC

C. ccrz.ccAPISizing.REL

D. ccrz.ccAPI.SZ_REL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Salesforce B2B Commerce ☐☐ ☐☐☐☐ ☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐ ☐
☐☐☐

A. ☐☐☐☐

B. ☐☐☐☐

C. doAction

D. ☐☐☐

Answer: A ([LEAVE A REPLY](#))

B2B-Commerce-Developer ☐☐ ☐☐☐ ☐☐☐☐ DumpTop ☐☐ ☐☐☐ ☐
☐☐ B2B-Commerce-Developer ☐☐! DumpTop ☐ ☐☐ **B2B-Commerce-Developer**
☐☐ ☐☐ ☐☐☐☐☐, DumpTop B2B-Commerce-Developer ☐☐ ☐☐ ☐☐
☐☐☐ ☐☐ ☐☐☐☐☐☐. ☐☐☐☐ ☐☐ ☐☐☐ ☐ DumpTop B2B-
Commerce-Developer ☐☐☐ ☐☐☐☐. <https://www.dumptop.com/Salesforce/B2B-Commerce-Developer-dump.html> (223 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)