

Salesforce.Heroku-Architect.v2023-08-03.q68

□□□□:	Heroku-Architect
□□□□:	Salesforce Certified Heroku Architect
□□□:	Salesforce
□□ □□ □□□:	68
□□:	v2023-08-03
# □□ □:	622
# □□ □□□:	680
https://www.krdump.com/Salesforce.Heroku-Architect.v2023-08-03.q68.html	

NEW QUESTION: 1

□□ □□□ □□, □□ □ □□ □□□□ □□□ □□ □□ □□□ □ □□ Heroku □□□ □□□□□?

- A. Heroku □□
- B. Heroku □□ □□□
- C. Heroku □□□□ □□□
- D. git push □□□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 2

UC(Universal Containers)□□ Common Runtime□□ □□□□ Heroku □□ □□□ Heroku Postgres □□□□□□□ □□□□.

□□□ □ □□ □□□□ □□□□□□□ □□□□□ Architect□ UC□□ □□□ □□□□ □□□?

- A. Heroku Postgres □□□ □□□ □ □□ IP □□□ □□□□□.
- B. □□□□□□□ □□ □□□□ □□□□ □□□□□.
- C. □□□ □ □□ □□□□ □□□□ VPNO □□□□□.
- D. Heroku Postgres□ □□ □□□□ □□□ □ □□□ dyno□ VPC□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

Universal Containers□□ □□□□□ □□□□□ □□ VPN □□□ □□ Heroku □□ □□ □ □□□□. □□□ □□ □□□□ VPN □□□□ □□□□□ Heroku □□□□□□□ □□□ □ □□□□ □□□□.

Architect□ □□ □□□□□ □□□□ □□□?

- A. □□ □□ □□□ □□□□□□□ □□ □□□□□ SSO□ □□ □□ □□□ □□□□□ □ □□□□.

- C. □□□ □□□ □□□ □□
- D. □□□ □□□□ □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Universal Containers □ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □ □□□ □□□□.

□□ □□□□ Field Service □□□ □□ □□ □□ □□ □□□ □ □□□ □□□□□ □□ □□□ □□□□ □□□?

- A. □□ □□ □□ □□ □□ □□□ □□ □□ □□
- B. □□ □□ □□ □□□ □□ □□ □□
- C. □□ □□□ □□ □□ □□□ □□ □□ □□
- D. □□ □□□ □□ □□ □□ □ □□□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Universal Containers □ □□□ □□□ □□□□□ □□□. □ □□ □□□ □□□ □□□ □ □□□□?

- A. AppExchange □□□ □□
- B. □□□□ □□□ □□□□□.
- C. □□□ □□ □□ □□ □□
- D. □□ □□ □□□ □□□ □□□ □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

4 Universal Containers □ □□□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □ □□ □□ □□□□. □ □□□ □□□□ □□ □□□□□ □□□ □□□□ □□□?

- A. □□ □□□ □□ □□ □□.
- B. □□ □□□ □□□ □□ □□
- C. □□□ □□ □□□ □□ □□ □□.
- D. □□ □□□ □□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Universal Containers(UC) □ □□ □ □□ □□□ International Shipping □ □□□□□□. □ □□□□ □□ Salesforce □□□ □□□ UC □□ □□□ □□□ □□□ □□□ □□ □□□ □□□□.

□ □□□□□□ Architect □ □□ □ UC □□ □□□ □□□□ □□ □ □ Heroku □□□ □□□□ □□□?

- A. □ □□ □□ □□□ Heroku □□□□□□□ □□ □□□□ □□□□ □□□□□□ □□ □□□ □□□ □□□ □ □□□□.

- <https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION: 24

Which of the following is a valid Heroku Postgres connection string? (Select all that apply.)

- A. postgres://[username]:[password]@[hostname]:[port]/[database]
- B. postgres://[hostname]:[port]/[database]
- C. postgres://[hostname]:[port]
- D. postgres://[hostname]:[port]/[database]:[username]:[password]

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

Universal Containers is using Heroku Postgres. The application is currently running on a Standard-0 instance. The application developer wants to upgrade the instance to a larger size. Which of the following are valid options? (Select all that apply.)

- A. Standard-0
- B. Standard-1
- C. Standard-2
- D. Standard-3

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Universal Containers is using Heroku Postgres. The application is currently running on a Standard-0 instance. The application developer wants to upgrade the instance to a larger size. Which of the following are valid options? (Select all that apply.)

- A. Standard-0
- B. Standard-1
- C. Standard-2
- D. Standard-3

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following is a valid Heroku Postgres connection string? (Select all that apply.)

- A. postgres://[username]:[password]@[hostname]:[port]/[database]
- B. postgres://[hostname]:[port]/[database]

- A. Heroku Connect is used to connect Salesforce to Heroku Postgres.
- B. Heroku Postgres is used to connect Salesforce to Heroku Connect.
- C. Data Loader is used to connect Salesforce to Heroku Postgres.
- D. Heroku Postgres is used to connect Salesforce to Heroku Connect Bulk API.

Answer: B,D (LEAVE A REPLY)

Heroku-Architect is a tool used to dump Salesforce data to Heroku Postgres. Heroku-Architect is a tool used to dump Salesforce data to Heroku Postgres, DumpTop Heroku-Architect is a tool used to dump Salesforce data to Heroku Postgres. <https://www.dumptop.com/Salesforce/Heroku-Architect-dump.html> (172 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

- Universal Containers is implementing a new SLA for its customers. The SLA requires that all customer data be available at all times. Which of the following is the best solution to ensure data availability?
- A. Implement a backup and restore strategy.
 - B. Implement a disaster recovery plan.
 - C. Implement a high availability architecture.
 - D. Implement a multi-region architecture.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 33

- Universal Containers is implementing a new SLA for its customers. The SLA requires that all customer data be available at all times. Which of the following is the best solution to ensure data availability?
- A. Implement a multi-region architecture.
 - B. Implement a disaster recovery plan.
 - C. Implement a high availability architecture.
 - D. Implement a multi-region architecture.

Answer: A (LEAVE A REPLY)

Answer: B (LEAVE A REPLY)

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strmgs>

NEW QUESTION: 50

□□□□□□ □□□□ Heroku Postgres □□□□□□□ □□□□ □□□ □□□ □□ □□ □□ □□□□ □□ □□□ □□□ □□□□□ □□□.

□□ □□□□ □□ □□ Heroku Dataclips□ □□□□ □ □□ □□□ □□□□□? (□ □ □□ □□□□□.)

- A. CORS□ □□□□ □□ □□□ JSON □□□□
- B. □□ □□□ CSV □□□□
- C. □□ □□□ □□ □□□ REST API □□□
- D. □□ □□□ Postgres □□ □□

Answer: (SHOW ANSWER)

- <https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 51

□□□ □□□□□□ □□□ □□□□□□□ □□□□□ □□□. Architect□ □□ □□ □□ □□ □□□□ □□□?

- A. □□□□ □□□□□□□ □□□□ □□□ □□ □□□□□□ □ □□□□ □□□□□.
- B. Heroku Postgres □□□□ □□□□□. □□□□□□□□ □□ □□□□□□ □ □□□□□ □□□□□.
- C. □□□ □□□□□□□ □□□□ □□□ □□□□□□□ □□ □□□□□□ □ □□□ □ □□□□□.
- D. □□ □□ □□ □□□ □□□ □□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 52

□□□□□□ □□□□ □□□□□□□ □□□ □□□□□□□□ □□□□□ □□□. □□ □□□□□□□ □ □□□ □□ P2P □□□ □□□□□.

Architect□ □□□□ □□ Heroku Enterprise □□□ □□□□□? □□□ □□ □□□□□ □

- A. Heroku □□ □□ □ □□ □□□.
- B. Heroku Private Spaces □ Heroku□ Apache Kafka
- C. Heroku Private Spaces □ Private Space VPN □□.
- D. Shield Private Spaces □ Heroku Shield Connect

Answer: A (LEAVE A REPLY)

NEW QUESTION: 53

□□ □ Heroku □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□ □□□□□□

- A. Heroku Shield □□□□□ □□
- B. □□□ □□
- C. □□ □□ □□
- D. Heroku Exec□ □□□ SSH □□□

Answer: A (LEAVE A REPLY)

-<https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 63

□□□□□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□□ □□□□. □□□ □□□□ □□□□□ □□□□□. □□□□□□□ □□□□ □□ □□ □□□ □□□□□?

- A. ISO 27017
- B. PCI □□ 1
- C. SOC2□□
- D. ISO 27018

Answer: (SHOW ANSWER)

-

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION: 64

UC(Universal Containers)□□ Heroku□□ □□□□ □□□ □□ □ □□□□□□□ □□ □ □□□ □□□□□□□ □□□□. □□□□□□□ Common Runtime□□ □□ □□□ □. □□ UC□ □□□ □□□□□□□ □□ □□ □□□□ □□□□□ □□□. □□□□ □ □□□ □□ □□ Heroku □□□ □□□□□?

- A. □□ □□ VPN □□
- B. □□ □□ DNS □□□ □□
- C. Heroku □□ □□□
- D. Heroku□ □□□ □□□

Answer: A,B (LEAVE A REPLY)

- [https //devcenterherokucom/articles/dataclips](https://devcenterherokucom/articles/dataclips)

NEW QUESTION: 65

Salesforce Connect□ □□□□ □□□ □□ □□□ □□□ □□□ □□□□ □ □□□□.

- A. XML □□□□□ □□ REST
- B. OData 2.0 □ 4.0
- C. □ □□ □
- D. □□
- E. JSONpayloads□ □□□ REST

Answer: C (LEAVE A REPLY)

NEW QUESTION: 66

<https://www.dumptop.com/Salesforce/Heroku-Architect-dump.html> (172 Q&As Dumps,
30%OFF Special Discount: **KrDump**)