

Salesforce.OMS-435.v2023-07-15.q44

□□□□:	OMS-435
□□□□:	Build Guided Experiences with OmniStudio
□□□:	Salesforce
□□ □□ □□□:	44
□□:	v2023-07-15
# □□ □:	452
# □□ □□□:	440
https://www.krdump.com/Salesforce.OMS-435.v2023-07-15.q44.html	

NEW QUESTION: 1

□□□□ OmniScript □□□□ □□□ Salesforce □□□□ □□ □□□□ □□□□ □□□□ □□□.

□ □□□ □□□□ OmniScript □□□ □□□□□?

- A. DataRaptor □□□ □□
- B. □□
- C. □□
- D. HTTP □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□□□ FlexCard □□ □□ □□ □□□□ □□□□ □□□. FlexCard □ □□ □□□□□ □□□ □□□□. □□□ □□□ FlexCard □ □□□□ □□□ □□□ □□□□ □□□□.

□□□□ □□□ □□□ □□□ □□ □□ □□□□□?

- A. □□ □□□ □□ □□□ FlexCard □ □□ □□□ □□, □□ □ □□□□ □□□□ □□□□.
- B. □ □□□ □□ □□□ □□□ □□□ □□ □□□□□.
- C. FlexCard □ □□ □□□□□ □□ □□□□ □□□□□□ □□□.
- D. □ □□□ FlexCard □ □□□□ □□□□ FlexCard □□ □□□ □□□□ □□ □□□ □ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□ □□□□ □□□□□. DRReadCase DataRaptor Extract Action □□ HTTP Action □ HTTP URL □ CaseNumber □□□ □□□□ □□ □ □□ □□ □□□ □□□ □□ □□□ □□□□□?

- A. ((DRRCASE, □□□□))
- B. %DRReadCase: □□ □□%
- C. ((□□□□))

D. MTTOPDetCaseDetail: 00 00%

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

0000 000000.

0000 000 00 SEND/RESPONSE TRANSFORMATIONS 00 00 000 000000
0.

00 0000 000 000 0000 0000 00 000 000000 000 00 000? 0
000 00 000 0000 000000 000000.

- A)
- B)
- C)

- A. 00 B
- B. 00 A
- C. 00 C

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

000 0 00 LWC OmniScript 00000 000 00 000 000000. AccountId 00
OmniScript 0 Set Values 0000 000000. 00 OmniScript 0000 AccountId 000
OmniScript 00 00 Set values 00 ContextAccountId 00000 0 000000. 000
OmniScript 0 000000.

0000 OmniScript 000 00 00 00 00 OmniScript 00 00 000 000 000 00
000000. 000 000 OmniScript 0 ContextAccount 000 OmniScript 0 AccountId 0
000 0000. 000 OmniScript 0 000000 00 00 00. ContextAccountId 00000
000 000 000000000.

0 000 000000? 00 00000 000000.

- A. 0000 00 OmniScript 00 00000 00000 00 Navigate Action 000 00000 00
000.
- B. 00 OmniScript 0 passData.JSON 00000 00000 00000 000000.
- C. 00 OmniScript 0 00 000 00 WLC PubSub 000 00000 00000 000000.
- D. 00 0 0000 OmniScript 00 Set Values 000 00 000 00 0000 00000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

0000 2020 2 15 00 1200 00000 00 00000 000 000000?

- A. 00 00 2
- B. 00 00 4
- C. 00 00 3
- D. 00 00 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following is a valid FlexCard component? FlexCard is a component that is used to create a FlexCard. FlexCard is a component that is used to create a FlexCard. FlexCard is a component that is used to create a FlexCard. FlexCard is a component that is used to create a FlexCard.

Which of the following is a valid FlexCard component?

- A. FlexCard is a component that is used to create a FlexCard.
- B. FlexCard is a component that is used to create a FlexCard AND is a component that is used to create a FlexCard.
- C. FlexCard is a component that is used to create a FlexCard.
- D. FlexCard is a component that is used to create a FlexCard.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following is a valid ActionZ component? ActionZ is a component that is used to create an ActionZ. ActionZ is a component that is used to create an ActionZ. ActionZ is a component that is used to create an ActionZ. ActionZ is a component that is used to create an ActionZ.

- A. BlockX.BlockYActionZ
- B. BlockX:BlockY:ActionAZ
- C. BlockZ:BlockY:BlockX
- D. BlockZ:BlockY:BlockX

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which of the following is a valid DataRaptor component? DataRaptor is a component that is used to create a DataRaptor. DataRaptor is a component that is used to create a DataRaptor. DataRaptor is a component that is used to create a DataRaptor. DataRaptor is a component that is used to create a DataRaptor.

- A. RecordType is a component that is used to create a RecordType.
- B. RecordType is a component that is used to create a RecordType.
- C. RecordType is a component that is used to create a RecordType.
- D. RecordType is a component that is used to create a RecordType.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following is a valid BasePrice component? BasePrice is a component that is used to create a BasePrice. BasePrice is a component that is used to create a BasePrice. BasePrice is a component that is used to create a BasePrice. BasePrice is a component that is used to create a BasePrice.

- A. SUM(BasePrice) is a component that is used to create a BasePrice.

- B. `Postprocessor apex`
- C. `SUM(BasePrice)`
- D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

REST API `OmniScript` `Integration Procedure Action` `Chainable` `Chain On Step` `120000` `2`

- A. `OmniScript` `Integration Procedure Action` `Chainable`
- B. `HTTP Action` `Timeout`
- C. `HTTP Action` `Chain On Step`
- D. `120000`

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

`DocuSign` `PDF Acwm` `DocuSign` `PDF Acwm`

- A. `DocuSign`
- B. `PDF Acwm`
- C. `DocuSign`
- D. `PDF Acwm`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

`HTTP Action` `DataRaptor Transform Action` `CaseData`

- A. `%HTTPGetDetails:CaseData%`
- B. `{{ HTTPGetCaseDetails:CaseData}}`
- C. `%DRXformCaseData: %`
- D. `{{}}`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□□ □□□ LastName □ firstName□ □□□ □□□□ □□□□ □□ DataRaptor Load□ □ □□ □□□□. DataRaptor□ □□ □ □ □□□□ □□□□□.

□□□□ DataRaptor□ □□□□□ □□ □□ □□□□□ □□□□ □□ □□□□□ SetValue□ □□□ □□□□ □□□ □□□□ □□□ □□ □□□□□. DataRaptor □ □□ □□□ □□ □□ □□□□□.

□□□□ □□ □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□□. □□ □□□ □□ □□□□□: [□]", □□□□ □ □□□ □□□ □□□□ □□□□ □□□□?

A. □□ □□□□ DataRaptor □□ □□□ □□ □□□ SetValueContactDetails□ □□□□□ □□ □□.

B. DataRaptor□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□.

C. □□ □□□ DataRaptor □□ □□□ □ □□ □□ □□□ □□□□□ □□□.

D. Set values Action Keys□ DataRaptor Post Action □□ □□ □□(□: LoadContactDetails, lastname)□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

□□□□ □□□□ □□ □□□ □□□□ □□□□ □□ □□□ □□ FlexCard□ □□□□ Flexcard□ □□□□.

□□ FlexCard□ □□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□□□?

A. {□□.□□□□}

B. {Params.postalcode}

C. {□□□□}

D. {□□.□□□□}

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

FlexCard □□□□□ □□ □□□ Salesforce □□□□ □□ □□□□□ □□ □ □□□ □□□□ □□□□□. □□□ □□□□□?

A. □□□ □□□ □□□ □□□ □□□□□ □□□□.

B. FlexCard □□□ □□ □□□ DataRaptor Extract□ □□ JSON □□ □□□ □□□□ □□□ □.

C. FlexCard □□□□ □□□ □□ □□□ Salesforce □□□□ □□□ □□□□ □□□□.

D. □□ □□□ □□□ □□ □□ □□□ {recordId}□ □□□ □□□□□□□□.

Answer: A ([LEAVE A REPLY](#))

OMS-435 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ OMS-435 □□!

DumpTop □ □□ **OMS-435** □□ □□□ □□□□□□, DumpTop OMS-435 □□ □□□ □□ □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop OMS-435 □

□□ □□□□□. <https://www.dumpst.com/Salesforce/OMS-435-dump.html> (85 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ OmniScript□□ □□□ □□□ □□□□ □□ □□□ □□□□□□ DataRaptor□ □□
□□ OmniScript□ □□□□□. □□ □□□□ □□ □□ □□□□ □□□ □□□□□□ □□□.
□□□ □□□ □ □□□ □□□□ □□□.
□□□□ □ □□□ □□□ □□□□ □□□?
A. Account Status □□□□ Upsert Key □□□□ □□□□□.
B. □□ ID □□□□ Upsert □ □ Upsert□ □□ □□□□ □□□□□□.
C. □□ □□ □ □□ □□ □□□
D. □□ ID □□□□ □□ Null □□□ □□ □□□□ □□ □□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

..... □□□ □□□ □□□□ □□□□□ □□ □□□ □□□□□? □□□ □□□ Send Only
Additional □□□□□ □□□□□.

- A)
- B)
- C)
- D)
- A. □□ A
- B. □□ C
- C. □□ D
- D. □□ B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

□□ □ □□ □□ □□□□□ □□□□□□.
□□□□ □□ CA-SF□ □□□ □□ □□□□ □□□.
□□□□ □□ 3□□ □□ □□ □□□□ □□□ □□□ □□□?
A. □□ □□ □□ 3□□□□ □□□□□.
B. □□ □□□□ □□ □□□□□.
C. □□ 2 □ 3□□□□ □□ □□□□□ □□ 1□□ □□ □□□□.
D. □□ □□ 3□ □□ 1□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□□ Type Ahead □□□ □□□□ □□□□ OmniScript □□□□□ FirstName, LastName
□ BirthDate□ □□□□. Type Ahead□ □□□ DataRaptor□ □□□□ □□□□ □□□ □□□
□ □□□□□.

Omniscrypt□ □□ □ □ □□□□ Type Ahead□ □□□ □□□□ □□□□ □□□□ □□□□□.
□□□ □□□ □□ FirstName. LastName □ BirthDate□ □□□□ □□□□ □□□□.
□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□□?

- A. Type A □□ □□□ □□□□ □□ □□□ □□□□ □□□□□.
- B. Type Ahead Block□ □□□□ □□□ JSON □□□ □□□□ □□□□□.
- C. Typeahead ley□ □□□ □□□ □□□□.
- D. FirstName, LastName □ BirthDate□ □□ □□ □□ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

OmniScript□ □□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□ □□□□ REST
API□ □□ □□□ □□ □□ □□□ □□□ □□□.

□□□□ □ □□□ □□□□ □□ □□□□ □□ □ □□ OmniScript □□□ □□□□□?

- A. SOQL □□
- B. DataRaptor □□ □□
- C. □□□□□ □□
- D. HTTP □□
- E. REST API □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

OmniScript□□ □□□□ □□□ ma PDF□ □□ □□□ OmniStudio □□□ □□□□□?

- A. SOQL □□
- B. DataRaptor □□
- C. DataRaptor □□□
- D. DataRaptor □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□□ □□ □□□ □□□□ □□□□□□□□ OmniScript□ □□□ □□□□. Omniscrypt□ □
□ □□□ □□□ □□ □□□ □□□□ □ □□ □□□ ID□ □□□□□.

- A. %%s □□ □□: □□|0ID%%
- B. %□□ □□: □□|nID%
- C. %Details□: □□|1ID%
- D. □□ □□ %sDetails: □□|0ID\$

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following is a valid HTTP Action for a DataRaptor Transform Action? CaseData is the name of the data source.

- A. {{CaseData}}
- B. {{ HTTPGetCaseDetails:CaseData}}
- C. %HTTPGetDetails:CaseData%
- D. %DRXformCaseData: CaseData%

Answer: D (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following is a valid OmniScript Set Values action? AccountId is the name of the data source.

Which of the following is a valid OmniScript Set Values action? ContextAccountId is the name of the data source.

Which of the following is a valid OmniScript Set Values action? AccountId is the name of the data source.

Which of the following is a valid OmniScript Set Values action? ContextAccountId is the name of the data source.

- A. OmniScript passData.JSON
- B. OmniScript WLC PubSub
- C. OmniScript Set Values
- D. OmniScript Navigate Action

Answer: B (LEAVE A REPLY)

NEW QUESTION: 29

Which of the following is a valid SEND/RESPONSE TRANSFORMATION? CaseData is the name of the data source.

Which of the following is a valid SEND/RESPONSE TRANSFORMATION? CaseData is the name of the data source.

- A.
- B.
- C.
- D.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

Which of the following is a valid SEND/RESPONSE TRANSFORMATION? CaseData is the name of the data source.

□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □□ □□□? □
□□□ □□ □□□ □□□□ □□□□□ □□□□□.

- A.
- B.
- C.
- D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□ □□□□□□.
□□□ OmniScript □□ □□□ □□□ □□□□ □□□ JSON □□□ □□□□□?

- A.
- B.
- C.
- D.

Answer: B ([LEAVE A REPLY](#))

OMS-435 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ OMS-435 □□!
DumpTop □ □□ **OMS-435** □□ □□□ □□□□□□, DumpTop OMS-435 □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop OMS-435 □
□□ □□□□□. <https://www.dumptop.com/Salesforce/OMS-435-dump.html> (85 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□ FlexCard □ □□□ □□□□□□ □□□□ □□ □□□ □□□□ □□□.
□□□□ □□□□□□ □□□ □ □□ □ □□ □□□ □□ □□□ □□□□□?
□□ 2□ □□

- A. □□ FlexCard
- B. □□ □□
- C. □□□□□□
- D. □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

□□□□ OmniScript □□ □□ □□ □□□ □□□□ □□□□. Omniscript □ □□ □□□ JSON
□□□ □□□□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□□.

- A. □□ □□
- B. □□ □□ □□□

C. x%SetValues.Date%

D. %SetValues □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□ □□□□ APEX □□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□. □ □□ □□ AccountId □ ProductId□□ □ □□ □□ □□□ □□□□□. □□ □□ □□□ JSON□□ □ □□□ □□□□□.

□□□□ □□□□ □□□□ □□□□□ □□ □□ □□□ □□□ □□□□ □□□?

- A. □□ □□□ □□□ □□□□ □□□□ □□ □□□ □□/□ □□ □□□□□.
- B. DataRaptor Transform □□□□ □□□□ □□ JSON □□□ □□ □/□ □□ □□□□□.
- C. Return Only Additional Output□ true□ □□□□ □□ □/□ □□ □□ □□□ □□□□□.
- D. JSON □□ □□□□ □□□ □□□□□. accountId: %AccountId% ProductId% Details Products%

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

□□□□ □□ □□□ □□□□□ □□ □□□□ □□□ □□□□□?

- A. □□□ □□ □□□ □□ □□□□□.
- B. □ □□ □□□ □□ □□□ □□□□□.
- C. □□ □□□□ □□□□ □□□ □□ □□□□□.
- D. □□□ □□ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□□□□ □□□□□□.
Calculation Matric□ □□ □□ □□□ □□□□ □□□□□□□□.
□□ □□□□□□ □□□ □□ □□□ □□□□□.
□□□ □□□□□□?

- A. □□
- B. 13.99
- C. 12.99,13.99
- D. 12.99

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□□□ OmniScript□□ □□ □□ □□□ □□□ □□□□ □□□. □□□□ JSON □□□□ □ □, □, □□, □, □□□□, □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□.

□□□□ □ □□ □□□ □□□□ □□ □□ OmniScript □□□ □□□□ □□□?

