

Salesforce.Plat-Arch-203.v2026-09-06.q90

□□□□:	Plat-Arch-203
□□□□:	Salesforce Certified Platform Identity and Access Management Architect
□□□:	Salesforce
□□ □□ □□ □:	90
□□:	v2026-09-06
# □□ □:	107
# □□ □□□:	900
https://www.krdump.com/Salesforce.Plat-Arch-203.v2026-09-06.q90.html	

NEW QUESTION: 1

□□ □ □□□□□ □□□□ Salesforce□□ □□ □□□□□ □□ □□□ □□□□□□ □□ □□□□ □□□□□□□□ □□□□.

□□□□□ □□□□□ □□ □□ □□ □□□ □□□□□□ □□ □□□ □□□□ □□ □ □□□ □□□□ □□□?

- A. □□□ □□□□□ □□□ □□□ □□□ □□ □□□□□.
- B. □□□□ □□□ □□ □□ □□□ □□□□□□□.
- C. □□ □□□ □□□□ □□□□□□ □ □□□ Salesforce□ Canvas □□ □□□□□.
- D. Salesforce ID□ SAML(Security Assertion Markup Language)□ □□ □□□□ □□□□ □□□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Universal Containers(UC)□ □□ □□□□ □□□□ □□□ □□ Salesforce □□□□□ □□□ □□□ □□□□□□□ □□□□ □□□□. UC□ □□ □□□□□ □□□□□□ □□□, □□□□□ □□ □ □□ □□□ □□□□ □□□? (□□ 2□□ □□□□□)

- A. □□□ □□□ "□□ □□□ □□ □□ □□" □□□ □□□□□□□.
- B. □□□ □□□ "□□ □□□□ □□ □□□ □ □□" □□□ □□□□□□.
- C. □□□ □□□ "□□ □□ □□□ □□□ □□□ □□□□□" □□□ □□□□□□.
- D. □□□ □□□ "IP □□ □□" □□□ □□□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 3

SAML SSO □□□□ '□ □□□'□ □□ □ □□ □□□ □□□□□□? □□ 2□□ □□□ □□.

NEW QUESTION: 7

Universal Containers ☐ ☐ IDP ☐ ☐☐☐ ☐ SalesForce ☐☐☐☐ ☐ SAML SSO ☐
☐☐☐☐☐ ☐☐☐. ☐☐ ☐ Universal Containers ☐ ☐ ☐☐☐☐ salesforce.org ☐ ☐☐☐☐
☐☐☐ ☐☐☐☐☐☐☐. ☐ ☐☐☐ SSO ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐?

- A.** IDP□□ □□□ SSO□ □□□□ □□□□.
- B.** Sp □□ SSO□ □□□□ □□□□.
- C.** Neithersp □□ IDP□□ □□□ SSO□ □□□□ □□□□.
- D.** sp □□ IDP□□ □□□ SSO □□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 8

□□□ □□□ Salesforce□ □□□□ □□□ □□□ □□□ □□□□□. □ □□□
Salesforce Experience Cloud □□□ □□□ □□ □□□□ □□□□ □□□□□ □□ □□
□ □□□□ □□□□ □ □□□ □□□□. □□□ □□□□□ Facebook □□ LinkedIn □
□□□ □□□□ □ □□□ □□□□ □□□ □□ □□□□.
□□□□□ Salesforce□ □□ □□□ □□ □□□?

- A.** □□□□□ □□□□□ □□□ □□□□(SP)□ □ □□□□.
- B.** Salesforce□ □□□ □□□□(SP)□ □ □□□□.
- C.** Salesforce□ ID □□□(IdP)□ □ □□□□.
- D.** □□□□□ □□□□□ □□ IdP(ID □□□)□ SP(□□□ □□□□) □□□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 9

Universal Containers(UC) ☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐☐☐ ☐☐ ☐☐☐ 2☐☐ ☐☐
 (2FA) ☐☐☐☐ ☐☐☐☐☐☐. ☐☐ Salesforce☐ ☐☐☐☐☐ Salesforce☐☐ 2☐☐ ☐☐☐☐
 ☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐. ☐☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐?

- A.** Salesforce 2FA Salesforce 2FA.
- B.** Salesforce 2FA Salesforce.
- C.** Salesforce 2FA Salesforce.
- D.** Salesforce 2FA Salesforce.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 10

- B.** □□□ □□ □ □□□□ + SMS □□ □□
C. □□□□ □□□
D. □□□ □□ □□ □□□ □□ □□ □□□
E. □□□ □□ □ □□□□ + □□ □

NEW QUESTION: 14

- A.** ☐☐☐ ☐☐☐☐ ☐☐
- B.** ☐ ☐☐ ☐☐
- C.** ☐☐☐ ☐☒ ☐☐☐ ☐☐
- D.** JWT ☐☐☐ ☐☐ ☐☐

NEW QUESTION: 15

- A.** □□□ □□
- B.** □□□ □□□
- C.** □□□ □□□
- D.** □□□ □□□

NEW QUESTION: 16

- A.** □□ □□ □□ □□□□□□□ □□□□ □□□ □□ □□□ □□□ □□□□□.
- B.** □□ □□ □□ □□□□□□□ □□□□ Salesforce 2□□ □□□ □□□□□.
- C.** □□ □□ □□ □□□□□□□ □□□□ □□ □□□ □□□□□.
- D.** Salesforce□ □□ ID □□ □□□ □□□□ □□ □□□ □□□□ AppExchange □□□ □□□□□□.

Plat-Arch-203 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ Plat-Arch-203 □□! DumpTop □ □□ **Plat-Arch-203** □□ □□□ □□□□□□, DumpTop Plat-Arch-203 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop Plat-Arch-203 □□□ □□□□□.

<https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> (246 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 17

□□ □□□□ □□□□ □□□□ □□ □□□□ SSL □□□□ □□□□□ □□□ □□□
□ □□□ □ □□ □□ □□□□ □□□□?

- A.** □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ CA □□□□ □□□□ □□□□ □□□□ □□□□ □□□□□.
- B.** □□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□ □□ □□□ □ □□□□.
- C.** □□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□ □□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□.
- D.** □□ □□ □□□□ □□□□ □□□□ □ □□ CA □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

Universal Containers(UC) □ Salesforce □□□□ □□□□ SAML □□□□ □□□□ ID □
 □□ □□ □□ □□□□□□□□ □□□□ □□□□. UC□ SAML □□□□ □□□
 □□ □□□□□ □□□□ □□ □□□□ □□□□. □□□ □□□□ □□□ □□□□ □□
 □□ □□□ □□□ □□□ □□□□□. □□□□ □□□□ □ POST□ □□ Salesforce□
 □□□□□. □□□□ □□□□ UC□ □□ □□□□□ □□□□ Salesforce□ □□□□ □
 □□□, □□ □□□ □ □□□ □□ □□□□ □□□□ □□□ □□ □□ □□□□ □ □
 □□□. □□ □□ □□□ □□□□ □□□□□ □□ □□□ □□□ □ □□□ □□□□ □
 □ □□□□□ □□ □ □□ □□□ □□□□ □□□?

- A.** ID □□□□□ □□□□ □□□□ □□□ □□□ □□, ID □□□□□ □□□□ □□□ □□□□□ □□□□□□.
- B.** □□□□ □□□ □□□□ □□ Apex □□□□ □□□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□.
- C.** Salesforce □□□□ □□□□ SAML □□□□ □□□ □□□ □□□ □□□ □□ □□ (MDM) □□□□□□ □□□ □□□ □□□.
- D.** ID □□□□□ □□□□□ □□□□□ □□□ □□□ □□ Salesforce□ □□□□ □□□□□ □□□□□ □□□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 19

Company is planning to integrate Salesforce with Microsoft Active Directory Federation Services(ADFS). The company wants to use ADFS to authenticate Salesforce users. Which of the following is the correct configuration for ADFS to authenticate Salesforce users?

Which of the following is the correct configuration for ADFS to authenticate Salesforce users?

- A. Identity Connect is used to connect Salesforce with ADFS. Salesforce users are authenticated using SSO.
- B. ADFS is configured to use ID Provider. Salesforce users are authenticated using SSO.
- C. ADFS is configured to use ADFS Proxy. Salesforce users are authenticated using SSO.
- D. ADFS is configured to use ADFS Proxy. Salesforce users are authenticated using SSO.

Answer: (SHOW ANSWER)

NEW QUESTION: 20

Company is planning to integrate Salesforce with Universal Containers(UC). UC wants to use OAuth to authenticate Salesforce users. Which of the following is the correct configuration for UC to authenticate Salesforce users?

- A. UC is configured to use OAuth. Salesforce users are authenticated using SSO.
- B. UC is configured to use OAuth. Salesforce users are authenticated using SSO.
- C. UC is configured to use OAuth. Salesforce users are authenticated using SSO.
- D. UC is configured to use OAuth. Salesforce users are authenticated using SSO.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 21

Universal Containers(UC) is planning to integrate Salesforce with Active Directory. UC wants to use SAML to authenticate Salesforce users. Which of the following is the correct configuration for UC to authenticate Salesforce users?

Which of the following is the correct configuration for UC to authenticate Salesforce users?

- A. UC is configured to use SAML Just-in-Time(JIT) authentication. Salesforce users are authenticated using SSO.
- B. UC is configured to use SAML Just-in-Time(JIT) authentication. Salesforce users are authenticated using SSO.
- C. UC is configured to use SAML Just-in-Time(JIT) authentication. Salesforce users are authenticated using SSO.

D. □□□ □□□□ □□□□ SAML Just-in-Time(JIT) □□□ □□□□ □□□□ □□ □□ □□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Universal Containers□ □□ ID □□□□ □□ ID □□□□ □□□□ Salesforce □□□ □□ □□ □□□(SSO)□ □□□□□ □□□.

□□□□ □□□□□ □□ □□□ □□ □□□ □□□□□?

- A. ID □□□□ StartURL
- B. ID □□□ □□ SSO
- C. □ □□ OAuth SSO □□
- D. □□□ □□□ □□ SSO

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Universal Containers(UC)□ □□ □□□□□ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□□. □□ □□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□ □□ □□□□ □□ □□□□. □□□□□ □□□ □ 25%□ □□ □□□□□ □□□ □□ □ □□□□□. □□□□□ □□□□ SAML □□ □□□ □□□□, □□□ □□□ □□ RESTful API□ □□ □□□ □□□□. UC□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□□?

- A. □□□□□ REST API□ □□□□ □□□□ □□ □□□□□ □□ □□□ □ □□□□ □□□□ SAML□ □□□□ SSO□ □□□□□.
- B. □□ Salesforce API□ □□□□ □□□□□ □□□□ □□□□□. □□□□□ □□□□ □ □□□□ □□□ □ SAML□ □□□□ SSO□ □□□□□.
- C. □□ □□□□□□ SAML JIT□ □□□□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□□ □ □ □□□□ □□□□□.
- D. □□ □□ ETL □□□□ □□□□ □□ □□□□□ □□□□□ □□□ □□ □□□□ □□ □□□ SAML□ □□□□ SSO□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

ID □□□□□ □□□□ □□ □□□ ID □□□(IdP)□ □□□□ □□□, Salesforce□ □□ □ □□□(SP)□ □□□□ □□□□. IT □□□□ SP□□ □□□□ □□ □□□(SSO) □□ □□ SAML(Security Assertion Markup Language) □□ □□□ □□□ □□□□ □□□□ □□□□.

ID □□□□□ SP□ IdP □□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□?

- A. IDP□ SP □□ HTTPS □□□□ □□□□ □□□ □□□□□□.
- B. SP□ IDP □□ □□□ □ □□□ □□□ □□□(ACS) URL□ □□□□ □□□□ □□□ □□□□□□.

C. CA) SAML IdP .

D. SSO " " .

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Northern Trail Outfitters is a Salesforce Experience Cloud . , , ID .

, .

3 .

A. Apex .

B. Apex .

C. Salesforce API .

D. " " .

E. " " .

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

Universal Containers(UC) is a Salesforce . ID .

OpenLD Connect Salesforce . UC .

? .

A. .

B. .

C. .

D. .

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

ID 000000 Salesforce 00 000 00 000 0000 0000. 00 0000 Salesforce 000 0 REST API 0000 000. 00 00 0 000 0000 00 000 00000 Salesforce mini 00 000 0 00 000 00 000 00000 0000 000 00000 000 0000. 00 00000 0000 00 00 OAuth 000 0000 000?

- A. JWT 000 000
- B. 0 00 00
- C. 000 00-0000 00
- D. 000 0000 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Universal Containers(UC) 0000 000 0 000 00 000 0000 0000. UC Salesforce Ideas 0000 0000 00 0000 00000 000 0 000 000 000. UC SAML 00 SSO 0000 00 000 00000 000, 00 0 000 Salesforce 00 00000 000. 0000 0000 Salesforce 0000 00 0000, 00 Salesforce 000 0 Salesforce 00000 000 0000 00000 00 0000. 000 00 000 0000 00 00000 00 0000 0000 0 00?

- A. 00 000000 00000
- B. Identity Connect 0000 0000 000000.
- C. 00 000000 00000
- D. Salesforce API 0000 00 0000 00000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Universal Containers(UC) 0000 0000 00 00 Salesforce 00 0000 0 0 0 00 0 0000000 0000 0000. 00 0 0000000 UC 0000, 00 0000 000 0000 UC 00 000 JavaScript 00 0/00 000000 0000 0 00000. 00000 UC 00 00 000 0000 000?

- A. 0 0000000 Visualforce 0000 Apex 000 000 000 00 00000.
- B. Canvas 00 0000 000 000 0000 0000 00000.
- C. OAuth 000 0000 000 0000 0 0000000 000 000 00000.
- D. Salesforce 0 00000 0 00000000 0000 00000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

00 0000 Salesforce 00000 0 00 000(SSO) 000000 000 00 0 00 000 000 000?

A. SSO □□□□□ □□□□ Salesforce □□ □□□ □□□□□ □□□□ □ □□□□.

B. Salesforce □□□□ □□ □□□ □□□□□□ □□□□□□.

C. □□□ □□ □□ □□□ □□ □□□□□ "□□ □□□ □□ □□" □□□ □□□□□.

D. □ □□□□ □□□□□ "https://login.salesforce.com□□ □□□ □□"□ □□□□□.

Universal Containers(UC) □ □□□ □□ □□□□ Salesforce □ □□□□ □□, □□
 □ □□□ □ □□□ □□ □□□ □□□□□. Salesforce □ □□□□ □□□□ □□ □
 □□□□ □□□ □□ □□ □□□□ □□ □□□□ □□□ □□□□□. □□ □□□ OAuth
 □ □□□□ Salesforce □ □□□□□. □□ □□□ □□□□□ □□□□□, □□□□ □□
 □□□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□ □ □□□□ □

□□□ □□□ □□□□□. OAuth □□ □ □□□□ □□ □□□ □□□□ □□□ □□□ □□□□□□□ □□□ □□ OAuth URL □□□□□ □□□□ □□□?

- A. □□□□
- B. □□
- C. □□_uri
- D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□ □□□ □□□□□(NTO)□ □□ □□□□□□□ □□□ □□□□(AD)□ □□□ □□ □□ □□□ □□ □□□ □□□□□□ □□□□□ □□ □□□□□ □□□□□ □□□□ □□□□ □□□□□□.

NTO□ ID □□□□□□ Salesforce □□ □□ □ □□ □□□ Active Directory □□□ □□ □ □ □□□ □□□ □□□ □□□□□□.

Salesforce □□ □ AD □□□ □□□ □ □□ □ □□ □□□ □□□□□?

□□ 3□□ □□□□

- A. □□□ □ □□ □□
- B. □□ □□ □□
- C. □□ □□
- D. □□
- E. □□ □□

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□ □□□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□□□. □□ □□ □□□ □□□□ □□□.

1. □□□ □□□ □□ □□□□ □□□□ □ □□□ □□□, Salesforce□□ □□□ □□□ □□□□ □□□□□ □□□.

2. □□□ □□ □□□□□□ □□□□ Salesforce□ □□ □□□ □□□□□ □ □□□.

3. □□□ □□ ID□ □□□□ Salesforce□ □□□□ □ □□ □□□□□ □□ □□□ □□ □□□ □□□□ □□□.

3. □□□ □□ □□□□□ □□ □□□ □□□□ □□, □□ □□ □□□ Salesforce□ □□ □□□□□ □□□.

□□ □ □□ □□ □ □□ □□ □□□□□ □□□□□ □□ □□□ □□□ □ □□□ □□ □□?

□ □□ □□ □□□□□

- A. □□□ □□ □□ □□□□ □□□□ □□ ID□ Salesforce ID□ □□□□□.
- B. □□□□ □□ □□ □□□ □□□□ □□□□ □ □□ □□ □□□□ □□□□ □□□ □□□□.

D. □□ □□□□ □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Universal Containers(UC)□ Facebook□ □□ □□□□ □□□□ □□ □□□□□ □□□ □□□□. UC□ Facebook □□□ □□ □□□ □□ □□ □□□□ □□□□□ □□□□ □□□□□ □□ □□□□. □ □□ □□□ □□□ □□□ □ □□□□?

A. □□ □ □□□□□ □□□□ □□□□ □□□ □□□□□.

B. □□□□□□□□ □□ □□□ □□□□ □□□ □□□□□.

C. □□ □□ □□□□ updateuser() □□□□ □□□□□.

D. Facebook□ Salesforce □□ SAML □□ □□ □□□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

□□ □□□ □□□□□(NTO)□ □□□ □□ □□□ □□□ □□□ □□□□, □□□ □□ □□□ SMS□ □□□□ □□□ □□□ □□□□ □□□□ □ □□ □□□□ □□ □□□ □□□ □□□□□ □□□.

□□□ □□ □□ □□□□ □□□ □□□ □□□□ □□□?

A. □□ □□ □□□□ SMS(□□ □□□)□ □□ □□□ □□□□, SMS □□ □□□□ □ □□ □□ □□□ □□□□ □□□□ □□□.

B. □ □□□□□□ □□ 10,000□□ □□ □□ □□□□ □□□□, □ 10,000□ □□ □□ □□□ □□□ □□ SMS □□ □□□□ □□□□ □□□.

C. □□ □□ □□□□ □□□□ □ □□ □□□□ □□□□, □□□ □□□ □□□□ □□ □□ □□□.

D. □□ □□ □□□□ □□ □□ □□ □□ □□□ □□ □□□□ □□□□ □□ □□ □□ □□□□ □□□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□□□ □□□□(UC)□ □□ □□ □□□□ "□"□□ □□□ □□ □□□□ □□□ □□ □ □□□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □ □ □□□ □□□□ □. □□ □□ □□□□ □□ □□ □□□ □□□□ □□ UC□ □□ □ □□ □□□ □□□ □□□? (□□ 2□□ □□□□□)

A. □□ □□ □□□□□ □□□□□□ □□□□ □□ □□□□ □□□ □□□ □□□□□.

B. □□ □□ □□ □□□□□ □□ □□□ □□ □□ □□□ □□□□□.

C. □□□ □□ □□□ □□□ □□ □□ □□□ □□□□□□.

D. □□ □□ □□ □□□□ □□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

□ □ □ □ □ □ □ □ □ □

- A.** □ □ □ □ □
- B.** □ □ □ □ □ □ □ □ □
- C.** □ □ □ □
- D.** □ □ □ □

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 44

□□ □□□□□□ □ □□ □□□ □□□□□?

- A.** □□□ □□□□□□ □ □□ □□□ □□ □□□□ □□□□□.
- B.** □□ □ □□□ API□ □□ □□□□ □□ □ □□□□□□□ □□□□□.
- C.** □□ □□ □□□□ □□ □□□ □□□□ □ □□□□□.
- D.** □□□ □□□□ □□□ □□ □ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Universal Containers(UC) □□□□ □□ □□□ □□□□ □□ □□□ IP □□□□□
Salesforce□ □□□ □ □□□□. UC□ Salesforce1 □□□ □□ □□□□ □□□□ □□
□ □ □□□ □□□ □□□. □□□□□ □□ □ □□ □□□ □□□□ □□□□? (□□ 2□
□ □□□□□)

- A.** □□□ □□ IP □□ □□□ □□□□□ □□□ □□□□□□.
- B.** Salesforce1 □□□ □□ Connect □ □□□□ IP □□□ □□□□□.
- C.** Salesforce1 □□□ □□ Connect □ □□□□ □ □□ □□ □□□ □□ IP □□□ □□
□□□.
- D.** □□ □□□ □□□ □□□□ □□ □□ IP □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□□□ □□□□(UC)□ □□ □□□ □□□ □□ Salesforce□ □□□□□. UC□
SAML(Security Assertion Markup Language) □□□ □□ □□□(SSO)□ □□□□ □□ □
□ □□ □□□□ □□□□ □□□□. □□ □□□ □□ □□□□ Salesforce □□ □□□□
Salesforce □□□□ □ □ □□ □□ □□ □□□□ □□□ □ □□□ □□□□□ □□□.
□□ □□□□□ □□□□ □□ □□□ □□ □□□?
□ □□ □□ □□□□□

- A.** `POST /api/v1/identity-provider/` ID `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/`.
- B.** `POST /api/v1/identity-provider/` ID `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/`.
- C.** `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/` REST `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/`.
- D.** `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/` Canvas `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/` IdP `POST /api/v1/identity-provider/` SAML `POST /api/v1/identity-provider/` `POST /api/v1/identity-provider/`.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 49

Universal Containers(UC) □ □□□□ □□□ □□□□□ □□□ □□□□ □□□□, □□
 □ □□□□ □□□ Active Directory(AD) □□ □□□□ Salesforce □ □□□□□□ □□□
 □□ □□□. Salesforce □ □□ □□ □□ □□□□□ □□□□ AD □□ □□ □□
 Salesforce □□ □□□ □□□ □ □□□ □□□□ □□□. Salesforce □□ □□□□ □□
 □□□ □ □□□□ □ □ □□ □□□ □□□□□, AD □□ □□□□ □□□□ □□□□
 □□□ □□□□□ □□□□□ □□ □□□□ □□□□□?

- A.** SAML 1.0 1.1 2.0, SAML 2.0 2.0 2.0, 2.0 2.0 2.0 2.0 2.0.
- B.** SAML 1.0 1.1 2.0 2.0 SAML JIT 2.0 2.0 2.0 2.0 2.0.
- C.** SAML 1.0 1.1 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0.
- D.** SAML 1.0 1.1 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0.

Answer: (SHOW ANSWER)

NEW QUESTION: 50

[illegible]

- A.** □□□ □□□ - □□□□□ □□□ □□□ □□□ □□□□ □□□ □□□ □□□ □□
□□□□□ □□□□□□.
- B.** □□ □□ - □□□ □□ □□□□ □□ 7□□ □□□□□.
- C.** □□ □□ □□ □□ - □□ □□ □□□ 7□ □□ □□□□ □□□ □□□□□.
- D.** □□ - □ □□□ □□ □□ refresh token □□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 51

Universal Containers(UC) is a leading provider of Experience Cloud ID solutions. UC has a long history of providing high-quality, reliable, and secure ID solutions to its customers. UC's ID solutions are designed to be easy to use, integrate with existing systems, and provide a seamless user experience. UC's ID solutions are also designed to be scalable, flexible, and secure. UC's ID solutions are used by a wide range of organizations, from small businesses to large enterprises. UC's ID solutions are also used by a wide range of industries, from healthcare to finance. UC's ID solutions are also used by a wide range of countries, from the United States to Europe. UC's ID solutions are also used by a wide range of devices, from desktop computers to mobile phones. UC's ID solutions are also used by a wide range of users, from administrators to end users. UC's ID solutions are also used by a wide range of applications, from web applications to mobile applications. UC's ID solutions are also used by a wide range of services, from authentication to authorization. UC's ID solutions are also used by a wide range of protocols, from OAuth to OpenID. UC's ID solutions are also used by a wide range of standards, from SAML to OpenID Connect. UC's ID solutions are also used by a wide range of frameworks, from Spring to Django. UC's ID solutions are also used by a wide range of languages, from Java to Python. UC's ID solutions are also used by a wide range of platforms, from Windows to Linux. UC's ID solutions are also used by a wide range of environments, from on-premise to cloud. UC's ID solutions are also used by a wide range of architectures, from monolithic to microservices. UC's ID solutions are also used by a wide range of patterns, from MVC to MVVM. UC's ID solutions are also used by a wide range of styles, from Bootstrap to Material Design. UC's ID solutions are also used by a wide range of themes, from default to custom. UC's ID solutions are also used by a wide range of plugins, from core to third-party. UC's ID solutions are also used by a wide range of extensions, from basic to advanced. UC's ID solutions are also used by a wide range of modules, from core to custom. UC's ID solutions are also used by a wide range of components, from UI to logic. UC's ID solutions are also used by a wide range of services, from authentication to authorization. UC's ID solutions are also used by a wide range of protocols, from OAuth to OpenID. UC's ID solutions are also used by a wide range of standards, from SAML to OpenID Connect. UC's ID solutions are also used by a wide range of frameworks, from Spring to Django. UC's ID solutions are also used by a wide range of languages, from Java to Python. UC's ID solutions are also used by a wide range of platforms, from Windows to Linux. UC's ID solutions are also used by a wide range of environments, from on-premise to cloud. UC's ID solutions are also used by a wide range of architectures, from monolithic to microservices. UC's ID solutions are also used by a wide range of patterns, from MVC to MVVM. UC's ID solutions are also used by a wide range of styles, from Bootstrap to Material Design. UC's ID solutions are also used by a wide range of themes, from default to custom. UC's ID solutions are also used by a wide range of plugins, from core to third-party. UC's ID solutions are also used by a wide range of extensions, from basic to advanced. UC's ID solutions are also used by a wide range of modules, from core to custom. UC's ID solutions are also used by a wide range of components, from UI to logic.

□□ □□□□ □□□ □□□ □□□ □□ □ □□□ □□□□□?

□ □ □ □ □ □ □ □ □ □

- A.** □□ □□□ □□□

- C.** ☐☐ ☐☐ ☐☐☐☐

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 52

Identity Connect □□□ □□□□ □ □□ □□□ □□□□□? □ □□ □□ □□□□□.

- A.** □□ □□□ □□ Active Directory □□□ □□□ □ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Universal Containers(UC) □ □□ □□□□ □□□ Salesforce □□ □□□□ SAML □□
SSO □□□□ □□□□ □□□, □□ □ □□□ ID □□□□ □□□□□□. □ □□□□ ID
□□□□ □□□□ □□□□ □ □□□ □□ □□□□ □□□ □□ □□□□ SAML □□ □□□
□ □□□□□ □□□□□□. □□□□□ □ □□□□ □□□□ □□ □□ □ □□ □□□ □
□□□□ □□□? (□□ 2□□ □□□□□)

- A.** □□ ID□ □□□ □□□ □□□□ □□□.
- B.** □□□□□ ID□ □□□ Salesforce □□□ □□□□□ □□□.
- C.** □□ ID□ □□□□□□ □□□□ □□□.
- D.** □□ ID□ □□□ □□ □□□□□□ □□□.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 54

Northern Trail Outfitters(NTO) SAML(Security Assertion Markup Language) ID (idP) . IdP LDAP(Lightweight Directory Access Protocol) . NTO Salesforce ., Salesforce . IdP Salesforce . .?

- A. SAML** □□□ □□□□ Just-in-Time □□□□□□ □□□□ □ □□□□ Salesforce□
□□□□□□ □ □ □□□ □□ □ Salesforce □□□□ □□□□□.
- B. Salesforce Identity Connect**□ □□□□ □ □□□□ □□ □□□□ □ Salesforce□ □
□□□ □□□□□□□□.
- C. LDAP**□ □□□□□ □□□□ Salesforce□ □□□ □□ □□□□ □□□□ □□ □□□
□□□□□.

NEW QUESTION: 58

Northern Trail Outfitters(NTO)□ □□□ □□□ LDAP(Lightweight Directory Act Protocol)
 □□□□□□ □□ □□□□□ □, □ □□□□□□ □□ □□ □□□ □□□□ □□□ □
 □□□ □□ □□□ □□□□ □□□□. □□□ □□ □ □□ □□□ □□ LDAP □□□□□
 □ □□□ □□□ □□□□□□□□□ □□□□ □□ □ 24□□□ □□ □□□ NTO□
 Salesforce □□□□□ □□□□□ □ □□□□□.

□□ □□□ □□ □□□□ □□□□ □□□□ □□□□□ □□ □□□ □□□□ □
 □□?

- A.** Salesforce□□ □□□□ □□□□ □□ LDAP □□□□□ □□□□ □□□ □□□ □□□□□.
- B.** □□ □□□□ □□□□ LDAP □□□□□ □□□ □□□□□.
- C.** LDAP□ □□□□ □□□□ □□□□ ID □□□(IdP)□ □□□□, Salesforce□ □□ □□ □□□□(SSO)□ □□□□, □□□ □□ □□□ □□□□□□□□.
- D.** LDAP□□ □□□□ □□□□□□□ Salesforce□□□ □□□□ □□□□□□□□ Just-in-Time □□□□□ □□ □□□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

Universal Containers(UC) □ Salesforce □□□□□□ SAML □□ □□ □□□(SSO)□
 □□□□□□. UC□ PingFederate□ ID □□□□ □□□□ □□□□. □□□□ □□□□□
 □ □□□ URL□ □□□□ □□□ □□ Salesforce□ □□□□□. □□□□ □□ □□ □□
 □□□□□□?

- A.** IDP
- B.** IDP
- C.** Sp
- D.** .

Answer: (SHOW ANSWER)

NEW QUESTION: 60

Universal Containers ☐ Salesforce ☐ ID ☐☐☐☐, Concur ☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐ ☐
☐☐☐☐. ☐☐ ☐☐☐☐ Salesforce ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ Concur
☐☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐.

☐☐☐☐☐ ☐☐☐☐☐☐ ☐ ☐☐☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐ ☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐?

☐☐ 3☐☐ ☐☐☐☐☐

- A.** Salesforce□□ Concur□ □□ □□ □□□□□.
- B.** □□□ □□ □□ □□□ □□□□□□ □□□□□□.
- C.** □□□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□ □□□□□.
- D.** □□□□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□□□ □□□□□.

E. □□□□□ □□□ □□□ UserProvisionIngRequest □□□ □□ □□ □□□□□ □□ □□□.

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 61

□□ □□□ □□□□□(NTO)□ Salesforce Experience Cloud□ □□□ Customer 360 □ □□□ □□□□ □□□□. □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□ □ □ □□ □□ □□□ □□ □ □□ □□□ □□□ □□□ □□□ □□□□□.

NTO□ □ □□□ □□□□□ □□□ □□ □□□□□ □□ □ □□ □□□ □□□ □□□ □□□?

A. □□□□ □□□ □□□ □□ ID □□□□□□ □□ □□□□ □□□ □ □□□, □□ □□ □□□□ □□□ □ □□ Experience Cloud □□□ □□□ □ □□□□.

B. □□□□ □□□□ □□□□ □□□□□ □□□□□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□.

C. □□□ □□□□(OTP)□ □□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□.

D. □□ □□□ □□□□ □□□□□ □□ ID □□ □□□□ □□□□□ □□□□ □□□□ □ □□□ □□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

Plat-Arch-203 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ Plat-Arch-203 □□! DumpTop □ □□ **Plat-Arch-203** □□ □□□ □□□□□□□, DumpTop Plat-Arch-203 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop Plat-Arch-203 □□□ □□□□□.

<https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> (246 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 62

Northern Trail Outfitters□ □□ □ □□□ □□□□□□□. □ □□ □□ □□□ ID □□□ (IdP)□ □□□ □□□□ □□□. □ □□ □□ □□□□ Salesforce□□ □□ □□□ □□□ □□ □□□□ □□□ Salesforce □□□□□ □□□□□ □□□□ □□□□.

□□□ □□□ □□□□ □□ Salesforce □□□□ □□□□□□ □□□ IdP□ □□□□□ □□□ □□ □□□?

A. □□□ □□□ □□□□ □ IdP□□ □□□□ □□ □□□ □□□ □□(SAML) □□□ □ □□□□ □□□ IdP URL□ □□□□ □□□□ □□□.

B. MyDomain □□ □□□ □□□□ □ IdP□ □□□ □□□□ □□□□□□□□□. □□□ □ □□□ □□ IdP □□□ □□□□ □□□.

C. □□□ □□□ IdP□ □□□□ querystnng □□□□□ □□□□□□. □□□ □□□□ □ □ IdP□ □□□□□□□.

D. `□ □ □ □ □ □ □ □ MyDomain□ □ □ □ □ □ □ □ URL□ □ □ MyDomain□ □ □ □ □ □ □ □.`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 63

Salesforce □ □ □ □ □ □ □ □ SSL □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ ? (□ □ □ □ □ □ □ □)

A. Salesforce □□ □□ □□ □□□□ □□□□ □□ □□□□□ □□ □□ □□□□ □□
□□□.

B. Salesforce ☐☐ ☐☐☐ ☐ ☐☐ CA ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐ ☐☐
☐☐☐☐ ☐☐☐☐☐☐.

C. Salesforce □□ □□□ □ □□ CA □□ □□□□ □□□□ □□ □□□□□ □□□ □
 □□ CA □□ □□□□ □□□□□□.

D. Salesforce □□ □□ □□ □□□□ □□□□ □□ □□□□□ □□□ □ □□ CA □□
 □□□□ □□□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 64

□ □□□ SAML SSO □□ □□□□□□ □□□□ □□□□(UC)□ □□□□□□? □
□□ □□ □□□□□.

A. ☐ ☐ ☐ ☐

B. ☐ ☐ ☐ ☐ ☐ ☐

C. Salesforce1 ☐☐☐ ☐☐ SSO.

D. ☐☐☐ ☐☐☐

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 65

sp-Initiated Single Sign-on□□ 'Relaystate' □□□□□□ □□ □□□ □□□□ □□□□?

A. ID □□□□ URL □□□□ □□□□□□ □□ □□□□□.

B. ID [] [] [] [] [] [] [] [] URL [] [] [] [] [].

C. □□□ □□□□□ URL □□□□ □□□□□ □□ □□□□□.

D. □□□ □□□□□ □□□ □□ URL□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 66

Salesforce 2FA (2FA) is a security feature that requires users to provide a second form of authentication, in addition to their password, to access their account. This is typically done through a mobile app or a text message. Salesforce 2FA is designed to protect sensitive data and prevent unauthorized access to the system.

A. ☐ ☐ Wi-Fi ☐ ☐ ☐ ☐ ☐ Salesforce ☐ ☐ ☐ ☐ ☐.

B. □□□□ □□□□ □□□□□ □□□ □□□□□□ □□□□□ □□.

C. ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. □□□□ □□□□ □□□ □□ □□□ □□ □ Salesforce□□ □□□□□□ □□ □□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 67

□□□□ □□□□(UC)□ □□□□ □□ □□□ □□ □□ □□□□□□. UC□
Salesforce Identity□ □□□□ □ □□□ □□ □□ □□ □□□□ □□□□□ □□□.
□ □□ □□□ □□□□□ □□□ □□ Salesforce □□□□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐ ☐ ☐
- C.** ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 68

Universal Containers(UC) ID Active Directory(AD), AD AD AD AD AD UC Salesforce, Workday, SAP HANA UC SSO(Single Sign-On) CIO ID Salesforce.

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** Salesforce ☐ Identity Connect ☐ ☐ ☐ ☐
- C.** Chatter Only ☐ Identity ☐ ☐ ☐ ☐
- D.** Identity ☐ Identity Connect ☐ ☐ ☐ ☐

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 69

□□ □□□ □□□□□(NTO)□ □□□□ Salesforce Experience Cloud□ □□□□ □□
□ □□□ □□□ □□□ □□□□ □ □□□□□ □□□□□ □□□□□ □□□□□.
□□□ □□□□□ □□□□□ □□ □□□□ □□□ □□□.

1. □□□□ □/□□ □□□ □□□ □□□□□.
2. □□□□□ □□□ □□□ □□ □□□ □□□□□.
- □□□□□ □□□□ □□ □□ □□ □□□ □□□□□?

- A.** □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□□□.
- B.** Apex □□□□□ □□□□ □□□ □□ □□□ □□□□ □□□□□. □□ □□□□□
□ □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□.
- C.** □□□ □□ □□□□ □□□□ □□□ □□ □□□ Apex □□□□ □□□□□.
- D.** Apex □□□□□ □□□□ □□ □□ □□□□ □□ □□□□□ □□□□ □□□□ □□□ □□
□□□ □□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 70

□□□□(UC) □□ □□ IDP□ □□□□ □□□□□□ □□ □□□(SSO) □□□□ □□□ □□ □□□□□□. □□ □□□ □□□□ □□□□, □□□ □□ □□□□□ □ □□□□ □ □□ □□□ □□□□□ □□□□□ □□□. UC □□□□□ □□□ □□□ □□□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□ □□□□ □□□.

- A. □□ □□□□□(JIT) □□, □□□□□ □□□ □□ SOAP API.
- B. □□□□□ □ □□□□□ □□ □□□ □□ □□ □□ □□(JIT)□ □□□□□.
- C. □□□□□□ □□ SOAP API, □□□□□ □□□ □□ JIT(Just-in-Time) □□.
- D. □□□□□ □ □□□□□ □□□ □□ □□□□□ API□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

Salesforce□ □□□ □□□□□ □□□□ SP □□ SAML □□□□□ □□□□□ □□□ □ □□ ID □□□□□ □□□ □□□□ □□□□ □□□□□□□ □□□ □□ □□□?

- A. Visualforce□ □ □□□□ □□ □□□□ □□□□ □□□□ ID □□□ □□□ □□□□ □□□□□□□.
- B. □ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□□□□.
- C. □ □□□ □□□ □□ □□□□□ ID □□□□ □□□□ □□□ □□□□□□□.
- D. ID □□□□ □□□□□ □□□□ SAML □□□□ ID □□□□ □□□□ □□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

□□ □□□ □ □□ □□□ □□□□□? □ □□□ □□□□□.

- A. □□□□ □□ □□□ □ □□□□.
- B. SOAP □□□□ □□□ □ □□□□.
- C. REST □□□□ □□□ □ □□□□.
- D. □□ □□□ □□ □□□ □ □□□□.
- E. □□□ □□ □□□ □□ □□□ □ □□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□□□ □□□□(UC)□ □□ □□ □□□□ Salesforce□□ □□□ □□□ □ □□ □□ □ □□□ □□ □□□□□ □□□. □□□□ □□ □□□□ □□□ □□□ □□ □ □□□ □□ □□□□ □□ □□ Salesforce□ □□□□ □ □□□ □□□. □□□ □□ □□□ □ □□□ □□ □□ OAuth □□□ □□□□ □□□?

- A. □□□□ □□□ □□□ □ □□ □□.
- B. □□□□ □□□ □□□ □□□ □□□□ □□.
- C. □□□ □□□ □□□ SAML □□□ □□.

D. □□□ □□□ □□□ □□□ □□□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Universal Containers □ Salesforce □ □ □ □ OAuth □ □ □ □ □ □ SAML □ □ □
□ □ □ (SSO) □ □ □ □ □ □ □ □ □ □. □ □ □ □ □ □ □ □ □ □ OAuth □ □ □
□ □ □ □ □ ?

- A.** ☐☐☐☐ ☐☐☐☐ OAuth ☐☐
B. ☐☐☐ ☐☐ OAuth ☐☐
C. ☐ ☐☐ OAuth ☐☐
D. SAML ☐☐☐☐ OAuth ☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 75

ID [] [] [] [] [] [] [] [] [] [] [] [], [] Salesforce Identity []
[] [] [] [] [] []. [] [] [] [] [] [] [] [] [] [].

1. □□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□□.
2. □□ Salesforce REST API □□□ □ □□□ □□□.
3. □□ □□□□ OAuth □□ □□□□ □ □□□□ □□□.

ID □□□□□ □□ □□□ □□□□ □□ Salesforce □□ □□ □□□ □□□□ □□□?

- A.** `const API_KEY = process.env.API_KEY;` `const token = jwt.sign({ id: user.id }, API_KEY, { expiresIn: '1h' });`
- B.** `const API_KEY = process.env.API_KEY;` `const token = jwt.sign({ id: user.id }, API_KEY, { expiresIn: '1h' });`
- C.** `const API_KEY = process.env.API_KEY;` `const token = jwt.sign({ id: user.id }, API_KEY, { expiresIn: '1h' });`
- D.** `const API_KEY = process.env.API_KEY;` `const token = jwt.sign({ id: user.id }, API_KEY, { expiresIn: '1h' });`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

□□□ □□ □□□ □□□□ □□ □ □□□ □□□□□? □ □□□ □□□□□.

- A.** □□□ □□□□□□□ □□ □□ □□ □□□ □□□□□.
B. □□□ □□ □ □□□□□ □□□ □□ □ □ □□□□.
C. □□ □□□□□□ □□□□ □□□□□□.
D. □□ ID □□□□ □□□ □□□ □□ □□□ □□□□□.
E. □□ □□ □ □□ □□ □□□ □□□□□.

Answer: B,C,D (LEAVE A REPLY)

<https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> (246 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

- A.** □ □□□ □□□□ □□ □□□ □□ □□□□ □□□.
- B.** □□□ □□□ □□□□ □□ □□ □□□ □□□□□□□□.
- C.** □ □□□□ SOAP □□ REST □□□□□ □□□□ □□□ □ □□□□.
- D.** UC□ □□ □□□□□ Salesforce□ □□ IP □□□ □□□□□□□ □□□□ □□□.

C. □□□□ □□□□ □□□□□.

D. □□ □□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 83

Universal Containers(UC)□ Salesforce Identity□ □□□□ B2C(□□-□□□) □□□□□ □□ □□ □□□(SSO) □□□ □□□□□ □□□.

UC□ □ □□ □□□ □□□□ □□ □□ Salesforce □□□□□ □□□□ □□□?

A. □□ □□ □□

B. □□ □□

C. □□□ □□□□

D. Salesforce □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 84

□□ □□□ □□□□□(NTO)□ □□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□ □□□□□ □□□. □□ □□□□ □□□ □□□ □□□□ □□□□ □ □□□ □□ □□ □□□□□.

□□□□□ □□□□□ □□□ □□□□□ □□□□ □□ □□□ □□□□ □□□?

A. Amazon□ □□□ □□□ □□□□□.

B. Amazon□ □□ □□□ □□ □□□□ □□□□□.

C. Amazon□ OpenID Connect □□ □□□□ □□□□□.

D. Amazon□ □□□ □□ □□ □□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 85

□□ □□□□ □□□□ □□□□□ □□□ □ □ □□□ □□□□□□ □□□□□ "□□: □□□□ □□□□ □□□□□."□□ □□ □□□□ □□□□□□. □ □□□ □□ □□□ □□ □□□ □□□□□?

A. Salesforce □□□□ OAuth □□□ □□□□□□.

B. □□□ □ □□□□ "□□ □□□□ □□ □□□ □ □□"□ □□□□□ □□□□.

C. □□□ □□ □□□□□ □□□ □□ □□□□ □□□□□.

D. □□□□□ □□□ □□ □□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 86

□□□□□ □□ □□ □□□ □□□ □ □□ □□□ □□□□ □□□?

A. □ □□□□ Salesforce □□□□□ ID□ □□□□ □□□□ □□□□ □□□.

B. □ □□□□ 1□□□ 4□□□□ □□ □□ □□□□□ □□ □ □□□ □□□.

C. □ □□□□ Salesforce□□ □□□□ □□□□ □□□□ TLS□ □□□□□ □□□.

Which of the following are supported by Salesforce for SSO? (Select two.)
A. SAML
B. OpenID
C. OAuth 2.0
D. SAML SSO

- A. SAML
B. OpenID
C. OAuth 2.0
D. SAML SSO

Answer: A,D ([LEAVE A REPLY](#))

Plat-Arch-203 questions and answers are available on DumpTop. Visit <https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> for more questions and answers. DumpTop is a leading provider of exam dumps and practice tests for various certifications. Visit <https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> for more questions and answers.

<https://www.dumptop.com/Salesforce/Plat-Arch-203-dump.html> (246 Q&As Dumps,

30%OFF Special Discount: KrDump)