

ServSafe.ServSafe-Manager.v2026-09-10.q34

□□□□:	ServSafe-Manager
□□□□:	ServSafe Manager Exam
□□□:	ServSafe
□□ □□ □□□:	34
□□:	v2026-09-10
# □□ □:	108
# □□ □□□:	340
https://www.krdump.com/ServSafe.ServSafe-Manager.v2026-09-10.q34.html	

NEW QUESTION: 1

□□ □□□ □□□ □□ □□□ □□□□ □, □□□(PIC)□ □□□ □□ □□ □□ □□□?

- A. □□ □□□ □□□□□□.
- B. □□□□ □□ □□□□□ □□□□□.
- C. □□□□ □□ □□□ □□ □□□□□□.
- D. □□ □□□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□ □□ □ "□□□□ □□ □□"(□□□□□ □□ □□ □□ □□ □□□□□□ □)□ □□□□, ServSafe □□□ □□ □□□ □□ □□□(PIC)□ □□ □□□□ □□□ □□□ □□□. □ □□ □□ □ □□□□ □□ □□□ □□ □□□□ □□□□. □ □□□ □□ □□ □□□ □□ □□□□□. □ □□□ □□□ □□, □□ □□□ □□□ □□ □□, □□□ □□□ □□□ □□□□ □□□ □□□ □□□ □□□ □□ □□□□□. □□ □□, □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□□□□.

□□ □□, □□□□ TCS □□□ □□□□ □□□□ □□□ □□ □□□□, □□□□ □□ □□□ □ □□□ □ □□□ □□ □□□□ □□□ □□□□ □□□. □□ □□(□□ A)□ □□□□□ □□□ □ □□□□ □□□□□.

"□□□□ □□ □□"□ □□ □□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□□, □□ □□□ □ □□□ □□ □□□ □□□ □□ □□□□.

□□ □□□□ □□(□□ B)□ □□□□ □□ □□□□ □□□□□□, □□□ □□□□ □□□□. □ □□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□. □□, □□□(PIC) □ □□ □□□ □□ □□□ □□ □□ □□□ □□□□ □ □□□□. □□□□ □□□ □□ □□□ □□ □□□□□□ "□□□□ □□ □□"□ □□□□ □□□. □□□□□ □□ □, □□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□, □□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□.

NEW QUESTION: 2

□□ □□□ □□□ □□ □□□□ □□□ □ □□□□.

□□ 4□□□ □□□ □□□ □ □□□, "□□ □□"□ □□ 8□□□□. 4□□□ □□□ □□ □□□ □□ □□□ □□□.

□ □□□ □□□ "□□ □□□"□ 4□□□ □□□ □□□□□ □□□ □□□ □ □□ □□□□ □□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□ □ □□□ □□□□. □□□ □□□ □□□ □(□□ C) □□ □□□ □□□□ □(□□ B)□ □□□□ □□□□. □□, □□ □□□ □□□□ □□ □□ □□□ □ □□□□(□□ D). TPHC(□□ □□)□ □□□ □□□ □□□□□ □□□□ □ □□□ □□ □□□ □□□□. □□□ □□□ □□ □□ □□□ □□ 70□(□□ 21□)□ □□ □□□ □□□ 6□□□□ □□□ □ □□□, □□□□ □/□□ □□□ □□ 4□□□□□ □□ □□□ □□□ □□□□. □□□□ □□□□ □□□ □□□ □□□ □□□□ □□□□ □□ □□□ "□□"□□□□ □□ □ □□ □□ □□□ □□ □□□.

NEW QUESTION: 6

□□ □□□□ □□ □□□ □□□□ □ □□ □□□□ □□□□ □□□□□?

- A. □□□
- B. □□□
- C. □□
- D. □□□ □□□

Answer: A ([LEAVE A REPLY](#))

□□ □□□ □□□□□ □□□ □□□ □□□□□ □□ □□ □□ □□ □□□□ □□□□□. □□ □□□ □□ □□□□□ □□ □□□, □□□□□, □□□ □ □□ □□□□ □□□ □□□□□ □□ □ □□□□ □□ □□□□. ServSafe□ □□□, □□□□□□□ □□□ □□□ □□□□ □□□□ □ □□□ □□□ □□ □□□□□□.

□□□(□□ B)□ □□□ □□□ □□□□ □ □□□□ □□□□ □□□□, □□□□□ □□□ □□ □□. □□ □□(□□ C)□ □□□ □□□ □□□ □□□□ □□□□ □ □□□□, □□□ □□□(□ □ D)□ □□□□ □□□□ □□□ □□□□ □ □□□□□ □□ □□□□ □□ □□□□□ □□□ □□□□ □ □□□□.

□□□□□ □□□□ □□ □□□ "□□□□"□□ □□□ □□□□□ □□□□□□. □□ □□□□ □ □□□□ □□□□ □□□ □□□ 135°F(57°F)□ □□□□ □□ □ □□□□.

□□ □□ □ □□ □□(°C)□ □□□□ □□ □□□ □□□ □□□ □ □□□□. □□□□ □□ □□ □□□ "□□ □□"□ □□□□□, □□ □□□□ □□□ □□ □□□□ □□ □ □□□□ □□□□ □□□□ □□□□□ □□□□. □□ "□□ □ □□" □□□ □□□, □□ □□ □□□ □□□ □□□ □ □□□ □□□ □□ □□□□ □□ □□□□□.

NEW QUESTION: 7

□□□□□ □□ □□□ □□□ □□□□□ □, □□□ □□□ □□□ □□□□.

- A. □□□□ □□□□ □□□ □□□□ □.
- B. □□□□ □□□□ 50:50 □□□ □□ □□.
- C. 2□□□ □□ □□□ □□ □□ □□□□ □□ □□□□□.
- D. □□□ □□□□□ □□□ □□□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

000 00 000 000 00 0000 00000. 00 0 00, 00, 000 0000000, 0
 0 00 000 0000 0000 000 0 0000. ServSafe 000 00 000 000, 0 0
 00 000 000 00 00 0 00 000 00 000 000 000 000 0000 000
 00 00000.

00 000000 00 000000. 0000 00 50:5000 00 00 (00 B)0 0000 00 00
 00 0000 0000 0 000000. 00 00(00 C)0 200 0 00 0000 00 100 0 00 00
 0000 00 00, 00 000000 00000 00 0 00000. 0000 000000 0000 0(00
 D)0 0000 000000 00000 00 0000 000000 00000 00000. 0000 00000 00
 0 00000 0000 00 0000 0000 0000 00000, 0000 0 00 00000 0 00000 00
 00 0 00 0000 0000 00 0000 0000(0, 0 00000 000000 00000). 0000 00
 0 0 0000 0000 00 00 0000 0000 0000 00 0000 0 00 00, 00000 0 0000
 00000 00 0000 0000 00 0000 0000 00000 0000.

NEW QUESTION: 8

□□ □□ □□□ □□□□□?

- A.** □□ □□□□□ □□ □□ □□ □□□ □□□□□ □□
- B.** □□□ □□□□ □□□□ □□□□ □ □□□□ □□ □□□□□□
- C.** □□ □□□□ □□□ □□□ □□□□ □□ □□□ □□ □□
- D.** □ □□ □□□ □□□ □□ □□ □□ □□

Answer: A (LEAVE A REPLY)

ServSafe Manager □□□□□ □□□, □□ □□ □□□ □□ □□ □□ □□□□□ □□□ □□□
□ □□ □□□ □□□□ □□□□ □ □□□□ □□□□□. □□□, □□□, □□□□□□□ □□ □□
□ □□ □□□ □□□ □□□□, □□ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□ □
□ □□□ □□□. □□□□ □□□ □□□ □□ □□□ □ □□ □□□, □□ □□□ □□□ □□□
□□□□ □□ □□ □□□, □□ □□ □□ □□□ □□□ □□□ 3□ □□□ □□□ □□ □□□□.

□□ □□ □□□ □□□ □□□□□ □□ □□□ □□□□ □□□ □□ □□ □□□ □ □□ □□□
□□□□ □□ □□□□ □□□□ □□□ □□ □□□□□□. '□□□□ □□□□ □□'□ □□□□
□□ □□□□ □□□ □□ □□□ □□ □□ □□□□ □□ □□ □□□ □□□□□ □ □□□ □□
□. □□ □□, '6□ □□ □□□'□ □□□□ □□ □□ □□□ □□□□ □□ □□□□□ □□□ □□
□□ □□□ □□□□ □ □□□ □ □ □□□□. □□ □□□ □□□ □□□□ □□ □□ □□(□□
B)□□ □□ □□ □□(□□ D)□ □□, □□ □□ □□□ '□□' □□□ □□□□□. □□ □□□□ □
□ □□□□ □□ □□□ □□□□, □□ □□□□□□□ □□□□ □□ □□ □□□ □□□ □□□
□ □ □□□ □□□. □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □, □□ □□ □□□ □
□□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□□□.

NEW QUESTION: 9

☐☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐

☐☐☐☐☐.

- A.** □□ □□□ □ □□□ □□□□.
- B.** □ □ □□ □□□□□□ □□□ □□□ □□□.

C. 100°F (38°C) or higher.

D. 100°F (38°C) or higher for 10 minutes.

Answer: D ([LEAVE A REPLY](#))

100°F (38°C) or higher for 10 minutes. ServSafe Manager 2026 (2026 edition) states that food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 100°F (38°C) temperature is the minimum temperature needed to kill the bacteria. The 10-minute time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe.

100°F (38°C) or higher for 10 minutes. ServSafe Manager 2026 (2026 edition) states that food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 100°F (38°C) temperature is the minimum temperature needed to kill the bacteria. The 10-minute time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe. FDA also states that food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 100°F (38°C) temperature is the minimum temperature needed to kill the bacteria. The 10-minute time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe.

100°F (38°C) or higher for 10 minutes (100°F (38°C) or higher for 10 minutes).

(100°F (38°C) or higher for 10 minutes) or higher for 10 minutes (FIFO) or higher for 10 minutes.

NEW QUESTION: 10

100°F (38°C) or higher for 10 minutes. ServSafe Manager 2026 (2026 edition) states that food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 100°F (38°C) temperature is the minimum temperature needed to kill the bacteria. The 10-minute time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 100°F (38°C) or higher for 10 minutes to be considered safe.

A. 165°F (74°C) or higher for 15 seconds.

B. 165°F (74°C) or higher for 15 seconds.

C. 165°F (74°C) or higher for 15 seconds.

D. 165°F (74°C) or higher for 15 seconds.

Answer: B ([LEAVE A REPLY](#))

165°F (74°C) or higher for 15 seconds. ServSafe Manager 2026 (2026 edition) states that food must be held at 165°F (74°C) or higher for 15 seconds to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 165°F (74°C) temperature is the minimum temperature needed to kill the bacteria. The 15-second time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 165°F (74°C) or higher for 15 seconds to be considered safe.

165°F (74°C) or higher for 15 seconds (165°F (74°C) or higher for 15 seconds). ServSafe Manager 2026 (2026 edition) states that food must be held at 165°F (74°C) or higher for 15 seconds to be considered safe. This is because the heat kills the bacteria that cause food poisoning. The 165°F (74°C) temperature is the minimum temperature needed to kill the bacteria. The 15-second time is the minimum time needed to kill the bacteria. If the food is held at a lower temperature, the bacteria may survive and cause food poisoning. If the food is held for a shorter time, the bacteria may not be killed. Therefore, the food must be held at 165°F (74°C) or higher for 15 seconds to be considered safe.

000 00 000 000 000 0000 "00"00 0(00 D)000 0000 0000. 00
 0 000 0000 00 0000 0 000 00 00 00 000 0000 00000 0000
 000. 0000 000 00 0000 00 000 00 000 0000 00000 000 00
 0 0000 00 00000. 000 0000 00, "00 0 000" 0000 000 000 00
 00 000 00000. 0 000 00 0000 000 0000 00 000 0000 0000
 00 00000 "00 00"0 00000.

NEW QUESTION: 11

□ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□□ □□□ □□□□□□
- B.** □□□□ □□□ □□□ □□□ □□□ □□□
- C.** □□ □□□□ □□ □□□ □□□
- D.** □□□ □□□□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

□□□ □□□ □□ □□□ □□□ □□□ □ □□□□, □□ □□□□ □□□□ □□ □□□ □□ □
□ □□□□ □□ □□ □□□□□. ServSafe Manager □□ □□□□ □□ □□□□ □□□□ □□
□□ □□□□ □□□ □□ □□□ □□□□ □□□□□. □□□ □□□ □□□ □□ □□□□. □□
□□□□ □□□ □□□□ □□□ □□□ □□□□□, □□ □□□ □□□□□ □□□.

"□□"□□ □□ □□□ □□□ □□□□ □□□□. □□ □□□□ □□□ □□□ □□□ □□
□□, □□, □□□ □□ □□□ □ □ □□ □□□ □ □□□□.

FDA 00 0000 00, 00, 0, 00, 00 00 0 "0000 00"0 00 0000 00 00 0000
0000 00 0000 000000. 00 00 00 0000 0000 0000 000000 00 00 00
00 0000000 00000 00 000000. 00 00, 00 00 0000, 0000 00000 00
0 00000 "00000" 0000 00000 00 00 0000 000000. 00000 000000 00000
00 0000 "00 00" 0000 00 0000 NSF/ANSI 0000 000000 00000 0000. 00 00
0, 000, 00000 00 00 00000 0000, 0000 00 0000 00 00 00 0000 00
00 0000 20 0000 00 00 0000 0000 0000 000000 0000. 0000 00 00(00
00 00)0 0000 000000 0000 0000 0000 00000 00 0000 000000 000000. 0
0 0000 0000 0000 00 0000 000000 000000 00000 0000 00 0000 0000 00
0 0000 0 00000.

NEW QUESTION: 12

□□ □□ □□□□ □□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□ □□□ □□□□□ □
□□ □□ □□□?

- A.** □□□□□ □□□ □□ □□□ □□□□□.
- B.** □□ □□ □□□ □□□□□.
- C.** □□ □□□□ □□□□□.
- D.** □□ □□ □□□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

□□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□ □ □□ □□, □□□ □□ □□ □□□□ □□□ □□ □□□□ □□ □□□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□□.

ServSafe Manager □□□ □□□, □□□ □□ □□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□□□□ □□□. □□ □□ □□, □□ □□□, □□ □□, □□ □□□□□ □ □□ □□ □ □□ □□□ □□□□ □□ □□□□□.

'□□ □□□'□ □□ □□□□ □□ □□ □□□ □□□ □ □□□, □□□ □□ □□□□ □□, □, □ □ □□ □□□ □□ □ □□ □□ □□□ □□□□ □□□□ □□□□□. □□ □□ □□□ □□□□ □□□ □□□□□ □□□ □□, □□□□□ □□□ □□□ □□□□ □□□□. □□□ '□□□□ □□ □□□ □□□□'□□ '□□ □□□ □□□□'□ □□ □□ □□ □□□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□. FDA □□ □□□ □□□(PIC)□ □□□ □□□□ □□□□□ □□□ □□□ □□□ □□□ □□□□□. □□□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□ □ □□ □□□ □□□ □□(□: □□ □□ □□)□ □□□□ □□□ □□□ □ □□□□. □□ □ □□□ □□ □□□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□ □□□□ '□ □' □□□ □□□□□. □□ □□□ □□□□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□ □□□ □ □□□□.

NEW QUESTION: 13

□□□ □□□ □□ □□□ □□□ □□□.

- A. □□□□□ □□□□.
- B. □□□ □□□□ □□□□□.
- C. □□ □□ □□□□□.
- D. □□□ □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

ServSafe □□□ □□ □□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□. □□□ □□□ □□□, □□ □ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□□□□.

□□□□ □□□□□□ □□□□ □□ □□□□□ □□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□ □□□□ □□□. □□ □□ □□(□□□)□ □□ □□□□ □□□□□ □□□□□□(□□ C), □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □□□□.

□□□ "□□□□ □□□"(□□ A)□ □□ □□ □□□□□. □□□ □□□ □□□ □□□□ □□□□ □. □□□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□□ □ □□□ □□□□□ □□□□ □□□ □□□□ □□□□□ □□□□ □□□□ □□□□.

□□, □□□□ □□□ □□□□ □□(□□ D)□ □□□□ □□□ □□□□. □□□□ □□□□ □□ □□ □□□□□ □□ □□ □□□□ □□□ □□□□□. 3□□ □□□ □□□□□ □ □□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□□. □□□□ □□□□ □□□□□ □□ □□ □, □□□□ □□□ □□□ □□□ □□□□ □ □□□ □□□ □□□ □□□□□ □□ □□, □□□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□□ □□□□□ □□ □□□.

NEW QUESTION: 14

□□□ □□ □□□□□?

- A. □□□□□ □□ □□ □□ □□

- B. 1000 1000 1000 1000 1000 1000
- C. 1000000 1000 1000 1000000 1000000 1000
- D. 100 10000 10000 1000 1000000

Answer: ([SHOW ANSWER](#))

10000 100 10000 ServSafe "100" "100 100" 10000 1000000.

"100" 100 10000, 1000 10000 1000, 100 100 100 1000 100 1000 1000 1000000.

1000000 100 1000 1000 10000 10000 100 1000 10000 100000. 10000 100 100 1000 100 500 1000 10000 100 1000000. (1) 1000 10000 1000000 100 10000. (2) 1000 100000. (3) 1000 100000. (4) 1000 1000000. (5) 1000 100 10000 100.

100 100 1000 1000 100 100 1000 1000000 100000. 1000000 1000 1000 1000 40 100000 100 100 100000 1000 100000000, 100000 100000 100000 1000000 100 100 1000 100 1000 100 10000. 100 A 100 B 100 1000000 100 1000 1000000 100. 100 D 100 100 10000, 100 100 100000 100000 1000 1000 100000 100000.

100000 100000 100 1000 1000 1000 100(1000000 100) 100 1000000 100 1000 100 100 1000 1000000. 100 100000 100 1000 100, 100 1000 100000 100000 1000 100 10000 100000 100 100 400000 100 1000000 1000.

100000 1000 100000 100000 100 "100 1000" 1000 100000 1000 100000 1000. 100 1000 100000 100000000 100 100000 100000 1000 100000 1000 1000 1000 100 1000 1000 100000.

NEW QUESTION: 15

100 10000 1000 100000 100 100 1000 1000 100000 1000 1000 1000000?

- A. 1000 100000 1000000.
- B. 100000 100 100 1000 1000 1000000.
- C. 10000000 100 1000 1000 100000 100 1000.
- D. 100000 100 100 1000 1000000.

Answer: ([SHOW ANSWER](#))

100 100 100000 1000 100 1000000 100 1000 100000 100 10000000. 100000 100 100000 1000, 100 100 100 100 100 100, 100000 100 100 1000 1000 1000 10000 1000 1000, FDA 100 100 100 ServSafe 1000000 1000000 10000 10000000. 10000 100 1000 1000 100 100 100 10000 100000. 100000 10000 10000 100 10000 100 100 100 100 100000 100 10000 10000 10000 1000000 100 1000000.

100 10000 1000 100 1000 100 100 1000 100000 10000 100 100 10000 100000 10000 10000 10000 100000000.

10000 1000000 1000000(100 A) 100000 100000 100000 100(100 C) 100 100 1000 1000000, 100 1000 10000 100 100 10000 100 10000 100000 100000 100000. 100 100 100000 100 100(100 D) 100 100 10000 100 10000 10000 100 10000 100000 100000 100. 100 10000 100 100 10000 1000000. 10000 10000 100 10000 100 100000 100000

□□□ □□□, □□□ □□ □□□ □□□ □□□□ □□□□. □□□ □□□ □□ □□□ □□□□
□□ TCS □□□ "□□□ □□"□ □□ □□ □□□□□.

NEW QUESTION: 16

□□□□ □□□ □□□ □□□ □□□□□ □□ □□□ □□□□□?

A. □□

B. □□

C. □□□□

D. □□□

Answer: C ([LEAVE A REPLY](#))

□□□□ □□ □□ □□□



KrDur

ALLERGY

SIGNS AND SYMPTOMS



SNEEZING



WATERY EYES



RUNNY NOSE



COUGH

Shutterstock

□□ □□□□□ □□□ □□□ □□ □□□□ □□ □□ □□□□□. □□□ □□□□ □□ □□ □
□□□, □□□□(□□□□ □□□ □□ □□□□□ □□)□ □□□□ □□□ □□ □□□ □ □□□ □
□ □ □□□□□. □□ □□□□ □□□□□ □□, □□ □□ □□ □□(□□□□□), □□ □□, □□
□ □□ □□□ □□□□. □□ □□□ □□□□ □□□□□□ □□□ □□□ □ □□□, □□ □□
□□□ □□□ □□□□ □□□ □□□□ □□□□□.

□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□. □□(□□ A)□ □□
□□□ □□(□□□□ □□)□ □□□□□. □□(□□ B)□ □□□ □□ □□□ □□□ □□□□, A□
□□□ □□ □□□□, □□ □□□ □□□□ □□□□□ □□□. □□□(□□ D)□ □□□□□ □□
□ □□□□ □□□ □□□□□ □□□ □□□, □□ □□□□□□ □□□ □□□□. □□□ □□□
□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□ □□□□ □□ □□□ □□□□
□□□. □□□ □□ □□ □□□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □ □□
□□ □□□□ □□ □□ □□□□ □□□□ □□□. □□□ □□□ □□□□□ □□□ □□□□ □
□ □□□ □□□□□.

"□□□□ □□ □□" □□□.

ServSafe-Manager □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ServSafe-
Manager □□! DumpTop □ □□ **ServSafe-Manager** □□ □□□ □□□□□□, DumpTop
ServSafe-Manager □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□
□□ □□ DumpTop ServSafe-Manager □□□ □□□□□.

<https://www.dumptop.com/ServSafe/ServSafe-Manager-dump.html> (93 Q&As Dumps, **30%OFF**

Special Discount: KrDump)

NEW QUESTION: 17

□□ □□□ □□□□ 41°F(5°C) □□□ □□□ □□ □□□□ □□□□ □□□?

- A. □□ □□□
- B. □□□□□ □□□
- C. □□ □ □□

Answer: B ([LEAVE A REPLY](#))

□□ □□□□□(FDA) □□ □□□ □□ □□□□ □□ □□ □□□ □ TCS(□□□□ □□□□ □ □
□ □□) □□□□ □□□□□. □□ □□ □□□□ TCS □□□□ □□□□□. □□□□□ □□ □□
□ □□□□□, □□□ □□□ □□□□ □□□□ □□□ □□ □ □□ □□□□ □□□□ □□□□
□□□□ □□ □□□ □□□ □ □□□□. □□ □□□□ □□ pH□ □□□ □□ □□□□□□ □□
□□□□□ □□□ □□□ □ □□□□. □□□ □□□□ □□□□ □□ □ □□□□ □□□.

41°F(5°C) □□.

□□ □□□(□□ A)□ □□□□□ □□(□□ C)□ □□ FDA□□ TCS □□□□ □□□□□ □□□,

□□ □□□ □□ □□□□□ □□□□ □□ □□□□ □□□. 41°F(□□ □ 6°C)□ □□ □□□ □□ □ □□ □□□ □□□□□ □□ □ □□□, □□, □□ □□ □□□□. □□□□□ □□□□ □□□ □□ □□ □□□□ □□□□□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□(□□ □ -1.7°C) □ □□□□ □□□ □□ □□□. □□ □□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□ □ □□ □□ □□□ □□□□□. □□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□ □□□□ □ □□□□.

NEW QUESTION: 18

□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□ □□, □□ □□ □□□ □□ □□□ □□□ □□□□?

- A. □□
- B. CDC
- C. □□
- D. □□□ (PIC)

Answer: ([SHOW ANSWER](#))

□□ □□□□□□ □□□(PIC)□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□, □□□ □□□ □□□. FDA □□ □□ □ ServSafe □□□ □□□, PIC□ □□□□□□, A□ □□, □□□, □□□□□ □□□□□, □□□□ □□□, □□ □□ □□ □□□ □ "6□ □□ □□□"□ □□□□ □□□ □□ □□□ □□□□. □□□ □□□ □□ □ □□□ □□□ □□□ □□□□□, PIC□ □□ □□(□□□□□ □□□ □□ □ □□□)□ □□□□□ □□□□ □□□.

□□(□□ C)□ □□□ □□□(PIC)□□ □□□ □□□ □□□ □□, □□□(□□ A)□ □□ □□ □ □□□ □□□ □□ □□□, □□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□ □. □□□ □□□ □□ □□□□, □□ □□ □□□□ □□□□ □□ □□ □□ □□□ □□□ □□ □□ □□□□□. □□ □□□ □□□ □□□□ □□□□ □□ □□□ □□ □□□ "□□ □□" □ □ "□□ □□" □□□ □□□□, □ □□□□ □□ □□ □□□ □□□□ □ □□□□□. □□□ □□ □□ □□ □□□ □□ □□□ □□□ □□, □□, □□□ □□ □□ □□□ □□□□ □□ □□□ □ □□□□ □□□. 6□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □□ □□□□.

NEW QUESTION: 19

□□□ □□□□□□ □□ □□□ □□□ □□□ 10□□ □□□□□. □□□□ □□□□ □□ □ □ □□□ □□ □□□ □ □□□ □□□?

- A. 130°F(54°C)
- B. 135°F(57°C)
- C. 145°F (63°C)
- D. 160°F(71°C)

Answer: ([SHOW ANSWER](#))

□□ □□□□ □ □□ □□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□□. □□□□ □□ □□□ □□□ □□□□(*Bacillus cereus*)□ □□□□□□□ □□□□□(*Clostridium perfringens*)□ □□ □□□ □□□ □□ □□ □□ □□ □□(□□ 41□ ~ □□ 57□)□ □□□□□ □□□□ □□□. FDA □□ □□ □ ServSafe□ □□□, □□□ □□□ □□□□ □□□ □ □□ □

□ □□□ □□ 135□(□□ 57□)□□□.
□□□□ □□□□ □□□□ □□□ □□ □□ □□ □□(\$165°F, □□, □□□, □□□ □□□
□□ □□□ □□□□ □□□□)□□ □□□□ □□□. □□□ □□ □ □□ □□□□□ □□□
\$135°F □□□ □□□□□ □ □□□. □□□ □□□□□ □□ □ □□□ □□□□□ □□□ □□ □
□ □□ □□□ □□□□ □□□. □□□□ □□□□ □□□□ □ □□□ \$135°F □□□ □□, □□
□□□□ □□ □□□ 2□□ □□□□□ □□□□□ \$165°F□□ □□□□□ □ □ □□□□. □□ A
□ □□ □□□□ □□□, □□ C□ D□ □□□ □□□ □□□□ □□□□. □□□□ □□□ □□□
□□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□
□□ "□□□□ □□ □□"□ □□□□ □□□.

NEW QUESTION: 20

□□□ □□ □□□□ □□ □□□□ □□□ □□□□□?

- A. □□□□ □□□□.
- B. □□ □□□□ □□□□ □□□□.
- C. □□ □□□ □□□ □□□□□.
- D. □□□ □□□□ □□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

□□ □□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□□□ □□□□ □□ □□□
□□. ServSafe □□□ □□ □□□ FDA □□ □□□ □□□, □□□□ □□ □□□ □□□□ □□
□□ □□□ □□□□ □□□ □□□□ □□□. □□□□ □□□ □□□ □□ □□, □□□□ □□□
□ □□ □□, □□□ □□ □□□□ □□□□ □□□□ □□□□□□ □□□ □□□ □□□□ □□
□ □□ □□□□ □□□□□.

□□□ □□□, □□□ □□ □□□□ □□ □□□□ □□ □□ □□, □□ □□□ □□□□ □□□
□□□ □□□□ □□□ □□□ □□□□ □□□. □□□ □□□ □□□□ □□ □□(□: □□□□ □
□□ □□ "□□" □□)□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□. □□□ □□□
"□□ □□"□ □□□ □□ □□□□□. □□ □□□ □□□□□ □□□□ □□ □□□□ □□ □ □
□ □□□□□ □□□□ □□ □□□□. "□□□□□ □□ □□□□"(□□ B) □□ "□□ □□ □ □□
□"(□□ C)□ □□ □□□ □□ □□ □ □□□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□□□ □□□□ □□□ □□ □□ □ □□□□ □□ □□ □□□ □□ □□□□□□□□ □□ □
□□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□ □□□□□. □□□□ □□□ □□□ □□□
□ □□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□□.

NEW QUESTION: 21

□□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□?

- A. □□ □□ □ □□ □□ □□ □□ □□ □
- B. □□ □□ □ □□ □□□ □□ □□ □
- C. □□ □□ □ □□ □□ □□ □ □□ □□□
- D. □□□ □□ □□ □ □□ □□□□□

Answer: D ([LEAVE A REPLY](#))

□□ □□ □ □□ □□□ □□□□ □□ ServSafe Manager □□ □□□□□ □□ □□□ □□□□
□□□□.

□□□ □□ □□ □□ □□□□ "□□□□ □□□" □□□□ □□□□ □□□. □□□□ □□ □□ □□ □ □□ □□(□: □□□□ □□□□ □□) □□□□ □□□□ □□□. □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□ □□, □ □□□ □□□□□□□□ □□□□ □□ □□□□ □□□ □ □□ □ □□□□, □□□□ □□ □□□ □□□ □□□□ □□ □□□□□.

□□□□ □□□□ □□ □□□□ □□□□ □□□□.

* □□ □□ □ □□ □□ (□ □ □)

* □□□

* □□□□ □□□□ □□□

* □□ □□□ □□ □□

* □□ □ □□ □□□ (□ □□ □)

□□□□ □□ □□□□ □□□□ □(□□ A □ B)□ □□□ □□ □□ □□□□□. □□□□ □□□□ □□□□ □□ □□ □□□ □□ □□□□. □□□□ □□□□ □(□□ C) □□ □□□□ □□□□ □□ □□ □□□□ □□□□. □□□□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□ □□ "□□□□ □□ □□"□ □□□□ □□ □□□□□□ □□□ □□ □ □□□□□.

□□ □□□ □□□ □□□, □□ □□□ □□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□ □□□ □□ □□□□ □□ □□□□.

NEW QUESTION: 22

□□ □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□ □□□.

A. □□ □□ □□□□.

B. □□ □□□ □□ 45□(□□ 7□) □□□ □□□ □□□□□□.

C. □□ □□ □□□ 5□□□□□ □□□□□□.

D. □□ □□□□□ □□□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

□□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□, □□□□ □□□ □□□□ □□ □□ □□□ □ □□□ □ □□ □□ □□□ □□□ □□ □□ □□ □□□□. □□ □□□□□□□□(CDC)□ □ □□□□(ServSafe)□ □□□, □□□□ □□ □□□□□□, A□ □□ □□□□□ □□ □□□□ □□ □ □□ □□□□□□.

□□ □□□□□□□□ □□ □ □□ □□ □□□ □□□ □ □□□□. □ □□□ □□ □□ □□□ □□ □□□ □□□ □□□□□ □□□□ "□□" □□□□□.

FDA □□ □□□ □ □□□ □□ □□ □□□□□ □□□□ □□□□. □ □□□ □□ 20□ □□ □ □□□, □□ 10~15□□ □□ □□□ □□□ □□□. □ □□□ □□□ □□ □ □□ □□□□□ □ □□□, □□□□ 3□ □□□□□□ □□ □□□ □ □□□. □□ □□□□ □□□ □□ □, □□□□ □□□□□ □□ □, □□□□ □□ □, □□□□ □□□□ □ □, □□□□ □□□ □□ □□□ □□□ □□ □□□ □□□. □□ B□ □□ □□ □□□ 41°F(□□) □□□ □□□ 45°F(□□) □□□ □□□□□. □□ C□ □□ □□□□ □□□ 4□□□□ □□□□ □□ □□ □□□ 5□□□ □ □□□□ □□□ □□□□□. □□ D□ □□□□ □□□□□, □ □□□ □□□ □□□ □□□□ □□□ □□□□. □ □□□ □□□□□ □□□ □□□□ □□□□□ □□□□ □□ □□ □□ □□ □ □□□ □ □□□□.

□□ □□□ □□ □□ □□□□ □□□□ □□□ □□ □□ □□□ "□□ □□"□□ □□□□. □□□□ □□, □ □□□□ □□□□ □□ □□□□ □□□□.

NEW QUESTION: 23

□□□□ □□□ □□ □□ □□ □□□□□□□□. □□□(PIC)□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□□. □□□□ □□□ □□ □□□?

- A. □□ □□□□□ □□□□ □ □□ □□□□ □□□□□.
- B. □□□ □□□ □□□ □□□□ □□□□ □□ □□□□□□.
- C. □□ □□ □□ □□□ □□ □□□□ □□ □□□ □□□□□□.
- D. □□ □□□ □□ □□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□□ □□ □□□ "□□ □□" □□□□ □□ □□□ □□□ □□□ □□□. □□□□ □□□□ □□□□ □□, □□□□ □□□□ □□ □□ □□□□ □□ □□□, □□□ □□ □□□□ □□□ □ □□ □□□□. □□□ □□□□ □□□ □ □□ □□□□□ □□□□ □(□□ A)□ □□□ □□ □□□ □□□□□□. □□ □□ □□□ □□□ □□ □□□ □□□□ ServSafe □□□ □□□, □□ □□ □□ □□□ □□ □□□□ □□ □□ □□□□□ □□□.

□□□ □□□□ □□□ □□□□ □□ □□□□ □□ "□□ □□" □ "□□ □□" □□□ □□□□ □ □□□ □□□. □□ □□ □□ □□ □ □□□ □□□ □□□ □□□□ □□□. □ □□□, □□ □□ □ "□□□□□□"□ □□□□ □□□□, □□□□ □□ □□ □□ □ □□□ □□ □□ □□□ □□ □□□. □□ □□ □□ □ □□ □□ □□□ □□□□□. □□ □□□ □□ □□□□ □(□□ B) □ □□□ □□□□□. □□ □□□ □□□□ □(□□ D)□ □□□ □□□ □□ □□□□ □□□ □□ □□□□□□ □□□□□□□. □ □□□ A.LERT □□ □□ □□□□□ □□ □□□□, □□ "□□" □ "□□" □□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□.

NEW QUESTION: 24

□□□□ □□□ □□, □□□ □□□ □□□□□ □ □□□. □□□ □□□ □□□□ □□□□ □□ □□□.

- A. □□ □□ □ □□ □□□ □□□□□□.
- B. □□□□□ □□ □ □□□□.
- C. □□□ □□□ □□□ □□□□ □ □□□□.
- D. □□□ □□ □□ □□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

"□□(Pooling)"□□ □□ □□ □□□ □ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□. □□ □□ □□□□ □□□ □□□□ □□□□ □□ □ □□□□□. □□□ □□□□ □□□ □ □□□ □□ □□ □□□□ □□□□□, □□ □□□ □□□ □□ □□□□. ServSafe□ □□□, □□ □ □□ □ □□□□ □□□□□□□ □□□□ □□ □□□ □□□□□. □□ □□ □□□ □□ □□ □ □□ □□□□□ □ □□ □□□ □□□□ □□□□□, □□ □□□ □□□ □□ □□□ □□ □ □□ □□□□□.¹ □□, □□□ □□, □□□□ □□ □□ □ □□□□(HSP)□ □□ □ □□ □□□² □□□ □ □□□□. □□□ □□□□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□ □□□□. □□□ FDA □□ □□□ □□□ □□□□□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□□ □□□ □□□□□, □ □□□□ □□□ □□□ □□□ □□ □□□ □□□□□ □□□□□. □□□□ □□□ □□ □□□ □□□ □□ □□□□□ □□ □□□□ □□□□ □□□□. □□□□ □□, □□□□ □□ □□□□□ 5°C(41°F) □□□□ □□□

[illegible]

NEW QUESTION: 25

□□ □□□ □□□ □□, □, □□, □□ □ □□□□ □□ □□□□ □□□.

- A. $\square\square$.
- B. $\square\ 1\square$.
- C. $\square\square$.
- D. $\square\square\square\ \square\square$.

Answer: D (LEAVE A REPLY)

0000 00000 0000 400000 00 0 00000 0000, 00000 00 0000 00 0000 0
 0000 00 0000 00 0000 00000. FDA 00 00 0 ServSafe 0000 00 0000 0000,
 0000 0000 00, 00, 0000 0000 0 00000 0000 00 00000 00 0000 00 00
 00 0000. "0000 00"00 00 00000 00000 0000 00000000 00 0000 00 00
 0 000000 0000 00000 00 00 0000 00000 00 000000.

0000 00 00000 00 0000000 0000 00 00000 00 0 0000 000000 000000
 000000000000 0000 00 00 00000 00 00000 00 000000. 00000 0000 0
 0000 0000 00000 00 000000 0000. 00000 00 0000 000000 0000 0000 00
 0 00 0000 000000 0000. 00 00000000 00(00 B) 00 00(00 C)0 00 0000
 0000 0 0000, 00 0000 000000 0000 000000 00 000000 0000 0 000000. 0000
 0000 00000, 000000 0000, 00000 000000 0000 000000. 0000 0000 00000 0
 00 00000 00 0000 00 000000 00 00 00 0000 0000 0000 0000 0000 00
 0000 0000 0 00000. 000000 000000 0000 00 00000 00 0000 000000 00 00
 0 000000 00 0000000 000000 0000 000000 0000.

NEW QUESTION: 26

□□ □□ □□□ □□□ □, □□□(PIC)□ □□□ □ □□ □□□ □□□ □□□□□?

- [illegible]

Answer: C (LEAVE A REPLY)

□□ □□□ □□□□ □□ □□ □□(FDA □□ USDA)□ □□, □□□□ □□□ □□ □□□ □□
 □□□ □□ □□□ □□□□ □□□ □□□ □ □□□□□. □□□□ □□ □□□ □□□ □□□ □
 □□ □□ □□□ □□□□□ □□□□ □□□ □□ □□□□. ServSafe □□□ □□□□□ □□□,
 □□□(PIC)□ □□ □□ □□□ □□ □□ □□, □□, □□ □□, □□ □ □□□□□ □□□□ □□
 □.
 □□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□ □□ □□□□ □□ "□
 □ □□" □ "□□ □□"□□ □□□ □□□□ □□□□ □□□. □□ □□ □□□ □□□□ □□ □□
 □□□□ □□□ □□□ □□□ □□□ □□□□ □□ □□ □□□□. FDA□ □□□□□ □□□ □

□□□□ □□ □□ □□□□ FD3A(□□ A)□ □□□ □□□□ □□ □□ □□□□□□. □□ □□ □□□ □□ □□□ □□ □□□□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□(□□ B) □ □□□□□. □□□ □□ □□ □□□ □□ □□□ □□(□□ D)□ □□□ □ □□□, □□ □□□□ □□□□ □□ □□□ □□□ □□□□□ □□□□ □□□□. □□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□, □□□□ □□□ □□□□ □□□□□ □□□ □ □□□ □□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 27

FDA □□ □□□ □□□ □□ □□ □□ □□ □□□□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□□?

- A. □□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□.
- B. □□□ □□□□□ □□□ □□, □□, □□□□ □□□□ □□□ □□□.
- C. □□□ □□□ □□ □□ □□ □□□□, □□ □ □□□ □□□ □ □□□□.
- D. □□ □□□ □□□ □□□ □□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□ □□□□ □□ □□ □□□ FDA □□ □□ □ ServSafe □□□ □□□□ □□□□ □□□, □□ □□ □□□□ □□□ □□□ □□ □□ □□□□□ □□□□□. □□□ □□□□ □□ □□□ □□ □□ □□□ □□ □□□ □□ □□□□□. □□□ □□□□□ □□□ □□ □□ □□□□ □□□□ □□□. □□□ □□ □□□□ □□ □□ □□□□ □ □□□ □□□□ □□□ □□□□. □□, □ □ □□ □□□□□ □□□□ □□□□□. □□□□□ □□□□□□□□ □□ □□□□ □□ □□ □□(□ □□ □□)□ □□ □□ □□□ □ □□□□ □□□□ □ □□□□.

□□, □□□□□ □□ □□(□□ D)□ □□□ □□□ □□□ □ □□□□ □□□□□. □□□□□ □ □□ □□□ □□□ □ □□, □□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□ □ □□ □□. □□ □□□□□ □□ □□□ □□□ □□ □□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□. □□□ □□□ □□□ □ □□□ □□□□ □□□□ □□ □□□□ □□ □□□ "□□□□□ □□□" □□ □□□□□. □□□ □□□ □□ □□□ □□ □□□ □□ □□□□□. □□ □□□□□ □□□ □□ □□□□ □□□□ □□□□□ □□ □□□ □□□□□ □□□, □□□ □□ □□ □□ □□□ □ □□□□ □□□□ □□(□□□□ □□□□□ □□ □□□ □□)□ "□□ □□□□ □" □□□□□.

□□□□ □□□□ □ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□. □□□ □□ □□□ □□□ □□□ □□ □□□□□ □□□□ □□□□□, □□ □□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.

NEW QUESTION: 28

□□/□□ □□ □□□□(TCS □□)□□ □□□□ □□□ □□□□□?

- A. □□□ □□ □
- B. □□ □ □
- C. □□□
- D. □□□□ □□□

Answer: D ([LEAVE A REPLY](#))

TCS □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□ □

C. 00 00.

D. 00 0000.

Answer: B ([LEAVE A REPLY](#))

00 00000(FDA) 00 00 0 ServSafe 000 000, 0000 0000 0 00 000 0
0 0 00 000 000 00(TCS 00)0 0000 00 000 000 00000 0000 00
0. 0 00000 00 00 0 00 00, 000, 000, 000 00 000 000 00 000
000 0000, 00 00 000 00 00000 00 00000 00 0000 00000 0
00 0000. 000 0000 000000000 00000000 00 0000 000 00 00
0 000 0000 000 0 000 00000 00000.

00000 0 0000 00000. 0 000 0000, 0 000 00000. 0000 0000
0 00 00 000 00(*)0 0000 00 00 0 00 0000 00000. 000 00 000
00 00 0000, 00 000 000 00 000 00000. 0 00(00 A), 00 00(00
C), 00 0000(00 D)0 00000 000 00 00 0000 00000 00000 000
0 0000. 00 000 00, 00 00 0000 "A0 00" 00 00 00 000 000 000
00 00000. 0000 00 000 0000 00 00000 0000 00 00 0000 0
00 0000 000. 0 000 "0000 00 00"0 00 0000, 00 000 0000 00
0 0000 000 00 0000 000 000 0000 000 00 000 000 00000
00000.

NEW QUESTION: 31

000(PIC)0 00 0000 000 00 00 000 00000 000 00 000 00 0 00
00.

A. 00 0000 000 00 0000 00000.

B. 00 00 00 0 000 0000 00 00 00.

C. 00 00 0000 00 000 0000 00 000 000 00000.

D. 000 000 000 00, 00 00 0000 0000 00 000 0000 0.

Answer: ([SHOW ANSWER](#))

000 00 000 00 000 00 000 00 0000, 0 000 0000 00000.

ServSafe 000 00 000 000(PIC)0 0000 00 00(00 A)00 00000 0 000
00 00000. 0 0000 000 0000 000 000 00000 0 00 00000. 00
0 0000 0000 00 000 0000 "00 00 00"0 0000 000. 000 000 0
00, 00/00 00, 00 00 00 0 00 000 0000 0 000 000.

0000 0000 00 000 00 00 00 000 00 000 00 0000 0000 000
000 00, 000, 00 00 00 0 000 000 00 00000 00, 00 00 0000 0
000 000. 00 00 00(00 C)0 000 00 00 0000 000 0 0 000 00 00
000 00 000 00000 0000. 00 000 000 000 0000 0(00 D)0 00 0
0000 "00 00" 00 0000, 000 000 00000 000 000 00000. 0000
000 00 000 000000 00 000 00 00 000 "00"0 00000 00 00 00
00 000 0 000 000 000 0 0000. 00 0000 00 00 000 0000 00
0000 00000 00 000 0000 0000 00 000 0000 0000 000.

ServSafe-Manager □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ServSafe-Manager □□! DumpTop □ □□ **ServSafe-Manager** □□ □□□ □□□□□□, DumpTop ServSafe-Manager □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□ □□ □□ DumpTop ServSafe-Manager □□□ □□□□□.

<https://www.dumptop.com/ServSafe/ServSafe-Manager-dump.html> (93 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□ □□□ □□□ □□□, □□□ □□ □□□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□. □, □□□□ □□ □□□ □□□□□.

A. □□□ □□ □□□□□□.

B. □□ □ □□ □□.

C. □□ □□□ □□□□□.

D. □□ □ □□ □□□.

Answer: D ([LEAVE A REPLY](#))

□□□□ □□ □□ □□□ □□□□□□ □ □□□□ □□□□□, □□□□ □□□□ □□□ □□ □□□ □□□□ □ □□ □□□□. □□□ □□□□ □□□□ □□□ □□□□□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □ □□□□. ServSafe Manager □□□ □□□, □□□ □□□□ □□ □□, □□ □□ □□ □ □□ □□(RTE)□□ □□ □□□ □□□□ □ □□□□ □□ □□□ □ □□□□ □□□.

□□□ □□□ □□□□ □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□ □□, □□ □□(□□ □□ 4□ □□□ □□□ □)□ □□□□ □□ □□□ □□□ □□ □□ □□ □□□□. □□□ □□□□(□□ A) □□□ □□ □(□□ C)□ □□□□ □□□□□ □□□□ □□□□ □□□ □. □□(□□ B)□ □□□□ □□ □□□□□, □□□□ □□□□□□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□□. □□□□ □□□□ □□ □□□ □ □□□ □□, □□□□ □□ □□ □ "□□ □ □□" □□□ □□□□□ □□□□ □□□. □□□ □□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□ "□□"□□ □□ □□□□ □□ □□ □□ □ □□□□.

NEW QUESTION: 33

□□□□□□□ □□□□ □□□ □□□ □□ □□□□ □□□ □□ □□□ □□□ □□□.

A. □□□ □ □□ □□□□□.

B. □□□□ □□□.

C. 12□□ □□ □□□ □□□ □ □□□□.

D. □□□ □□□□ □□□ □□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□□□□□□ □□□ "6□ □□ □□□"□ □□□□ □□ □□□ □□□□□□ □□□ □□□□ □□ □ □□□□. ServSafe □□□ □□ □□□ □□□, □□□ "□□"□□ □□ "□□"□□ □□□ □□□ □□□ □□□□. □□□ □□□□□□□□ □□□□ □□□ □□□ □□ □□□ □□□ □□, □□□ □□□ □□□□.

□□□(PIC)□ □□ □□□ □□□□□ □□□ □□□□ □□□. □, □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□ □□□□ □□ □□ □□□ □ □□□□.

□□□□□□□ □□□□ □□□□ □□ □□□□, □□ □□-□□ □□□ □□ □□□□□.

□□□ □□□ □□ 24□□(□□ □□□□□ 48□□) □□ □□□ □□□ □□□ □□□ □□□□ □ □□ □□□ □□□ □□□ □ □□□□. □□□□ □□□ □□ □□□ □□ □□ □□□ □□□□ □ □□. □□□□□□□ □□□□ □□ □□ □□□ □□□ □□□ □□□ □□□ "□□□□ □"(□□ D)□ □ □□ □□□□ □□ □□ □□ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□. □□ □ □□ □□□□ □□□□ □□ "□□□□ □□ □□"□ □□ □□□□□. □□□□ □□□□ □□ □□ □ □□□□□□ □□□ □□□ □□□□ □□□ □□□ □ □□□□.

NEW QUESTION: 34

□□□□ □□□ □□□ □□□□ □□□.

- A. □□ □□.
- B. □□ □□.
- C. □□ □□.
- D. □ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

□□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□ □□□□ □□□ □□ □.

□ □□, □□ □□, □□ □□(□□ □ □□)□ □□□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□. □□□□ □□ □□□ □□□□ □□ □□□ □□□□□, □□ □□□□ □ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□□. □□ □□, □□ □□□□ □□□□ □□□ □ □□ □□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□ □□□□ □□ □□□□ □□ □□□□.

FDA □□ □□□ □□ □□□□ □□ □□□□□. □ □□ □□□□ □ □□, □□□ □□□□ □□ □□, □□□ □□□(□□□□) □□□□ □□ □□□□□□ □□□□ □□□. □□ □□□ CDC□□ □□□ □□□□ "5□ □□ □□" □ □□□□□. □□□□ □□□□ □□□□□□ □□□□ "□□□□" □□□□ "□□□□" □□ □□ □□□ □□□ □□□ □□ □ □□□□. "□□ □□"(□□ A)□ □□ □□ □□□ □□□ □□□□□, □□□□ □□ □□□□ □□□□ □□□□ □□□ □ □□□ □ □□□ □ □□□□. □□□ □□□ □□□□ □□□□ □□□ □□□□ □ □□□ □□ □□□ □□□□ □ □□□ "□□□□ □□ □□" □□□□□.

ServSafe-Manager □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ServSafe-Manager □□! DumpTop □ □□ **ServSafe-Manager** □□ □□□ □□□□□□, DumpTop ServSafe-Manager □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□ □□ □□ DumpTop ServSafe-Manager □□□ □□□□□.

<https://www.dumptop.com/ServSafe/ServSafe-Manager-dump.html> (93 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)