

Snowflake.COF-R02.v2023-11-03.q120

□□□□:	COF-R02
□□□□:	SnowPro Core Recertification Exam
□□□:	Snowflake
□□ □□ □□□:	120
□□:	v2023-11-03
# □□ □:	1023
# □□ □□□:	1200
https://www.krdump.com/Snowflake.COF-R02.v2023-11-03.q120.html	

NEW QUESTION: 1

□□□□□ □□□ □□□□ □□□□□□ □□□ □□□□ □□□□□?

- A. □□□□□ □□□ □ □□ □□□ □□□□ □□□ □ □□ □□ □□ □ □□□□.
- B. □□□. □□ □□□ □□□□□ □□□ □□□□ □□□□□.
- C. □. □□□ □□□□ □□□ □□□ □□□ □□□□ □□□□□.
- D. □. □ □□□ □□□□ □□ □ □□ □□ □□□ □□ □□□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□□ □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□□□? (2□ □□).

- A. □□□ □□□ = 120 □□□ □□□□ □□□ = 10
- B. □□□ □□□ = 50 □□□ □□□□ □□□ = 10
- C. □□□ □□□ = 200 □□□ □□□□ □□□ = 26
- D. □□□ □□□ = 10 □□□ □□□□ □□□ = 9
- E. □□□ □□□ = 80 □□□ □□□□ □□□ = 5

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

□ □□ □□: AWS Private Link□ □□□ □□□□□ □□□ □□□□ Snowflake□□ □□ □□ □□□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

□□: <https://docs.snowflake.com/en/user-guide/admin-security-privatelink.html>

NEW QUESTION: 4

Snowflake □□□ □□ □□□□ □□□□□ □□□ □□□□ □□□□ □□□□□?

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which command can be used to create a table in a database using SQL?

- A. GET_DDL
- B. CREATE TABLE
- C. CREATE DATABASE
- D. CREATE SCHEMA

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which of the following is a distributed storage system?

- A. Hadoop Distributed File System (HDFS)
- B. Amazon S3
- C. Microsoft Azure Blob Storage
- D. Google Cloud Storage
- E. Oracle Database

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which of the following is a distributed storage system?

- A. Hadoop Distributed File System (HDFS)
- B. Amazon S3
- C. Microsoft Azure Blob Storage
- D. Google Cloud Storage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which command can be used to create a table in a database using Snowflake SQL?

- A. MY_ROLE CREATE TABLE
- B. MY_ROLE CREATE SCHEMA
- C. MY_ROLE CREATE DATABASE
- D. MY_ROLE CREATE SCHEMA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following is a distributed storage system?

- A.** `CREATE SNOWFLAKE ACCOUNT` `ACCOUNTNAME` `SNOWFLAKE` `ACCOUNTNAME`.
- B.** `CREATE SNOWFLAKE ACCOUNT` `ACCOUNTNAME` `SNOWFLAKE` `ACCOUNTNAME`.
- C.** `SHOW MANAGED ACCOUNTS` `ACCOUNTNAME` `SNOWFLAKE` `ACCOUNTNAME`.
- D.** `CREATE SNOWFLAKE ACCOUNT` `ACCOUNTNAME` `SNOWFLAKE` `ACCOUNTNAME`.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 14

□ □ □ □ □ : □ □ □ □ □ □ □ □ □ □ □ Snowflake □ □ □ □ □ □ □ □ □ □ .

- A.** ☐ ☐
- B.** ☐ ☐

Answer: B ([LEAVE A REPLY](#))

□□: <https://docs.snowflake.com/en/user-guide/warehouses-multicluster.html>

NEW QUESTION: 15

☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐☐

□□□ □□□□ □□ my_WH □□

$\square\square_\square\square = \square\square$

```
min_cluster_count = 1
```

```
max_cluster_count = 1
```

```
auto_suspend = 60
```

```
auto_resume = ☐;
```

□□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□□.

□□ □□□□□. <https://www.dumptop.com/Snowflake/COF-R02-dump.html> (332 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□ □□□ □□□□□□ □□ COPY INTO SQL □□□ □□□□ □□□?

- A. □□=□
- B. □□=□□
- C. □□=□□
- D. □□=□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Snowflake □ □□□□□(UI)□ □□ □□□ □□ □□ □□ □□□□□.

- A. 60□
- B. 24□□
- C. 14□
- D. 30□
- E. 1□

Answer: C ([LEAVE A REPLY](#))

□□: https://docs.snowflake.com/en/sql-reference/account-usage/query_history.html

NEW QUESTION: 19

user.1□□ □□□ □□ □□□ □□□ □□ SQL □□□ □□□□ □□□?

- A. □□□ USER1□ □□□□□.
- B. □□□ USER1□ □□□ □□□□□.
- C. □□□ USER1□ □□ □□□ □□□□□.
- D. □□□ USER1□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

□□□□ □□□□ □□ □□□ □□ Snowflake □□ □□ □□□□□□ □□ □□ □ □□ □□□
□□□ □□ Snowflake □□□ □□□□□?

- A. □□ □□ □□□
- B. □□□□ □□□□
- C. □□□□□□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

☐ ☐ ☐: SnowSQL/☐☐☐ ☐☐☐ ☐☐ UI ☐ ☐ ☐☐ ☐☐☐

☐☐☐☐ ☐☐ ☐ ☐ Snowflake ☐ ☐☐☐☐(UI) ☐ ☐☐ ☐☐.

- A. ☐ ☐
- B. ☐ ☐

Answer: B (LEAVE A REPLY)

□□: <https://docs.snowflake.com/en/user-guide/connecting.html>

NEW QUESTION: 26

□□ □□□□ □□□ □□□□ □ □□ □□ Snowflake □□□ □□□□□?

- A.** ☐☐☐☐☐ ☐☐☐
B. ☐☐☐
C. ☐☐☐ ☐☐
D. ☐☐☐☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 27

□□ □□□□ □□□ □□□□□ □□ □□ □/□□ □□□ □□□□□ □□□□□ □ □□□□?
(□ □□□ □□□□□.)

- A.** `CREATE TABLE` -> TABLE_HISTORY
- B.** `CREATE FUNCTION` -> TABLE_FUNCTION
- C.** `CREATE INDEX`;
- D.** `CREATE TABLE` `CREATE INDEX` `CREATE VIEW`;
- E.** `CREATE TABLE` -> TABLE_STORAGE_METRICS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

☐ ☐ ☐ ☐: Snowflake ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐.

- A. ☐ ☐
- B. ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Snowflake □□□□ □□□□ □□□ □□□□ □□□□ □ □□□ □□□ □□□□?

- A. ☐ ☐
- B. GET
- C. ☐ ☐
- D. ☐ ☐

Answer: A (LEAVE A REPLY)

11

<https://docs.snowflake.com/en/user-guide/data-unload-snowflake.html#:~:text=Your%20User%20Stage-,Use%2>

NEW QUESTION: 30

□□□ □□ □□□ □□□ □ □□ □□□ □□□□□?

- A.** SYSADMIN □□□ □□□□ □□□ □□ □□□ □□□□□.
- B.** SYSADMIN □□□ □□□ □□ □□ □□
- C.** □□□ □□ □□□ PUBLIC □□□ □□
- D.** □□ □□□ □□ □□ □□□ __CUSTOM □□

Answer: B (LEAVE A REPLY)

22

```

00000 00 000 000 000 0 000 000 0 Snowflake 000 00 SYSADMIN
0 000 000 000 00 000 00 000 00 00 000 000 00 00000.
0 00 000 00 000 0000 00000 0 000000 000 00 000 00 00
0 000 0 000 000 000 0 00 000 00000 USERADMIN 000 000 0 00000.

```

NEW QUESTION: 31

□□ □□□ Snowflake □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□□□?

- A.** □ □ □ □ □
- B.** □ □ □ □ □ □ □
- C.** □ □ □ □ □ □ □ □ □
- D.** □ □ □ □ □ □ □ □ □

Answer: A (LEAVE A REPLY)

11

[illegible]

<https://www.projectpro.io/article/snowflake-architecture-what-does-snowflake-do/556#:~:text=Query%20Proces>

COF-R02 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ COF-R02 ☐☐!
DumpTop ☐ ☐☐ **COF-R02** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop COF-R02 ☐☐ ☐☐☐ ☐☐
☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop COF-R02 ☐
☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Snowflake/COF-R02-dump.html> (332 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

[illegible]

- A. ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐

□□ □□ □□ □□ □□□ 90□□□□.

Fail Safe □□ □□□ 7□□□□.

C. □□ □□ □□ □□□ 0□□ □□□□□.

□□ □□ □□ □□ □□□ 30□□□□.

Fail Safe □□ □□□ 1□□□□.

D. □□ □□ □□ □□□ 1□□ □□□□□.

□□ □□ □□ □□ □□□ 90□□□□.

Fail Safe □□ □□□ 7□□□□.

E. □□ □□ □□ □□□ 7□□ □□□□□.

□□ □□ □□ □□ □□□ 1□□□□.

Fail Safe □□ □□□ 90□□□□.

F. □□ □□ □□ □□□ 90□□ □□□□□.

□□ □□ □□ □□ □□□ 7□□□□.

Fail Safe □□ □□□ 356□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 51

Snowflake□ □□□□ □□□ □□□ □□□ □□□□□? (3□□ □□□□□.)

A. □□□□ □□□□ □□□ □□

B. □□ □□ □□ □ □□□

C. □□ □□□□□ □□

D. □□□ □□

E. □□

F. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

□□□□ □□□ □□□□ □□ □□□□ □□□□□□ □□□ □□□□□?

A. □□ □□□□□ □□ □□□□ □□□ □□ □□□ □□□□□.

B. □□ □□□□□ □□ □□□□ □□□ □□ □□□ □□□□□.

C. □□□□□□ □□□ □ □□□□ □□ □□□□□ □□□.

D. □□ □□□□ □□□ "□□"□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Snowflake□ □□□ □□□ Azure □□□ □□ □□□ □□□□ □□□ AWS□□ □□□ □□□

□ □□□□ □□□□□ □□□ □□□□□?

A. □□□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□ Azure Central

Canada□□ AWS Asia Pacific□□□ □□□ □□□ □ □□□□.

- B. 5MB
- C. 16MB
- D. 32MB

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following is a valid Snowflake SQL statement? (Choose two.)

- A. create table t create view DDL t
- B. create DDL t
- C. create table t
- D. create table t create view DDL t APPLY
- E. ALTER <table> ADD ROW ACCESS POLICY <policy> table;

Answer: A,C ([LEAVE A REPLY](#))

COF-R02 is a Snowflake dump of the COF-R02 database! DumpTop is a Snowflake dump tool, DumpTop COF-R02 is a Snowflake dump tool. DumpTop COF-R02 is a Snowflake dump tool. <https://www.dumptop.com/Snowflake/COF-R02-dump.html> (332 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Which of the following is a valid Snowflake SQL statement? (Choose two.)

- A. create table t create view DDL t
- B. create table t create view DDL t Snowflake t
- C. create table t create view DDL t
- D. create table t create view DDL t

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which of the following is a valid Snowflake SQL statement? (Choose two.)

- A. COPY t t
- B. create table t
- C. create table t
- D. create table t
- E. create table t

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which of the following is a valid Snowflake SQL statement?

- A. 00
- B. 00 00 000
- C. 0000 0000
- D. 000000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

00 0 Snowflake 00 000 000 000000? (0 000 000000.)

- A. 0000 ODBC 00000 000 0 00 000 000 0 0000.
- B. SnowSQL 00 0000000 0000 00 00 000 000 000 00 000000.
- C. 00 00 00 000 0000 000 0 0000.
- D. 000 0000 00 0000 000 Enterprise 00 00000 000 0 0000.
- E. 00 000 00 0000 00000000 00000 000 00000000 000000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

000000 000 000 00 0000 0000 000000. 0000 000 0000 00 00 0 0000. 0000 0000 0000 00 00 0000 000 0 0000?

- A. 0, 000 000 000 00000 0000 000000.
- B. 000, 000 00000 000 000 000 0 00 000 0000 00 00 0000 00.
- C. 000. 000 000 00 00 000 000 0000 00 000000.
- D. 0, 000 0000 00 000 00 000 000 00 000 0 00 000000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

0000 mytable 000 Snowflake 0000 mystage 00 00 00000 00000000. Staged 0 0000 00 000 000 00 000 000 0 0000?

- A. 00 @mystage;
- B. @mytable 00;
- C. 00 @ %m.ystage;
- D. 00 @%raytable;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

00000 00 000 00 00 000 0 00 0000 000 00 000 0000 00 0 0000?

- A. IS_UPDATEABLE
- B. IS_SECURE
- C. TABLE_NAME
- D. CHECK_OPTION

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which Snowflake feature is used to create a table that is automatically updated with data from a source table?

- A. Materialized view
- B. External table
- C. Stream
- D. Table function

Answer: B ([LEAVE A REPLY](#))

URL: <https://docs.snowflake.com/en/user-guide/intro-editions.html#business-critical-edition>

NEW QUESTION: 70

CREATE PIPE ... AS COPY ... FROM (...) ... (2 ...)

- A. ... where ...
- B. ...
- C. ...
- D. ...
- E. ...

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Which Snowflake feature is used to create a table that is automatically updated with data from a source table?

- A. Materialized view
- B. External table
- C. Stream
- D. Table function

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which Snowflake feature is used to create a table that is automatically updated with data from a source table?

- A. Materialized view
- B. External table
- C. Stream
- D. Table function

Answer: B ([LEAVE A REPLY](#))

URL: <https://docs.snowflake.com/en/user-guide/tables-clustering-keys.html>

NEW QUESTION: 73

Which Snowflake feature is used to create a table that is automatically updated with data from a source table?

Answer: (SHOW ANSWER)

☐ ☐ ☐ ☐ (CDP) ☐ ☐ ☐ ☐ ☐ ☐ Snowflake ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐? (☐ ☐ ☐ ☐ ☐ ☐.)

- Answer: A,D (LEAVE A REPLY)**

CREATE OR REPLACE PIPE □□□ □□□□ □□□□ □□ □□ □:

- Answer: A (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/data-load-snowpipe-manage.html#load-history>
"□□□□ □□□□□ □□ □□□□□ □□□□□."

CSV ☐☐☐ Snowflake ☐ ☐☐☐ ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐?

- Answer: ([SHOW ANSWER](#))**

[https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20 delimited %20files%20\(C ,TSV \),UTF-8](https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20 delimited %20files%20(C ,TSV),UTF-8).
Snowflake uses UTF-8 encoding by default.
You can specify the file format and delimiter using the following syntax:
`(FILE_FORMAT = <file_format>) [DELIMITER = <delimiter>]`

□□□ □□□□ Snowflake□ □□□□□ □□□□ □□□□□ □□□□ □□□ □□□ □ □□
 □□□ Snowflake □□□ □□□□□?

- A.** ☐☐☐ ☐☐☐
- B.** ☐☐
- C.** ☐☐☐ ☐☐☐

D. ☐☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 84

☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐ ☐ ☐☐☐☐?

☐☐ 3 ☐ ☐☐

A. ☐☐☐

B. ☐☐☐

C. ☐☐☐☐☐ ☐☐☐

D. ☐☐ ☐☐ ☐☐

E. ☐☐

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 85

☐☐ ☐☐ ☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐.

☐☐☐ ☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐?

A. 1 ☐

B. 60 ☐

C. 5 ☐

D. 60 ☐

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 86

☐☐ ☐☐ ☐☐ ☐☐☐ ☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.

A. ☐☐ ☐☐☐☐ ☐ ☐☐ " ☐☐ ☐☐ " ☐☐ ☐☐

B. ☐☐ ☐☐ " ☐☐ " ☐☐ ☐☐

C. ☐☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

D. ☐☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐

Answer: D ([LEAVE A REPLY](#))

☐☐: https://help.pentaho.com/Documentation/9.1/Products/Modify_Snowflake_warehouse

NEW QUESTION: 87

☐☐☐ ☐☐ ☐ ☐☐☐ ☐☐ ☐☐☐ Snowflake ☐☐☐ ☐☐☐☐?

A. ☐☐☐☐ ☐

B. ☐☐ ☐☐

C. ☐☐ ☐☐☐

D. ☐☐

Answer: B ([LEAVE A REPLY](#))

☐☐

[https://docs.snowflake.com/en/user-guide/data-availability.html#:~:text=Snowflake%20provides%20powerful%](https://docs.snowflake.com/en/user-guide/data-availability.html#:~:text=Snowflake%20provides%20powerful%20)

□□ □□□□□ □□ □□□ □□□□ Snowflake□ □□□□ □□□□□ □□ □□□ □□□□
□□□?

- Answer: B (LEAVE A REPLY)**

□□ □□ □□□ □□□ □ □□□ □□□ □□ □□□ □□□□□?

- Answer: ([SHOW ANSWER](#))**

□□□□ □□□ □□ □□□□ □□□□ □□□ 10□□ □□□ □□□ □□□□. □□ □□□ □
□ □□□ □□□□ □□ □□ □□□□□.

□□ □ □□□ □□□ 10□□ □□□ □□□□ □□ □□□ □□ □□□ □□ □□□
 □ □□ □□□□□ □□□□ □□□□□. □□□□ 10□□ □□ □□□ □□□□ □□□□□.
 □□□□ □□□ □□□ □□□□ □□□□ □□□ □□□?

- Answer: D (LEAVE A REPLY)**

□ □ □ □ □ : □ □ □ □ □ □ □ □ □ □ □ Snowflake □ □ □ □ □ □ □ □ □ □ □ .

- Answer: B (LEAVE A REPLY)**

□□: <https://docs.snowflake.com/en/sql-reference/ddl-database.html>

- B. #
- C. \$
- D. &

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

Which two are valid Snowflake SQL functions for generating a random string?

- A. RAND
- B. RANDOM

Answer: ([SHOW ANSWER](#))

Blog: <https://blog.ippon.tech/innovative-snowflake-features-caching/>

NEW QUESTION: 97

Which two are valid Snowflake SQL functions for generating a random string?

- A. RAND
- B. RANDOM
- C. RANDSTR
- D. RANDOMSTR
- E. RANDTEXT

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which two are valid Snowflake SQL functions for generating a random string?

- A. RAND
- B. RANDOM
- C. RANDSTR
- D. RANDOMSTR

Answer: A ([LEAVE A REPLY](#))

Blog

Alation: <https://docs.snowflake.com/en/user-guide/ecosystem-all.html>

NEW QUESTION: 99

CREATE TABLE AS SELECT statement is used to create a new table from an existing table.

- A. CREATE TABLE AS SELECT statement is used to create a new table from an existing table.
- B. CREATE TABLE AS SELECT statement is used to create a new table from an existing table.
- C. CREATE TABLE AS SELECT statement is used to create a new table from an existing table.
- D. CREATE TABLE AS SELECT statement is used to create a new table from an existing table.

Answer: ([SHOW ANSWER](#))

□□□□ MYDB.MYSCHEMA □□□□□ □□□□ □□ □□□□ □□□.
□ □□□ □□□ □□□□ □□ □□□□□?

Answer: B (LEAVE A REPLY)

Answer: D (LEAVE A REPLY)

* ☐ ☐ ☐ ☐ ☐

- <https://docs.snowflake.com/en/user-guide/data-sharing-intro.html>

Snowflake Data Marketplace □ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□? (□ □□ □ □□□□□.)

- Answer: B,C (LEAVE A REPLY)**

☐ ☐ Snowflake ☐☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐? (☐ ☐☐
☐☐☐☐☐)

- Answer: ([SHOW ANSWER](#))**

□□ 365□(1□) □□ □□□□ □□ □□□ □□ □□□ □□□
SNOWFLAKE.ACCOUNT USAGE □□□ □□□□□?

- Answer: B (LEAVE A REPLY)**

```
□□ JSON□ CAR SALES □□□□ src□□ VARIANT □□ □□□□□.
```



```

{
  "customer": [
    {
      "address": "San Francisco, CA",
      "name": "Jane Doe"
    }
  ],
  "date": "2022-01-28",
  "dealership": "Town Auto Sales",
  "salesperson": {
    "id": "55"
  }
}

```

Which of the following is a valid JSON object?

Which of the following is a valid JSON object?

- A. car_sales["src.dealership"]
- B. car_sales["src.dealership"]
- C. car_sales["src:dealership"]
- D. car_sales["src:Dealership"]

Answer: C ([LEAVE A REPLY](#))

COF-R02 is a collection of questions and answers for the Snowflake Certified Data Engineer exam. DumpTop is a website that provides a free PDF of the COF-R02 exam questions and answers. DumpTop is a website that provides a free PDF of the COF-R02 exam questions and answers. DumpTop is a website that provides a free PDF of the COF-R02 exam questions and answers. <https://www.dumptop.com/Snowflake/COF-R02-dump.html> (332 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

Which of the following is a valid JSON object?

- A. {
- B. {

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

Account □ Table □□□ □□ Snowflake□□ □□□□ □□□ □□ □□□□□?

- A. 30□
- B. 90□
- C. 365□.
- D. 60□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

Snowflake Time Travel□ □□ □□□ □□□□□?

- A. □□ 365□ □□□ □□□ □□□ □□ □□ □□
- B. □□ 90□ □□□ □□□ □□□ □□ □□ □□
- C. BI □□□ □□ □□ □□ □□ □□
- D. □□ □□ □□□ □□□ □□/□□ □□

Answer: B ([LEAVE A REPLY](#))

□□

Snowflake Time Travel□ □□□□ □□□ □□ □ □□ □□□□□ □□ □□□(□, □□□□□ □□□ □□□)□ □□□□ □ □□□□. □□ □□□ □□□□ □□ □□□ □□ □□□ □□□. * □□□ □□ □□□□□ □□□□□ □ □□ □□□ □□ □□(□□□, □□□ □ □□□□□□□) □□.

* □□ □□ □□□ □□□ □□ □ □□.

* □□□ □□ □□ □□□ □□/□□ □□.

<https://docs.snowflake.com/en/user-guide/data-time-travel.html>

NEW QUESTION: 110

□□□□ □□□ □□□ □□□□□?

- A. SERVERLESS_FEATURES_SIZE □□ □□□□□ □□ □□□ □□ □□□ □□ □
- B. □□ □□ □ □□□ □□□□ □□□□□ □□□□ 10%□ □□□□ □□ □ □□□□ □□□ □□□□ □□□□.
- C. □□ □□□ □□ □□ □□ □□□ □□ □(□□ 1□)
- D. □□□ □□ □□ □□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

□□ □ Snowflake□ □□□□ □□□□ □□ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. □ □□□ □ □□ □□ □□ □□□ □□□□ □□ □□□□□□ □□ □□□ □□ □□□ □□ □□□.
- B. 100MB□□ 250MB □□□ □□□ □□□ □□ □□□ □□□ □□□.
- C. □□□ □□□ □□□ □□□□□□ □□□ □ □□□ □□ □ □□□□□□□ □□□□□□.

D. 1000 100 100 1000000 1000 100000000 1000 100000 1000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 116

PUT 100: (20 100)

A. 100 100 100 100 100

B. 1000000 1000 Stage1 100000 100

C. Gzip1 100000 1000 100000 1000000.

D. 100000 100 1000

Answer: C,D ([LEAVE A REPLY](#))

100: <https://docs.snowflake.com/en/sql-reference/sql/put.html>

NEW QUESTION: 117

Virtual Warehouse1 100 100 10000 10000 1000000?

A. 100 120~100 50

B. 100000 1000 1000000

C. 10000000 1000 100

D. 100 100

Answer: C ([LEAVE A REPLY](#))

100

<https://docs.snowflake.com/en/user-guide/warehouses-overview.html>

NEW QUESTION: 118

100 1000 FCT_SALES100 100 100000 100000.

100 1000 1000000000.

FCT__SALES100 100(1)100 100000000.

Snowflake100 100 10000 1000 100000000?

A. 100 100 1000 100 100

B. 100000000 excite100 100 100

C. 100 1000 1000 100000 100000 100 100

D. 100 1000000 1000 100 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 119

100 100 Snowflake100 100000 100000 100000 100000 100000000? (100000 100000 100000.)

A. PARSE_JSON 10000 100000 100000 100000 VARIANT 10000 100000 100000000 10000.

B. SINGLE = TRUE 1000000 1000000 100 5GB 10000 100 10000 100000 100000 100 100 100000.

C. 1000000 100000 100000 100 STRIP_OUTER_ARRAY 10000 100000 100 100000.

D. ENCODING □□ □□ □□□ □□□□ □□ UTF-8□□ □□□□ □□□□□.

E. OBJECT_CONSTRUCT □□□ □□□ □□□□ □□□□□ □□□□ □□□□ □ □□□ □ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 120

□□ □□ □□□□□ □□□ □□□□□ □□ Snowflake PUT □□□ □□ □□□□ □□□ □□ □□□□? (3□□ □□□□□.)

A. □□□ □□□□

B. □□□ □□

C. □□□ □□

D. □□ □□ □□

E. □□□□□□ □□

F. □□ □□ □□

Answer: C,D,F ([LEAVE A REPLY](#))

COF-R02 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ COF-R02 □□!

DumpTop □ □□ **COF-R02** □□ □□□ □□□□□□, DumpTop COF-R02 □□ □□□ □□ □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop COF-R02 □ □□ □□□□□. <https://www.dumptop.com/Snowflake/COF-R02-dump.html> (332 Q&As

Dumps, **30%OFF** Special Discount: **KrDump**)